








I-Work - I-Work Flap





02


I-Work



































13

I-Work Flap







I-WORK - I-WORK FLAP TECHNICAL DESCRIPTION

DESK LEG

Metal frame support on 4 legs. Made of tubular metal profiles of square cross-sectional, coated in epoxy powder. They are pre-fitted on the upper transversal part for the attachment of the horizontal supporting beams. Foot is fitted with leveling feet for possible floor level abnormalities. The CPU holder and/or the front modesty panel brackets supports can be fitted directly to the vertical part of the leg. Available in two versions to be used for tops of 80 and 60 cm in depth. Supplied knock-down, packed in triple-layer cardboard and complete with screws for fixing to the tops.

HORIZONTAL SUPPORT BEAM

They come in pairs for each individual desk top and they are made of rectangular-sectioned tubular steel, painted in black, white and silver colours. At the ends, they are equipped with printed steel plates for the connection to the upper transversal rod of the legs and for mounting the workstation tops. They are supplied complete with ABS carters that serve to conceal the leg/beam coupling screws. Optional cable tray is available being supported on the support beams.

DESKTOPS and EXTENSIONS

These are divided into two categories: with shaped tops and with edged tops. Made of 18mm-thick melamine faced chipboard and edged with 2mm-thick matching PVC.

DESKTOP FOR I-WORK FLAP

The back side of the desk's main desktop along its entire length, is a separate entity from the main desktop and it acts as a flap door to hide the sockets, multimedia accessories and the cables in the concealed metal basket underneath. By opening the flap door by the aid of concealed hinges, the user has direct and easy access to the compartment below and thus to the electrical elements. The cables are accessed to the desktop surface via a gap between the flap door and the main desktop, through a brushed screen.

MODESTY PANELS FOR DESKS

Available in wood or in metal. The wooden one is made of 18 mm thick melamine-faced chipboard in matching colour with the desktop with PVC edging. The metal one is available in perforated or solid form. Both types of the modesty panels are fitted directly on the desk legs through special brackets.

STORAGE UNITS

- The carcass structure is made of 18 mm thick particleboards faced with wax-finish melamine, available in the standard melamine colour card.

- Four foot height-adjusters are available for each cabinet in order to compensate for possible floor abnormalities.
- The doors are made of 18 mm thick particleboards faced with wax-finish melamine and are available in the standard melamine colour card. They are edged with 2,1mm-thick PVC edgebanding material to match the surface.
- All shelves are adjustable ones at increments of 32mm and carry a thickness of 30mm.
- The glass doors are available with clear, frosted or tinted tempered glass finish and come in 3 versions: the first version comes without a frame. The second version comes with a slim aluminum-look frame in silver or chrome finish while the third one comes with a melamine wood-frame available in the standard melamine colour card to match the carcass panels surface.
- All doors come as standard without a lock but a 2-key lock is available upon request.
- All doors can be optionally available with soft closing hinges
- All locks come with interchangeable cylinders and master key as an optional extra
- Door handles are available in black or silver or transparent finish

DRAWER UNITS

- The carcass structure is made of 18 mm thick particleboards faced with wax-finish melamine, available in the standard melamine colour card.
- The carcass panels are edged with 0,4mm-thick PVC edgebanding material to match the surface.
- The drawer fronts are made of 18 mm thick particleboards faced with wax-finish melamine and are available in the standard melamine colour card. They are edged with 2,1mm-thick PVC edgebanding material to match the surface.
- The wood drawers feature a central lock with 2 keys. A master-key is available upon request as an optional extra.
- The runners are made of metal with nylon bearings complete with mechanical extraction stops and self-closing mechanism.
- The drawer units have black nylon double-action heavy-duty castors.

KD FITTINGS

All connections are carried through a 4-part metal KD fitting. Metal inserts are permanently inserted in the core of the particleboard enabling easier and unlimited easier and unlimited disassembly and re-assembly.

FINISHES

WOOD



3D DARK



3D GREY OAK



3D METALLIC



3D SNOW
White



3D WALNUT
NAPA



BEECH NWT



JOY WALNUT



BLACK



CHERRY S



CHERRY T



DARK HD



ELIA 3D



GREY SAND



3D LIMASSOL
OAC



ARTIC OAK



RIGE ICE



RIGE STONE



3D ASSIA



SILVER



WALNUT
AMATHUS



WALNUT
NICOSIE



WALNUT



WENGE



WHITE OAK



WHITE



OAK KERYNIA




3D SAWN WOOD
KAMBOS




3D PETRA
ROMIOU


CUBICO DIMENSIONS




80x80x76 160x80x76
100x80x76 180x80x76
120x80x76 200x80x76
140x80x76




80x80x76 160x80x76
100x80x76 180x80x76
120x80x76 200x80x76
140x80x76




180x90x76
200x90x76




180x90x76
200x90x76




140x163,5x76
160x163,5x76
180x163,5x76




120x80x76 180x80x76
140x80x76 200x80x76
160x80x76




80x163,5x76 160x163,5x76
100x163,5x76 180x163,5x76
120x163,5x76 200x163,5x76
140x163,5x76




80x163,5x76 160x163,5x76
100x163,5x76 180x163,5x76
120x163,5x76 200x163,5x76
140x163,5x76




80x60x76 140x60x76
100x60x76 160x60x76
120x60x76 180x60x76




80x60x76 140x60x76
100x60x76 160x60x76
120x60x76 180x60x76




80x60x76 140x60x76
100x60x76 160x60x76
120x60x76 180x60x76




80x80x76 160x80x76
100x80x76 180x80x76
120x80x76 200x80x76
140x80x76




120x163,5x76
140x163,5x76
160x163,5x76
180x163,5x76




80x123,5x76 160x123,5x76
100x123,5x76 180x123,5x76
120x123,5x76 200x123,5x76
140x123,5x76




80x123,5x76 160x123,5x76
100x123,5x76 180x123,5x76
120x123,5x76 200x123,5x76
140x123,5x76




160x100x76




323,5x100x76





203x160x76




323,5x203,5x76



60x60x40



100x60x40



80x34x1,8 160x34x1,8
100x34x1,8 180x34x1,8
120x34x1,8 200x34x1,8
140x34x1,8

Takis Charalambous & Co Ltd.

Head Office & Main Showroom:

19 Vyzantiou Str., 2064 Nicosia-Cyprus,
Tel: +357 22874444, Fax: +357 22495460,
Email: sales@takis.com

Factory & Stores:

Ergates Industrial Area, 2643 Nicosia-Cyprus,
Tel: +357 22621419, Fax: +357 22623007,
Email: operations@takis.com

Mailing / Web:

P.O.Box 28739, 2082 Nicosia-Cyprus,
<http://www.takis.com>

