

Site ref: JOINT BOX JRCX11

Date prepared 06/09/88

Date revised 20.08.15

REINFORCEMENT BAR

Prepared by: NRDA24

Checked by: D.CUSSELL

SCHEDULE

OPENREACH

Member	Bar mark	Type and size	No. of mbrs	No.of bars in each	Total no.	Length of each bar † mm	Shape code	A* mm	B* mm	C* mm	D* mm	E/r* mm
FLOOR SIDE WALL	01	B12			SEE TABLE	2200	00	2200				
FLOOR SIDE WALL	02	B12			2	1675	00	1675				
FLOOR SIDE WALL	03	B12			SEE TABLE	1050	00	1050				
FLOOR	04	B12			3	525	00	525				
SIDE WALL END WALL	05	B12			SEE TABLE	1475	11	750	750			
SIDE WALL END WALL	06	B12			76	SEE TABLE	00	SEE TABLE				
SIDE WALL END WALL	07	B6			36	825	21	350	130 O.D.			
WALL STARTERS	08	B12			76	1575	11	800	800			

TOTAL LENGTH					TOTAL No. OF BARS							
Bar mark	JRCX11 A	JRCX11 B	JRCX11 C	JRCX11 D	JRCX11 A	JRCX11 B	JRCX11 C	JRCX11 D				
01	2200	2200	2200	2200	36	40	44	48				
03	1050	1050	1050	1050	24	26	28	30				
05	1475	1475	1475	1475	28	32	36	40				
06	975	1125	1275	1425	76	76	76	76				
	DELETE AS REQUIRED				DELETE AS REQUIRED							

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.