

ID#:	4014997	User making request:	Dorrett Bryan
Fax:	01462 732629	Phone:	01462 832420
Email:	dorrett.bryan@morrisonus.com	Date Created:	19/03/2020
Date Assessment Reviewed	19/03/2020	Next Review Date:	19/03/2025
Material Code:	231654	Tradename:	4 TRADE GENERAL PURPOSES SILICONE
Supplier:	BOSTIK LIMITED	IMC:	
Keyword:	Silicone	Frequency of use:	Daily
Approximately how much of the material is used by one person in one working day:	5 TUBES	How many people are directly exposed?:	1
Are any other people put at risk from indirect exposure?:	No	How are they exposed?:	
Are there any susceptible workers?:	No	Susceptible Categories:	
Other info:		Is this material being used outside of the normal temperature range?:	No
Additional work practices:			
Existing Control measures:			
Exp Limit	Distillates (petroleum), hydrotreated middle 1000mg/m3 8hTWA OEL		
Notes	Classification based upon contents stated within supplier's safety data sheet rather than upon suppliers classification"		

Files Uploaded

File Name
Cg5F1f43.pdf

Activities

Act No.	Method	Area	Exposure
1	Gun applying	Outside	1/2 to 2 hours per shift

Work Area

Work Area Code
TELECOMS

Sub Area Code

Safer Substitute Chosen

Reason for leaving/swapping material

MATERIAL/PROCESS

HEALTH HAZARDS

CONSIDERATIONS

4 TRADE GENERAL PURPOSES SILICONE

MEDIUM HAZARD

LIQUID



SUPPLIER

BOSTIK LIMITED

KEYWORD

Silicone

CONTENTS

Distillates (petroleum), hydrotreated middle 10-30%,
Triacetoxymethylsilane 1-5%, OLIGOMERIC ETHYL & METHYL
ACETOXYMETHYLACETATES:1-5%

SIGNAL WORD

WARNING

EXP LIMIT

Distillates (petroleum), hydrotreated middle
1000mg/m3 8hTWA OEL

METHOD

Gun applying

AREA

Outside

EXPOSURE TIME

1/2 to 2 hours per shift

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY

CONTROL MEASURES

KEEP SKIN COVERED

NITRILE

WASH AFTER CONTACT

IF SOILED

SPILLAGE

Ventilate area
Wear nitrile gloves
Wear eye protection (bs en166)
Wear protective clothing if whole container is spilt
Absorb in sand or inert absorbent material
Collect into a container, close lid
Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

FIRST AID

Inhalation - remove to fresh air and rest
After a significant exposure or if feeling unwell call for medical assistance immediately
Ingestion - do not induce vomiting
Ingestion - give plenty of water in sips
If feeling unwell consult your doctor immediately
Eye - irrigate with water for at least 15 minutes
Skin - wash with soap/cleanser and rinse with water
If irritation persists then consult a doctor

FIRE

Isolated small scale fire:
Use extinguishers suitable for other materials involved in fire
Large fire: evacuate area, call fire brigade or follow site procedure
Wear self-contained breathing apparatus and protective clothing
Toxic fumes are produced when material is involved in a fire

ACTIVITY COMMENTS

MATERIAL/PROCESS

4 TRADE GENERAL PURPOSES SILICONE


SUPPLIERBOSTIK LIMITED

KEYWORDSilicone

SIGNAL WORDWARNING

MEDIUM HAZARD

LIQUID



METHODGun applying

AREAA Outside

EXPOSURE TIME1/2 to 2 hours per shift

ACTIVITY COMMENTS

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY



KEEP SKIN COVERED



NITRILE







WASH AFTER CONTACT



IF SOILED



HEALTH HAZARDS

Causes serious eye irritation

Causes skin irritation

May cause ill health if ingested in quantity

When using do not eat, drink or smoke



REQUEST DETAILS	#ID:	4014997	User making request:	Dorrett Bryan
MATERIAL DETAILS	Material Code:	231654	LOW UNCONTROLLED ACUTE RISK LOW UNCONTROLLED CHRONIC RISK LOW CONTROLLED ACUTE/CHRONIC RISK	
Tradename:	4 TRADE GENERAL PURPOSES SILICONE			
IMC:	Supplier:	BOSTIK LIMITED		

ACTIVITY DETAILS			
Act No.	Method	Area	Exposure
1	Gun applying	Outside	1/2 to 2 hours per shift

SCENARIO DETAILS				Additional work practices:	
Approximately how much of the material is used by one person in one working day:	5 TUBES	Frequency of use:	Daily	How many people are directly exposed?:	1
Are any other people put at risk from indirect exposure?:	No	How are they exposed?:			
Are there any susceptible workers?:	No	Susceptible Categories:			

WORK AREA	
Work Area Code	Sub Area Code
TELECOMS	

OTHER INFORMATION
Classification based upon contents stated within supplier's safety data sheet rather than upon suppliers classification"

CONSIDERATIONS	Answer
 Has the elimination or substitution of this material been considered?	YES
 Are procedures to ensure the maintenance of controls in place?	YES