



MRX610B													
MEMBER	BAR MARK	TYPE & SIZE	NO OF MEMBS	NO IN EACH	TOTAL NO	LENGTH OF EACH BAR + MM	SHAPE CODE	A * MM	B * MM	C * MM	D * MM	E/R * MM	
FLOOR	01A	B20	1	2	2	1650	00	1650					
FLOOR	01B	B25	1	2	2	2050	00	2050					
FLOOR	01C	B25	1	2	2	2450	00	2450					
FLOOR	01D	B25	1	2	2	2825	00	2825					
FLOOR	01E	B25	1	8	8	2400	00	2400					
FLOOR	01F	B25	1	8	8	2800	00	2800					
FLOOR	01G	B25	1	26	26	3150	00	3150					
FLOOR	02A	B25			1	1575	00	1575					
FLOOR	02B	B25			1	1675	00	1675					
FLOOR	02C	B25			1	1775	00	1775					
FLOOR	02D	B25			1	1875	00	1875					
FLOOR	02E	B25			1	1975	00	1975					
FLOOR	02F	B25			1	2075	00	2075					
FLOOR	02G	B25			1	2175	00	2175					
FLOOR	02H	B25			1	2275	00	2275					
FLOOR	02J	B25			1	2375	00	2375					
FLOOR	02K	B25			1	2475	00	2475					
FLOOR	02L	B25			1	2575	00	2575					
FLOOR	02M	B25			1	2675	00	2675					
FLOOR	02N	B25			1	2875	00	2875					
FLOOR	02P	B25			1	2975	00	2975					
FLOOR	02R	B25			1	3075	00	3075					
FLOOR	02S	B25			1	3175	00	3175					
FLOOR	02T	B25	1	6	6	2250	00	2250					
FLOOR	02U	B25	1	6	6	2400	00	2400					
FLOOR	02V	B25	1	6	6	2550	00	2550					
FLOOR	02W	B25	1	24	24	2600	00	2600					
SIDE WALLS	03	B20	2	36	72	2625	00	2625					
FLOOR	04A	B25	1	4	4	1650	00	1650					
FLOOR	04B	B25	1	4	4	2450	00	2450					
FLOOR	04C	B25	1	8	8	2300	00	2300					
FLOOR	04D	B25	1	8	8	2800	00	2800					
FLOOR	04E	B25	1	28	28	3150	00	3150					
SPARE	05												
FLOOR	06A	B25			2	1575	00	1575					
FLOOR	06B	B25			2	1775	00	1775					
FLOOR	06C	B25			2	1975	00	1975					
FLOOR	06D	B25			2	2175	00	2175					
FLOOR	06E	B25			2	2375	00	2375					
ALL BENDING DIMENSIONS ARE IN ACCORDANCE WITH B.S.8666 * SPECIFIED TO THE NEAREST 5mm + SPECIFIED TO THE NEAREST 25mm													

MRX610B														
MEMBER	BAR MARK	TYPE & SIZE	NO OF MEMBS	NO IN EACH	TOTAL NO	LENGTH OF EACH BAR + MM	SHAPE CODE	A * MM	B * MM	C * MM	D * MM	E/R * MM		
FLOOR	06F	B25			2	2575	00	2575						
FLOOR	06G	B25			2	2875	00	2875						
FLOOR	06H	B25			2	3075	00	3075						
FLOOR	06J	B25	1	8	8	2250	00	2250						
FLOOR	06K	B25	1	8	8	2400	00	2400						
FLOOR	06L	B25	1	28	28	2600	00	2600						
WALLS A&B WALLS A&D	07A	B20	2	17	34	2720	11	1360						
WALLS C&B WALLS C&D	07B	B20	2	17	34	3450	15	1130	1060	LONG LEG IN LONG WALL				
SIDE WALLS	07C	B20	2	17	34	3210	15	860	295	LONG LEG IN LONG WALL				
END WALLS	08	B20	1 1	32 8	40	2625	00	2625						
FLOOR & SIDE WALLS	09	B20	2	66	132	2000	11	1200	STARTER BAR (SHORT LEG IN FLOOR)					
WALL A END WALL	10	B20	1	18	18	2900	00	2900						
FLOOR & END WALLS	11	B20	1 1	54 18	72	2000	11	1200	STARTER BAR (SHORT LEG IN FLOOR)					
SIDE WALLS	12	B20	2	35	70	2625	00	2625						
SIDE WALLS	13	B20	2	16	32	3100	15	835	285	LONG LEG IN LONG WALL				
END WALLS	14	B20	1 1	27 9	38	2625	00	2625						
WALL A END WALL	15	B20	1	16	16	3100	00	3100						
ROOF	16A	B20			1	1675	00	1675						
ROOF	16B	B20			1	1775	00	1775						
ROOF	16C	B20			1	1875	00	1875						
ROOF	16D	B20			1	1975	00	1975						
ROOF	16E	B20			1	2075	00	2075						
ROOF	16F	B20			1	2175	00	2175						
ROOF	16G	B20			1	2275	00	2275						
ROOF	16H	B20			1	2375	00	2375						
ROOF	16J	B20			1	2475	00	2475						
ROOF	16K	B20			1	2575	00	2575						
ROOF	16L	B20			1	2675	00	2675						
ROOF	16M	B20			1	2875	00	2875						
ROOF	16N	B20			1	2975	00	2975						
ROOF	16P	B20			1	3075	00	3075						
ROOF	16R	B20			1	3175	00	3175						
ROOF	16S	B20	1	6	6	2150	00	2150						
ROOF	16T	B20	1	6	6	2300	00	2300						
ROOF	16U	B20	1	6	6	2450	00	2450						
ROOF	16V	B20	1	22	22	2500	00	2500						
SHAFT	17	B20			24	2200	00	2200	SHAFT TRIMMING BARS TRIM TO DRG CN13916					
SHAFT	18	B20			2	1850	11	940	SHAFT TRIMMING BARS TRIM TO DRG CN13916					
ROOF & SIDE WALLS	19	B20	2	70	140	2750	11	1400						
ALL BENDING DIMENSIONS ARE IN ACCORDANCE WITH B.S.8666 * SPECIFIED TO THE NEAREST 5mm + SPECIFIED TO THE NEAREST 25mm														


MRX610B													
MEMBER	BAR MARK	TYPE & SIZE	NO OF MEMBS	NO IN EACH	TOTAL NO	LENGTH OF EACH BAR +	SHAPE CODE	A * MM	B * MM	C * MM	D * MM	E/R * MM	
ROOF	20A	B20	1	2	2	1650	00	1650					
ROOF	20B	B20	1	2	2	2050	00	2050					
ROOF	20C	B20	1	2	2	2450	00	2450					
ROOF	20D	B20	1	2	2	2825	00	2825					
ROOF	20E	B20	1	8	8	2300	00	2300					
ROOF	20F	B20	1	8	8	2700	00	2700					
ROOF	20G	B20	1	26	26	3050	00	3050					
ROOF	21A	B20	1	2	2	1100	00	1100					
ROOF	21B	B20	1	2	2	1575	00	1575					
ROOF	21C	B20	1	2	2	1975	00	1975					
ROOF	21D	B20	1	2	2	2275	00	2275					
ROOF	21E	B20	1	2	2	2675	00	2675					
ROOF	21F	B20	1	2	2	3050	00	3050					
ROOF	21G	B20	1	12	12	2500	00	2500					
ROOF	21H	B20	1	22	22	2475	00	2475					
ROOF	22A	B20	1	7	7	1675	00	1675					
ROOF	22B	B20	1	6	6	2275	00	2275					
ROOF	22C	B20	1	18	18	3175	00	3175					
ROOF & END WALLS	23	B20	1 1	58 18	76	2750	11	1400					
CHAIRS (ROOF)	24A	B10			26	750	98	250	165	120	SEE NOTE		
CHAIRS (FLOOR)	24B	B10			26	900	98	250	150	200	SEE NOTE		
U/BARS	25	B10			60	525	21	200	165				
WALLS A&B WALLS A&D	26A	B20	2	16	32	2430	11	1235					
WALLS C&B WALLS C&D	26B	B20	2	16	32	3340	15	1040	977	LONG LED IN LONG WALL			
WHERE NEEDED	27	B20			96	2200	00	2200	EXTRA TRIMMING BARS				
CHAMFER BARS	28	B16	2	102	204	1475	24	400	655	400	465		
ALL BENDING DIMENSIONS ARE IN ACCORDANCE WITH B.S.8666													
* SPECIFIED TO THE NEAREST 5mm + SPECIFIED TO THE NEAREST 25mm													



CHAMFER BAR - BAR MARK 28
SHAPE CODE 24




BAR MARK 07B-B20
SHAPE CODE 15




BAR MARK 26B-B20
SHAPE CODE 15



BAR MARK 07C-B20
SHAPE CODE 15



BAR MARK 13-B20
SHAPE CODE 15



BAR MARK 24A-B10 & 24B-B10
SHAPE CODE 98

FOR BAR DETAILS SEE ABOVE

NOTE: CHAIRS CAN BE REPLACED WITH PROPRIETARY SPACERS AT THE CONTRACTOR'S DISCRETION.

A1 A2	DRN RFG C S CKD M.S.	ANY MODIFICATION TO THE DRAWING OR THE USE OF ALTERNATIVE ITEMS TO THOSE SPECIFIED MUST BE AGREED WITH THE DESIGNER.	MATERIAL -	OMS Drawing Review Chamfer bars (BM28) shape code amended to 24	G	TOLERANCES TO SPECS BS8666, BS5606, BS EN1992 CN15456.	STANDARD MANHOLE MRX610B BAR SCHEDULE	REFERENCES SPECS: BS8666, BS EN1992 DRGS: CN15456.
	CERTIFICATION DESIGNER M DA RIOS CLIENT M DA RIOS		VARIOUS LOCATIONS					
	BT		OMS			24.08.15		Openreach
DATE 04/07/94			FINISH -	AMENDMENT	ISSUE			