

ID#:	3773059	User making request:	N/A
Fax:		Phone:	
Email:		Date Created:	11/04/2019
Date Assessment Reviewed	11/04/2019	Next Review Date:	11/04/2024
Material Code:	4147	Tradename:	PROTEUS BITUKLEEN NO 3.
Supplier:	PROTEUS EQUIPMENT LTD	IMC:	
Keyword:	Cleaner	Frequency of use:	Daily
Approximately how much of the material is used by one person in one working day:	VARIES	How many people are directly exposed?:	6-10
Are any other people put at risk from indirect exposure?:	No	How are they exposed?:	
Are there any susceptible workers?:	No	Susceptible Categories:	
Other info:		Is this material being used outside of the normal temperature range?:	No
Additional work practices:			
Existing Control measures:			
Exp Limit			
Notes			

Files Uploaded

File Name

Activities

Act No.	Method	Area	Exposure
16	Hand applying	Outside	Up to 1/2 hour per shift

Work Area

Work Area Code	Sub Area Code
TELECOMS	

Safer Substitute Chosen	Reason for leaving/swapping material

MATERIAL/PROCESS

HEALTH HAZARDS

CONSIDERATIONS

PROTEUS BITUKLEEN NO 3.

LOW HAZARD

LIQUID

SUPPLIER
KEYWORD

PROTEUS EQUIPMENT LTD
Cleaner

CONTENTS

Full details of constituents not provided by supplier, This product has been classified as per the supplier's safety data sheet, Proprietary fatty acid methyl ester.



May cause ill health if ingested in quantity
Skin - irritation and dermatitis may result from prolonged contact
May cause eye irritation

SIGNAL WORD
EXP LIMIT

NONE

METHOD Hand applying

AREA Outside

EXPOSURE TIME Up to 1/2 hour per shift

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY



AVOID SKIN CONTACT



IF OVEREXPOSURE LIKELY



IF CONTACT LIKELY



WASH AFTER EXPOSURE



IF HEAVILY SOILED



CLOSE ALL CONTAINERS



CONTROLLED STORE /WASTE

SPILLAGE

Ventilate area
Wear nitrile or pvc gloves
Wear eye protection if contact likely
Wear respiratory protection for large spills in poorly ventilated areas
Wear protective overalls and footwear for large spillages
Absorb in sand or inert absorbent material
Small spills - wipe up with cloth
Collect into a container, close lid
Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

FIRST AID

Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
Ingestion - do not induce vomiting, wash out mouth with water
If feeling unwell consult your doctor immediately
Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

FIRE

Isolated small scale fire:
Water fog - carbon dioxide - powder - foam - inert material
Large fire: evacuate area, call fire brigade or follow site procedure
Wear self-contained breathing apparatus and protective clothing

ACTIVITY COMMENTS



This assessment was compiled by Alcumus Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Printed 15/04/2021



MATERIAL/PROCESS

PROTEUS BITUKLEEN NO 3.

SUPPLIER

PROTEUS EQUIPMENT LTD

KEYWORD

Cleaner

SIGNAL WORD

NONE

LOW HAZARD

LIQUID

METHOD

Hand applying

AREA

Outside

EXPOSURE TIME

Up to 1/2 hour per shift

ACTIVITY COMMENTS

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY

AVOID SKIN CONTACT

IF OVEREXPOSURE LIKELY

IF CONTACT LIKELY

WASH AFTER EXPOSURE

IF HEAVILY SOILED

CLOSE ALL CONTAINERS

CONTROLLED STORE /WASTE

HEALTH HAZARDS

May cause ill health if ingested in quantity

Skin - irritation and dermatitis may result from prolonged contact

May cause eye irritation



REQUEST DETAILS	#ID:	3773059	User making request:	N/A
MATERIAL DETAILS	Material Code:	4147	LOW UNCONTROLLED ACUTE RISK LOW UNCONTROLLED CHRONIC RISK LOW CONTROLLED ACUTE/CHRONIC RISK	
Tradename:	PROTEUS BITUKLEEN NO 3.			
IMC:	Supplier:	PROTEUS EQUIPMENT LTD		

ACTIVITY DETAILS			
Act No.	Method	Area	Exposure
16	Hand applying	Outside	Up to 1/2 hour per shift

SCENARIO DETAILS	Additional work practices:		
Approximately how much of the material is used by one person in one working day:	VARIES	Frequency of use:	Daily
Are any other people put at risk from indirect exposure?:	No	How many people are directly exposed?:	6-10
Are there any susceptible workers?:	No	How are they exposed?:	
		Susceptible Categories:	

WORK AREA	
Work Area Code	Sub Area Code
TELECOMS	

OTHER INFORMATION

CONSIDERATIONS	Answer
 Has the elimination or substitution of this material been considered?	YES
 Are procedures to ensure the maintenance of controls in place?	YES