


PLATE PLANT PROTECTION ENHANCED SECURITY INSTALLATION DETAILS

- OBTAIN JOINT BOX DIMENSIONS AS FOLLOWS: –
- (1) REMOVE COVER FOLLOWING SAFETY PROCEDURES TO INCLUDE TEST FOR GAS.
 - (2) MEASURE THE LENGTH (L) AND WIDTH (W) OF THE BOX, TAKING MINIMUM DIMENSIONS.
 - (3) TO PRODUCE MANUFACTURING SIZES FOR PLATES PLANT PROTECTION: –
CALCULATE THE REFERENCE DIMENSIONS AS FOLLOWS:
OVERALL LENGTH OF ASSEMBLY = L – 10mm
OVERALL WIDTH OF ASSEMBLY = W – 10mm
 - (4) TO INSTALL THE ASSEMBLY IN JOINT BOX: –
REFER TO MANUFACTURER’S INSTALLATION INSTRUCTIONS.
ENSURE MASONRY IS SOUND. ENSURE PLATES WILL NOT FOUL COVERS.
 - (5) FIT PLATES TO BRACKETS AND LOCK.

ANY MODIFICATION TO THE DRAWING OR THE USE OF ALTERNATIVE ITEMS TO THOSE SPECIFIED MUST BE AGREED WITH THE DESIGNER.

DIMENSIONS IN mm UNLESS OTHERWISE STATED
DO NOT SCALE ORIGINAL SCALE

© British Telecommunications plc 2001

MATERIAL —			A	
FINISH —				
		AMENDMENT	ISSUE	
<div>A3 A4</div>	DRN P.R.G.(CC) CKD S.A.	PLATE PLANT PROTECTION ENHANCED SECURITY INSTALLATION DETAILS		REFERENCES
	CERTIFICATION			
	DESIGNER S.ATTAR			
	CLIENT N/A			
DATE 16/06/01				