In [34]:
```
# Import libraries
import seaborn as sns
import matplotlib.pyplot as plt
import pandas as pd

# Load dataset
titanic = sns.load_dataset('titanic')

# Set style
sns.set_style("whitegrid")

# Preview data
titanic.head()
```

Out[34]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult
0	0	3	male	22.0	1	0	7.2500	S	Third	man	
1	1	1	female	38.0	1	0	71.2833	C	First	woman	
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	
3	1	1	female	35.0	1	0	53.1000	S	First	woman	
4	0	3	male	35.0	0	0	8.0500	S	Third	man	

In [36]:
```
plt.figure(figsize=(8,5))
sns.histplot(data=titanic, x='fare', bins=30, kde=True)
plt.title('Distribution of Ticket Prices (Fare)')
plt.xlabel('Fare')
plt.ylabel('Count')
plt.show()
```



In [38]:
```
plt.figure(figsize=(6,4))
sns.countplot(data=titanic, x='survived')
plt.title('Survival Count')
plt.show()
```



In [40]:
```
plt.figure(figsize=(6,4))
sns.countplot(data=titanic, x='sex', hue='survived')
plt.title('Survival by Gender')
plt.show()
```



In [41]:
```
plt.figure(figsize=(6,4))
sns.countplot(data=titanic, x='pclass', hue='survived')
plt.title('Survival by Passenger Class')
plt.show()
```



In [43]:
```
plt.figure(figsize=(8,5))
sns.histplot(data=titanic, x='age', hue='survived', bins=30, kde=True)
plt.title('Age Distribution by Survival')
plt.show()
```



In [45]:
```
plt.figure(figsize=(6,4))
sns.boxplot(data=titanic, x='pclass', y='fare')
plt.title('Fare Distribution by Passenger Class')
plt.show()
```



In [47]:
```
plt.figure(figsize=(10,6))
numeric_data = titanic.select_dtypes(include=['float64', 'int64'])
sns.heatmap(numeric_data.corr(), annot=True, cmap='coolwarm')
plt.title('Correlation Heatmap')
plt.show()
```



In [ ]:

In [50]:
```
plt.figure(figsize=(7,4))
sns.countplot(data=titanic, x='embark_town', hue='survived')
plt.xticks(rotation=45)
plt.title('Survival by Embark Town')
plt.show()
```



In [52]:
```
sns.catplot(data=titanic, x='pclass', hue='survived', col='sex', kind='count')
plt.show()
```



In [ ]: