BudgetBrain
Track 1 Champion Agent

Accurate answers. Controlled tokens. Docker-ready contract.

OFFICIAL LEADERBOARD BASELINE

Commit 1393b47 | Rank 34 | 89.5% accuracy | 5,093 tokens

CURRENT RELEASE VALIDATION

Commit pending | 79/79 tests | strict 10/10 | audit 19/19

The winning problem is hidden

Track 1 rewards accurate answers under a strict Docker contract, unknown categories, token pressure, and short runtime limits.

- The official input only provides task_id and prompt, so category must be inferred.
- The output must exactly match the required JSON answer contract.
- Accuracy must pass the gate, but leaderboard position is also shaped by token usage.
- The image must run on linux/amd64, stay small, and keep secrets out of the container.

BudgetBrain uses a hybrid solver

The system answers easy prompts locally and reserves Fireworks calls for ambiguous cases.

Local first

Math, sentiment, named entities, logic, and code debugging can often be solved without spending any tokens.

Router driven

A lightweight classifier chooses the safest path for each prompt based on wording and structure.

Model fallback

Allowed Fireworks models are used only when local confidence is not enough.

Optimization target

Maximize correct answers while minimizing external calls, latency, and token count.

The pipeline is simple and compliant



Environment variables are injected at runtime: FIREWORKS_API_KEY, FIREWORKS_BASE_URL, and ALLOWED_MODELS. The image contains no API keys.

Evidence snapshot

Official leaderboard evidence is reported separately from offline regression fixtures.

Leaderboard baseline commit	1393b47
Official leaderboard	Rank 34
Official hidden result	89.5%, 5,093 tokens
Current release commit	Pending until commit
Unit tests	79 / 79 passing
Offline validation	strict 10 / 10 passing; audit 19 / 19 passing

Release artifact pending

Do not attach a historical Docker tag or digest to the current source snapshot.

- Docker image: Pending / to be filled
- Digest: Pending / to be filled
- Runtime contract: read /input/tasks.json and write /output/results.json.
- Offline fixtures are regression checks, not official hidden-evaluator results.

Security note: the container does not include secrets. Fireworks credentials are supplied only at runtime by the evaluator.