# Facets® Data Models Guide

Release 5.10.006 August 2014



#### Copyright

Copyright © 1997-2014 TriZetto Corporation. All rights reserved. This material may be reproduced by or for the US Government to the extent permitted by the copyright license under DFARS 42:227-7013(e).

#### Limited Rights Notice (Dec 2007)

(a) These data are submitted with limited rights under Government Contract. These data may be reproduced and used by the Government with the express limitation that they will not, without written permission of the Contractor, be used for purposes of manufacture nor disclosed outside the Government; except that the Government may disclose these data outside the Government for the following purposes, if any; provided that the Government makes such disclosure subject to prohibition against further use and disclosure: None (b) This notice shall be marked on any reproduction of these data, in whole or in part.

TriZetto Corporation (TriZetto) owns all right, title and interest in this Work and in the copyright of this Work. The Work includes both this manual and any and all related software, and any modifications and derivative works thereof. TriZetto's copyright further includes the right to use, the right to copy and the right to produce derivative works of the Work. TriZetto maintains this Work as confidential trade secret property that is protected both as a trade secret under state and Federal trade secret law, and as an unpublished copyrighted work under the civil and criminal provisions of the U.S. copyright law. Should the Work be published or otherwise lose its confidential trade secret status, then TriZetto asserts its copyright under the U.S. copyright law and under all applicable treaties.

Access to this Work and the right to use this Work are provided only by written license agreement from TriZetto, including agreement to maintain both this manual and any and all related software as confidential trade secrets. Those having access to this Work may not copy, use, disclose this Work, nor any of the confidential trade secret information embodied in this Work, nor adopt or copy any design features of the Work into other software programs or documentation, except as expressly permitted under written agreement with TriZetto. Any wrongful misuse or misappropriation will be fully prosecuted under the law.

#### **Trademarks**

TriZetto®, the TriZetto logo, TriZetto.com, and certain names used by TriZetto in this document to identify products and services are registered or unregistered trademarks, trade names, service marks or logos (collectively, "Marks") of TriZetto Corporation or its affiliates. Many of TriZetto's Marks are listed at www.trizetto.com/Trademarks/. Other company, product and service names may be Marks of others. All Marks used in this document, whether registered or unregistered, are the intellectual property of their respective owners and no rights are granted by TriZetto Corporation, to use such Marks, whether by implication, estoppel, or otherwise.

### **Contents**

**Document Revision History** 

Overview

**Accounting Data Model** 

**Auditing Data Model** 

**Billing Data Model** 

**Business Process Automation Data Model** 

**Capitation Data Model** 

**Case Management Data Model** 

Claim Data Model

**Commission Data Model** 

**Criteria Data Model** 

**Customer Service Data Model** 

**Disability Data Model** 

HIPAA Development (FHD) Data Model

**HIPAA Gateway (FHG) Data Model** 

**HIPAA Privacy Data Model** 

**ITS Claim Data Model** 

**ITS Plan Data Model** 

iv Contents

**Managed Care Data Model** 

**Member/Subscriber Data Model** 

**NetworX Data Model** 

Plan Data Model

**Provider Data Model** 

**System Data Model** 

**Tax Data Model** 

**Utilization Management Data Model** 

**Vision Data Model** 

**Workflow Data Model** 

### CHAPTER 1 OVERVIEW

The Facets Data Models Guide provides a complete set of Facets ERwin diagrams. These diagrams offer a high-level, logical view of the data in the Facets database, identifying the logical entities and relationships, associations and/or dependencies between those entities. These data models can be a valuable reference for customers in the areas of data analysis, validation, troubleshooting and for creating custom reports.

The data models are divided into the following areas:


- Accounting
- Auditing
- Billing
- Business Process Automation
- Capitation
- Case Management
- Claim
- Commission
- Criteria
- Customer Service
- Disability
- HIPAA Development FHD
- HIPAA Gateway FHG
- HIPAA Privacy
- ITS Claim
- ITS Plan
- Managed Care
- Member/Subscriber
- NetworX
- Plan
- Provider
- System
- Taxes

- Utilization Management
- Vision
- Workflow


Please note that while every attempt has been made to consolidate diagrams onto whole pages, certain tables had to be continued onto additional pages due to column length.


### CHAPTER 2

# **Accounting Data Model**



CMC\_BPCI\_CLM





CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CLHP\_ADM\_TYPE: char(02)
CLHP\_ADM\_DT: datetime
CLHP\_DC\_STAT: char(02)
CLHP\_DC\_DT: datetime
CLHP\_STAMENT\_FR\_DT: datetime
CLHP\_STAMENT\_TO\_DT: datetime
AGPP\_EXCD\_ID: char(03)
AGPP\_EXCD\_TEXT1: varchar(70)
AGPP\_EXCD\_TEXT2: varchar(70)
CLCB\_COB\_AMI\_OW\_money CLCB\_COB\_ALLOW: money CLCB\_COB\_SANCTION: money CLCB\_COB\_DED\_AMT: money CLCB\_COB\_COINS\_AMT: money CLCB\_COB\_COPAY\_AMT: money CLCB\_COB\_REAS\_CD: char(04) CLCB\_COB\_TYPE: char(01)
CLCB\_COB\_DISALLOW: money CLCB\_COB\_DISALLOW: money
CLSM\_OC\_ALLOW: money
CLSM\_OC\_DED\_AMT: money
CLSM\_OC\_COINS\_AMTM: money
CLSM\_OC\_COINS\_AMTP: money
CLSM\_OC\_GROUP\_CD: char(02)
CLSM\_OC\_PAID\_AMT: money
CLSM\_OC\_REAS\_CD: char(04) MEME\_CK: int CLMF\_PRPR\_ID\_FAC: varchar(12)
CLMF\_INPUT\_TXNM\_CD: char(12)
CLMF\_PRPR\_FA\_NPI: varchar(10) CLMF\_PRPR\_FA\_TAX: varchar(9) CLMF\_PRPR\_RF\_NPI: varchar(10) CLMF\_PRPR\_RF\_NPI: varchar(10)
CLMF\_PRPR\_RF\_NPI: varchar(10)
CLMF\_PRPR\_RF\_NPI: varchar(10)
CLMF\_PRPR\_SE\_NPI: varchar(10)
CLMF\_PRPR\_SE\_TAX: varchar(9)
CLMF\_INPUT\_SBSB\_ID: varchar(10)
CLHP\_PRPR\_AD\_NPI: varchar(10)
CLHP\_PRPR\_AD\_TAX: varchar(10)
CLHP\_PRPR\_OT\_AX: varchar(10)
CLHP\_PRPR\_OT\_NPI: varchar(11)
CLHP\_PRPR\_ID\_OPER: char(12)
BPG\_INT\_PAY\_IND: char(11) BPCI\_INT\_PAY\_IND: char(1)
BPCI\_INT\_EXCD\_ID: char(3)
BPCI\_INT\_TEXT1: varchar(70)
BPCI\_INT\_TEXT2: varchar(70) AGAG\_ID: char(12) AGAG DESC: varchar(70)
MEME\_HEALTH\_ID: varchar(80)
CLMF\_EXT\_REFRAL\_NO: varchar(18)
CLMF\_EXT\_PREATH\_NO: varchar(18) BPCI\_LOCK\_TOKEN: smallint CSPI\_SEC\_PLAN\_CD\_NVL: char(2)

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

CMC CKUP CK NUM

SYIN\_REF\_ID: char(16)
BPID\_STOCK\_ID: char(10)
BPID\_TYPE: char(04)
CKPY\_REF\_ID: char(16)

CKCK\_CK\_NO: int
CKCK\_SEQ\_NO: int
CKNO\_STS: char(2)
CKCK\_PRINTED\_DT: datetime
CKUP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CMC\_CKNH\_NUM\_HIST

SYIN\_REF\_ID: char(16) BPID\_STOCK\_ID: char(10) CKNH\_SEQ\_NO: int

CKNH\_SEQ\_NO: int

CKNH\_START\_REF\_ID: char(16)
CKNH\_END\_REF\_ID: char(16)
CKNH\_START\_CK\_NO: int
CKNH\_END\_CK\_NO: int
CKNH\_END\_CK\_NO: the
CKCK\_PRINTED\_DT: datetime
CKNH\_ENTRY\_TYPE: char(01)
CKNH\_LAST\_UPD\_USUS: char(10)
CKNH\_LAST\_UPD\_USUS: char(10)
CKNH\_PROCESS\_DT: datetime
CKNH\_STS: char(02)
CKNH\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CMC\_CKNO\_CK\_NUM

SYIN\_INST: integer
BPID\_STOCK\_ID: char(10)
BPID\_TYPE: char(04)
CKPY\_REF\_ID: char(16)

CKCK\_CK\_NO: int
CKCK\_SEQ\_NO: int
CKNO\_STS: char(2)
CKCK\_PRINTED\_DT: datetime
SYIN\_REF\_ID: char(16)
CKNO\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CMC\_BPCL\_CLM Page 3 of 8 CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CICI\_ID: char(2) CLCL\_PAID\_DT: datetime CDML\_CL\_LINE\_v CLCL PAID\_DT: datetime
CLCL\_PA\_ACCT\_NO: varchar(35)
CLCL\_PRE\_PRICE\_IND: char(1)
CLCL\_INPUT\_DT: datetime
CLCL\_ECD\_DT: datetime
CLCL\_ID\_ADJ\_FROM: varchar(12)
CLCL\_ID\_CRTE\_FROM: varchar(12)
CLCL\_ACD\_IND: char(1)
CLCL\_ACD\_DT: datetime CMC\_BPCE\_EOB\_AMTS CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint CKPY\_REF\_ID: char(16) CAPY\_REF\_ID. chain(16)
CLCL\_ID: char(12)
EBCL\_TYPE: char(1)
EBCL\_YEAR\_IND: char(1)
ACAC\_ACC\_NO: smallint
EBCL\_PDBC\_PFX\_MAX: char(4) From Claims: char() CMC\_BPCD\_CLM\_DTL CLCL\_ACD\_IND: char(1)
CLCL\_ACD\_IND: char(1)
CLCL\_NTWK\_IND: char(1)
CLCL\_PA\_PAID\_AMT: money
CLCL\_CE\_IND: char(1) CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CLEB\_CUR\_YEAR: datetime CLEB\_MEAC\_AMT1: money CLEB\_MEAC\_AMT2: money CLEB\_FAAC\_AMT1: money CDML\_SEQ\_NO: smallint CLCL\_CL\_TYPE: char(1)
CLCL\_CL\_SUB\_TYPE: char(1)
CLCL\_CAP\_IND: char(1)
CLCL\_ATXR\_SRC\_ID: datetime CDML\_FROM\_DT: datetime CLEB\_FAAC\_AMT2: money
DEDE\_AGG\_PERSON: smallint
DEDE\_FAM\_AMT: money
DEDE\_MEME\_AMT: money CDML\_TO\_DT: datetime
CDCE\_COMB\_EXCD: char(3)
BPCD\_CE\_COMB\_DESC: varchar(70)
CDCE\_EDIT\_ACT: char(1) CMC\_BPEX\_EXPL CKPY\_REF\_ID: char(16) CLCL ID: char(12) CLCL\_MICRO\_ID: varchar(18)
CLCL\_MECD\_RESUB\_NO: varchar(15
CLCL\_PAP\_EOB\_IND: char(1) LTLT\_AMT1: money LTLT\_AMT2: money CDML\_SEQ\_NO: smallint SESE\_ID: char(4) SESE\_DESC: varchar(70) BPEX\_PENALTY: money BPEX\_PENALTY\_EXCD: char(3) BPEX\_PNLTY\_TXT1: varchar(70) BPEX\_PNLTY\_TXT2: varchar(70) BPEX\_SE\_DISALL: money PDDS\_PROD\_TYPE: char(01) CSPL\_ID: char(8) CSCS\_ID: char(4) PLDS\_DESC: varchar(70) SESE\_FSA\_REIMB\_IND: char(01) SEDS\_DESC: varchar(70) PSCD\_ID: char(2) PSCD DESC: varchar(70) IPCD\_ID: char(7)
IPCD\_DESC: varchar(175)
RCRC\_ID: char(4) NWNW\_ID: varchar(12) NWNW NAME: varchar(50) BPEX\_SE\_DIS\_EXCD: char(3)
BPEX\_SE\_DIS\_TXT1: varchar(70)
BPEX\_SE\_DIS\_TXT2: varchar(70)
BPEX\_LT\_DISALL: money PAGR\_ID: char(9)
PAGR\_NAME: varchar(50) RCRC\_DESC: varchar(70) CDML\_CHG\_AMT: money GRGR\_CK: int GRGR\_ID: char(8) BPEX\_LT\_DIS\_EXCD: char(3)
BPEX\_LT\_DIS\_EXCD: char(3)
BPEX\_LT\_DIS\_TXT1: varchar(70)
BPEX\_LT\_DIS\_TXT2: varchar(70)
BPEX\_RW\_DISALL: money
BPEX\_RW\_DIS\_EXCD: char(3) CDML\_CHG\_AMI: money
CDML\_ALLOW: money
BPCD\_EXT\_PRICE\_AMT: money
CDML\_IP\_PRICE: money
CDML\_IP\_PRICE: money
CDML\_SE\_PRICE: money
CDML\_DISC\_AMT: money
CDML\_GA\_PRICE: money
CDML\_CONSIDER\_CHG: money
CDML\_CONSIDER\_CHG: money
CDML\_DISC\_AMI: money GRGR\_NAME: varchar(50)
GRGR\_MCTR\_TYPE: char(4)
SGSG\_CK: int CMC MEME MEMBER v MEME\_CK: int SGSG ID: char(4) From\_Member: char() BPEX\_RW\_DIS\_TXT1: varchar(70) BPEX\_RW\_DIS\_TXT2: varchar(70) SGSG\_NAME: varchar(50) SBSB CK: int BPEX\_UM\_DISALL: money
BPEX\_UM\_DIS\_EXCD: char(3)
BPEX\_UM\_DIS\_TXT1: varchar(70)
BPEX\_UM\_DIS\_TXT2: varchar(70) SBSB\_ID: char(9) SBSB\_LAST\_NAME: varchar(35) SBSB\_FIRST\_NAME: varchar(15) CDML\_DISALL\_AMT: money CDML\_DISALL\_EXCD: char(3) BPEX\_UM\_DIS\_TXT2: varchar(70)
BPEX\_CE\_DISALL: money
BPEX\_CE\_DIS\_EXCD: char(3)
BPEX\_CE\_DIS\_TXT1: varchar(70)
BPEX\_CE\_DIS\_TXT2: varchar(70)
BPEX\_DISC\_DISALL: money
BPEX\_DISC\_DIS\_EXCD: char(3)
BPEX\_DISC\_DIS\_TXT1: varchar(70)
BPEX\_DISC\_DIS\_TXT1: varchar(70)
BPEX\_DISC\_DIS\_TXT1: varchar(70) SBSB\_MID\_INIT: char(1) SBSB\_TITLE: varchar(10) CDML\_ROOM\_TYPE: char(2) CMC\_SBSB\_SUBSC\_v CDML\_UNITS: smallint
CDML\_UNITS\_ALLOW: smallint SBSB\_TITLE: Valcital(10) SBSB\_EMPLOY\_ID: char(10) SBEM\_LOC: char(8) SBEM\_TYPE: char(4) SBEM\_DEPT: char(8) SBSB CK: int CDML\_ATXR\_SRC\_ID: datetime CDML\_PRICE\_IND: char(1) From\_Subscriber: char() CDML\_DISALL\_TXT1: varchar(70) CDML\_DISALL\_TXT2: varchar(70) SBEM\_OCC\_CD: char(2)
MEME\_CK: int CDML\_RISK\_WH\_AMT: money CDML\_DED\_AMT: money MEME\_CK: int
MEME\_SFX: smallint
MEME\_LAST\_NAME: varchar(35)
MEME\_FIRST\_NAME: varchar(15)
MEME\_MID\_INIT: char(1)
MEME\_SEX: char(1)
MEME\_SEX: char(1)
MEME\_STITLE: varchar(10)
MEME\_SSN: char(9)
MEME\_REL: char(1)
MEME\_BIRTH\_DT: datetime
MEME\_MEMEN: varchar(12) BPEX\_DISC\_DIS\_TXT2: varchar(70)
BPEX\_PRIC\_DISALL: money CDML\_COPAY\_AMT: money CDML\_COINS\_AMT: money BPEX\_PRIC\_DIS\_EXCD: char(3)
BPEX\_PRIC\_DIS\_TXT1: varchar(70) CMC CLCL CLAIM v CDML\_COINS\_AMT: money
CDML\_PAID\_AMT: money
CDML\_SB\_PYMT\_AMT: money
CDML\_SB\_PYMT\_AMT: money
CDML\_PR\_PYMT\_AMT: money
CDML\_SUP\_DISC\_AMT: money
CDML\_SUP\_DISC\_AMT: money
CDML\_PRE\_AUTH\_IND: char(1)
CDML\_POS\_IND: char(1)
CDML\_POS\_IND: char(2)
CDML\_IPCD\_MOD3: char(2)
CDML\_IPCD\_MOD3: char(2)
CDML\_IPCD\_MOD3: char(2) CLCL ID: char(12) BPEX\_PRIC\_DIS\_TXT2: varchar(70)
BPEX\_SUPDSC\_DISALL: money From Claims: char() BPEX\_SUP\_DISC\_EXCD: char(3)
BPEX\_SUP\_DISC\_TXT1: varchar(70)
BPEX\_SUP\_DISC\_TXT2: varchar(70)
BPEX\_SUP\_DISC\_LIAB: char(01) MEME\_HICN: varchar(12) PRPR\_ID: varchar(12) CDML\_EOB\_EXCD: char(3) BPEX\_EOB\_EXCD. char(7)
BPEX\_EOB\_TXT1: varchar(70)
BPEX\_EOB\_TXT2: varchar(70)
BPEX\_PNLT\_DIS\_LIAB: char(1)
BPEX\_EDIS\_LIAB: char(1)
BPEX\_LT\_DIS\_LIAB: char(1)
BPEX\_RW\_DIS\_LIAB: char(1) CMC\_BPDX\_DIAG PRPR\_NAME: varchar(55)
PRPR\_MCTR\_TYPE: char(4) CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CMC BPD2 DIAG PRPR MCIR\_TYPE: char(4)
PRPR NPI: char(10)
BPCL\_PR\_TYPE\_DESC: varchar(30)
BPCL\_PR\_SPEC: char(4)
BPCL\_PR\_SPEC\_DESC: varchar(30)
BPCL\_PR\_ADDR1: varchar(40)
BPCL\_PR\_ADDR2: varchar(40) CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDML\_IPCD\_MOD4: char(2)
CDML\_TOT\_PA\_LIAB: money
CDML\_DIS\_PA\_LIAB: money
CDCB\_COB\_AMT: money IDCD\_ID1: varchar(10)
IDCD\_DESC1: varchar(22) IDCD\_ID7: varchar(10) IDCD\_DESC7: varchar(228) BPEX\_UM\_DIS\_LIAB: char(1)
BPEX\_CE\_DIS\_LIAB: char(1)
BPEX\_DISC\_DIS\_LIAB: char(1)
BPEX\_PRIC\_DIS\_LIAB: char(1) IDCD\_ID2: varchar(10)
IDCD\_DESC2: varchar(22) CDCB\_COB\_AWIT: Illolley
CDCB\_COB\_DISALLOW: money
CDCB\_ADJ\_AMT: money
CDCB\_SUBTRACT\_AMT: money
CDCB\_COB\_SANCTION: money IDCD\_ID8: varchar(10)
IDCD\_DESC8: varchar(228) IDCD\_ID3: varchar(10) BPCL\_PR\_ADDR3: varchar(40) IDCD DESC3: varchar(2) IDCD\_ID9: varchar(10)
IDCD\_IDESC9: varchar(228)
IDCD\_ID10: varchar(10)
IDCD\_DESC10: varchar(228) BPCL\_PR\_CITY: varchar(19) BPCL\_PR\_STATE: char(2) BPEX\_SD\_DISALL: money BPEX\_SD\_DIS\_EXCD: char(03) IDCD\_ID4: varchar(10) IDCD\_DESC4: varchar(22 IDCD\_ID5: varchar(10) IDCD\_DESC5: varchar(22 CDCB\_COB\_SANCTION: money
CDCB\_COB\_DED\_AMT: money
CDCB\_COB\_COPAY\_AMT: money
CDCB\_COB\_COINS\_AMT: money
CDCB\_COB\_COB\_REAS\_CD: char(4)
SEPC\_PRICE\_ID: char(4)
BPCD\_DISALL\_LIAB: char(01)
CDML\_PRE\_PAID\_AMT: money
DNCS\_COB\_DRTE\_shar(01) BPCL\_PR\_ZIP: char(11)
BPCL\_PR\_CTRY\_CD: char(4)
BPCL\_PR\_PHONE: varchar(20)
BPCL\_PR\_PHONE\_EXT: char(4) BPEX\_SD\_DIS\_TXT1: varchar(70)
BPEX\_SD\_DIS\_TXT2: varchar(70) IDCD\_ID11: varchar(10)
IDCD\_DESC11: varchar(228) IDCD\_ID6: varchar(10) IDCD\_DESC6: varchar(22 BPEX\_SD\_DIS\_LIAB: char(01)
BPEX\_PCA\_DISALL: money BPCL\_PR\_PHONE\_EXT: char(4)
BPCL\_PR\_EMAIL: varchar(40)
BPCL\_SB\_PHONE: varchar(20)
BPCL\_SB\_PHONE\_EXT: char(04)
BPCL\_SB\_EMAIL: varchar(40)
BPCL\_SB\_EMAIL: varchar(40)
BPCL\_SB\_SSN: char(09)
BPCL\_SB\_MCTR\_LANG: char(4)
BPCL\_PR\_MCTR\_LANG: char(4)
BPCL\_EOB\_LNAME: varchar(35)
BPCL\_EOB\_MID\_INIT: char(01)
BPCL\_EOB\_MID\_INIT: char(01)
BPCL\_EOB\_TITLE: varchar(10)
BPCL\_EOB\_ADDR1: varchar(40) IDCD\_ID12: varchar(10)
IDCD\_DESC12: varchar(228)
IDCD\_ID7\_SUB: varchar(10) BPEX\_PCA\_DIS\_EXCD: char(03)
BPEX\_PCA\_DIS\_EXCD: char(03)
BPEX\_PCA\_DIS\_TXT1: varchar(70)
BPEX\_PCA\_DIS\_LIAB: char(01)
BPEX\_LOCK\_TOKEN: smallint IDCD ID1 SUB: varchar( IDCD\_ID2\_SUB: varchar(IDCD\_ID3\_SUB: varchar( PDVC\_LOBD\_PTR: char(01) BPCD\_CONS\_ALLOW: money IDCD\_ID8\_SUB: varchar(10) IDCD\_ID9\_SUB: varchar(10) IDCD\_ID4\_SUB: varchar(IDCD\_ID5\_SUB: varchar( IDCD\_ID10\_SUB: varchar(10) IDCD\_ID11\_SUB: varchar(10) BPCD\_CONS\_PAID: money BPCD\_NDC\_CD: varchar(30) IDCD\_ID6\_SUB: varchar( APCD\_ID: char(04) APCD\_DESC: varchar(70) IDCD\_ID12\_SUB: varchar(10) APSI\_STS\_IND: char(02)
APSI\_STS\_DESC: varchar(70) CDSM\_OC\_ALLOW: money
CDSM\_OC\_DED\_AMT: money
CDSM\_OC\_COINS\_AMTM: money
CDSM\_OC\_COINS\_AMTP: money BPCL\_EOB\_ADDR1: varchar(40) BPCL\_EOB\_ADDR2: varchar(40) CMC\_PRPR\_PROV\_v BPCL\_EOB\_ADDR3: varchar(40) BPCL\_EOB\_CITY: varchar(19) PRPR\_ID: char(12) BPCL\_EOB\_CTTT. char(19)
BPCL\_EOB\_STATE: char(02)
BPCL\_EOB\_ZIP: varchar(11)
BPCL\_EOB\_CTRY\_CD: char(04)
BPCL\_EOB\_EMAIL: varchar(40) CDSM\_OC\_PAID\_AMT: money CDSM\_OC\_REAS\_CD: char(4) From\_Provider: char() CDCE\_FMT\_IND: char(01)
CDSM\_OC\_GROUP\_CD: char(02) CMC\_BPEP\_EXPL CDSM\_OC\_GROUP\_CD: char(02)
CDMF\_EXPNS\_AMT: money
CDMF\_PAID\_AMT: money
CDMF\_DISALL\_EXCD: char(03)
CDMF\_EXCD\_TEXT1: varchar(70)
CDMF\_EXCD\_TEXT2: varchar(70)
VBBD\_RULE: char(4)
VBBD\_DESC: varchar(70) EXCD\_ID: char(3)
EXCD\_LONG\_TEXT1: varchar(70)
EXCD\_LONG\_TEXT2: varchar(70) CKPY REF ID: char(16) CLCL\_ID: char(12) CMC CSPI PLAN DESC v CDML\_SEQ\_NO: smallint CSPI\_ID: char(8) AGRG ID: char(4) AGRG\_ID: char(4)
AGRG\_DESC: varchar(70)
CLCK\_NET\_AMT: money
CLCK\_ORIG\_AMT: money
CLCK\_PROM\_PAY\_DISC: money BPEP\_COB\_DISALL: money
BPEP\_COB\_DIS\_LIAB: char(1)
BPEP\_COB\_DIS\_EXCD: char(3) From\_Plan\_2: char() BPEP\_COB\_DIS\_TXT1: varchar(70)
BPEP\_COB\_DIS\_TXT2: varchar(70)
BPEP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime CDSD\_VBB\_EXCD\_ID: char(3)
CDSD\_VBB\_EXCD\_TEXT1: varchar(70)
CDSD\_VBB\_EXCD\_TEXT2: varchar(70)
BPCD\_AMB\_MILES: money USUS\_ID: char(10) CLCL\_EXT\_AUTH\_NO: varchar(18)
CLCK\_INT\_AMT: money CMC\_NWNW\_NETWORK\_v PRAC\_PFX: char(04)
PDDS\_MCTR\_BCAT: char(04) NWNW\_ID: char(12) BPCD\_LOCK\_TOKEN: smallint EHBD\_ID\_NVL: char(4) EHBD\_DESC\_NVL: varchar(70) Copyright 1997-2014 TriZetto Corporation. All rights reserved. From\_Provider\_2: char() CLCL\_ACPT\_DTM: datetime CLCL\_OOA\_IND: char(01) Confidential and Proprietary. Restricted Information. CLCL\_HSA\_IND: char(01)
CLCL\_REL\_CLCL\_ID: varchar(12)
CLCL\_INPUT\_METHOD: char(1)
SBIH\_SBSB\_ID\_ORIG: char(09)

SBIH\_SBSB\_ID\_ORIG: char(09)
SYIN\_REF\_ID: varchar(16)
MEDA\_CONFID\_IND: char(01)
MCRL\_MEME\_CREL\_CD: char(2)
MCRL\_CREL\_DESC: varchar(30)
PRPR\_ENTITY: char(12) AGAG\_ID: char(12)
MCTN\_ID: char(9)
CLCK\_HSA\_ORIG\_AMT: money
CLCK\_ALLOW: money
BPCL\_LOCK\_TOKEN: smallint

CMC\_BPHP\_INDIC

SYIN\_INST: int BPID\_STOCK\_ID: char(10) BPID\_SEQ\_NO: int


BRID\_STOCK\_ID: char(10)
BPID\_SEQ\_NO: int

CKPY\_REF\_ID: char(16)
CLCL\_ID: char(12)
BPHP\_PAYEE\_ED\_ID: char(15)
BPHP\_PAYEE\_ED\_QUAL: char(2)
BPHP\_PYEE\_BANK\_ED: char(15)
BPHP\_PYEE\_BANK\_ED: char(2)
MCBB\_DFI\_ID\_QUAL: char(2)
MCBB\_DFI\_ID\_QUAL: char(2)
MCBB\_ACCT\_NO\_QUAL: char(3)
PRPR\_CL\_EFT\_IND: char(1)
PRPR\_CAP\_EFT\_IND: char(1)
PRPR\_CAP\_EFT\_IND: char(1)
PRPR\_CAP\_EFT\_IND: char(1)
PRPR\_CL\_ENGHOUSE\_ID: varchar(30)
PYPY\_ED\_ID: char(15)
PYPY\_ED\_ID: char(15)
PYPY\_ED\_ID: char(16)
PYPY\_ED\_QUAL: char(2)
PYPY\_ED\_ID: char(16)
PYPY\_DFI\_ID\_QUAL: char(2)
PYPY\_DFI\_ID\_QUAL: char(2)
PYPY\_PT\_AX\_ID: char(9)
PYPY\_PHONE\_EXT: char(4)
PYPY\_PHONE\_EXT: char(4)
PYPY\_PHONE\_EXT: char(4)
PYPY\_PHONE\_EXT: char(4)
SYIN\_REF\_ID: char(16)
PYPY\_NATL\_PLAN\_ID: varchar(50)
PYPY\_NATL\_PLAN\_ID: varchar(50)
PYPY\_NATL\_PLAN\_ID: varchar(50)
PYPY\_NATL\_PLAN\_ID: varchar(50)
PYPY\_NATL\_PLAN\_ID: varchar(50)
PYPY\_BC\_NAME: varchar(20)
PYPY\_BC\_PHONE\_EXT: char(4)
PYPY\_TC\_PHONE\_EXT: char(4

CMC\_WQ35\_WORK\_QUE

WQ35\_ROW\_ID: int

SYIN\_INST: int
BPID\_STOCK\_ID: char(10)
BPID\_TYPE: char(4)
BPID\_SEQ\_NO: int
SYIN\_REF\_ID: char(16)
BPST\_UPDATE: char(1)



CMC\_BPIC\_CLM CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) MEME CK: int CLIS\_ADDR1: varchar(25) CLIS\_ADDR2: varchar(25) CLIS\_CITY: varchar(15) CLIS\_STATE: char(2) CLIS\_ZIP: varchar(11) CLIS\_BIRTH\_DT: datetime
CLIS\_SEX: char(1)
CLIS\_ADDL\_DATA: varchar(155)
CLIS\_GRGR\_NAME: varchar(17) CLIP\_ADDR1: varchar(25) CLIP\_ADDR2: varchar(25) CLIP\_ADDR2: varchar(25)
CLIP\_CITY: varchar(15)
CLIP\_STATE: char(2)
CLIP\_IP: varchar(11)
CLIP\_MARITAL\_IND: char(1)
CLIP\_BMPLOY\_STS\_CD: char(1)
CLIP\_SB\_GROUP\_NO: char(9)
CLIP\_SB\_EMP\_SCHL: varchar(18)
CLIP\_REL: char(2)
CLIP\_STUDENT\_STS: char(1)
CLIP\_ADDL\_DATA: varchar(155)
CLMI\_OUTLAB\_AMT: money
CLMI\_XREF\_SCCF\_NO: varchar(17)
CLMI\_ADJ\_RECD\_DT: datetime
CLMI\_ADJ\_RSN\_CD: char(3)
CLMI\_TS\_BSB\_BID: varchar(17)
CLMI\_HOST\_PLAN\_CD: char(3) CLMI\_HOST\_PLAN\_CD: char(3)
CLMI\_LOCAL\_PLAN\_CD: char(3) CLMI\_PRCS\_SITE\_CD: char(3)
CLMI\_PLAN\_PAYER\_CD: char(1) CLMI\_FRCS\_PIE\_CD: char(1)
CLMI\_PRCE\_PRI\_RULE: char(6)
CLMI\_PRCE\_PRI\_RULE: char(6)
CLMI\_PRCE\_SEC\_RULE: char(6)
CLPP\_PPO\_AVAIL\_IND: char(1)
CLPP\_PRPR\_TYP\_AVLB: char(1)
CLMI\_PRCOGRAM\_CODE: char(1)
CLMI\_PROGRAM\_CODE: char(1)
CLMI\_ITS\_GUB\_TYPE: char(2)
CLMI\_ITS\_SUB\_TYPE: char(2)
CLMI\_ITS\_BI\_D\_ACT: varchar(25)
CLMI\_ITPC\_ID: char(8)
CLMI\_ITS\_COT\_NC AMT: money
CLMI\_ITS\_COT\_NC Varchar(17)
CLMI\_INVEST\_IND: char(1)
CLMI\_INVEST\_IND: char(1)
CLMI\_CARVEOUT\_IND: char(1) CLMI\_CARVEOUT\_IND: char(1)
CLMI\_CARVEOUT\_DAYS: smallint CLMI\_CARVEOUT\_DAYS: smallini
CLMI\_INTL\_CD: char(1)
CLMI\_NAT\_OOA\_CD: char(1)
CLMI\_NAT\_OOA\_CD: char(1)
CLMI\_NAT\_OOA\_CD: char(1)
CLMI\_ADJ\_SF\_IND: char(1)
CLMI\_ADJ\_SF\_IND: char(1)
CLMI\_SP\_ROOM\_RATE: money
CLMI\_PVT\_ROOM\_RATE: money
CLMI\_PER\_DIEM\_RATE: money
CLMI\_PER\_DIEM\_RATE: money
CLMI\_PER\_DIEM\_RATE: money
CLMI\_PER\_DIEM\_RATE: money
CLMI\_PER\_DIEM\_RATE: money CLMI\_PER\_DIEW\_KATE. INIONEY
CLMI\_CASE\_ALLW\_AMT: money
CLPP\_TAXONOMY\_CD: varchar(12)
CLMI\_CFA\_DISP\_DT: datetime
CLMI\_PCT\_FCTR: money
CLMI\_ITS\_CL\_TYPE: char(2)
CLMI\_ATTACH\_IND: char(1) CLMI\_SPPQ\_IND: char(1)
CLMI\_SPPQ\_IND: char(1)
CLMI\_TS\_NPOS\_IND: char(1)
CLMI\_PERF\_POS\_IND: char(1)
CLMI\_POS\_PRC\_IND: char(1)
CLMI\_ICALC\_DIS\_AMT: money CLMI\_ICALC\_DIS\_AMT: money
CLMI\_ICALC\_DIS\_AMT: money
CLMI\_LINE\_BUS\_CD: char(01)
CLMI\_ECR\_CD: char(01)
CLMI\_ECR\_CD: char(01)
CLMI\_MPPQ\_ASGN: char(01)
CLMI\_MPPQ\_ASGN: char(01)
CLMI\_MPPQ\_UNASGN: char(01)
CLMI\_ITS\_FEE: money
CLMI\_ITS\_CLM\_ID: char(02)
CLMI\_ITS\_CLM\_ID: char(02)
CLMI\_ITS\_ADM\_AMT: money
CLMI\_ITS\_ADM\_AMT: money
CLMI\_ITS\_ADM\_AMT: money
CLMI\_ADDL\_DATA: varchar(255)
CLPP\_MED\_PROV\_NUM: varchar(13)
CLPP\_SVC\_FAC\_NAME: varchar(31)
CLPP\_SVC\_FAC\_NAME: varchar(31)
CLMI\_ASO\_IND: char(01)
CLMI\_OPL\_PR\_ARG\_CD: char(1)
CLMI\_OPL\_PR\_ARG\_CD: char(1)
ITCD\_ITS\_CODE1: char(4)
ITCD\_DESC1: varchar(70)
ITCD\_ITS\_CODE2: char(4)
ITCD\_DESC2: varchar(70)
ITCD\_ITS\_CODE3: char(4)
ITCD\_DESC2: varchar(70)
ITCD\_ITS\_CODE3: char(4)
ITCD\_DESC2: varchar(70) ITCD\_DESC2: varchar(70) ITCD\_ITS\_CODE3: char(4) ITCD\_DESC3: varchar(70)
ITCD\_ITS\_CODE4: char(4) ITCD\_ITS\_CODE4: char(4)
ITCD\_DESC4: varchar(70)
ITCD\_ITS\_CODE5: char(4)
ITCD\_DESC5: varchar(70)
CLMI\_DF\_CHK\_NUM: char(10)
CLMI\_DF\_CHK\_DT: datetime
CLIS\_CORR\_PRPAY\_NM: varchar(16)
CLIS\_OSUB\_LAST\_NM: varchar(20)
CLIS\_OSUB\_INST\_NM: varchar(10)
CLIS\_OSUB\_INST\_NM: varchar(10)
CLIS\_OSUB\_INST\_NM: varchar(10)
CLIS\_OSUB\_ID: varchar(17) CLIS\_OSUB\_ID: varchar(17)
CLIS\_COV\_EXP\_DATE: datetime
BPIC\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

BCETS ACCOUNTING Data M
BHD\_PRIC\_PADJ\_CD: char(02)
BPHD\_DPPY\_PADJ\_CD: char(02)
BPHD\_CGPY\_PADJ\_CD: char(02)
BPHD\_CGPY\_PADJ\_CD: char(02)
BPHD\_CGP\_PADJ\_CD: char(02)
BPHD\_COB\_RMRK\_CD: char(02)
BPHD\_COB\_RMRK\_CD: char(5)
BPHD\_COB\_RMRK\_CD: char(5)
BPHD\_COB\_PADJ\_CD: char(5)
BPHD\_CE\_RMRK\_CD: char(5)
BPHD\_CE\_RMRK\_CD: char(5)
BPHD\_DRP\_SAS\_CD: char(5)
BPHD\_DNRP\_RMRK\_CD: char(5)
BPHD\_DNRP\_RMRK\_CD: char(5)
BPHD\_DNRP\_RMRK\_CD: char(2)
BPHD\_DNRP\_RMRK\_CD: char(2)
BPHD\_DNLTY\_HCP\_CD: varchar(50)
BPHD\_RW\_DIS\_HCP\_CD: varchar(50)
BPHD\_RW\_DIS\_HCP\_CD: varchar(50)
BPHD\_RW\_DIS\_HCP\_CD: varchar(50)
BPHD\_CGPY\_HCP\_CD: varchar(50)
BPHD\_CGPY\_HCP\_CD: varchar(50)
BPHD\_CGRY\_HCP\_CD: varchar(50)
BPHD\_CGPY\_HCP\_CD: varchar(50)
BPHD\_CGP\_CHCP\_CD: varchar(50)
BPHD\_CGB\_HCP\_CD: varchar(50)
BPHD\_CGB\_HCP\_CD: varchar(50)
BPHD\_DNRP\_HCP\_CD: varchar(50)
BPHD\_DNRAL\_RMK\_CD3: varchar(5)
BPHD\_DISAL\_RMK\_CD3: varchar(5)
BPHD\_DISAL\_RMK\_CD4: varchar(5)
BPHD\_DISAL\_RMK\_CD4: varchar(5)
BPHD\_DNTY\_RMK\_CD2: varchar(5) BPHD\_DISAL\_RMK\_CD3: varchar(5)
BPHD\_DISAL\_RMK\_CD4: varchar(5)
BPHD\_DISAL\_RMK\_CD5: varchar(5)
BPHD\_DISAL\_RMK\_CD5: varchar(5)
BPHD\_PNLTY\_RMK\_CD5: varchar(2)
BPHD\_PNLTY\_RMK\_CD3: varchar(2)
BPHD\_PNLTY\_RMK\_CD3: varchar(2)
BPHD\_CGPY\_RMK\_CD4: varchar(5)
BPHD\_CGPY\_RMK\_CD5: varchar(5)
BPHD\_CGPY\_RMK\_CD5: varchar(5)
BPHD\_CGPY\_RMK\_CD5: varchar(5)
BPHD\_LT\_DS\_RMK\_CD5: varchar(5)
BPHD\_LT\_DS\_RMK\_CD5: varchar(5)
BPHD\_LT\_DS\_RMK\_CD4: varchar(5)
BPHD\_LT\_DS\_RMK\_CD5: varchar(5)
BPHD\_LT\_DS\_RMK\_CD5: varchar(5)
BPHD\_RW\_DS\_RMK\_CD4: varchar(6)
BPHD\_RW\_DS\_RMK\_CD5: varchar(6)
BPHD\_RW\_DS\_RMK\_CD5: varchar(6)
BPHD\_RW\_DS\_RMK\_CD5: varchar(6)
BPHD\_RW\_DS\_RMK\_CD5: varchar(6)
BPHD\_DPPY\_RMK\_CD5: varchar(6)
BPHD\_DPPY\_RMK\_CD5: varchar(6)
BPHD\_DPPY\_RMK\_CD5: varchar(6)
BPHD\_DPPY\_RMK\_CD5: varchar(6)
BPHD\_DPPY\_RMK\_CD5: varchar(6)
BPHD\_CE\_DS\_RMK\_CD4: varchar(6)
BPHD\_CE\_DS\_RMK\_CD4: varchar(6)
BPHD\_CE\_DS\_RMK\_CD4: varchar(6)
BPHD\_CE\_DS\_RMK\_CD4: varchar(6)
BPHD\_CE\_DS\_RMK\_CD3: varchar(6)
BPHD\_DISC\_RMK\_CD3: varchar(6)
BPHD\_PRIC\_RMK\_CD3: varchar(6)
BPHD\_PRIC\_RMK\_CD3: varchar(6)
BPHD\_PRIC\_RMK\_CD4: varchar(6) BPHD\_PRIC\_RMK\_CD2: varchar(5)
BPHD\_PRIC\_RMK\_CD3: varchar(5)
BPHD\_PRIC\_RMK\_CD4: varchar(5)
BPHD\_PRIC\_RMK\_CD4: varchar(5)
BPHD\_PRIC\_RMK\_CD5: varchar(5)
BPHD\_DNRP\_RMK\_CD3: varchar(5)
BPHD\_DNRP\_RMK\_CD3: varchar(5)
BPHD\_DNRP\_RMK\_CD4: varchar(5)
BPHD\_DNRP\_RMK\_CD5: varchar(5)
BPHD\_PCA\_RMK\_CD2: varchar(5)
BPHD\_PCA\_RMK\_CD3: varchar(5)
BPHD\_PCA\_RMK\_CD5: varchar(5)
BPHD\_PCA\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD3: varchar(5)
BPHD\_COB\_RMK\_CD3: varchar(5)
BPHD\_COB\_RMK\_CD4: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_COB\_RMK\_CD5: varchar(5)
BPHD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_BPDI\_INT\_DET

CKPY\_REF\_ID: char(16)
CLCL\_ID: char(12)
CLCK\_PAYEE\_IND: char(1)
LOBD\_ID: char(4) ACDI\_INT\_TIER\_NO: smallint

ACDI\_CONT\_DAYS: smallint EXCD\_ID: char(4) EXCD\_LONG\_TEXT1: varchar(: EXCD\_LONG\_TEXT2: varchar(: EXCD\_LONG\_TEXT2: varchar(\*)
PDDS\_MCTR\_BCAT: char(4)
ACDI\_INT\_BEGIN\_DT: datetime
ACDI\_INT\_DAYS\_CALC: smalli
ACDI\_INT\_CALC\_AMT: money
BPDI\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC BPIO COB

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12)

MEME\_CK: int CLIO\_LAST\_NAME: varchar(20) CLIO\_FIRST\_NAME: varchar(10) CLIO\_MID\_INIT: char(1) CLIO\_OPL\_ID: varchar(17)

CLIO\_BIRTH\_DT: datetime CLIO\_SEX: char(1)

CLIO\_SEX: cna(1)
CLIO\_SEMP\_SCHL: varchar(18)
CLIO\_PAYER\_NAME: varchar(16)
CLIO\_OPL\_CALC\_METH: char(3)
CLIO\_OPL\_DED\_AMT: money
CLIO\_OPL\_COIN\_AMT: money
CLIO\_ALLOW\_AMT: money

CLIO\_ALLOW\_AM1: money
CLIO\_PAID\_AMT: money
CLIO\_LAST\_NAME2: varchar(20)
CLIO\_FIRST\_NAME2: varchar(10)
CLIO\_MID\_INIT2: char(1)
CLIO\_OP2\_ID: varchar(25)

CLIO\_BIRTH\_DT2: datetime
CLIO\_SEX2: char(1)
CLIO\_EMP\_SCHL2: varchar(18)
CLIO\_OP2\_CALC\_METH: char(3)

CLIO\_OP2\_DED\_AMT: money CLIO\_OP2\_COIN\_AMT: money CLIO\_OP2\_ALLOW\_AMT: money

CLIO\_OP2\_PAID\_AMT: money CLIO\_OP2\_PAYER\_NA: varchar(16) CLIO\_OP1\_AMT\_IND: char(1) CLIO\_OP2\_AMT\_IND: char(1) CLIO\_OP2\_AMT\_IND: char(1) CLIO\_OP2\_NCOV\_AMT: money CLIO\_OP2\_SB\_HH\_AMT: money CLIO\_OP2\_SB\_HH\_AMT: money

CLIO\_OPL\_SB\_LIAB: money CLIO\_OP2\_SB\_LIAB: money CLIO\_OP2\_SB\_LIAB: money
CLIO\_PRIMACY\_IND: char(1)
CLIO\_INDEM\_CBK\_IND: char(1)
CLIO\_LO\_INS\_DAYS: smallint
CLIO\_LIFE\_RESV\_DAY: smallint
CLIO\_LIFE\_RESV\_DAY: swrchar(12)
CLIO\_MED\_CLM\_NUM: varchar(12)
CLIO\_MED\_LMT\_AMT: money
CLIO\_COV\_DAYS: smallint
CLIO\_COV\_DAYS: smallint

CLIO\_COV\_DAYS: smallinf
CLIO\_AMT\_MAP\_VAL: char(10)
CLIO\_NON\_COV\_DAYS: smallint
CLIO\_ADDL\_DATA: varchar(255)
CLIO\_GR\_PLAN\_NUM: char(02)
CLIO\_OC\_ADJ\_GP\_CD1: char(02)
CLIO\_OC\_ADJ\_GP\_CD2: char(02)
CLIO\_OC\_ADJ\_GP\_CD3: char(02)
CLIO\_OC\_ADJ\_GP\_CD4: char(02)
CLIO\_OC\_ADJ\_GP\_CD5: char(02)
CLIO\_OC\_ADJ\_GP\_CD5: char(02)
CLIO\_OC\_ADJ\_RSP\_CD5: char(02)
CLIO\_OC\_ADJ\_RSN\_1: char(05)
CLIO\_OC\_ADJ\_RSN\_2: char(05)
CLIO\_OC\_ADJ\_RSN\_3: char(05)

CLIO\_OC\_ADJ\_RSN\_3: char(05) CLIO\_OC\_ADJ\_RSN\_4: char(05)

CLIO\_OC\_ADJ\_RSN\_5: char(05)
CLIO\_OC\_ADJ\_AMT\_1: money
CLIO\_OC\_ADJ\_AMT\_2: money
CLIO\_OC\_ADJ\_AMT\_3: money

CLIO\_OC\_ADJ\_AMT\_4: money CLIO\_OC\_ADJ\_AMT\_5: money BPIO\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC BPHM CLM DTL

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint

CDML\_EXT\_LINE\_NO: smallint
BPHM\_PNLTY\_835\_CD: char(5)
BPHM\_SE\_DIS\_835\_CD: char(5)
BPHM\_LT\_DIS\_835\_CD: char(5)
BPHM\_LT\_DIS\_835\_CD: char(5)
BPHM\_RW\_DIS\_835\_CD: char(5)
BPHM\_UM\_DIS\_835\_CD: char(5)
BPHM\_DISC\_835\_CD: char(6)
BPHM\_DISC\_835\_CD: char(5)
BPHM\_PRIC\_835\_CD: char(5)
BPHM\_SUPDSC\_835\_CD: char(5)
BPHM\_SD\_DIS\_835\_CD: char(5)
BPHM\_SD\_DIS\_835\_CD: char(5)
BPHM\_PCA\_835\_CD: char(5)
BPHM\_DISALL\_RMRK\_CD: char(05)
BPHM\_DISALL\_RMRK\_CD: char(05)
BPHM\_SD\_DIS\_RMRK\_CD: char(05)
BPHM\_SD\_DIS\_RMRK\_CD: char(05)
BPHM\_UT\_DS\_RMRK\_CD: char(05)
BPHM\_UT\_DS\_RMRK\_CD: char(05)
BPHM\_UT\_DS\_RMRK\_CD: char(05)
BPHM\_CE\_DS\_RMRK\_CD: char(05)
BPHM\_DISC\_RMRK\_CD: char(05)
BPHM\_SUPDS\_RMRK\_CD: char(05)
BPHM\_DISAL\_PADJ\_CD: char(02)
BPHM\_PNLTY\_PADJ\_CD: char(02)
BPHM\_TD\_S\_PADJ\_CD: char(02)
BPHM\_RU\_DS\_PADJ\_CD: char(02)
BPHM\_RU\_DS\_PADJ\_CD: char(02)
BPHM\_RU\_DS\_PADJ\_CD: char(02)
BPHM\_MD\_DS\_PADJ\_CD: char(02)
BPHM\_MD\_DS\_PADJ\_CD: char(02)
BPHM\_MD\_DS\_PADJ\_CD: char(02) CDML\_EXT\_LINE\_NO: smallint BPHM\_L1\_DS\_PADJ\_CD: char(02)
BPHM\_RW\_DS\_PADJ\_CD: char(02)
BPHM\_UM\_DS\_PADJ\_CD: char(02)
BPHM\_CE\_DS\_PADJ\_CD: char(02)
BPHM\_DISC\_PADJ\_CD: char(02)

#### CMC\_ACGL\_ACCT\_DEF

ACGL\_SYS\_REGION: char(1) ACGL\_TYPE: char(1) ACGL\_ACTIVITY: char(1) CMC\_ACAD\_ACCT\_DESC ACAD\_GEN\_LDGR\_NO: char(24) LOBD ID: char(4)
ACCT\_CAT: char(4)
ACGL\_VAR\_DATA\_1: char(20)
ACGL\_VAR\_DATA\_2: char(20) ACAD\_ACCT\_DESC: char(70)
ACAD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime ACGL\_VAR\_DATA\_3: char(20) ACAD\_GEN\_LDGR\_NO: char(24) ACGL\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC\_CKMM\_TEMP\_CLCK

CKMM\_CLCK\_ROW\_ID: numeric(10,0) indentity

CKMM\_CLCK\_ROW\_ID: numeric(1)

CLCL\_ID: char(12)
CLCK\_PAYEE\_IND: char(1)
LOBD\_ID: char(4)
CKPY\_REF\_ID: char(16)
CKPY\_PAY\_DT: datetime
PRPR\_ID: char(12)
MEME\_CK: int
CLCK\_PAYEE\_PR\_ID: char(12)
CLCK\_COMB\_IND: char(1)
CLCK\_COMB\_IND: char(1)
CLCK\_COMB\_IND: char(1)
CLCK\_COMB\_IND: char(1)
CLCK\_OMB\_IND: char(1)
CLCK\_DIG\_AMT: money
CLCK\_EOB\_IND: char(1)
CLCK\_DISC\_PCT: money
CLCK\_DISC\_PCT: money
CLCK\_DISC\_PCT: money
CLCK\_AGPP\_EXCD\_ID: char(3)
CLCK\_PAYTO\_VRD\_IND: char(1)
CLCK\_CLC\_TYPE: char(1)
CLCK\_CLC\_CL\_TYPE: char(1) CLCK\_FTMI\_CHART.

CLCK\_INT\_AMT: money
CLCK\_GALC\_INT\_AMT: money
CLCK\_HSA\_ORIG\_AMT: money
CLCK\_HSA\_ORIG\_AMT: money
MEDA\_CONFID\_IND: char(01) CLCK\_ALLOW: money
CLCK\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC\_CLPI\_WORK\_MEDPP

CLPI ROW ID: numeric(10,0) identity CLCL\_ID: char(12) MEME\_CK: int GRGR\_CK: int SBSB\_CK: int SGSG\_CK: int
CLCL\_CL\_TYPE: char(1)
CLCL\_CL\_SUB\_TYPE: char(1)
CLCL\_CUR\_STS: char(2) NWNW\_ID: char(12)
CLCL\_PAY\_PR\_IND: char(1)
CLCL\_DRAG\_DT: datetime

#### CMC\_CLPD\_WORK\_PREDE

CLPD\_ROW\_ID: numeric(10,0) identity

CLCL\_ID: char(12) MEME\_CK: int GRGR\_CK: int SBSB\_CK: int SGSG\_CK: int CLCL\_CL\_TYPE: char(1)
CLCL\_CL\_SUB\_TYPE: char(1)
CLCL\_CUR\_STS: char(2)
NWNW\_ID: char(12)
CLCL\_PAY\_PR\_IND: char(1)
CLCL\_DRAG\_DT: datetime

#### CMC\_CLFM\_WORK\_FSA

CLFM\_ROW\_ID: numeric(10,0) identity

CLCL\_ID: char(12) MEME\_CK: int GRGR\_CK: int SRSB\_CK: int
CLCL\_CL\_TYPE: char(01)
CLCL\_CL\_SUB\_TYPE: char(01)
CLCL\_CUR\_STS: char(02) CLCL\_PAY\_PR\_IND: char(01)
CLFM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_CLFC\_FSA\_SUM

CLCL\_ID: char(12) LOBD\_ID: char(04) CLFC\_PAYEE\_CK: int CLFC\_PAYEE\_IND: char(01)

CKPY\_REF\_ID: char(16)
CKPY\_PAY\_DT: datetime
CLFC\_COMB\_IND: char(01)
CLCL\_CL\_SUB\_TYPE: char(01)
SBFS\_PLAN\_YEAR\_DT: datetime
CLFC\_ORIG\_AMT: money CLFC\_ORIG\_AM1: money
CLFC\_NET\_AMT: money
CLFC\_NET\_AMT: money
CLFC\_PYMT\_OVRD\_IND: char(01)
CLFC\_SOURCE\_YR\_CD: char(01)
CLFC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC CKDM TEMP CLCK

CKDM CLCK ROW ID: numeric(10,0) indentity

CLCL\_ID: char(12) CLCK\_PAYEE\_IND: char(1) LOBD\_ID: char(4) CKPY\_REF\_ID: char(16) CKPY\_PAY\_DT: datetime PRPR\_ID: char(12) MEME\_CK: int SBSB\_CK: int SBSB\_CK: int
CLCK\_PAYEE\_PR\_ID: char(12)
CLCK\_COMB\_IND: char(1)
CLCK\_ORIG\_AMT: money
CLCK\_EOB\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_WK\_IND: char(1)
CLCK\_INT\_AMT: money
CLCK\_AGPP\_EXCD\_ID: char(3)
CLCK\_PYMT\_OVRD\_IND: char(1)
CLCK\_INT\_AMT: money
CLCK\_CALC\_INT\_AMT: money
CLCK\_CALC\_INT\_AMT: money
CLCK\_HSA\_ORIG\_AMT: money
CLCK\_HSA\_ORIG\_AMT: money
CLCK\_HSA\_PRIOR\_PD: money
MEDA\_CONFID\_IND: char(01) MEDA\_CONFID\_IND: char(01)
CLCK\_ALLOW: money CLCK\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC CKZP INDIC

CKPY REF ID: char(16) CKZP PAYEE NAME: char(50) CKZP\_ADDR1: varchar(40) CKZP\_ADDR2: varchar(40) CKZP\_ADDR3: varchar(40) CKZP\_CITY: varchar(19)
CKZP\_STATE: char(02)
CKZP\_ZIP: varchar(11)
CKZP\_CTRY\_CD: char(04)
MEDA\_CONFID\_IND: char(01)
CKZP\_LOCK\_TÖKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC\_NFWQ\_WORK\_QUE

NFWQ\_ROW\_ID: numeric(10,0) PYPY\_ID: char(8) PYBA\_ID: char(4)
PYBA\_CHECKING\_ACCT: char(20) SYIN\_INST: int BPID\_STOCK\_ID: char(10) BPID\_TYPE: char(4)
BPID\_SEQ\_NO: int
SYIN\_REF\_ID: char(16)
FILE\_ID\_MODIFIER: char(1) BATCH\_NUMBER: int

#### CMC CKFM WORK FSCK

CKFM ROW ID: numeric(10,0) identity CLCL\_ID: char(12) LOBD\_ID: char(04) CLFC\_PAYEE\_CK: int CLFC\_PAYEE\_IND: char(01) CKPY\_REF\_ID: char(16)
CKPY\_PAY\_DT: datetime CKPY\_PAY\_DT: datetime
CLFC\_COMB\_IND: char(01)
CLCL\_CL\_SUB\_TYPE: char(01)
SBFS\_PLĀN\_YĒAR\_DT: datetime
CLFC\_ORIG\_AMT: money
CLFC\_PRIOR\_PAID: money
CLFC\_PET\_AMT: money
CLFC\_PYMT\_OVRD\_IND: char(01)
CLFC\_SOURCE\_YR\_CD: char(01)
CKFM\_LOCK\_TŌKEN: smallint
ATXR\_SOURCE\_ID: datetime

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

Page 5 continued

CMC BPSP CLAIM

BPHM\_DISC\_PADJ\_CD: char(02)
BPHM\_PRIC\_PADJ\_CD: char(02)

BPHM\_SUPDS\_PADJ\_CD: char(02)
BPHM\_SD\_DS\_PADJ\_CD: char(02)
BPHM\_PCA\_PADJ\_CD: char(02)
CDML\_GWID: varchar(32)

BPHM\_PCA\_PAUJ\_CJ: char(U2)
CDML\_GWID: varchar(32)
BPHM\_COB\_RMRK, CD: char(5)
BPHM\_COB\_835\_CD: char(5)
BPHM\_COB\_PADJ\_CD: char(5)
BPHM\_PNLTY\_HCP\_CD: varchar(50)
BPHM\_BR\_DIS\_HCP\_CD: varchar(50)
BPHM\_LT\_DIS\_HCP\_CD: varchar(50)
BPHM\_RW\_DIS\_HCP\_CD: varchar(50)
BPHM\_WD\_DIS\_HCP\_CD: varchar(50)
BPHM\_CE\_DIS\_HCP\_CD: varchar(50)
BPHM\_DISC\_HCP\_CD: varchar(50)
BPHM\_DISC\_HCP\_CD: varchar(50)
BPHM\_SUPDSC\_HCP\_CD: varchar(50)
BPHM\_SD\_DIS\_HCP\_CD: varchar(50)
BPHM\_PCA\_HCP\_CD: varchar(50)
BPHM\_COB\_HCP\_CD: varchar(50)
BPHM\_COB\_HCP\_CD: varchar(50)
BPHM\_SCPA\_HCP\_CD: varchar(50)
BPHM\_SCPA\_B35\_CD: varchar(50)
BPHM\_SCPA\_B35\_CD: varchar(50)
BPHM\_SCPA\_BASS\_CD: varchar(20)
BPHM\_SCPA\_PADJ\_CD: varchar(20)
BPHM\_SCPA\_PADJ\_CD: varchar(20)
BPHM\_SCPA\_BASS\_CD: varchar(20)
BPHM\_SCPA\_BASS\_CD: varchar(20)
BPHM\_SCPA\_BASS\_CD: varchar(20)

BPHM\_SCPA\_PADJ\_CD: varchar(2)
BPHM\_SCPA\_PADJ\_CD: varchar(3)
BPHM\_SCPA\_HCP\_CD: varchar(5)
BPHM\_PADJ\_BASS\_CD: varchar(5)
BPHM\_PADJ\_RMRK\_CD: varchar(5)
BPHM\_PADJ\_HCP\_CD: varchar(5)
BPHM\_PADJ\_HCP\_CD: varchar(5)
BPHM\_DISAL\_RMK\_CD3: varchar(5)
BPHM\_DISAL\_RMK\_CD3: varchar(5)
BPHM\_DISAL\_RMK\_CD5: varchar(5)
BPHM\_DISAL\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_PNLTY\_RMK\_CD5: varchar(5)
BPHM\_SE\_DS\_RMK\_CD3: varchar(5)
BPHM\_SE\_DS\_RMK\_CD3: varchar(5)
BPHM\_SE\_DS\_RMK\_CD3: varchar(6)

BPHM\_SE\_DS\_RMK\_CD3: varchar(5)
BPHM\_SE\_DS\_RMK\_CD4: varchar(5)
BPHM\_SE\_DS\_RMK\_CD5: varchar(5)
BPHM\_LT\_DS\_RMK\_CD5: varchar(6)
BPHM\_LT\_DS\_RMK\_CD2: varchar(6)
BPHM\_LT\_DS\_RMK\_CD4: varchar(5)
BPHM\_LT\_DS\_RMK\_CD5: varchar(5)
BPHM\_RW\_DS\_RMK\_CD2: varchar(6)
BPHM\_RW\_DS\_RMK\_CD3: varchar(6)
BPHM\_RW\_DS\_RMK\_CD3: varchar(6)
BPHM\_RW\_DS\_RMK\_CD4: varchar(6)
BPHM\_RW\_DS\_RMK\_CD4: varchar(6)
BPHM\_RW\_DS\_RMK\_CD5: varchar(6)

BPHM\_RW\_DS\_RMK\_CD5: varchar(5) BPHM\_UM\_DS\_RMK\_CD2: varchar(5)

BPHM\_UM\_DS\_RMK\_CD3: varchar(5)
BPHM\_UM\_DS\_RMK\_CD4: varchar(5)
BPHM\_UM\_DS\_RMK\_CD5: varchar(5)
BPHM\_CE\_DS\_RMK\_CD4: varchar(5)

BPHM\_CE\_DS\_RMK\_CD4: varchar(5)
BPHM\_CE\_DS\_RMK\_CD2: varchar(5)
BPHM\_CE\_DS\_RMK\_CD3: varchar(5)
BPHM\_DISC\_RMK\_CD5: varchar(5)
BPHM\_DISC\_RMK\_CD3: varchar(5)
BPHM\_DISC\_RMK\_CD3: varchar(5)
BPHM\_DISC\_RMK\_CD4: varchar(5)
BPHM\_DISC\_RMK\_CD5: varchar(5)
BPHM\_PRIC\_RMK\_CD5: varchar(5)
BPHM\_PRIC\_RMK\_CD3: varchar(5)
BPHM\_PRIC\_RMK\_CD3: varchar(5)
BPHM\_PRIC\_RMK\_CD4: varchar(5)
BPHM\_PRIC\_RMK\_CD4: varchar(5)

BPHM\_PRIC\_RMK\_CD4: varchar(5)
BPHM\_PRIC\_RMK\_CD5: varchar(5)
BPHM\_SUPDS\_RMK\_CD2: varchar(5)
BPHM\_SD\_DS\_RMK\_CD2: varchar(5)
BPHM\_SUPDS\_RMK\_CD3: varchar(5)
BPHM\_SUPDS\_RMK\_CD4: varchar(5)
BPHM\_SUPDS\_RMK\_CD5: varchar(5)
BPHM\_SUPDS\_RMK\_CD5: varchar(5)
BPHM\_SD\_DS\_RMK\_CD3: varchar(5)

BPHM\_SD\_DS\_RMK\_CD4: varchar(5)
BPHM\_SD\_DS\_RMK\_CD5: varchar(5)

BPHM\_SD\_DS\_RMK\_CD5: varchar(s)
BPHM\_PCA\_RMK\_CD2: varchar(5)
BPHM\_PCA\_RMK\_CD3: varchar(5)
BPHM\_PCA\_RMK\_CD4: varchar(5)
BPHM\_PCA\_RMK\_CD5: varchar(5)
BPHM\_CDB\_RMK\_CD5: varchar(5)
BPHM\_COB\_RMK\_CD3: varchar(5)
BPHM\_COB\_RMK\_CD4: varchar(5)
BPHM\_COB\_RMK\_CD4: varchar(5)
BPHM\_COB\_RMK\_CD4: varchar(5)

BPHM\_COB\_RMK\_CD5: varchar(5)
BPHM\_SCPA\_RMK\_CD2: varchar(5)
BPHM\_SCPA\_RMK\_CD3: varchar(5)
BPHM\_SCPA\_RMK\_CD4: varchar(5)
BPHM\_SCPA\_RMK\_CD5: varchar(5)
BPHM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12)

MEME\_CK: int
PDPD\_ID: char(8)
NWPE\_PFX: char(4)
NWPR\_PFX: char(4)
NWPR\_PFX: char(4)
NWCR\_PFX: char(4)
PDBC\_PFX. NPPR: char(4)
PDBC\_PFX\_SPPR: char(4)
PDBC\_PFX\_SPPR: char(4)
PDBC\_PFX\_SPDF: char(1)
NWNW\_ID: char(12)
PDPD\_ACC\_SFX: char(4)
AGAG\_ID: char(12)
AGRG\_ID: char(4)
CLSP\_AG\_SOURCE: char(1)
PDDS\_PROD\_TYPE: char(1)
PDDS\_MCTR\_BCAT: char(4)
CLSP\_TOT\_AMT\_APLY: money
PSP\_LOCK\_TOKEN: smallint
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CMC\_BPSL\_SP\_LINE

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint

MEME CK: int
CDSP\_CL\_NTWK\_IND: char(1)
CDSP\_SC\_CL\_NET\_IND: char(1)
CDSP\_SC\_CL\_NET\_IND: char(1)
LTLT\_PFX: char(4)
CDSP\_SC\_LTLT\_PFX: char(4)
CDSP\_SC\_LTLT\_PFX: char(4)
CDSP\_SC\_DEDE\_PFX: char(4)
CDSP\_SC\_DEDE\_PFX: char(4)
CDSP\_SC\_PRICE\_AMT: money
CDSP\_SC\_PRICE\_AMT: money
SEPY\_PFX: char(3)
CDSP\_SC\_SESE\_RULE: char(3)
CDSP\_SC\_SESE\_RULE: char(3)
CDSP\_SC\_SESE\_RULE: char(3)
CDSP\_SC\_SESE\_RULE: char(3)
CDSP\_SC\_DED\_AMT: money
CDSP\_DED\_AMT: money
CDSP\_DED\_AMT: money
CDSP\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_OPAY\_AMT: money
CDSP\_SC\_OPAY\_AMT: money
CDSP\_SC\_OPAY\_AMT: money
CDSP\_SC\_DISA\_LAMT: money
CDSP\_SC\_DISA\_LAMT: money
CDSP\_SC\_DISA\_LAMT: money
CDSP\_SC\_DISA\_LAMT: money
CDSP\_DISALL\_EXCD\_ID: char(3)
CDSP\_SC\_DISA\_LAMT: money
CDSP\_DISALL\_EXCD\_ID: char(3)
CDSP\_SC\_DISA\_LAMT: money
CDSP\_SC\_SP\_ACC\_CAT: char(4)
CDSP\_SC\_SP\_EXP\_CAT: char(4)
CDSP\_SC\_SP\_EXP\_CAT: char(4)
CDSP\_SC\_SP\_EXP\_CAT: char(4)
CDSP\_SC\_SP\_EXP\_CAT: char(4)
CDSP\_SC\_SP\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_SP\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_ACC\_CAT: char(4)
CDSP\_SC\_A

CMC BPSB EOB AMTS

CKPY\_REF\_ID: char(16)
EBCL\_TYPE: char(1)
CLCL\_ID: char(12)
EBCL\_YEAR\_IND: char(1)
ACAC\_ACC\_NO: smallint
EBCL\_PFX\_MAX: char(4)

CLSB\_CUR\_YEAR: datetime
CLSB\_MEAC\_AMT: money
CLSB\_MEAC\_AMT: money
CLSB\_FAAC\_AMT: money
CLSB\_FAAC\_AMT: money
CLSB\_FAAC\_AMT: money
DEDE\_AGG\_PERSON: smallint
DEDE\_FAM\_AMT: money
DEDE\_MEME\_AMT: money
LTLT\_AMT: money
LTLT\_AMT2: money
BPSB\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### FSA\HRA Batch Print Tables

## CMC\_CLMM\_WORK\_PAY\_MED CLMM\_ROW\_ID: numeric(10.0) identity CLCL\_ID: char(12) MEME\_CK: int GRGR\_CK: int SBSB\_CK: int SGSG\_CK: int CLCL\_CL\_TYPE: char(1) CLCL\_CL\_SUB\_TYPE: char(1) CLCL\_CUR\_STS: char(2) NWNW\_ID: char(12) CLCL\_PAY\_PR\_IND: char(1) CLCL\_DRAG\_DT: datetime

#### CMC CLDM WORK PAY DENT

```
CLDM_ROW_ID: numeric(10.0)identity
CLCL_ID: char(12)
MEME_CK: int
GRGR_CK: int
SBSB_CK: int
SGSG_CK: int
CLCL_CL_TYPE: char(01)
CLCL_CL_SUB_TYPE: char(01)
CLCL_CUR_STS: char(02)
NWNW_ID: char(12)
CLCL_PAY_PR_IND: char(01)
CLCL_DRAG_DT: datetime
```

CMC\_BPFL\_FSA\_LINE CKPY\_REF\_ID: char(16) CLCL ID: char(12) CDFL\_SEQ\_NO: smallint FSEC\_PDBC\_PFX: char(04) FSEC\_ID: char(04) FSEC\_DESC: varchar(70) CDFL\_FROM\_DT: datetime
CDFL\_TO\_DT: datetime CDFL\_EXT\_REF: varchar(20)
CDFL\_NAME: varchar(35) CDFL\_COMMENT: varchar(70) CDFL\_EXT\_LINE\_NO: smallint CDFL\_EXPNS\_AMT: money
CDFL\_PAID\_AMT: money CDFL\_DISALL\_AMT: money EXCD\_ID: char(03)
EXCD\_DESC\_TEXT1: varchar(70)
EXCD\_DESC\_TEXT2: varchar(70)
BPFL\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

CLCL CLAIM v CDML\_CLCL\_LINE\_v CLCL\_ID: char(12) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint From\_Claims: char() CMC\_BPLS\_SUPP\_DATA CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint MEME CK: int CDSD\_PRPR\_ID\_REND: varchar(12) CDSD\_PRPR\_RE\_NPI: varchar(10) CDSD\_PRPR\_RE\_TAX: varchar(9)
CDSD\_SVC\_AREA\_IND: char(1)
CDSD\_MED\_AMB\_ZIP: varchar(11) DFSC ID: varchar(8) DFSC\_ID: varchar(s)
CDSD\_DOFR\_RISK\_IND: char(1)
CDSD\_DOFR\_RISK\_ID: varchar(12)
CDSD\_DOFR\_DELG\_CL: char(1)
CDSD\_DOFR\_CL\_ID: varchar(12)
CDSD\_DOFR\_DELG\_UM: char(1)
CDSD\_DOFR\_DELG\_UM: char(1) CDSD\_DOFR\_UM\_ID: varchar(12)
CDSD\_LINE\_GRP\_PTR: smallint
CDSD\_HIER\_VALUE: char(1)
CDSD\_NET\_VALUE\_AMT: money
CDSD\_STOPLOSS\_AMT: money
CDSD\_STOPLOSS\_AMT: money CMC\_BPLO\_L\_ITS\_OPL CKPY\_REF\_ID: char(16) CLCL\_ID: char(12)
CDML\_SEQ\_NO: smallint
CDIO\_SEQ\_NO: smallint BPLS\_PR\_NAME: varchar(55)
BPLS\_PR\_ADDR1: varchar(40) MEME\_CK: int
CDIO\_OPL\_DED\_AMT: money
CDIO\_OPL\_COIN\_AMT: money
CDIO\_OPL\_ALLOW\_AMT: money
CDIO\_OPL\_PAID\_AMT: money
CDIO\_OPL\_PAID\_AMT: money
CDIO\_OPL\_SB\_HH\_AMT: money
CDIO\_OPL\_SB\_LIAB\_AMT: money
CDIO\_MED\_LMT\_AMT: money
CDIO\_COPAY\_AMT: money
CDIO\_COPAY\_GPT\_CD: char(02)
CDIO\_COC\_ADJ\_GP\_CD2: char(02)
CDIO\_OC\_ADJ\_GP\_CD3: char(02)
CDIO\_OC\_ADJ\_GP\_CD4: char(02) MEME\_CK: int BPLS\_PR\_ADDR2: varchar(40) BPLS\_PR\_ADDR3: varchar(40) BPLS\_PR\_CITY: varchar(19)
BPLS\_PR\_STATE: char(2) BPLS\_PR\_SIATE. cliat(2)
BPLS\_PR\_ZIP: varchar(11)
BPLS\_PR\_CTRY\_CD: char(4)
BPLS\_PR\_PHONE: varchar(20)
BPLS\_PR\_PHONE\_EXT: char(4) BPLS\_PR\_EMAIL: varchar(40) EAPG\_ID: char(5) EAPM\_PAY\_METH\_IND: char(2) CDSD\_SURCH\_AMT: money SCPA\_SURCH\_PCT: money CDIO OC ADJ GP CD4: char(02)
CDIO OC ADJ GP CD5: char(02)
CDIO OC ADJ GP CD6: char(02)
CDIO OC ADJ GP CD6: char(02)
CDIO OC ADJ RSN 1: char(05)
CDIO OC ADJ RSN 2: char(05)
CDIO OC ADJ RSN 3: char(05) CDSD\_MCTR\_REAS: char(4) SCPA\_EXCD\_ID: char(3) SCPA\_EXCD\_LIAB\_IND: char(1) SCPA\_EXCD\_TXT1: varchar(70) SCPA\_EXCD\_TXT2: varchar(70) PADJ\_AMT: money CDIO\_OC\_ADJ\_RSN\_3: char(05)
CDIO\_OC\_ADJ\_RSN\_4: char(05)
CDIO\_OC\_ADJ\_RSN\_5: char(05)
CDIO\_OC\_ADJ\_RSN\_6: char(05)
CDIO\_OC\_ADJ\_AMT\_1: money
CDIO\_OC\_ADJ\_AMT\_2: money
CDIO\_OC\_ADJ\_AMT\_3: money
CDIO\_OC\_ADJ\_AMT\_4: money
CDIO\_OC\_ADJ\_AMT\_4: money PADJ\_EXCD\_ID: char(3)
PADJ\_EXCD\_LIAB\_IND: char(1)
PADJ\_EXCD\_TXT1: varchar(70) PADJ\_EXCD\_TXT2: varchar(70) BPLS\_LOCK\_TOKEN: smallint

CDIO\_OC\_ADJ\_AMT\_6: money CDIO\_OC\_ADJ\_AMT\_6: money CDIO\_ADDL\_DATA: varchar(255) BPLO\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

ATXR SOURCE ID: datetime

IPCD\_DESC1\_NVL: varchar(35)

IPCD\_DESC2\_NVL: varchar(48)
IPCD\_DESC3\_NVL: varchar(500)

# From\_Claims: char() CMC\_BPCL\_CLM\_v CKPY\_REF\_ID: char(16) CLCL ID: char(12) From CMC BPCL CLM: char() CMC\_BPSD\_SUPP\_DATA CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) MEME CK: int CLSD\_OPTOUT\_INPUT: char(1) CLSD\_OPTOUT\_CALC: char(1) CLSD\_REDIRECT\_IND: char(1) CLSD\_EXT\_RECD\_DT: datetime CLSD\_REDIRECT\_IND: char(1) CLSD\_EXT\_RECD\_DT: datetime DOFR\_ID: varchar(12) CLSD\_ACPLUS\_IND: char(1) CLSD\_PRPR\_ID\_IPA: varchar(12) CLSD\_PRPR\_ID\_IPA: varchar(12) CLSD\_EMERG\_IND: char(1) CLSD\_EXT\_ENC\_ID: varchar(25) MEET\_EXCP\_TYPE: char(1) MEET\_MCTR\_MRSN: char(4) BPSD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime CLSD\_PRPR\_ID\_REND\_NVL: varchar(12) CLSD\_PRPR\_RE\_NPI\_NVL: varchar(12) CLSD\_PRPR\_RE\_NPI\_NVL: varchar(16) BPSD\_REPR\_ADDR1\_NVL: varchar(40) BPSD\_REPR\_ADDR1\_NVL: varchar(40) BPSD\_REPR\_ADDR3\_NVL: varchar(40) BPSD\_REPR\_ADDR3\_NVL: varchar(40) BPSD\_REPR\_CITY\_NVL: varchar(19) BPSD\_REPR\_STATE\_NVL: char(2) BPSD\_REPR\_COUNTY\_NVL: char(2) BPSD\_REPR\_COUNTY\_NVL: char(2) BPSD\_REPR\_COUNTY\_NVL: char(2)

#### CMC\_BPFC\_FSA\_CLM

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) LOBD\_ID: char(04)
SYIN\_REF\_ID: char(16)
CLCL\_PAID\_DT: datetime
CLCL\_INPUT\_DT: datetime
CLCL\_RECD\_DT: datetime
CLCL\_RECD\_DT: datetime
CLCL\_ACPT\_DTM: datetime
CLCL\_ID\_ADJ\_FROM: varchar(12)
CLCL\_ID\_CRTE\_FROM: varchar(12) CLCL\_REL\_CLCL\_ID: varchar(12)
CLCL\_REL\_CLCT/PPE: char(01)
CLCL\_CL\_SUB\_TYPE: char(01)
CLCL\_MICRO\_ID: varchar(18)
PDDS\_PROD\_TYPE: char(01)
CSPL\_ID: char(01) CSPI\_ID: char(08)
PLDS\_DESC: varchar(70)
PAGR\_ID: char(09)
GRGR\_CK: int GRGR\_ID: char(08) GRGR\_NAME: varchar(50) GRGR\_MCTR\_TYPE: char(04) SGSG\_CK: int SGSG\_ID: char(04) SGSG\_NAME: varchar(50) SBSB\_CK: int SBSB\_ID: char(09) SBSB\_LAST\_NAME: varchar(35) SBSB\_FIRST\_NAME: varchar(15) SBSB\_FIRST\_NAME: varchar(15)
SBSB\_MID\_INIT: char(01)
SBSB\_TITLE: varchar(10)
SBSB\_EMPLOY\_ID: varchar(10)
BPFC\_SB\_MCTR\_LANG: char(04)
SBEM\_LOC: char(08)
SBSB\_SN: char(09)
SBEM\_TYPE: char(04)
SBEM\_TYPE: char(04) SBEM OCC CD: char(02) SBEM\_DEPT: char(08) MEME\_CK: int MEME\_SEX: char(01) MEME\_BIRTH\_DT: datetime PRPR\_ID: char(12) PRPR\_NAME: varchar(35)
PRPR\_MCTR\_TYPE: char(04)
BPFC\_EOB\_LNAME: varchar(35)
BPFC\_EOB\_FNAME: varchar(15) BPFC\_EOB\_MID\_INIT: char(01)
BPFC\_EOB\_TITLE: varchar(10)
BPFC\_EOB\_ADDR1: varchar(40) BPFC\_EOB\_ADDR2: varchar(40) BPFC\_EOB\_ADDR3: varchar(40) BPFC\_EOB\_CITY: varchar(19) BPFC\_EOB\_STATE: char(02) BPFC\_EOB\_ZIP: varchar(11) BPFC\_EOB\_CTRY\_CD: char(04) BPFC\_EOB\_EMAIL: varchar(40) EXCD\_ID: char(03) EXCD\_LONG\_TEXT1: varchar(70) EXCD\_LONG\_TEXT2: varchar(70) EXCD\_LONG\_TEXT2: Varchar(70)
USUS\_ID: char(10)
PDDS\_MCTR\_BCAT: char(04)
CLFS\_INPUT\_SOURCE: char(01)
CLFS\_PLDG\_CTRB\_AMT: money
CLFS\_PAID\_YTD: money
CLFS\_BALANCE: money CLFS\_PAID\_CUR: money 

CLFS\_FY\_PRO\_PD\_NVL: money

#### CMC\_BPHL\_HSA\_DTL

CKPY REF ID: char(16) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint

LOBD\_ID: char(04) CDHL\_CONSIDER\_AMT: money CDHL\_NONCONSDR\_AMT: money
CDHL\_DISALL\_AMT: money
BPHL\_EXCD\_ID: char(03)
BPHL\_EXCD\_TEXT1: varchar(70)
BPHL\_EXCD\_TEXT2: varchar(70)
CDHL\_PAID\_AMT: money CDHL\_SB\_PYMT\_AMT: money CDHL\_PR\_PYMT\_AMT: money CDHL\_HSA\_PCS\_IND: char(01) CDHL\_DED\_AMT: money
CDHL\_DED\_ACC\_NO: smallint
BPHL\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_BPHS\_HSA\_CLM

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CLHS\_TOT\_CONSIDER: money CLHS\_TOT\_PAID: money HSAI\_ID: char(08) HSAI\_ACC\_SFX: char(04) HSAI\_HSA\_FSA\_IND: char(01) SBHS\_DED\_AMT: money SBHS\_ME\_DED\_AMT: money SBHS\_DED\_ACCUM\_AMT: money
MEHS\_DED\_ACCUM\_AMT: money
CLHS\_SB\_ALLOC\_AMT: money
CLHS\_ME\_ALLOC\_AMT: money SBHS\_PAID\_AMT: money

SBHS\_PAID\_CUR: money
MEHS\_PAID\_AMT: money
SBHS\_PLAN\_YR\_DT: datetime
SBHS\_DED2\_AMT: money SBHS\_ME\_DED2\_AMT: money SBHS\_DED2\_ACCM\_AMT: money MEHS\_DED2\_ACCM\_AMT: money SBHS\_DED\_IND: char(01) SBHS\_DED2\_IND: char(01) BPHS\_LOCK\_TOKEN: smallint

#### CMC BPIL CLM DTL

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint

CDMI\_PRCE\_METH: char(2) CDMI\_PRCE\_MEI H. Grait(2)
CDMI\_PRCE\_PRI\_RULE: char(6)
CLMI\_ITS\_SCCF\_NO: varchar(25)
CDMI\_PCT\_FCTR: money
CDPP\_CLASS\_PROV: char(1)
CDPP\_PRPR\_TYP\_AVLB: char(1)
CDMI\_SF\_PRICE: money CDMI\_SF\_PRICE: money
CDMI\_SURCHG\_PCT: money
CDMI\_SURCHG\_AMT: money
CDMI\_CALC\_DIS\_AMT: money
CDMI\_ADDL\_DATA: varchar(255)
CDMI\_PVT\_RM\_DIFF: money
ITCD\_ITS\_CODE1: char(4)
ITCD\_DESC1: varchar(70)
ITCD\_ITS\_CODE2: char(4) ITCD\_ITS\_CODE2: char(4) ITCD\_DESC2: varchar(70) ITCD\_ITS\_CODE3: char(4)
ITCD\_DESC3: varchar(70) ITCD\_ITS\_CODE4: char(4) ITCD\_DESC4: varchar(70) ITCD\_ITS\_CODE5: char(4) ITCD\_DESC5: varchar(70) BPIL\_CDOR\_XD\_AMT: money
BPIL\_CDOR\_XD\_EXCD: char(3) BPIL\_CDOR\_XD\_EXCD: char(3)
BPIL\_CDOR\_XD\_TXT1: varchar(70)
BPIL\_CDOR\_XD\_TXT2: varchar(70)
CDIM\_HCP\_CODE1: varchar(15)
CDIM\_HCP\_CODE2: varchar(15)
CDIM\_HCP\_CODE3: varchar(15)
CDIM\_HCP\_CODE4: varchar(15)
CDIM\_HCP\_CODE5: varchar(15)
CDIM\_HCP\_CODE5: varchar(15)
EVENT TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
CDMI\_SUPP\_DISC\_AMT\_NVL: money

#### **Check Extract**

#### CDS\_CKFX\_CHECK\_EXT

CKPY\_REF\_ID: char(16) REC\_ORDER: smallint REC\_KEY: varchar(50) CHECK EXT DATA1: char(200) CHECK\_EXT\_DATA2: char(200) CHECK\_EXT\_DATA3: char(200) CHECK\_EXT\_DATA4: char(200) CHECK\_EXT\_DATA5: char(200) CHECK\_EXT\_DATA6: char(200) CHECK\_EXT\_DATA7: char(200

CHECK\_EXT\_DATA8: char(200) CHECK\_EXT\_DATA9: char(200)

#### CMC\_ACVP\_VIS\_SUM

CLCL\_ID: char(12) ACVP\_PAYEE\_IND: char(1) LOBD\_ID: char(4)

CKPY\_REF\_ID: char(16)
CKPY\_PAY\_DT: datetime
ACVP\_COMB\_IND: char(1)
ACVP\_PAYEE\_PR\_ID: char(12)
ACVP\_SVC\_PRPR\_ID: char(12) MCTN\_ID: char(9)
MEME\_CK: int
MEME\_HEALTH\_ID: varchar(80)
SBSB\_CK: int MEDA\_CONFID\_IND: char(1)
ACVP\_ORIG\_AMT: money
ACVP\_PRIOR\_PD\_AMT: money
ACVP\_ALLOW\_AMT: money ACVP\_PRIOR\_PD\_AMT: money
ACVP\_ALLOW\_AMT: money
ACVP\_CALC\_INT: money
ACVP\_NET\_AMT: MONEY
ACVP\_STS: char(1)
ACVP\_STS: char(2)
MEME\_LAST\_NAME: varchar(15)
ACVP\_SGLA\_ID1: char(1)
ACVP\_SGLA\_TAG1: varchar(15)
ACVP\_SGLA\_TAG2: varchar(15)
ACVP\_SGLA\_TAG2: varchar(15)
ACVP\_SGLA\_TAG2: varchar(15)
ACVP\_SGLA\_TAG2: varchar(15)
ACVP\_CAMTSE\_AMT: money
ACVP\_SVC\_DT: datetime ACVP\_SVC\_DT: datetime ACVP\_ORDER\_ID\_TYPE: char(1) ACVPORDER ID TYPE: char(1) ACVPORDER\_NO: varchar(15) PRCP\_ID: char(12) ACVP\_PRCP\_NAME: varchar(55) CLVS\_PRPR\_ID\_IPA: char(12) CLVS\_PRPR\_ID\_PRGR: char(12) ACVP\_IPA\_NAME: varchar(55) ACVP\_PRGR\_NAME: varchar(55) ACVP\_CREATE\_DTM: datetime ACVP\_LOCK\_TÖKEN: smallint SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC\_BPVE\_EOB\_AMT

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) BPVE\_VSAL\_ID: char(4)

VSAL\_DESC: varchar(70)
VSAL\_COUNT: smallint
VSAL\_AMOUNT: money
VSAL\_OCCUR: smallint
MVLA\_COUNT\_USED: smallint
MVLA\_AMOUNT\_USED: money
MVLA\_OCCUR\_USED: smallint
BVVE\_OCV\_TOVED: smallint BYVE\_LOCK\_TOKEN: smallint
ATKR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CMC\_BPVI\_VIS\_CLM

CKPY\_REF\_ID: char(16) CLCL ID: char(12)

LOBD\_ID: char(4)
ACVP\_SVC\_PRPR\_ID: char(12)
BPVI\_SVC\_PRPR\_NAME: varchar(50)
CLVS\_PAPER\_CL\_IND: char(1) CLVS\_PAPER\_CL\_IND: char(1)
CLVS\_OOA\_IND: char(1)
CLVS\_TOT\_ADMN\_FEE: money
CLVS\_GRTOT\_ADM\_FEE: money
CLVS\_DIS\_PA\_LIAB: money
CLVS\_TOT\_PA\_LIAB: money
CLCB\_COB\_TYPE: char(1)
CLCB\_COB\_DISALI\_OW: money CLCB\_COB\_DISALLOW: money
CLCB\_COB\_ALLOW: money CLCB\_SANCTION: money
CLCB\_COB\_DED\_AMT: money
CLCB\_COB\_COPAY\_AMT: money
CLCB\_COB\_COINS\_AMT: money CLCB\_COB\_REAS\_CD: char(4)
VCFL\_PFX: char(4) VCFL\_PFX: cnar(4)
BPVI\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

## CLCL CLAIM V CLCL\_ID: char(12) CMC\_CKVP\_TEMP\_ACVP CKVP\_ROW\_ID: numeric(10,0)

CLCL\_ID: char(12) ACVP\_PAYEE\_IND: char(1) LOBD\_ID: char(4) CKPY\_REF\_ID: char(16)
CKPY\_PAY\_DT: datetime
ACVP\_COMB\_IND: char(1)
ACVP\_PAYEE\_PR\_ID: char(12) ACVP\_SVC\_PRPR\_ID: char(12) MCTN\_ID: char(9) MEME\_CK: int MEME\_HEALTH\_ID: varchar(80) SBSB\_CK: int MEDA\_CONFID\_IND: char(1)
ACVP\_ORIG\_AMT: money
ACVP\_PRIOR\_PD\_AMT: money
ACVP\_ALLOW\_AMT: money
ACVP\_CALC\_INT: money
ACVP\_INT\_AMT: money
ACVP\_INT\_AMT: money
ACVP\_INT\_AMT: money
ACVP\_INT\_AMT: money
ACVP\_INT\_ADMIN\_FEE: money
CLCL\_CL\_TYPE: char(1)
ACVP\_NETWORK\_IND: char(1)
ACVP\_EOB\_IND: char(1)
ACVP\_EOB\_IND: char(1)
ACVP\_EOSTS: char(2) MEDA CONFID IND: char(1) ACVP\_SGLA\_ID2: char(1)
ACVP\_SGLA\_ID1: char(1)
MEME\_LAST\_NAME: varchar(35)
MEME\_FIRST\_NAME: varchar(15)
ACVP\_SGLA\_ID1: char(1)
ACVP\_SGLA\_TAG1: varchar(15)
ACVP\_SGLA\_ID2: char(1) ACVP\_SGLA\_TAG2: varchar(15) ACVP\_CHARGE\_AMT: money ACVP\_CHARGE\_AMT: money ACVP\_SVC\_DT: datetime ACVP\_ORDER\_ID\_TYPE: char(1) ACVP\_ORDER\_NO: varchar(15) PRCP\_ID: char(12) ACVP\_PRCP\_NAME: varchar(25) CLVS\_PRPR\_ID\_IPA: char(12) CLVS\_PRPR\_ID\_PRGP: char(12) ACVP\_IPA\_NAME: varchar(55) ACVP\_IFA\_NAME. Valctial(35)
ACVP\_PRGR\_NAME: varchar(55)
ACVP\_CREATE\_DTM: datetime
CKVP\_LOCK\_TOKEN: smallint

#### CMC BPVX EXPL

CKPY\_REF\_ID: char(16) CLCL\_ID: char(12) CDVL\_SEQ\_NO: smallint

BPVX\_SVGR\_DIS\_EXCD: char(3)
BPVX\_SVGR\_DIS\_AMT: money
BPVX\_SVGR\_TEXT1: varchar(70)
BPVX\_SVGR\_TEXT2: varchar(70)
BPVX\_LT\_DIS\_EXCD: char(3)
BPVX\_LT\_DIS\_EXCD: char(3)
BPVX\_LT\_TEXT1: varchar(70)
BPVX\_LT\_TEXT1: varchar(70)
BPVX\_COB\_DIS\_EXCD: char(3)
BPVX\_COB\_DIS\_EXCD: char(3)
BPVX\_COB\_TEXT1: varchar(70)
BPVX\_COB\_TEXT1: varchar(70)
BPVX\_COB\_TEXT1: varchar(70)
BPVX\_COB\_TEXT2: varchar(70)
BPVX\_COB\_TEXT2: varchar(70)
BPVX\_COB\_TEXT2: varchar(70)
BPVX\_COB\_TEXT2: varchar(70) BPVX\_PRIC\_DIS\_EXCD: char(3)
BPVX\_PRIC\_DIS\_AMT: money
BPVX\_PRIC\_TEXT1: varchar(70)
BPVX\_PRIC\_TEXT2: varchar(70)
BPVX\_WKFL\_DIS\_EXCD: char(3)
BPVX\_WKFL\_DIS\_AMT: money BPVX\_WKFL\_DIS\_AMI: money
BPVX\_WKFL\_TEXT1: varchar(70)
BPVX\_WKFL\_TEXT2: varchar(70)
BPVX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CMC BPVO OVP REC

CKPY\_REF\_ID: char(16) ACPR\_REF\_ID: char(16) ACPR\_SUB\_TYPE: char(2) ACRH\_SEQ\_NO: int

BPVR\_CLCL\_ID: char(12)
ACPR\_TYPE: char(1)
ACRH\_AMT: money
BPVR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CMC\_BPVC\_VIS\_CLM CKPY\_REF\_ID: char(16) CLCL ID: char(12) SYIN\_REF\_ID: char(16)
CLCL\_PAID\_DT: datetime
CLCL\_INPUT\_DT: datetime
CLCL\_RECD\_DT: datetime CLCL\_ACPT\_DTM: datetime
CLCL\_ID\_ADJ\_FROM: char(12)
CLCL\_ID\_CRTE\_FROM: char(12) CLCL\_CL\_TYPE: char(1)
CLCL\_CL\_SUB\_TYPE: char(1)

CLCL\_NTWK\_IND: char(1)
CLCL\_MICRO\_ID: varchar(18) CLCL\_MICRO\_ID. Valchal(16)
CICI\_ID: char(2)
CLCL\_PA\_ACCT\_NO: varchar(35)
CLCL\_PRE\_PRICE\_IND: char(1)
CLCL\_PAP\_EOB\_IND: char(1)
CLCL\_EXT\_AUTH\_NO: varchar(18)
CSCS\_ID: char(1)

NWNW\_ID: varchar(12)
NETWORK\_NAME: varchar(15)
PDDS\_PROD\_TYPE: char(1) CSPI\_ID: char(8) PLDS\_DESC: varchar(70)

PAGR\_ID: char(9) PAGR\_NAME: varchar(50) GRGR\_CK: int GRGR\_ID: char(8)

GRGR\_NAME: varchar(50)
GRGR\_MCTR\_TYPE: char(4)

SGSG\_ID: char(4) SGSG\_NAME: varchar(50) SBSB\_CK: int

SBSB\_ID: char(9) SBSB\_LAST\_NAME: varchar(35) SBSB\_FIRST\_NAME: varchar(15)

SBSB\_MID\_INIT: char(1) SBSB\_TITLE: varchar(10) SBSB\_EMPLOY\_ID: varchar(10) BPVC\_SBSB\_EMAIL: varchar(40) BPVC\_SB\_MCTR\_LANG: char(4) SBEM\_LOC: char(8)

SBSB\_SSN: char(9) SBEM\_TYPE: char(4) SBEM\_OCC\_CD: char(2) SBEM\_DEPT: char(8)

SBEM\_DEPT: char(8)
MEME\_CK: int
MEME\_SFX: char(2)
MEME\_HEALTH\_ID: varchar(80)
MEME\_LAST\_NAME: varchar(35)
MEME\_FIRST\_NAME: varchar(15)
MEME\_MID\_INIT: char(1)
MEME\_SEX: char(1)
MEME\_SEX: char(1)
MEME\_SSN: char(9)
MEME\_SEL: char(2)

MEME\_REL: char(2)
MEME\_BIRTH\_DT: datetime MEME\_HICN: varchar(12) MEDA\_CONFID\_IND: char(1)

BPVC\_PRPR\_MCTR\_TYPE: char(4)
BPVC\_PR\_TYPE\_DESC: varchar(50) BPVC\_PR\_SPEC: char(4)
BPVC\_PR\_SPEC DESC: varchar(50)

BPVC\_PR\_ADDR1: varchar(40)
BPVC\_PR\_ADDR2: varchar(40)
BPVC\_PR\_ADDR3: varchar(40)
BPVC\_PR\_CITY: varchar(19)

BPVC\_PR\_CTIT. Valcial (19)
BPVC\_PR\_STATE: char(2)
BPVC\_PR\_ZIP: varchar(11)
BPVC\_PR\_CTRY\_CD: char(4)
BPVC\_PR\_PHONE: varchar(20)

BPVC\_PR\_PHONE\_EXT: varchar(4)

BPVC\_PR\_EMAIL: varchar(40)
BPVC\_PR\_EMAIL: varchar(12)
BPVC\_PR\_PRCP\_ID: char(12)
BPVC\_PR\_GROUP\_ID: char(12)
BPVC\_PR\_GROUP\_ID: char(12)
BPVC\_PR\_IPA\_ID: char(12)
BPVC\_PR\_IPA\_ID: char(12)

BPVC\_PR\_IPA\_NAME: varchar(55) BPVC\_EOB\_LNAME: varchar(35) BPVC\_EOB\_FNAME: varchar(15)
BPVC\_EOB\_MID\_INIT: char(1)

BPVC\_EOB\_MID\_INIT. Crian(1)
BPVC\_EOB\_TITLE: varchar(10)
BPVC\_EOB\_ADDR1: varchar(40)
BPVC\_EOB\_ADDR2: varchar(40)
BPVC\_EOB\_ADDR3: varchar(40)

BPVC\_EOB\_ADDR3: varchar(19)
BPVC\_EOB\_CITY: varchar(19)
BPVC\_EOB\_STATE: char(2)
BPVC\_EOB\_ZIP: varchar(11)
BPVC\_EOB\_CTRY\_CD: char(4)
BPVC\_EOB\_EMAIL: varchar(40)

EXCD\_ID: char(3) EXCD\_LONG\_TEXT1: varchar(70) EXCD\_LONG\_TEXT2: varchar(70)
PDDS\_MCTR\_BCAT: char(4)

PDDS\_MCTR\_BCAT: char(4)
CLCL\_INPUT\_METHOD: char(1)
ACVP\_ALLOW\_AMT: money
ACVP\_ORIG\_AMT: money
ACVP\_PRIOR\_PD\_AMT: money
ACVP\_PRIOR\_PD\_AMT: money
ACVP\_PAYEE\_IND: char(1)
ACVP\_INT\_AMT: money
BPVC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_LAST\_UPD\_TM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CMC\_BPVL\_CLM\_DTL

CKPY REF ID: char(16) CLCL\_ID: char(12) CDVL\_SEQ\_NO: smallint

PRPR\_ID: char(12) DEDE\_PFX: char(4) SESE\_ID: char(4) IPCD\_ID: char(7) IDCD\_ID: varchar(10)
IDCD\_ID\_REL: varchar(10)
CDVL\_FROM\_DT: datetime
CDVL\_CHG\_AMT: money CDVL\_CONSIDER\_CHG: money CDVL\_ALLOW: money CDVL\_UNITS: smallint CDVL\_UNITS\_ALLOW: smallint

CDVL\_UNITS\_ALLOW: smallint
CDVL\_DED\_AMT: money
CDVL\_DED\_ACC\_NO: smallint
CDVL\_COPAY\_AMT: money
CDVL\_PAID\_AMT: money
CDVL\_PAID\_AMT: money
CDVL\_DISALL\_AMT: money
CDVL\_DISALL\_EXCD: char(3)
BPVL\_DIS\_EXCD\_TEXT1: varchar(70)
BPVL\_DIS\_EXCD\_TEXT2: varchar(70)
CDVL\_DISC\_AMT: money
CDVL\_CL\_NTWK\_IND: char(1)
CDVL\_SB\_PYMT\_AMT: money

CDVL\_SB\_PYMT\_AMT: money
CDVL\_PR\_PYMT\_AMT: money
CDVL\_EOB\_EXCD: char(3)
BPVL\_EOB\_EXCD\_TEXT1: varchar(70)

BPVL\_EOB\_EXCD\_TEXT1: Valcital(70)
BPVL\_EOB EXCD\_TEXT2: Varchar(70)
CDVL\_OOP\_CALC\_BASE: money
CDVL\_DIS\_PA\_LIAB: money
CDVL\_DIS\_PA\_LIAB: money
PRCF\_MCTR\_SPEC: char(4)
SGLA\_ID: char(4)

SGLA\_DESC: varchar(70)
CDVL\_SVGR\_ID\_BENE: char(4)
BPVL\_SVGR\_BENE\_DESC: varchar(70)
CDVL\_SVGR\_ID\_PRICE: char(4)
BPVL\_SVGR\_PRI\_DESC: varchar(70)

SVRU\_RULE: char(4)
DMBA\_CHG\_IND: char(1)
DMBA\_BASIS\_IND: char(1)
CDVL\_SCND\_CHG\_AMT: money

CDVL\_SCND\_CHG\_AMT: money
SPKG\_ID: char(4)
SPKG\_LEVEL\_IND: char(1)
BSME\_STRATEGY\_IND: char(1)
CDVL\_ME\_ALLOW\_AMT: money
BSME\_PFX: char(4)
BSME\_ACOP\_AMT: money
BSME\_ACOP\_AMT: money
BSME\_ACOP\_CAT: char(4)
BSME\_ACOP\_CAT: char(4)
BSME\_PKG\_IND: char(1)
AGWF\_FCTR: money
CDVL\_NON\_COV\_AMT: money
CDVL\_LAB\_CRDT\_AMT: money
CDVL\_LAB\_CRDT\_AMT: money
CDVL\_FUND\_WO\_AMT: money
CDVL\_FUND\_WO\_AMT: money
CDVL\_TOT\_ADMN\_FEE: money

CDVL\_NFND\_WO\_AMT: money
CDVL\_TOT\_ADMN\_FEE: money
CDVL\_CC\_AMT: money
CDVL\_MAT\_MFG\_CD: char(1)
CDVL\_FACQ\_COST: money
CDVL\_CHG\_BACK\_AMT: money
CDVL\_LAB\_AFEE\_AMT: money
CVCB\_COB\_TYPE: char(1)
CVCB\_PRO\_RATE\_AMT\_IND: char(1)

CVCB\_COB\_AMT: money CVCB\_COB\_DISALLOW: money

CVCB\_COB\_ALLOW: money
CVCB\_ADJ\_AMT: money
CVCB\_SUBTRACT\_AMT: money

CVCB\_COB\_SAV: money
CVCB\_COB\_APP: money
CVCB\_COB\_OOP: money
CVCB\_COB\_SANCTION: money

CVCB\_COB\_SANCTION: money
CVCB\_COB\_DED\_AMT: money
CVCB\_COB\_COPAY\_AMT: money
CVCB\_COB\_COPAY\_AMT: money
CVCB\_COB\_COLORY
CVCB\_COB\_REAS\_CD: char(4)
CVCB\_ALLOW\_PRI: money
CVCB\_DED\_AMT\_PRI: money
CVCB\_COINS\_AMT\_PRI: money
CVCB\_CONS\_AMT\_PRI: money
CVCB\_COPAY\_AMT\_PRI: money
CVCB\_COB\_CLNT\_BILL: money
CVCB\_COB\_BAL\_DUE: money
CVCB\_COB\_BAL\_DUE: money
CVCB\_COB\_PROV\_PMT: money
BVL\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: decimal()
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

Page 8 of 8

#### CMC\_ACOV\_OVERPAY

CLCL\_ID: char(12) ACOV\_PAYEE\_IND: char(1) LOBD\_ID: char(4)

ACVP\_PAYEE\_PR\_ID: char(12)
ACOV\_CREATE\_DT: datetime
ACOV\_AMT: money
ACOV\_AUTO\_REDUC: char(1)
ACPR\_REF\_ID: char(16)
ACOV\_STS: char(2)
ACOV\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CMC\_BPCS\_CAP\_SUM

SYIN\_INST: int
BPID\_STOCK\_ID: char(10)
BPID\_SEQ\_NO: int
CKPY\_REF\_ID: char(16)

BPCS\_CURR\_AMT: money
BPCS\_RETRO\_ADJ\_AMT: money
BPCS\_RETRO\_ADJ\_AMT: money
BPCS\_CLM\_RED\_AMT: money
BPCS\_CLCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

# **CHAPTER 3** Auditing Data Model

The key of an Auditing table is the same as the key of the table that is being audited. Ex.

The key to the Facets dbo.CMC\_MEEL\_ELIG\_ENT table is MEME\_CK, MEEL\_EFF\_DT and MEEL\_INSQ\_DT. The key for the audit.CMC\_MEEL\_ELIG\_ENT table would be the same.


The first part of the data portion of the audit table will contain a history block. Ex.

HIST\_ROW\_ID
HIST\_CREATE\_DTM
HIST\_USUS\_ID
HIST\_LOG\_ACT\_CD
HIST\_PHYS\_ACT\_CD
HIST\_IMAGE\_CD
HIST\_TERM\_ID
TXN1\_ROW\_ID

The rest of the table contains all the columns from the data portion of the table being audited.

The installation of the main Facets database includes a stored procedure named (CERSP\_AULS\_AUD\_LIST), which can be used to produce a list of database tables enabled for auditing.

#### CER\_TXN1\_TRANS



#### audit table

#### $Key\_of\_table\_being\_audited.: timestamp$

HIST\_ROW\_ID: numeric(10,0)
HIST\_CREATE\_DTM: datetime
HIST\_USUS\_ID: char(20)
HIST\_LOG\_ACT\_CD: char(1)
HIST\_PHYS\_ACT\_CD: char(1)
HIST\_IMAGE\_CD: char(1)
HIST\_TERM\_ID: char(20)
TXM1\_ROW\_ID: numeric(10,0)
Data\_columns\_of\_table\_being\_au: timestamp

#### CDS\_UPDT\_SUMMARY

UPDT\_TBL\_ID: char(4) HIST\_ROW\_ID: numeric(10,0) UPDT\_SEQ\_NO: smallint

HIST\_ROW\_ID\_BEFORE: numeric(10,0) UPDT\_CHANGED\_COL: char(18) UPDT\_BEFORE\_VAL: varchar(255) UPDT\_AFTER\_VAL: varchar(255) UPDT\_ORIG\_DATA\_TYP: char(1) The summary table is populated from a batch process that does modification comparisons at the column level.

This table will be used for reporting.

### CHAPTER 4

# **Billing Data Model**

```
--- To BLEI
Page 1
Page 1
<---- To BLEI
Page 1
                                                                                                                                                                   CMC_BLHD_HCFA_DTL
      --- To BLEI
                                                                                                                                                                    BLHD_ROW_ID: numeric (10, 0)
                                                                                                                                                                                                                                                     SBBI_BL_ITEMS
                                                                                                                                                                    BLEI_CK: int
BLBL_DUE_DT: datetime
CSPI_ID: char(8)
raye
                                                                                                                                                                                                                                                       SBSB_CK: int
MEME_CK: int
                                                                                                                                                                                                                                                                                                                            CMC_BLSB_SB_DETAIL
                                                                                          CMC BLCR CAP DTL
                                                                                           BLEI_CK: int (FK)
BLCR_FNDG_FROM_DT: datetime
BLCR_SEQ_NO: int
                                                                                                                                                                                                                                                                                                                             BLEI_CK: int (FK)
BLBL DUE DT: datetime (FK)
                                                                                                                                                                    PDPD ID: char(8)
                                                                                                                                                                                                                                                        CSPI_ID: char(8)
                                                                                                                                                                    BLHD_PDBL_ID_PRTA: char(4)
BLHD_PDBL_ID_PRTB: char(4)
BLHD_COV_DUE_DT: datetime
                                                                                                                                                                                                                                                        PDPD_ID: char(8)
                                                                                                                                                                                                                                                                                                                             CSPI_ID: char(8)
PDPD_ID: char(8)
PDBL_ID: char(4)
                                                                                                                                                                                                                                                       PDBL_ID: char(4)
SBBI_COV_FROM_DT: datetime
CMC_BLCL_CLM_DTL
                                                                                           BLCR_FNDG_THRU_DT: datetime BLCR_CREATE_DT: datetime
  BLEI_CK: int (FK)
BLCL_FNDG_FROM_DT: datetime
BLCL_SEQ_NO: int
                                                                                                                                                                    MEME_CK: int
SBSB_CK: int
                                                                                                                                                                                                                                                                                                                             BLSB_COV_DUE_DT: datetime
BLSB_COV_FROM_DT: datetime
BLSB_PREM_TYPE: char(1)
SBSB_CK: int
MEME_CK: int
                                                                                                                                                                                                                                                       SBBI_COV_THRU_DT: datetime BLEI BILL LEVEL: char(1)
                                                                                            BLCR_CR_PAID_DT: datetime
                                                                                                                                                                     GRGR_CK: int
                                                                                           MEME_CK: int
BLCR_EARN_DT: datetime
CRME_CR_PR_ID: char(12)
BLCR_CRPR_NAME: char(55)
                                                                                                                                                                                                                                                        BLEI_CK: int
                                                                                                                                                                    SYIN_INST: int
BLHD INPUT ROW NO: int
  BLCL FNDG THRU DT: datetime
                                                                                                                                                                                                                                                        SGSG CK: int
  BLCL_CREATE_DT: datetime
BLCL_CL_PAID_DT: datetime
CLCL_PAID_DT: datetime
                                                                                                                                                                                                                                                       SBBI_PREM_IND: char(1)
SBBI_PREM_TYPE: char(1)
SBBI_PREM_BASIS: smallint
                                                                                                                                                                    BGBG_ID: char(8)
MEME_HICN: char(12)
                                                                                                                                                                                                                                                                                                                             BLSB CREATE DTM: datetime
                                                                                           CRPL_POOL_ID: char(12)
CRFD_FUND_ID: char(4)
CRME_FUND_AMT: money
CRME_PYMT_METH_IND: char(1)
PRPR_ID: char(12)
                                                                                                                                                                   MEME_HICN: char(12)
BLHD_RUN_DT: datetime
BLHD_ADJ_RSN_CD: char(2)
BLHD_LAST_NAME: char(12)
BLHD_FIRST_NAME: char(7)
BLHD_MID_INIT: char(1)
BLHD_BIRTH_DT: datetime
BLHD_PRTA_IND: char(1)
BLHD_PRTA_IND: char(1)
  CLCL_ID: char(12)
CLCL_ID: char(12)
CLCL_ID_ADJ_FROM: char(12)
BLCL_ADJ_CD: char(1)
CDML_SEQ_NO: smallint
                                                                                                                                                                                                                                                                                                                             BLSB_COV_THRU_DT: datetime BLEI_BILL_LEVEL: char(1)
                                                                                                                                                                                                                                                        SBBI_LVS_SB: smallint
                                                                                                                                                                                                                                                       SBBI_LVS_DEP: smallint
SBBI_VOL: money
SBBI_PREM_SB: money
SBBI_PREM_DEP: money
SBBI_LOAD_AMT_BB: money
SBBI_LOAD_AMT_DEP: money
                                                                                                                                                                                                                                                                                                                             SGSG_CK: int
BLSB_DISP_CD: char(1)
BLSB_RESOLVE_IND: char(1)
  CDDL_SEQ_NO: smallint
CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1)
                                                                                           PRPR_NAME: char(55)
CSPI_ID: char(8)
                                                                                                                                                                                                                                                                                                                             BLSB_INVOICE_DTM: datetime
BLSB_PREM_IND: char(1)
                                                                                            PLDS_DESC: char(70)
                                                                                                                                                                     BLHD_PRTB_IND: char(1)
                                                                                                                                                                                                                                                                                                                             BLSB_MODE: smallint
BLSB_LVS_SB: smallint
BLSB_LVS_DEP: smallint
  CLCL_CUR_STS: char(2)
BLCL_RUN_OUT_IND: char(1)
                                                                                           PDPD_ID: char(8)
PDDS_DESC: char(70)
                                                                                                                                                                                                                                                       SBBI_CONV_PREM_SB: money
SBBI_CONV_PREM_DEP: money
SBBI_LIAB_LMT_SB: money
                                                                                                                                                                    BLHD_SEX: char(1)
BLHD_SCC: char(5)
                                                                                           LOBD_ID: char(4)
CRFD_ACCT_CAT: char(4)
   PRPR_ID: char(12)
                                                                                                                                                                    BLHD_AGE_GR: char(4)
BLHD_OUT_AREA_IND: char(1)
                                                                                                                                                                                                                                                                                                                             BLSB_VOL: money
BLSB_PREM_SB: money
BLSB_PREM_DEP: money
BLSB_LOAD_AMT_SB: money
BLSB_LOAD_AMT_DEP: money
BLSB_CONV_PREM_SB: money
                                                                                                                                                                                                                                                       SBBI_LIAB_LMT_DEP: money
SBBI_COL_STRUCT: char(01)
SBBI_COUNT_1: smallint
SBBI_COUNT_2: smallint
SBBI_COUNT_3: smallint
  MEME CK: int
                                                                                           SBSB_CK: int
SBEM_OCC_CD: char(2)
SBEM_DEPT: char(8)
SBEM_LOC: char(8)
SBEM_TYPE: char(4)
  SBSB_CK: int
SBEM_OCC_CD: char(2)
SBEM_DEPT: char(8)
                                                                                                                                                                     BLHD_HSPC_IND: char(1)
                                                                                                                                                                    BLHD ESRD IND: char(1)
                                                                                                                                                                    BLHD_INST_IND: char(1)
BLHD_NHC_IND: char(1)
BLHD_MECD_IND: char(1)
  SBEM_LOC: char(8)
SBEM_TYPE: char(4)
GRGR_CK: int
                                                                                                                                                                                                                                                      SBBI_COUNT_3: smallint
SBBI_COUNT_4: smallint
SBBI_COUNT_5: smallint
SBBI_COUNT_6: smallint
SBBI_COUNT_6: smallint
MCRE_CRCR_ID: char(9) (FK)
CSCS_ID: char(4)
SBBI_FI: char(1)
SBBI_RT_ST: char(2)
SBBI_RT_CNTY: char(3)
SBBI_RT_AREA: char(8)
SBBI_RT_SIC: char(1)
SBBI_RT_SIC: char(1)
PDBL_TYPE: char(1)
PDPD_CAP_POP_LVL: char(1)
                                                                                                                                                                                                                                                                                                                             BLSB CONV PREM DEP: money
                                                                                           GRGR_CK: int
SGSG_CK: int
                                                                                                                                                                    BLHD_WKAG_IND: char(1)
BLHD_NO_MOS: smallint
BLHD_PRTA_AMT: money
                                                                                                                                                                                                                                                                                                                             BLSB_ANNL_PREM_SB: money
BLSB_ANNL_PREM_DEP: money
  SGSG_CK: int
CSPD_CAT: char(1)
                                                                                           AFCP_PER_NO: int
AFAL CK: int
                                                                                                                                                                                                                                                                                                                             BLSB_LIAB_LMT_SB: money
BLSB_LIAB_LMT_DEP: money
BLSB_COL_STRUCT: char(1)
  CSCS_ID: char(4)
CSPI_ID: char(8)
                                                                                                                                                                    BLHD PRTB_AMT: money
                                                                                           BLCR_OUT_YEAR_IND: char(1)
BLCR_LOCK_TOKEN: smallint
                                                                                                                                                                    BLHD_PBP_ID: char(04)
BLHD_RACE_CD: char(04)
BLHD_LOCK_TOKEN: smallint
  PLDS_DESC: char(70)
                                                                                            ATXR_SOURCE_ID: datetime
                                                                                                                                                                                                                                                                                                                             BLSB_COUNT_1: smallint BLSB_COUNT_2: smallint
  PDPD_ID: char(8)
PDDS_DESC: char(70)
                                                                                                                                                                     ATXR_SOURCE_ID: datetime
                                                                                                                                                                                                                                                                                                                             BLSB_COUNT_3: smallint BLSB_COUNT_4: smallint
  LOBD_ID: char(4)
BLCL_ACCT_CAT: char(4)
BLCL_EXP_CAT: char(4)
                                                                                                                                                                                                                                                                                                                             BLSB_COUNT_5: smallint
                                                                                                                                                                                                                                                                                                                             BLSB_COUNT_6: smallint
BLSB_BONW_ROW_IND: char(1)
  SESE ID: char(4)
                                                                                                                                                                                                                                                       PDPD_CAP_POP_LVL: char(1)
PDBC_PFX: char(4)
  IDCD_ID: varchar(10)
IDCD_ID_REL: varchar(10)
IPCD_ID: char(7)
                                                                                                                                                                    CMC_BLHC_HCFA_CHC
                                                                                           CMC_BLPS_PYMT_SUMM
                                                                                                                                                                                                                                                                                                                             MCRE_CRCR_ID: char(9) (FK) CSCS ID: char(4)
                                                                                                                                                                      BLHD ROW ID: numeric (10, 0) (FK)
                                                                                                                                                                                                                                                                                                                             BLSB_RT_CNTY: char(8)
BLSB_RT_AREA: char(8)
BLSB_RT_SC: char(8)
                                                                                             BLEI_CK: int (FK)
 DPDP_ID: char(5)
CGCG_ID: char(2)
BLCL_FROM_DT: datetime
BLCL_TO_DT: datetime
BLCL_CHG_AMT: money
                                                                                            MEME_CK: int
BLPS_FNDG_FROM_DT: datetime
                                                                                                                                                                       BLHC_PRDA_IND: char(1)
                                                                                                                                                                      BLHC_MEDI_IND: char(1)
BLHC_DFLT_NBNF_IND: char(1)
BLHC_MRAC_CAT_MIDC: char(4)
BLHC_NO_MOS_PRTA: smallint
                                                                                             BLPS_SEQ_NO: int
                                                                                                                                                                                                                                                     SBBC_BL_CHOICE
                                                                                             BLPS_FNDG_THRU_DT: datetime
                                                                                                                                                                                                                                                       SBSB_CK: int MEME_CK: int
                                                                                                                                                                                                                                                                                                                            BLSB_K1_Sic: cnar(o)
PDBL_TYPE: char(1)
BLSB_MR_ENTL_CD: char(1)
PDPD_CAP_POP_LVL: char(1)
PDBC_PFX: char(4)
  BLCL_CONSIDER_CHG: money BLCL_ALLOW: money
                                                                                            CLCL_ID: char(12)
BLCR EARN DT: datetime
                                                                                                                                                                       BLHC_NO_MOS_PRTB: smallint
                                                                                                                                                                                                                                                        CSPI_ID: char(8)
 BLCL_RISK_WH_AMT: money
BLCL_PAID_AMT: money
BLCL_DISC_AMT: money
BLCL_PRICE_IND: char(1)
BLCL_CAP_IND: char(1)
                                                                                            BLPS_PAID_DT: datetime
BLPS_SOURCE: char(1)
                                                                                                                                                                      BLHC_RSK_ADJ_FCTRA: int
BLHC_RSK_ADJ_FCTRA: int
BLHC_RSK_PREM_PRTA: money
BLHC_RSK_PREM_PRTB: money
                                                                                                                                                                                                                                                       PDPD_ID: char(8)
PDBL_ID: char(4)
                                                                                                                                                                                                                                                                                                                              BLSB_LOCK_TOKEN: smallint
                                                                                            AFCP_PER_NO: int
LOBD ID: char(4)
                                                                                                                                                                                                                                                        SBBI_COV_FROM_DT: datetime
                                                                                                                                                                     BLHC_RSK_PREM_PRTB: money
BLHC_PREM_BLNDA: money
BLHC_PREM_BLNDB: money
BLHC_CHF_IND: char(01)
BLHC_CHF2_IND: char(01)
BLHC_CHF3_IND: char(01)
BLHC_RA_FCTR_TYPE: char(02)
BLHC_RAL_IND: char(01)
                                                                                                                                                                                                                                                        SBBI_COV_THRU_DT: datetime
                                                                                            SBSB_CK: int
GRGR_CK: int
SGSG_CK: int
                                                                                                                                                                                                                                                       SBBC_PRDA_IND: char(1)
SBBC_MEDI_IND: char(1)
SBBC_DFLT_NBNF_IND: char(1)
SBBC_DFLT_NBNF_IND: char(4)
SBBC_RRAC_CAT_MIDC: char(4)
SBBC_RSK_ADJ_FCTRA: int
  CSPI_PDPD_BEG_MMDD: smallint
AFCP_FAM_SL_AMT: money
BLCL_EXCL_IND: char(1)
AFCP_PER_NO: int
                                                                                             CSPI_ID: char(8)
PDPD_ID: char(8)
                                                                                                                                                                                                                                                                                                                          CMC_BLSC_SB_CHOICE
  AFAI CK: int
                                                                                             BLPS FROM DT: datetime
                                                                                                                                                                                                                                                       SBBC_RSK_ADJ_FCTRB: int
SBBC_PRTA_CHC_PREM: money
 BLCL_EXTRACONT_IND: char(01)
BLCL_SURCH_AMT: money
BLCL_OUT_YEAR_IND: char(1)
CDHL_HSA_PAID_AMT: money
                                                                                            BLPS_TO_DT: datetime
BLPS_RUN_OUT_IND: char(1)
BLPS_OUT_YEAR_IND: char(1)
                                                                                                                                                                                                                                                                                                                            BLEI CK: int (FK)
                                                                                                                                                                      BLHC_PREV_DSABL: char(01)
BLHC_LAG_IND: char(01)
BLHC_LOCK_TOKEN: smallint
                                                                                                                                                                                                                                                                                                                            BLBL_DUE_DT: datetime (FK)
                                                                                                                                                                                                                                                       SBBC_PRTB_CHC_PREM: money
SBBC_PRTA_NET_PREM: money
                                                                                                                                                                                                                                                                                                                            CSPI_ID: char(8) (FK)
PDPD ID: char(8) (FK)
                                                                                             BLPS AMT: money
                                                                                                                                                                                                                                                       SBBC_PRTB_NET_PREM: money
  BLCL_SPEC_ADJ_IND: char(1)
                                                                                             BLPS_SSL_AMT: money
                                                                                                                                                                       ATXR SOURCE ID: datetime
                                                                                                                                                                                                                                                                                                                           PDPD_ID: char(4) (FK)
PDBL_ID: char(4) (FK)
BLSB_COV_DUE_DT: datetime (FK)
BLSB_COV_FROM_DT: datetime (FK)
BLSB_CREM_TYPE: char(1) (FK)
SBSB_CK: int_(FK)
  BLCL_INDIV_SL_AMT: money BLCL_LOCK_TOKEN: smallint
                                                                                            BLPS_SSL_EXC_AMT: money
BLPS_EXTRACONT_AMT: money
                                                                                            BLPS_ASO_AMT: money
BLPS_ITS_FEE: money
  ATXR_SOURCE_ID: datetime
                                                                                                                                                                         CMC_BLRH_RED_HIST
                                                                                            BLPS_ITS_ADM_AMT: money
BLPS_INT_AMT: money
                                                                                                                                                                                                                                               CMC_BLDE_BL_DELETE
                                                                                                                                                                                                                                                                                                                            MEME_CK: int (FK
                                                                                                                                                                           MEME_CK: int
                                                                                                                                                                                                                                                 BLDE_ROW_ID: numeric(10,0)
                                                                                                                                                                                                                                                                                                                            BLSB_CREATE_DTM: datetime (FK)
                                                                                            BLPS_PROM_PAY_DISC: money
BLPS_SURCH_AMT: money
BLPS_HSA_AMT: money
                                                                                                                                                                           BLEI CK: int (FK)
                                                                                                                                                                           AFCP_PER_NO: int
BLRH_FNDG_FROM_DT: datetime
BLRH_SEQ_NO: int
                                                                                                                                                                                                                                                                                                                            BLSC_PRDA_IND: char(1)
BLSC_MEDI_IND: char(1)
                                                                                                                                                                                                                                                 BLEI_CK: int
BLBL_DUE_DT: datetime
CSPI_ID: char(8)
                                                                                                                                                                                                                                                                                                                           BLSC_DELT_NBNF_IND: char(1)
BLSC_DELT_NBNF_IND: char(1)
BLSC_MRAC_CAT_MIDC: char(4)
BLSC_RSK_ADJ_FCTRA: int
BLSC_RSK_ADJ_FCTRB: int
BLSC_PRTA_CHC_PREM: money
                                                                                            BLPS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime
                                                                                                                                                                                                                                                  PDPD_ID: char(8)
                                                                                                                                                                           BLRH_FNDG_THRU_DT: datetime BLRH_SOURCE: char(1)
                                                                                                                                                                                                                                                 PDBL_iD: char(4)
BLSB_COV_DUE_DT: datetime
BLSB_COV_FROM_DT: datetime
BLSB_PREM_TYPE: char(1)
                                                                                                                                                                           LOBD_ID: char(4)
GRGR_CK: int
                                                                                                                                                                                                                                                                                                                            BLSC_PRTB_CHC_PREM: money BLSC_PRTA_NET_PREM: money
                                                                                                                                                                           SGSG_CK: int
                                                                                                                                                                                                                                                  SBSB_CK: int
                                                                                                                                                                           CSPI_ID: char(8)
PDPD_ID: char(8)
                                                                                                                                                                                                                                                                                                                            BLSC_PRTB_NET_PREM: money
BLSC_LOCK_TOKEN: smallint
                                                                                                                                                                                                                                                 MEME_CK: int
BLSB_CREATE_DTM: datetime
  To Page 1
BLEI
                                                                                                                                                                           ACRH_EVENT_TYPE: char(1)
ACRH_EVENT_TYPE: char(1)
ACRR_REF_ID: char(16)
ACRH_SEQ_NO: int
ACRH_CREATE_DT: datetime
                                                                                                                                                                            ACRH_AMT: money
                                                                                                                                                                           BLRH_ORIG_CLCL_ID: char(12)
BLRH_SSL_AMT: money
```


BLRH\_SSL\_EXC\_AMT: money
BLRH ASO AMT: money


BLRH\_HSA\_AMT: money
BLRH\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

Copyright 1997-2014 TriZetto Corporation. All rights reserved.


Confidential and Proprietary. Restricted Information.


To Page 7






Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.







CMC\_BLSS\_SB\_SUB

BLEI\_CK: int (FK)
BLBL\_DUE\_DT: datetime (FK)
CSPI\_ID: char(8) (FK)
PDPD\_ID: char(8) (FK)
PDBL\_ID: char(8) (FK)
PDBL\_ID: char(8) (FK)
BLSB\_COV\_DUE\_DT: datetime (FK)
BLSB\_COV\_FROM\_DT: datetime (FK)
BLSB\_PERM\_TYPE: char(1) (FK)
BLSB\_CK: int (FK)
MEME\_CK: int (FK)
BLSB\_CREATE\_DTM: datetime (FK)
BLSB\_CREATE\_DTM: datetime (FK)
BLSB\_COV\_TYPEI: char(4)

MESU\_MCTR\_TYPE: char(4)

BLSB\_COV\_THRU\_DT: datetime
BLEI\_BILL\_LEVEL: char(1)
BGBG\_CK: int
SGSG\_CK: int
BLSS\_DISP\_CD: char(1)
BLSS\_BESOLVE\_IND: char(1)
BLSS\_BESOLVE\_IND: char(1)
BLSB\_MODE: smallint
BLSB\_PREM\_IND: char(1)
BLSB\_MODE: smallint
BLSS\_PREM\_DEP: money
BLSS\_DAD\_AMT\_SB: money
BLSS\_LOAD\_AMT\_DEP: money
BLSS\_LOAD\_AMT\_DEP: money
BLSS\_CONV\_PREM\_DEP: money
BLSS\_CONV\_PREM\_DEP: money
BLSS\_ANNL\_PREM\_DEP: money
BLSS\_ANNL\_PREM\_DEP: money
BLSS\_ANNL\_PREM\_DEP: money
BLSS\_LIAB\_LMT\_SB: money
BLSS\_LIAB\_LMT\_SB: money
BLSS\_LIAB\_LMT\_DEP: money
BLSS\_LIAB

To Page 7

To Page 3 BLFD ---->

· To Page 7 △

> To Page 3 BLDI ---->

To Page 3 BLDI ----> CMC\_BLCB\_COMP\_SUB

BLCT\_CK: int (FK)
MESU\_MCTR\_TYPE: char(4)

BLCI CK: int (FK)
MESU\_MCTR\_TYPE: char(4)

BLEI CK: int
BLBL\_DUE\_DT: datetime
CSPI\_ID: char(8)
PDPD\_ID: char(8)
PDBL\_ID: char(4)
BGBG\_CK: int
BLCB\_DISP\_CD: char(1)
BLCT\_PREM\_TYPE: char(1)
BLCT\_PREM\_TYPE: char(1)
BLCT\_CREATE\_DTM: datetime
BLCT\_INVOICE\_DTM: datetime
BLCT\_INVOICE\_DTM: datetime
BLCT\_SPECIMEN\_IND: char(1)
BLCT\_PREM\_IND: char(1)
BLCT\_PREM\_IND: char(1)
BLCT\_PREM\_IND: char(1)
BLCB\_PREM\_SB: money
BLCB\_CADA\_AMT\_SB: money
BLCB\_LOAD\_AMT\_SB: money
BLCB\_LOAD\_AMT\_DEP: money
BLCB\_CONV\_PREM\_SB: money
BLCB\_CONV\_PREM\_SB: money
BLCB\_CONV\_PREM\_DEP: money
BLCB\_CONV\_PREM\_DEP: money
BLCB\_CANNL\_PREM\_DEP: money
BLCB\_LOAD\_AMT\_DEP: money
BLCB\_LOAD\_AMT\_DEP: money
BLCB\_CONV\_PREM\_SB: money
BLCB\_LOAD\_ID: char(12)
PDBC\_PTX: char(4)
BLCB\_LOCK\_TOKEN: smallint
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

To Page 3 BLFD -

BLIV\_ID: char(12) (FK)
CSPI\_ID: char(8) (FK)
PDPD\_ID: char(8) (FK)
PDBL\_ID: char(4) (FK)
BLCT\_IDSP\_CD: char(1) (FK)
BLCT\_PREM\_TYPE: char(1) (FK)
BLCT\_SOURCE: char(1) (FK)

CDS\_INCB\_COMPONENT

#### CMC\_BLBH\_BAT\_HIST

BLBH\_RECORD\_TYPE: char(4) BLBH\_RUN\_DTM: datetime BLBH\_CREATE\_DTM: datetime

SYIN\_INST: int
BLBH\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CDS\_INEP\_ELEC\_PYMT

#### BLIV ID: char(12) (FK)

MCBD ID: char(12) MCBD\_BANK\_NAME: char(50) MCBD\_ADDR1: char(40) MCBD\_ADDR2: char(40) MCBD\_ADDR3: char(40) MCBD\_CITY: char(19) MCBD\_CITY: char(19)
MCBD\_STATE: char(2)
MCBD\_ZIP: char(11)
MCBD\_COUNTY: char(20)
MCBD\_CTRY\_CD: char(4)
MCBD\_PHONE: char(20)
MCBD\_PHONE\_EXT: char(4)
MCBD\_FAX: char(20)
MCBD\_FAX: char(20) MCBD\_FAX\_EXT: char(4) MCBD\_EMAIL: char(40) MCBD\_ROUTING: char(35) MCBD\_TRANSIT: char(35) MCBD\_CONTROL: char(35) BLEP\_ACCT\_NO: char(40) BLEP\_ACCT\_NAME: char(60) BLEP\_MCTR\_ATYP: char(4)
BLEP\_MCTR\_ATYP: char(4)
BLEP\_HCLD\_ATYP. DES: char(70)
BLEP\_HCLD\_ATYP. DES: char(70)
BLEP\_REC\_BEG\_DT: datetime
BLEP\_AUTH\_IND: char(1) BLEP\_PRE\_NOTE\_CD: char(4)
BLEP\_LST\_PRE\_NT\_DT: datetime
BLEP\_CARD\_EXP\_DT: datetime
INEP\_LOCK\_TOKEN: smallint

#### CDS INID INVOICE

BLIV ID: char(12) SYIN\_INST: int BLDF\_MCTR\_STMT: char(4) BLDF\_STOCK\_ID: char(10) BLEI\_CK: int BLBL\_DUE\_DT: datetime BLBL\_END\_DT: datetime BLBL\_CREATE\_DTM: datetime BLBL\_CREATE\_DTM: datetime
BLBL\_BILLED\_AMT: money
BLBL\_BILLED\_AMT: money
INID\_OUTSTAND\_BAL: money
BLEI\_NET\_DUE: money
BLEI\_NET\_DUE: char(1)
INID\_CICI\_ID: char(2)
BLBL\_TYPE: char(1)
BLBL\_TYPE: char(1)
BLBL\_SPCL\_BL\_IND: char(1)
INID\_MCTR\_STM\_DESC: char(30)
GRGR\_CK: int GRGR\_CK: int GRGR\_ID: char(8) SGSG\_CK: int SGSG\_ID: char(4) BGBG\_CK: int BGBG\_ID: char(8) SBSB\_CK: int SBSB\_ID: char(9)
INID\_BLEI\_ID: char(12)
INID\_BLEI\_NAME: char(50) INID\_BLEI\_ADDR1: char(40) INID\_BLEI\_ADDR2: char(40) INID BLEI\_ADDR2: char(40)
INID\_BLEI\_ADDR3: char(40)
INID\_BLEI\_CITY: char(19)
INID\_BLEI\_STATE: char(2)
INID\_BLEI\_ZIP: char(11)
INID\_BLEI\_COUNTY: char(20)
INID\_BLEI\_CTRY\_CD: char(4)
INID\_BLEI\_PHONE: char(20)

INID\_BLEI\_PHON\_EXT: char(4)
INID\_BLEI\_FAX: char(20)

INID\_BLEI\_FAX\_EXT: char(4)

INID\_BLEI\_FAX\_EXT. Clar(4)
INID\_BLEI\_EMAIL: char(40)
INID\_PYMT\_TYPE: char(1)
MEME\_HICN: char(12)
INID\_USID\_ROUTE: char(10)

INID\_HSA\_AMT: money
INID\_LOCK\_TOKEN: smallint BLBL SUBSIDY AMT NVL: money

USUS\_DESC: char(70)
BLBL\_FNDG\_FROM\_DT: datetime
BLBL\_FNDG\_THRU\_DT: datetime

#### CDS\_INPA\_PMT\_ACT

BLIV\_ID: char(12) (FK) INPA\_SEQ\_NO: int

AFAI\_CK: int AFAI\_ID: char(12)

INPA\_PREV\_BL\_CR\_DT: datetime INPA\_PREV\_NET\_DUE: money RCPT\_CREATE\_DTM: datetime RCPT\_CREATE\_DTM: datet RCPT\_ID: char(12) RCPT\_RCPT\_CD: char(1) RCPT\_AMT: money RCPT\_CHECK\_NO: char(8) USUS\_ID: char(10) USUS\_DESC: char(70)
INPA\_LOCK\_TOKEN: smallint

#### CDS HFBD BL DTL

BLEI\_CK: int
MEME\_HICN: char(12)
BLBL\_DUE\_DT: datetime
HFBD\_COV\_DUE\_DT: datetime CSPI\_ID: char(8) PDPD\_ID: char(8)

HFBD\_SOURCE\_CD: char(1)
HFBD\_BLSB\_PRTA\_AMT: money
HFBD\_BLHD\_PRTA\_AMT: money HFBD\_BLSB\_PRTB\_AMT: money HFBD\_BLHD\_PRTB\_AMT: money HFBD\_ADJ\_RSN\_CD: char(2) MEME\_CK: int SBSB\_CK: int GRGR\_CK: int BGBG\_ID: char(8) HFBD\_PDBL\_ID\_PRTA: char(4)
HFBD\_PDBL\_ID\_PRTB: char(4)
HFBD\_PDBL\_ID\_PRTB: char(4)
HFBD\_MEME\_SEX: char(1)
HFBD\_MEME\_BIRTH\_DT: datetime HFBD\_BLHD\_BIRTH\_DT: datetime HFBD\_MEMD\_PRTA\_IND: char(1) HFBD\_BLHD\_PRTA\_IND: char(1) HFBD\_BLHD\_PRTA\_IND: char(1) HFBD\_BLHD\_PRTB\_IND: char(1) HFBD\_BLNB\_SCC: char(5)
HFBD\_BLHD\_SCC: char(5)
HFBD\_MEMD\_HSP\_IND: char(1)
HFBD\_MEMD\_HSP\_IND: char(1)
HFBD\_MEMD\_ESRD\_IND: char(1) HFBD\_BLHD\_ESRD\_IND: char(1) HFBD\_MEMD\_INST\_IND: char(1) HFBD\_BLHD\_INST\_IND: char(1)
HFBD\_MEMD\_MECD\_IND: char(1)
HFBD\_BLHD\_MECD\_IND: char(1)
HFBD\_MEMD\_WKAG\_IND: char(1) HFBD BLHD WKAG IND: char(1) HFBD\_MR\_ENTL\_CD: char(1)
HFBD\_RUN\_DT: datetime
HFBD\_LAST\_NAME: char(12)
HFBD\_FIRST\_NAME: char(7) HFBD\_FIRS1\_NAME: char(/)
HFBD\_MD\_INIT: char(1)
HFBD\_AGE\_GR: char(4)
HFBD\_OUT\_AREA\_IND: char(1)
HFBD\_NO\_MOS: smallint HFBD\_MEMD\_PBP\_ID: char(04)
HFBD\_BLHD\_PBP\_ID: char(03)
HFBD\_MEMD\_RACE\_CD: char(01) HFBD\_BLHD\_RACE\_CD: char(01)
HFBD\_LOCK\_TOKEN: smallint


MESU\_MCTR\_TYPE: char(4) BGBG\_CK: int PLDS\_DESC: varchar(70) PDDS\_DESC: varchar(70) PDDS\_DESC: varchar(70)
BLCB\_BILLED\_AMT: money
BLCB\_PREM\_SB: money
BLCB\_PREM\_DEP: money
BLCB\_LOAD\_AMT\_SB: money
BLCB\_LOAD\_AMT\_DEP: money
BLCB\_CONV\_PREM\_SB: money
BLCB\_CONV\_PREM\_DEP: money BLCB\_LIAB\_LMT\_SB: money BLCB\_LIAB\_LMT\_DEP: money BLCN\_ID: char(12) INCB\_LOCK\_TOKEN: smallint
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CDS\_HFBC\_BL\_CHC

BLEI\_CK: int (FK)
MEME\_HICN: char(12) (FK)
BLBI\_DUE\_DT: datetime (FK)
HFBD\_COV\_DUE\_DT: datetime (FK)
CSPI\_ID: char(8) (FK) PDPD\_ID: char(8) (FK)

HFBC\_NO\_MOS\_PRTA: smallint HFBC\_NO\_MOS\_PRTB: smallint HFBC\_MEMD\_PRDA\_IND: char(1) HFBC\_BLHC\_PRDA\_IND: char(1) HFBC\_MEMD\_MEDI\_IND: char(1) HFBC\_MEMD\_MEDI\_IND: char(1)
HFBC\_BLHC\_MEDI\_IND: char(1)
HFBC\_BLHC\_DFLT\_IND: char(1)
HFBC\_BLHC\_DFLT\_IND: char(1)
HFBC\_BLHC\_MIDC\_CAT: char(4) HFBC BLHC MIDC CAT: char(4)
HFBC BLSC RA\_FCTRA: int
HFBC BLHC RA\_FCTRA: int
HFBC BLSC RA\_FCTRB: int
HFBC BLHC RA\_FCTRB: int
HFBC BLSC RA\_FCTRB: money
HFBC BLSC RA\_PREMA: money
HFBC BLSC RA\_PREMB: money
HFBC BLSC RA\_PREMB: money HFBC\_BLHC\_RA\_PREMB: money
HFBC\_BLSB\_BLNDA: money HFBC\_BLHC\_BLNDA: money HFBC\_BLSB\_BLNDB: money HFBC\_BLHC\_BLNDB: money HFBC\_MEMD\_CHF\_IND: char(01)
HFBC\_BLHC\_CHF\_IND: char(01) HFBC\_BLHC\_CHF\_IND: char(01)
HFBC\_MEMD\_CHF2\_IND: char(01)
HFBC\_BLHC\_CHF2\_IND: char(01)
HFBC\_BLHC\_CHF3\_IND: char(01)
HFBC\_BLHC\_CHF3\_IND: char(01)
HFBC\_RA\_FCTR\_TYPE: char(02)
HFBC\_BLHC\_FAAL\_IND: char(01)
HFBC\_PREV\_DSABL: char(01)
HFBC\_BLHC\_LAG\_IND: char(01)
HFBC\_BLHC\_LAG\_IND: char(01)
HFBC\_BLHC\_LAG\_IND: char(01) HFBC LOCK TOKEN: smallint

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.



AFCP\_PAID\_BEG\_DT: datetime AFCP\_PAID\_END\_DT: datetime AFCP\_INCUR\_BEG\_DT: datetime

AFCP\_INCUR\_END\_DT: datetime AFCP\_INDIV\_SL\_AMT: money BLAS\_AGG\_ADJ: money INCP\_LOCK\_TOKEN: smallint

MCRL\_CREL\_DESC: varchar(30)
INPS\_LOCK\_TOKEN: smallint

#### CDS\_BEIN\_BL\_INDIC

BLEI\_CK: int BLEI\_BILL\_LEVEL: char(1) CICI\_ID: char(2) BGBG\_CK: int BGBG\_ID: char(8) BGBG NAME: char(50) PAGR\_CK: int PAGR ID: char(9) PAGR NAME: char(50) GRGR\_CK: int GRGR\_ID: char(8) GRGR\_NAME: char(50) SGSG CK: int SGSG\_ID: char(4) SGSG\_NAME: char(50) SBSB\_CK: int SBSB\_ID: char(9)
BEIN\_SBSB\_NAME: char(55)
BEIN\_ORIG\_EFF\_DT: datetime BEIN\_BLEI\_ID: char(12)
BEIN\_BLEI\_NAME: char(55) BEIN\_BLEI\_ADDR1: char(40) BEIN\_BLEI\_ADDR2: char(40) BEIN\_BLEI\_ADDR3: char(40) BEIN\_BLEI\_CITY: char(19) BEIN\_BLEI\_STATE: char(2) BEIN\_BLEI\_ZIP: char(11)
BEIN\_BLEI\_COUNTY: char(20) BEIN\_BLEI\_CTRY\_CD: char(4)
BEIN\_BLEI\_PHONE: char(20) BEIN\_BLEI\_PHON\_EXT: char(4) BEIN\_BLEI\_FAX: char(20)
BEIN\_BLEI\_FAX EXT: char(4) BEIN\_BLEI\_EMAIL: char(40)
BEIN\_TERM\_DT: datetime AFAI\_NAME: char(50) AFAI CK: int AFAI\_ID: char(12) BEIN\_LOCK\_TOKEN: smallint

#### CDS\_INMS\_MEM\_SUM

BLIV\_ID: char(12) (FK) MEME\_CK: int AFCP\_PER\_NO: int CSPI\_ID: char(08) PDPD\_ID: char(08) BLPS SOURCE: char(01) INMS\_SEQ\_NO: int

BLPS\_FNDG\_FROM\_DT: datetime BLPS\_FNDG\_THRU\_DT: datetime GRGR CK: int GRGR\_ID: char(08) SGSG\_CK: int SGSG\_ID: char(04) SBSB\_ID: char(09) SBSB\_LAST\_NAME: char(35) SBSB\_FIRST\_NAME: char(15) SBSB\_FIRST\_NAME: char(15)
SBSB\_MID\_INIT: char(01)
SBSB\_EMPLOY\_ID: char(10)
MEME\_FIRST\_NAME: char(15)
MEME\_SFX: smallint
MEME\_REL: char(01)
MEME\_SFY: char(01) MEME\_SEX: char(01)
MEME\_BIRTH\_DT: datetime BLPS\_FROM\_DT: datetime BLPS\_TO\_DT: datetime BLPS\_RUN\_OUT\_IND: char(01)
BLPS\_OUT\_YEAR\_IND: char(01)
INMS\_AMT: money INMS\_SSL\_AMT: money INMS\_SSL\_EXC\_AMT: money INMS\_SSL\_EACAMT: Infolley
INMS\_EXTRACONT\_AMT: money
INMS\_ASO\_AMT: money
INMS\_ITS\_FEE: money
INMS\_ITS\_ADM\_AMT: money
INMS\_INT\_AMT: money INMS\_PROM\_PAY\_DISC: money INMS\_SURCH\_AMT: money INMS\_HSA\_AMT: money
INMS\_INDIV\_SL\_AMT: money
MCRL\_MEME\_CREL\_CD: char(2) MCRL CREL\_DESC: varchar(30) INMS\_LOCK\_TOKEN: smallint

#### CDS\_FNAC\_FNCL\_ACT

BLEI\_CK: int (FK)
FNAC\_ACTIVITY\_DT: datetime
FNAC\_TYPE\_IND: char(1) FNAC SEQ NO: int

BLBL\_DUE\_DT: datetime BLBL\_END\_DT: datetime BLBL\_DAYS\_BILLED: smallint FNAC\_PREM\_TYPE: char(1) CSPI\_ID: char(8) PLDS DESC: varchar(70) PDPD ID: char(8) PDDS\_DESC: varchar(70) PDBL\_ID: char(4)
FNAC\_TOT\_PREM: money
FNAC\_TOT\_YR1\_PREM: money
FNAC\_TOT\_RNWL\_PREM: money FNAC\_MOD\_PREM: money FNAC\_MOD\_YR1\_PREM: money FNAC\_MOD\_RNWL\_PREM: money
FNAC\_MOD\_PREM\_SB: money FNAC\_MOD\_PREM\_DEP: money FNAC\_MOD\_PREM\_DEP: money
FNAC\_RET\_PREM: money
FNAC\_RET\_YR1\_PREM: money
FNAC\_RET\_RNWL\_PREM: money
FNAC\_RET\_PREM\_BE: money
FNAC\_RET\_PREM\_DEP: money
FNAC\_TOT\_PAID\_REV: money
FNAC\_TOT\_PAID\_CSH: money
FNAC\_TOT\_PAID\_CSH: money FNAC\_YR1\_PAID\_CSH: money FNAC\_RNWL\_PAID\_CSH: money FNAC\_MOD\_LVS\_SB: int FNAC MOD LVS DEP: int FNAC\_RET\_LVS\_SB: int FNAC\_RET\_LVS\_DEP: int BLCT\_VOL: money BLCT\_EXP\_CAT: char(4)
BLCT\_CK: int
FNAC\_ACCT\_CAT: char(4) PMFA\_ID: char(2) BLFD\_FEE\_DISC\_IND: char(1) BLFD\_FEE\_AMT: money BLFD\_DISC\_AMT: money BLFD\_CK: int FNAC\_TOT\_PAID\_FEE: money LOBD\_ID: char(4) MCRE\_CRCR\_ID: char(9)
MCRE\_NAME: varchar(50)
FNAC\_PRIM\_LOBD\_IND: char(1)
PDDS\_MCTR\_BCAT: char(4)

#### CDS\_INAS\_SS\_ACCUM

FNAC\_LOCK\_TOKEN: smallint

BLIV\_ID: char(12) (FK) AFCP PER NO: int MEME CK: int

AFAI CK: int MEAS\_SSL\_AMT: money MEAS\_EXC\_AMT: money INAS\_LOCK\_TOKEN: smallint

#### CDS\_BADE\_DETAIL

BLEI\_CK: int

BLEI BILL LEVEL: char(1) BLEI\_ID: char(12) BLEI\_NAME: char(50) BLBL\_FROM\_DUE\_DT: datetime
BLBL\_TO\_DUE\_DT: datetime
BLAR\_RET\_MOS: int BLAR\_RET\_IND: char(1)
BLAR\_ARCH\_MOS: int
BADE\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### CMC\_BLHA\_HCFA\_ADDL

BLHD\_ROW\_ID: numeric (10, 0) (FK) BLHA\_SEGMENT\_ID: char(3)
BLHA\_ENRL\_SOURCE: char(1)
BLHA\_EGHP\_IND: char(1)
BLHA\_BAS\_PREM\_PRTB: money
BLHA\_BAS\_PREM\_PRTB: money
BLHA\_CS\_REB\_PRTA: money
BLHA\_CS\_REB\_PRTB: money
BLHA\_SUP\_REB\_PRTB: money
BLHA\_SUP\_REB\_PRTB: money
BLHA\_SUP\_REB\_PRTB: money BLHA\_PRA\_REB\_PRTB: money BLHA PRB REB PRTB: money BLHA\_SUPA\_REB\_PRTD: money BLHA\_SUPB\_REB\_PRTD: money BLHA\_PAY\_PRTA: money BLHA\_PAY\_PRTB: money
BLHA\_PAY\_AB: money
BLHA\_RSK\_ADJ\_FCTRD: int
BLHA\_LICS\_IND: char(1)
BLHA\_LICS\_FCTR: int BLHA\_LTI\_IND: char(1)
BLHA\_LTI\_FCTR: int BLHA\_BAS\_REB\_PRTD: money BLHA BAS PREM PRTD: money BLHA\_DIR\_SUB\_PRTD: money BLHA\_REIN\_SUB: money
BLHA\_CS\_LICS: money
BLHA\_PAY\_PRTD: money
BLHA\_NO\_MOS\_PRTD: smallint BLHA\_PACE\_PREM: money BLHA\_CS\_PACE: money BLHA\_ESRD\_MSP: char(1) BLHA\_MSA\_DEPA: money BLHA\_MSA\_DEPB: money BLHA\_MSA\_MOS: char(2) BLHA MECD STS: char(1) BLHA\_DEMINIMIS: char(1) BLHA\_DUAL\_STS: char(1)
BLHA\_LTI\_AB\_IND: char(1)
BLHA\_MSP\_FCTR: int
BLHA\_MSP\_REDA: money BLHA\_MSP\_REDB: money BLHA\_COV\_END\_DT: datetime BLHA\_DUAL\_MEDC: char(2) BLHA\_GAP\_AMT: money
BLHA\_RAD\_FCTR\_TYPE: char(2) BLHA\_DFLT\_FCTRD: char(1)
BLHA\_PRTA\_RT: money
BLHA\_PRTB\_RT: money BLHA\_PRTD\_RT: money BLHA\_CLEANUP\_ID: char(10) BLHA\_ADDL\_DATA: varchar(255)
BLHA\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

#### CMC BLSF SB FEES

BLEI CK: int (FK) BLBL\_DUE\_DT: datetime (FK) PMFA\_ID: char(2) BLSF\_COV\_DUE\_DT: datetime BLSF\_COV\_FROM\_DT: datetime SBSB\_CK: int MEME\_CK: int BLSF\_CREATE\_DTM: datetime BLSF\_COV\_THRU\_DT: datetime BLEI BILL LEVEL: char(1) SGSG\_CK: int BLSF\_DISP\_CD: char(1) BLSF\_RESOLVE\_IND: char(1) BLSF\_INVOICE\_DTM: datetime BLSF\_FAM\_CNT: int BLSF\_MODE: smallint BLSF\_LVS: int

BLSF\_PREM: money
BLSF\_FEE\_AMT: money
BLSF\_BONW\_ROW\_IND: char(1)

BLSF LOCK TOKEN: smallint

#### CMC BLFT FEE TOTL

BLFT CK: int BLEI\_CK: int (FK)
BLBL DUE DT: datetime (FK) PMFA\_ID: char(2) BLFT\_COV\_DUE\_DT: datetime BLFT\_COV\_FROM\_DT: datetime BLFT\_SOURCE: char(1)
BLFT\_CREATE\_DTM: datetime BLFT\_COV\_THRU\_DT: datetime BLFT\_DISP\_CD: char(1) BLFT\_INVOICE\_DTM: datetime BLFT\_SPECIMEN\_IND: char(1) BLFT\_FEE\_AMT: money BLFT\_FAM\_CNT: int BLFT\_LVS: int BLFT\_PREM: money BLFT\_LOCK\_TOKEN: smallint SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CDS\_INSF\_SB\_FEES

CSCS ID: char(4)

BLIV\_ID: char(12) PMFA ID: char(2) BLSF\_COV\_DUE\_DT: datetime BLSF\_COV\_FROM\_DT: datetime SBSB CK: int BLSF\_CREATE\_DTM: datetime BLSF\_DISP\_CD: char(1)

BLSF\_COV\_THRU\_DT: datetime BLEI\_BILL\_LEVEL: char(1) BLSF\_LVS: int BLSF\_FAM\_CNT: int BLSF\_PREM: money BLSF\_FEE\_AMT: money GRGR CK: int GRGR\_ID: char(8) GRGR\_NAME: char(50) SGSG\_CK: int SGSG\_ID: char(4) SGSG\_NAME: char(50) CSCS\_ID: char(4)
CSCS\_DESC: varchar(70)
INSF\_LOCK\_TOKEN: smallint

#### CMC\_BLFK\_IDENT\_REC

BLFT\_ROW\_ID: numeric(10, 0)

#### CDS\_INFT\_FEE\_TOTL


BLIV\_ID: char(12) BLIV\_ID. Clid (12)
PMFA\_ID: char(2)
BLFT\_COV\_DUE\_DT: datetime
BLFT\_COV\_FROM\_DT: datetime
BLFT\_PREM\_TYPE: char(1)
BLFT\_SOURCE: char(1) BLFT\_DISP\_CD: char(1)

BLFT\_COV\_THRU\_DT: datetime PMFA\_DESC: varchar(70) BLFT\_FEE\_AMT: money BLFT\_LVS: int BLFT\_FAM\_CNT: int BLFT\_PREM: money
INFT\_LOCK\_TOKEN: smallint

CHAPTER 5


# **Business Process Automation Data Model**

#### Facets BPA Data Model - 5.10/5.01



# **Capitation Data Model**

### Facets Capitation Data Model - 5.10/5.01



### CMC\_CRER\_EXT\_RETRO

CRFS\_SCHD\_ID: char(12)
CRER\_PAY\_DT: datetime
CSPD\_CAT: char(01)
CRER\_EARN\_FROM\_DT: datetime
CRFD\_FUND\_ID: char(04)
CRSF\_MODIFIER: char(08)

CRER\_STS: char(02)
CRER\_CREATE\_DTM: datetime
CRER\_USUS\_ID: char(10)
CRER\_LST\_CRPM\_DT: datetime
CRER\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### MEME MEMBER

MEME\_CK: int
GRGR\_CK: int
SBSB\_CK: int
MEME\_SFX: smallint
MEME\_REL: char(1)
MEME\_ID\_NAME: char(6)
Def\_in\_MESB: char(4)

### CMC\_CRME\_FUND\_DETL

MEME\_CK: int (FK) CSPD\_CAT: char(1) CRME\_EARN\_FROM\_DT: datetime CRME\_SEQ\_NO: smallint CRBD BAT ID: char(08) (FK) GRGR\_CK: int SGSG\_CK: int CRME\_CR\_PR\_ID: char(12) (FK)
CRPL\_POOL\_ID: char(12) (FK)
CRFD\_FUND\_ID: char(4) (FK)
CRME\_EARN\_THRU\_DT: datetime CRME\_PAY\_FROM\_DT: datetime
CRME\_PAY\_FROM\_DT: datetime
CRME\_PAY\_THRU\_DT: datetime (FK)
LOBD\_ID: char(4) (FK)
CRME\_PAYEE\_PR\_ID: char(12) (FK)
CRME\_CR\_PR\_TYPE: char(1) (FK) CRME\_PYMT\_METH\_IND: char(1) (FK)
CRME\_COV\_FROM\_DT: datetime
CRME\_COV\_THRU\_DT: datetime
CRME\_COV\_PER\_RSN: char(02) CRME\_ADJ\_PER: smallint CRFS SCHD ID: char(12) CRFT\_FCTR: int PRPR\_ID: char(12) NWNW\_ID: char(12) CSPI\_ID: char(8) PDPD\_ID: char(8) PDPD\_ID: char(s)

CRME\_NWPE\_NWCR\_PFX: char(4)

CRME\_CRCY\_PRPR\_ID: char(12)

PDDS\_MCTR\_BCAT: char(4)

CRME\_PRORĀTE\_RULE: char(1)

CRME\_FUND\_RATE\_IND: char(1)

CRME\_FUND\_RATE: money CRME\_FUND\_AMT: money CRME\_FUND\_PCT: int CRME\_CELL\_RATE: money CRME\_ME\_MONTHS: money CRME\_OPTS: char(4)
CRME\_LOCK\_TOKEN: smallint

### CMC\_CRPR\_PROV\_SUM

CRME\_PAY\_THRU\_DT: datetime CRBD\_BAT\_ID: char(08) LOBD\_ID: char(4) CRME\_PAYEE\_PR\_ID: char(12) CRME\_CR\_PR\_TYPE: char(1) CRME\_PYMT\_METH\_IND: char(1) CRME\_CR\_PR\_ID: char(12)

CRPR\_CURR\_AMT: money
CRPR\_AUTO\_ADJ\_AMT: money
CRPR\_MAN\_ADJ\_AMT: money
CRPR\_CLM\_RED\_AMT: money
CRPR\_CLM\_RED\_AMT: money
CRPR\_CURR\_ME\_M: money
CRPR\_AUTO\_ADJ\_ME\_M: money
CRPR\_AUTO\_ADJ\_ME\_M: money
CRPR\_MAN\_ADJ\_ME\_M: money
CRPR\_MEMBERS: int
CKPY\_REF\_ID: char(16)
CRPR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC\_CRPF\_POOL\_FUND

REPORT\_DT: datetime LOBD\_ID: char(4) PDDS\_MCTR\_BCAT: char(4) PDDS\_MCTR\_BCAT: char(12) CRPL\_POOL\_ID: char(12) CRFD\_FUND\_ID: char(4) PRPR\_ID: char(12) GRGR\_CK: int SGSG\_CK: int

CRPF\_CURR\_AMT: money
CRPF\_AUTO\_ADJ\_AMT: money
CRPF\_MAN\_ADJ\_AMT: money
CRPF\_NET\_FNDED\_AMT: money
CRPF\_CURR\_ME\_M: money
CRPF\_AUTO\_ADJ\_ME\_M: money
CRPF\_MAN\_ADJ\_ME\_M: money
CRPF\_NET\_ME\_M: money
CRPF\_EXPENSE\_AMT: money
CRPF\_EXPENSE\_AMT: money
CRPF\_LST\_CL\_UPD\_DT: datetime
CRPF\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC CREP SUM EXCL

MEME\_CK: int CSPD\_CAT: char(1) CRME\_EARN\_FROM\_DT: datetime CRME\_SEQ\_NO: smallint

CRBD\_BAT\_ID: char(8)
GRGR\_CK: int
SGSG\_CK: int
CRME\_CR\_PR\_ID: char(12)
CRPL\_POOL\_ID: char(12)
CRPD\_FUND\_ID: char(4)
CRME\_EARN\_THRU\_DT: datetime
CRME\_PAY\_FROM\_DT: datetime
CRME\_PAY\_FROM\_DT: datetime
CRME\_PAY\_FROM\_DT: datetime
LOBD\_ID: char(4)
CRME\_PAY\_ER\_DT: char(12)
CRME\_CR\_PR\_TYPE: char(1)
CRME\_CR\_PR\_TYPE: char(1)
CRME\_COV\_FROM\_DT: datetime
CRME\_COV\_FROM\_DT: datetime
CRME\_COV\_FROM\_DT: datetime
CRME\_COV\_PER\_RSN: char(2)
CRME\_ADJ\_PER: smallint
CRFS\_SCHD\_ID: char(12)
CRFT\_FCTR: int
NWNW\_ID: char(12)
CRFT\_FCTR: int
VWNW\_ID: char(12)
CRPI\_DD: char(8)
PDPD\_ID: char(8)
PDPD\_ID: char(8)
CRME\_NWPE\_NWCR\_PFX: char(4)
CRME\_CRCY\_PRPR\_ID: char(12)
PDS\_MCTR\_BCAT: char(1)
CRME\_FUND\_RATE: money
CRME\_FUND\_AMT: money
CRME\_FUND\_AMT: money
CRME\_FUND\_AMT: money
CRME\_FUND\_AMT: money
CRME\_FUND\_AMT: money
CRME\_FUND\_AMT: money
CRME\_FUND\_CT: int
CRME\_CELL\_RATE: money
CRME\_OPTS: char(4)
CREP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

### CBFD\_LOGICAL\_CRME\_V

CBFS\_ROW\_ID: numeric(10,0) CBFD\_CR\_PR\_ID: char(12) CBFD\_SIGN: char(1)

\_\_VIRTUAL\_CBFD\_PARENT: char(4) \_\_CBFD\_is\_logically: char(4) a\_child\_of\_CRME: char(4)

### CMC\_CBFD\_ITS\_DTL

CBFS\_ROW\_ID: numeric(10,0) (FK)
CBFD\_CR\_PR\_ID: char(12) (FK)
CBFD\_SIGN: char(1) (FK)

CBFD\_POS\_SEQ\_NO: int
CBFD\_CAP\_PAID\_AMT: money
CBFD\_SUPP\_CAP\_AMT: money
CBFD\_ADJ\_IND\_1: char(1)
CBFD\_ADJ\_IND\_CTR: smallint
CBFH\_PAR\_PLAN\_CD: char(3)
CBFH\_PAY\_DT: datetime
CBFH\_TRANS\_IND: char(1)
GRGR\_CK: int
MEME\_CK: int
CBFS\_EARN\_DT: datetime
CBFS\_ITS\_FP: char(3)
CBFD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC\_CRCA\_CAP\_ADJ

CRCA\_PAY\_DT: datetime CRCA\_CR\_PR\_ID: char(12) CRPL\_POOL\_ID: char(12) CRFD\_FUND\_ID: char(4) CRCA\_EARN\_DT: datetime LOBD\_ID: char(4) CRCA\_SEQ\_DTM: datetime

CRCA\_CREATE\_DT: datetime
CRCA\_COV\_FROM\_DT: datetime
CRCA\_COV\_THRU\_DT: datetime
CRCA\_PAYEE\_PR\_ID: char(12)
CRCA\_STS: char(2)
MEME\_CK: int
CRCA\_CR\_PR\_TYPE: char(1)
PRPR\_ID: char(12)
NWNW\_ID: char(12)
CSPI\_ID: char(8)
PDPD\_ID: char(8)
PDPD\_ID: char(8)
PDPD\_ID: char(8)
PDPD\_ID: char(8)
CRCA\_PAMT\_METH\_IND: char(1)
CRCA\_CAP\_ADJ\_AMT: money
CRCA\_MCTR\_ARSN: char(4)
CRCA\_ME MONTHS: money
CRCA\_MCTR\_ARSN: char(4)
CRCA\_MCTR\_ARSN: char(1)
CRCA\_ADJ\_TYPE: char(1)
CSPD\_CAT: char(1)
CRMM\_MIN\_MAX\_ID: char(03)
CRCA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CMC\_SYPM\_SYS\_PARM

SYPM\_RECORD\_TYPE: char(4)

SYPM\_CAP\_ADJ\_PER: smallint SYPM\_CAP\_RUN\_DAY: smallint SYPM\_LAST\_RUN\_DT: datetime SYPM\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

### CDS\_MDTL\_MEMB\_DTL

MEME\_CK: int
MDTL\_EARN\_DT: datetime
CRBD\_BAT\_ID: char(08)
CRME\_CR\_PR\_ID: char(12)
CRPL\_POOL\_ID: char(12)
CRFD\_FUND\_ID: char(4)
CRME\_SEQ\_NO: smallint

CRME\_FUND\_RATE: money

CRME\_FUND\_RATE: money

CRME\_FUND\_RATE: money

CRME\_FUND\_RATE: money

CRME\_FUND\_RATE: money

CRME\_FUND\_PCT: int

CRME\_FUND\_RATE: money CRME\_CELL\_RATE: money
CRME\_ME\_MONTHS: money
CRFS\_SCHD\_ID: char(12) CRFD\_DESC: char(70)
MDTL\_PERIOD\_IND: char(1)
MDTL\_PAY\_DT: datetime
CRME\_PYMT\_METH\_IND: char(1) CRME\_PRORATE\_RULE: char(1)
CRME\_PAYEE\_PR\_ID: char(12) CRME\_PRPR\_ID: char(12) MDTL\_PRPR\_NAME: varchar(55) MDTL\_PRPR\_ADDR1: varchar(40)
MDTL\_PRPR\_ADDR2: varchar(40) MDTL\_PRPR\_ADDR2: varchar(40)
MDTL\_PRPR\_ADDR3: varchar(40)
MDTL\_PRPR\_CITY: varchar(19)
MDTL\_PRPR\_STATE: char(2)
MDTL\_PRPR\_ZIP: char(11)
MDTL\_PRPR\_CTRY\_CD: char(4)
MDTL\_PRPR\_PHONE: char(20)
MDTL\_PRPR\_PHON\_EXT: char(4)
MDTL\_PRPR\_PHON\_EXT: char(4)
MDTL\_PRPR\_PHON\_EXT: char(4) NWNW\_ID: char(12) CSPI\_ID: char(8) CSPI\_ID: char(6)
PDDD\_ID: char(8)
PDDS\_MCTR\_BCAT: char(4)
MEME\_FIRST\_NAME: varchar(15)
MEME\_LAST\_NAME: varchar(35) MEME\_LAST\_NAME: varchar(35)
MEME\_MID\_INIT: char(1)
MDTL\_MEME\_ADDR1: varchar(40)
MDTL\_MEME\_ADDR3: varchar(40)
MDTL\_MEME\_ADDR3: varchar(40)
MDTL\_MEME\_CITY: varchar(19)
MDTL\_MEME\_STATE: char(2)
MDTL\_MEME\_STATE: char(2)
MDTL\_MEME\_CITY: CD: char(1)
MDTL\_MEME\_TRY\_CD: char(4)
MDTL\_MEME\_PHONE: char(20)
MDTL\_MEME\_PHONE: char(4)
MDTL\_MEME\_PHON\_EXT: char(4)
MEME\_ORIG\_EFF\_DT: datetime
MEME\_BIRTH\_DT: datetime
MEME\_REL: char(1)
MEME\_SFX: smallint MEME\_SFX: smallint MEME\_SEX: char(1) MEME\_SEX: char(1)
MEME\_SSN: char(9)
MEME\_HICN: char(12)
SBSB\_ID: char(9)
SBSB\_FIRST\_NAME: varchar(15)
SBSB\_LAST\_NAME: varchar(35)
SBSB\_MID\_INIT: char(1)
MEPR\_PRRR\_ID: char(12)
DBDB\_NAME\_varchar(55) PRPR\_NAME: varchar(55)
MEPR\_EFF\_DT: datetime
GRGR\_CK: int
GRGR\_ID: char(8) GRGR\_NAME: varchar(50) SGSG ID: char(4) SGSG\_NAME: varchar(50) CKPY\_REF\_ID: char(16) SBIH\_SBSB\_ID\_ORIG: char(9) MDTL\_CR\_PR\_NPI: char(10) MDTL\_PAYEE\_PR\_NPI: char(10)
MDTL\_PAYEE\_PR\_NPI: char(10)
MDTL\_PRPR\_NPI: char(10)
MCRL\_MEME\_CREL\_CD: char(2)
MCRL\_CREL\_DESC: varchar(30)
MDTL\_LOCK\_TOKEN: smallint

### CDS\_PYIN\_PAYEE\_IND

CKPY\_REF\_ID: char(16)
PYIN\_PAY\_DT: datetime
LOBD\_ID: char(4)
CRME\_PAYEE\_PR\_ID: char(12)
CRBD\_BAT\_ID: char(08)
CRME\_CR\_PR\_TYPE: char(1)
CRME\_PWIT\_METH\_IND: char(1)
CRME\_PR\_ID: char(12)

PYIN\_CR\_NAME: char(50)
PYIN\_CR\_MCTR\_TYPE: char(4)
PYIN\_CR\_MCTR\_TYPE: char(4)
PYIN\_CR\_ADDR1: char(40)
PYIN\_CR\_ADDR2: char(40)
PYIN\_CR\_ADDR3: char(40)
PYIN\_CR\_ADDR3: char(40)
PYIN\_CR\_ADDR3: char(40)
PYIN\_CR\_ADDR3: char(20)
PYIN\_CR\_CITY: char(21)
PYIN\_CR\_STATE: char(2)
PYIN\_CR\_COUNTY: char(20)
PYIN\_CR\_COUNTY: char(20)
PYIN\_CR\_PHONE: char(20)
PYIN\_CR\_PHONE: char(20)
PYIN\_CR\_ENGUNETY: char(40)
PYIN\_CR\_FAX\_EXT: char(4)
PYIN\_CR\_EMAIL: char(40)
PYIN\_CR\_EMAIL: char(40)
PYIN\_PY\_MCTR\_TYPE: char(4)
PYIN\_PY\_MCTR\_TYPE: char(4)
PYIN\_PY\_ADDR3: char(40)
PYIN\_PY\_ADDR3: char(40)
PYIN\_PY\_ADDR3: char(40)
PYIN\_PY\_ADDR3: char(40)
PYIN\_PY\_STATE: char(2)
PYIN\_PY\_STATE: char(2)
PYIN\_PY\_CTRY\_CD: char(4)
PYIN\_PY\_ENGUNETY: char(20)
PYIN\_PY\_ENGUNETY: char(20)
PYIN\_PY\_PAX: char(20)
PYIN\_PY\_FAX: char(30)
PYIN\_PY\_FAX: char(40)
CRPR\_CURR\_MAMT: money
CRPR\_AUTO\_ADJ\_AMT: money
CRPR\_AUTO\_ADJ\_ME\_M: money
CRPR\_MAN\_ADJ\_ME\_M: money
CRPR\_MEMBERS: int
LOBD\_NAME: char(50)
BPID\_TYPE: char(4)
PYIN\_PYE: char(4)

### CDS\_ICBF\_CNTRL\_DTL


ITLC\_LOCAL\_PLAN\_CD: char(3)
ICBF\_PAY\_DT: datetime
ICBF\_TRANS\_IND: char(1)
ICBF\_SEQ\_NO: int

GRGR\_CK: int
MEME\_CK: int
SBSB\_CK: int
SBSB\_CK: int
CRME\_CR\_PR\_ID: char(12)
ICBF\_ADJ\_IND: char(2)
ICBF\_CAP\_SUPPL\_AMT: money
ICBF\_CAP\_SUPCB\_AMT: money
ICBF\_EARN\_FROM\_DT: datetime
ICBF\_EARN\_THRU\_DT: datetime
ICBF\_EARN\_THRU\_DT: datetime
ICBF\_INVOICE\_NO: char(3)
ICBF\_INVOICE\_NO: char(3)
ICBF\_INVOICE\_NO: char(8)
ICBF\_PAR\_GRGR\_ID: char(9)
ITMA\_CTRL\_GRGR\_ID: char(9)
ITMA\_CTRL\_SECT\_ID: char(6)
ITNW\_ITS\_NW\_ID: char(4)
MEIT\_ITS\_SSB\_ID: char(4)
MEIT\_ITS\_SSB\_ID: char(17)
MEIT\_PAT\_REL: char(2)
MEME\_FIRST\_NAME: char(15)
MEME\_LAST\_NAME: char(15)
MEME\_LAST\_NAME: char(15)
MEME\_MID\_INIT: char(1)
MEME\_SFX: smallint
SBSB\_ID: char(9)
SYIN\_INST: int
ICBF\_ADDL\_DATA: varchar(255)
ICBF\_CREATE\_DTM: datetime
ICBF\_LOCK\_TOKEN: smallint

### CDS\_FDSM\_FUND\_SUM

FDSM\_EARN\_DT: datetime
FDSM\_PAY\_DT: datetime
LOBD\_ID: char(4)
CRPL\_POOL\_ID: char(12)
CRFD\_FUND\_ID: char(4)
NWNW\_ID: char(12)
CRME\_CR\_PR\_ID: char(12)
CRME\_CR\_PR\_TYPE: char(1)
CRME\_PAYEE\_PR\_ID: char(12)
CRME\_PYMT\_METH\_IND: char(1)

PRPR\_NAME: char(55)
CRPL\_DESC: char(70)
CRFD\_DESC: char(70)
NWNW\_NAME: char(50)
LOBD\_NAME: char(50)
FDSM\_PY\_NAME: char(50)
CRME\_FUND\_AMT: money
CRCA\_CAP\_ADJ\_AMT: money
CRCA\_CAP\_ADJ\_AMT: shar(4)
FDSM\_LOCK\_TOKEN: smallint



### CMC\_CAPR\_CAP\_PREPR

GRGR\_CK: int CAPR\_WEIGHT: int CAPR\_ROW\_ID: numeric (10, 0) CAPR\_STS: smallint MEME\_CK\_LOW: int MEME\_CK\_HIGH: int CAPR LOCK TOKEN: smallint ATXR\_SOURCE\_ID: datetime

### CMC\_CRGH\_GRGR\_HIST

CRBD\_BAT\_ID: char(08) CRBH\_PAY\_DT: datetime GRGR\_CK: int

CRGH STS: smallint CRGH\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

### CMC\_NWPC\_PSCOM\_REL

NWPX\_ID: char(8)
NWNW\_ID: char(12)
NWPE\_PFX: char(4)
NWPC\_CR\_PR\_ID: char(12) NWPC EFF DT: datetime

NWPC\_TERM\_DT: datetime NWPC\_MCTR\_TRSN: char(4) CRFS\_SCHD\_ID: char(12) CRPL\_POOL\_ID: char(12) AGAG\_ID: char(12) NWPC\_ADJ\_PER: smallint NWPC\_LOCK\_TOKEN: smallint

### CMC\_CRMM\_RULE

CRMM\_MIN\_MAX\_ID: char(03) CRMM\_EFF\_DT: datetime

CRMM\_ID\_DESC: varchar(70) CRMM\_TERM\_DT: datetime CRMM\_MIN\_AMT: money CRMM\_MAX\_AMT: money
CRMM\_CALC\_STOP\_DT: datetime
CRMM\_FUND\_ID: char(04) CRMM\_LOBD\_ID: char(04)
CRCA\_MCTR\_ARSN: char(04)
CRMM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

### CMC\_CRMT\_CYCLE\_AMT

CRMT\_PAYEE\_PR\_ID: char(12)
CRMT\_PAY\_FROM\_DT: datetime
CRMT\_EARN\_FROM\_DT: datetime
CRMM\_MIN\_MAX\_ID: char(03)

CRMT\_PYMT\_AMT: money CRMT\_MEM\_MOS: money CRMT\_AMC\_AMT: money CRMM\_MIN\_AMT: money CRMM\_MIN\_AMI: money
CRMM\_MAX\_AMT: money
CRMT\_CUR\_OFSET\_AMT: money
CRMT\_PRV\_OFSET\_AMT: money
CRMT\_NET\_OFSET\_AMT: money
CRCA\_SEQ\_DTM: datetime
CRMT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_IAST\_UPD\_TM: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS DBUSER ID: varchar(48)

### CMC\_CRFT\_FCTR

CRFT\_ID: char(4) CRFT\_MCTR\_LSTY: char(4)
CRFT\_EFF\_DT: datetime

CRFT TERM DT: datetime CRFT FCTR: int CRFT\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

CRME\_EARN\_FROM\_DT: datetime

CRME\_SEQ\_NO: smallint

CRBD\_BAT\_ID: char(8)
CRAR\_CREATE\_DT: datetime
CRAR\_STATUS: char(2)
CRAR\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

### CMC\_CRPP\_PCT\_PREM

CRPP\_CR\_EARN\_DT: datetime CRPP\_SK: char(27)

CRPP\_CURRENT\_PREM: money CRPP\_CURRENT\_LVS: int CRPP\_RETRO\_PREM: money CRPP\_RETRO\_MEM\_MOS: int CRPP\_OVRD\_AMP\_AMT: money
CRPP\_LOCKED\_IND: char(1)
CRPP\_LOCKED\_DTM: datetime
CRPP\_CREATE\_DTM: datetime CRPP\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

### CMC\_CRAR\_ARCHIVE CMC\_CRPA\_CAP\_PREPR GRGR\_CK: int MEME\_CK: int CSPD\_CAT: char(1)

GRGR CK: int

CRPA WEIGHT: int CRPA\_ROW\_ID: numeric (10,0) CRPA STS: int CRPA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime


TRIAL ALLOCATION

CDS\_CRSX\_TEMP\_SUM


CRBD BAT ID: char(8) CRBD\_BAT\_ID. Claif(6)
LOBD\_ID: char(4)
CRME\_PAYEE\_PR\_ID: char(12)
CRME\_CR\_PR\_TYPE: char(1)
CRME\_PYMT\_METH\_IND: char(1) CRME\_CR\_PR\_ID: char(12)
GRGR\_CK: int CRFD\_FUND\_ID: char(4) CRSX\_COV\_TYPE: char(1)


CRSX\_CAP\_ALLOC\_AMT: money CRSX\_ME\_MOS: money GRGR\_ID: char(8)
CRSX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

# **Case Management Data Model**





Page 2 of 3








# **Claim Data Model**














### CMC\_CLAR\_ARCHIVE

CLCL\_ID: char(12)

MEME\_CK: int
CLAR\_STATUS: char(01)
CLAR\_CREATE\_DT: datetime
CLAR\_LAST\_ACT\_DT: datetime
CLAR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC\_CLXQ\_WORK\_QUE

CLXQ\_ROW\_ID: numeric(10,0)
CLCL\_ID: char(12)

### CMC CLWQ WORK QUE

CLWQ\_ROW\_ID: numeric (10,0) IDENTITY

CLCL ID: char(12)

MEME\_CK: int
SBSB\_CK: int
SBSB\_ID: char(9)
CLST\_STS: char(2)
CLST\_MCTR\_REAS: char(4)
CLWQ\_INPUT\_METH: char(1)
CLHR\_RELEASE\_DAYS: smallint
CLHR\_PCA\_BYPASS: char(01)
CLHR\_PCA\_BYPASS: char(01)
WCMS\_MESSAGE\_ID: varchar(30)
WMGT\_MSG\_TYPE: int
WFDN\_TRANS\_ID: varchar(36)
EXCD\_ID: char(03)
CLWQ\_LOCK\_TOKEN: smallint

### CMC\_CLHR\_WARN\_REL

CLST\_MCTR\_REAS: char(04) CLHR\_SEQ\_NO: smallint

CLHR\_EFF\_DT: datetime
CLHR\_TERM\_DT: datetime
GRGR\_CK: int
SGSG\_CK: int
CSPI\_ID: char(08)
PDPD\_ID: char(08)
PPRP\_ID: char(12)
CLHR\_RELEASE\_DAYS: smallint
CLHR\_PCA\_BYPASS: char(1)
CLHR\_PCA\_BYPASS: char(1)
CLHR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC\_CLDQ\_WORK\_QUE\_DENT

CLDQ\_ROW\_ID: numeric(10,0)IDENTITY

CLCL ID: char(012)

MEME\_CK: int

SBSB\_CK: int

SBSB\_D: char(009)

CLST\_STS: char(002)

CLST\_MCTR\_REAS: char(004)

CLDQ\_INPUT\_METH: char(001)

CLHR\_RELEASE\_DAYS: smallint

CLHR\_RELEASE\_IND: char(001)

CLHR\_PCA\_BYPASS: char(001)

CLHR\_PCA\_BYPASS: char(001)

WMOMS\_MESSAGE\_ID: varchar(30)

WMGT\_MSG\_TYPE: int

WFDN\_TRANS\_ID: varchar(36)

EXCD\_ID: char(03)

CLDQ\_LOCK\_TOKEN: smallint

### CMC\_CLFQ\_WORK\_QUE

CLFQ\_ROW\_ID: numeric(10.0)

CLCL\_ID: char(012)

MEMĒ\_CK: int

SBSB\_ID: char(009)

SBSB\_CK: int

CLST\_STS: char(002)

CLST\_MCTR\_REAS: char(004)

CLFQ\_INPUT\_METH: char(001)

CLHR\_RELEASE\_DAYS: smallint
CLHR\_PCLASE\_IND: char(001)

CLHR\_PCLASE\_IND: char(001)

CLFQ\_LOCK\_TOKEN: smallint

### CMC\_CLEQ\_WORK\_QUE


CLEQ\_ROW\_ID: numeric(10,0) IDENTITY


CLCL\_ID: char(12)
MEME\_CK: int
SBSB\_CK: int
SBSB\_ID: char(9)
CLST\_STS: char(2)
CLST\_MCTR\_REAS: char(4)
CLEQ\_INPUT\_METH: char(1)
CLHR\_RELEASE\_DAYS: smallint
CLHR\_RELEASE\_IND: char(1)
WCMS\_MESSAGE\_ID: varchar(30)
WMGT\_MSG\_TYPE: int
WFDN\_TRANS\_ID: varchar(36)
EXCD\_ID: char(3)
CLEQ\_LOCK\_TOKEN: smallint


### CMC\_QWKR\_RESTART

QWK0\_ROW\_ID: int
QWKR\_SEQ\_NO: int


PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
QWKR\_STRING\_VALUE1: varchar(50)
QWKR\_STRING\_VALUE2: varchar(50)
QWKR\_STRING\_VALUE3: varchar(50)
QWKR\_STRING\_VALUE3: varchar(50)
QWKR\_STRING\_VALUE4: varchar(50)
QWKR\_STRING\_VALUE6: varchar(50)
QWKR\_STRING\_VALUE6: varchar(50)
QWKR\_STRING\_VALUE6: varchar(50)
QWKR\_STRING\_VALUE9: varchar(50)
QWKR\_STRING\_VALUE9: varchar(50)
QWKR\_STRING\_VALUE9: varchar(50)
QWKR\_INT\_VALUE1: int
QWKR\_INT\_VALUE3: int
QWKR\_INT\_VALUE3: int
QWKR\_INT\_VALUE4: int
QWKR\_INT\_VALUE5: int









Page 10 of 13







DUAL **ELIGIBLES** COST SHARING Page 13 of 13 CMC\_CLCL\_CLAIM\_v CLCL\_ID: char(12) CMC\_CLSP\_CLAIM CLCL\_ID: char(12) CLCL\_ID: char(12)

MEME\_CK: int
PDPD\_ID: char(8)

NWPE\_PFX: char(04)

NWPR\_PFX: char(04)

NWCR\_PFX: char(04)

PDBC\_PFX\_NPPR: char(04)

PDBC\_PFX\_SEDF: char(04)

CLSP\_NTWK\_IND: char(01)

NWNW\_ID: char(12)

AGAG\_ID: char(12)

AGAG\_ID: char(04)

CLSP\_AG\_SOURCE: char(04)

CLSP\_AG\_SOURCE: char(04)

PDDS\_MCTR\_BCAT: char(04)

CLSP\_AG\_SOURCE: char(04)

CLSP\_AG\_SOURCE: char(04)

CLSP\_AG\_SOURCE: char(04)

CLSP\_TOT\_AMT\_APLY: money


CLSP\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime


SYS\_LAST\_UPD\_DTM: datetime


SYS\_USUS\_ID: varchar(48) CMC\_CLCS\_STATUS CLCL\_ID: char(12) CLCL\_CUR\_STS: char(02) MEME\_CK: int GRGR CK: int GRGR\_CK: Int
SBSB\_CK: int
CLCL\_CL\_TYPE: char(01)
PDPD\_ACC\_SHDW\_SFX\_NVL: char(04)
CLCS\_CREATE\_DTM: datetime
CLCS\_STS: char(02) CLCS\_STS: cnar(02)
CLCS\_PROC\_DTM: datetime
CLCS\_LOCK\_TOKEN: smallint
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48) SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CMC\_CDML\_CL\_LINE\_v CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint CMC\_CDDL\_CL\_LINE\_v CLCL\_ID: char(12) CDDL\_SEQ\_NO: smallint CMC\_CDSC\_SHAD\_MED CMC\_CDDS\_SHAD\_DENT CLCL\_ID: char(12)
CDML SEQ NO: smallint CLCL\_ID: char(12) CDDL\_SEQ\_NO: smallint CMC\_CDSP\_SP\_LINE MEME\_CK: int
CLCS\_STS: char(02)
SEPY\_SHDW\_PFX\_NVL: char(04)
SESE\_RULE: char(03)
CDSC\_ALT\_RULE\_IND: char(01)
DEDE\_SHDW\_PFX\_NVL: char(04)
LTLT\_SHDW\_PFX\_NVL: char(04)
LTLT\_SHDW\_PFX\_NVL: char(04)
CDML\_CONSIDER\_CHG: money
CDSC\_PRICE\_ALLOW: money
CDSC\_PRICE\_UNITS: smallint
CDSC\_ALLOW: money CLCL\_ID: char(12) CDML\_SEQ\_NO: smallint MEME CK: int MEME\_CK: int
CLCS\_STS: char(02)
DPPY\_SHDW\_PFX\_NVL: char(04)
CGPY\_SHDW\_PFX\_NVL: char(04)
CGCG\_RULE: char(03)
DEDE\_SHDW\_PFX\_NVL: char(04)
LTLT\_SHDW\_PFX\_NVL: char(04)
CDDL\_CONSIDER\_CHG: money
CDDS\_PRICE\_ALLOW: money
CDDS\_PRICE\_INITS: smallint MEME\_CK: int
CDSP\_CL\_NTWK\_IND: char(01)
CDSP\_SC\_CL\_NET\_IND: char(01)
LTLT\_PFX: char(04)
CDSP\_SC\_LTLT\_PFX: char(04)
DDEDE\_PFX: char(04)
CDSP\_SC\_DEDE\_PFX: char(04)
CDSP\_SC\_DEDE\_PFX: char(04)
CDSP\_SC\_DEDE\_AMT: money
CDSP\_SC\_PPICE\_AMT: money DEDE\_FY: char(04)
CDSP\_SC\_DEDE\_PFX: char(04)
CDSP\_SC\_DEDE\_PFX: char(04)
CDSP\_SC\_PRICE\_AMT: money
CDSP\_SC\_PRICE\_AMT: money
SEPY\_PFX: char(04)
CDSP\_SC\_SESP\_PFX: char(04)
CDSP\_SC\_SESE\_RULE: char(03)
CDSP\_SC\_SESE\_RULE: char(03)
CDSP\_SC\_SESE\_RULE: char(03)
CDSP\_ALLOW\_AMT: money
CDSP\_DED\_AMT: money
CDSP\_DED\_AMT: money
CDSP\_DED\_AMT: money
CDSP\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_NO: smallint
CDSP\_SC\_DED\_ACC\_MO: smallint
CDSP\_SC\_DED\_ACC\_MO: smallint
CDSP\_SC\_DED\_ACC\_MO: smallint
CDSP\_SC\_DED\_ACC\_MO: smallint
CDSP\_SC\_DIS\_AMT: money
CDSP\_COINS\_AMT: money
CDSP\_COINS\_AMT: money
CDSP\_SC\_LOINS\_AMT: money
CDSP\_SC\_UNIT\_ALLOW: smallint
CDSP\_SC\_UNIT\_ALLOW: smallint
CDSP\_SC\_UNIT\_ALLOW: smallint
CDSP\_SC\_UNIT\_ALLOW: smallint
CDSP\_SC\_DISALL\_AMT: money
CDSP\_DISALL\_AMT: money
CDSP\_DISALL\_AMT: money
CDSP\_DISALL\_AMT: money
CDSP\_DISALL\_AMT: money
CDSP\_SC\_PAID\_AMT: money
CDSP\_SC\_DISALL\_CAT: char(04)
CDSP\_SC\_SP\_EXP\_CAT: char(04)
CDSP\_SC\_SP\_EXP\_CAT: char(04)
CDSP\_SC\_SP\_EXP\_CAT: char(04)
CDSP\_SC\_SP\_EXP\_CAT: char(04)
CDSP\_SC\_EOB\_EXCD: char(03)
APCD\_ID: char(04)
CDSP\_SC\_APCD\_ID: char(04)
APSI\_STS\_IND: char(02)
CDSP\_UNITS\_APLY: smallint
CDSP\_SC\_APCD\_ID: char(02)
CDSP\_UNITS\_APLY: money
CDSP\_LOCK\_TOKEN: smallint
CDSP\_AMT\_APLY: money
CDSP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime CDDS\_PRICE\_UNITS: smallint CDDS\_ALLOW: money CDSC PRICE\_UNITS: smallint
CDSC\_ALLOW: money
CDSC\_UNITS\_ALLOW: smallint
CDSC\_DED\_AMT: money
CDSC\_DED\_ACC\_NO: smallint
CDSC\_COPAY\_AMT: money
CDSC\_COINS\_AMT: money
CDSC\_PAID\_AMT: money
CDSC\_DISALL\_AMT: money
CDSC\_DISALL\_EXCD: char(03) CDDS\_ALLOW: money
CDDS\_UNITS\_ALLOW: smallint
CDDS\_DED\_AMT: money
CDDS\_CDED\_ACC\_NO: smallint
CDDS\_COPAY\_AMT: money
CDDS\_COINS\_AMT: money CDDS\_PAID\_AMT: money
CDDS\_PAID\_AMT: money
CDDS\_DISALL\_AMT: money
CDDS\_DISALL\_EXCD: char(03)
CDDS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime CDSC\_DISALL\_EXCD: char(03) CDSC\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48) SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CMC\_CLCQ\_WORK\_QUE CLCQ\_ROW\_ID: numeric(10,0) SBSB\_CK: int CLCL\_ID: char(12) CLCS\_CREATE\_DTM: datetime CLCS\_LOCK\_TOKEN: smallint


# **Commission Data Model**



Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.







COSS\_DESC: char(50)
COCA\_MCTR\_RSN: char(4)
COSS\_SORT\_TYPE: char(2)
COSS\_SORT\_DT: datetime

COSS\_BLEI\_ID: char(12)
COSS\_BLEI\_NAME: char(50)
BLEI\_BILL\_LEVEL\_CK: int
BLEI\_BILL\_LEVEL: char(1)
GRGR\_ID: char(8)

USUS\_ID: char(10)
AFAI\_ID: char(12)
COSS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime


BGBG\_ID: char(8) SGSG ID: char(4) SBSB ID: char(9)

COCE\_NAME: char(55)
COCE\_STMT\_FROM\_DT: datetime
COCE\_STMT\_THRU\_DT: datetime


PUBL\_ID. clar(4)
PMFA\_ID: char(2)
CODE\_DISP\_CD: char(1)
CODE\_SOURCE: char(1)
CODE\_SOURCE\_DTM: datetime COSC\_ID: char(4)
COSD\_EFF\_DT: datetime
COSD\_DUR\_START: smallint
COST\_FROM\_AMT: money
COSC\_CALC\_METH: char(1) COSC\_CALC\_METH: char(1)
COST\_PCT: int
COST\_AMT: money
COAG\_SCHD\_FCTR: int
COAG\_OVRD\_FCTR: int
COAG\_NET\_COMM\_IND: char(1)
COBL\_SOURCE\_CD: char(1)
COBL\_SOURCE\_CK: int BLCN\_ID: char(12) BLCT\_YR1\_PCT: int CODE\_ACCT\_CAT: char(4) COCC\_BASIS: money
COCC\_SOURCE\_AMT: money
CODE\_LOCK\_TOKEN: smallint

BLEI\_CK: int FNCO\_ACTIVITY\_DT: datetime FNCO\_TYPE\_IND: char(1) FNCO\_SEQ\_NO: smallint COAR\_ID: char(12)
COCP\_COMM\_PER: smallint
COCP\_BEG\_DT: datetime
COCP\_END\_DT: datetime COCE\_ID: char(12) COCE\_ID\_PAYEE: char(12) COAG\_EFF\_DT: datetime
COEC\_OVRD\_AMT: money LOBD\_ID: char(4)
COCC\_BASIS: money
COCC\_PER\_BILL\_CTR: smallint COCC\_SOURCE\_AMT: money
COCC\_OVRD\_AMT: money
COCC\_COMM\_AMT\_CALC: money COCC\_ADV\_AMT\_CALC: money COEC\_PAID\_DT: datetime COEC\_SOURCE\_AMT: money COCE\_OVRD\_ID: char(12)
COEC\_COMM\_AMT\_EARN: money
COEC\_COMM\_AMT\_PAID: money
COEC\_ADV\_AMT\_EARN: money COEC\_RETN\_AMT\_EARN: money
COEC\_HLD\_FOR\_RECON: money
COEC\_FORGO\_AMT: money FNCO\_PRIM\_LOB\_IND: char(4)
COBL\_CK: int
COBL\_PER\_BILL\_CTR: smallint FNCO\_LVS\_DP: int FNCO\_LVS\_SB: int BLBL\_DUE\_DT: datetime PDPD ID: char(8) PDBL\_ID: char(4) PMFA\_ID: char(2) FNCO\_DISP\_CD: char(1) FNCO\_DISP\_CB: trial(1)
FNCO\_PREM\_TYPE: char(1)
FNCO\_SOURCE: char(1)
FNCO\_SOURCE\_DTM: datetime COSC\_ID: char(4)
COSD\_EFF\_DT: datetime
COSD\_DUR\_START: smallint COSD\_DUR\_START: smallint
COST\_FROM\_AMT: money
COSC\_CALC\_METH: char(1)
COST\_PCT: int
COST\_AMT: money
COAG\_SCHD\_FCTR: int
COAG\_OVRD\_FCTR: int
COAG\_OVRD\_FCTR: int
COBL\_SOURCE\_CD: char(1)
COBL\_SOURCE\_CD: char(1)
COBL\_SOURCE\_CK: int
BLCN\_ID: char(12)
BLCT\_YRI\_PCT: int BLCT\_YR1\_PCT: int
FNCO\_ACCT\_CAT: char(4)
FNCO\_LOCK\_TOKEN: smallint

# **CHAPTER 10** Criteria Data Model





### Length of Stay Data




# **Customer Service Data Model**

### Call ID, Links to Contact Record and Task Rows





ATXR\_SOURCE\_ID: datetime



### CMC\_CHCH\_CHANNEL

CHCH\_ID: char(12)

CHCH\_ORIG: char(1)
CHCH\_ENTITY: char(1)
MEME\_CK: int
SBSB\_CK: int
GRGR\_CK: int
SGSG\_CK: int
PRPR\_ID: char(12)
CSPD\_CAT: char(1)
CHCH\_WNWW\_REL: char(1)
CHCH\_ZIP: char(19)
CHCH\_STATE: char(2)
CHCH\_COUNTY: char(20)
CHCH\_SPEC: char(4)
CHCH\_PRPR\_TYPE: char(4)
CHCH\_LANG: char(4)
CHCH\_ENDER: char(1)
CHCH\_HD\_IND: char(1)
CHCH\_HERSUFIC: char(4)
CHCH\_TER: smallint
CHCH\_SVCS\_PRIM: char(4)
CHCH\_SCS: int
CHCH\_CHAN\_DT: datetime
USUS\_ID: char(10)
CHCH\_CHAN\_DT: datetime
USUS\_ID: char(10)
CHCH\_STATE: char(1)
CHCH\_FRED\_TYPE: char(1)
CHCH\_CHAN\_DT: datetime
USUS\_ID: char(10)
CHCH\_CUST\_TYPE: char(1)
CHCH\_FAC\_ID: char(12)
CHCH\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CMC\_CHPR\_CHAN\_PROV

CHCH\_ID: char(12)
PRPR\_ID: char(12)
CHPR\_SEQ\_NO: smallint

PRAD\_ID: char(12)
PRAD\_TYPE: char(3)
CHPR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC\_TREE\_TEMPLATE

TREE\_ID: char(04) TREE\_PARENT\_ID: char(12)

TREE\_BRANCH\_DESC: varchar(70)
TREE\_BRANCH\_ORDER: smallint
PZAP\_APP\_ID: char(04)
TREE\_NUM: int
TREE\_NUM: Int

TREE\_ADDL\_DATA1: varchar(255)
TREE\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CMC TREC CHILDREN

TREE\_ID: char(04)
TREE\_PARENT\_ID: char(12)
TREC\_CHILD\_ID: char(12)
MCPD\_SOURCE: char(04)

TREC\_DESC: varchar(70)
TREC\_ADD\_DESC\_TAG: char(18)
TREC\_ASSOCIATION: char(12)
TREC\_ORDER: smallint
PZAP\_APP\_ID: char(04)
TREC\_NUM: int
TREC\_RECUR\_ID: varchar(16)
TREC\_ADDL\_DATA1: varchar(255)
TREC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

### CUSTOMER SERVICE ARCHIVE BATCH TABLES

### CMC\_CSWQ\_WORK

CSWQ\_ROW\_ID: numeric(10,0)
CSSC\_ID: char(12)

### CMC\_CSAR\_ARCHIVE\_WORK

CSAR\_ROW\_ID: numeric(10,0)

CSSC\_ID: char(12)

CSTK\_LAST\_UPD\_DTM: datetime

### CMC\_CSAH\_ARCHIVE\_HIST

CSSC\_ID: char(12)

CSAH\_ARCHIVE\_DTM: datetime

## CHAPTER 12

# **Disability Data Model**

page 1 of 8 CMC\_DIST\_STATUS CMC\_DICL\_DIS\_CLAIM DICL ID: char(18) (FK) DIST\_SEQ\_NO: smallint DICL ID: char(18) DIST CUR STS: char(2) DICL CL\_TYPE: char(1) USUS ID: char(10) DICL REL CLAIM ID1: char(18) DIST\_STS\_DTM: datetime DICL\_REL\_CLAIM\_ID2: char(18) DIST\_MCTR\_REAS: char(4) DICL\_REL\_CLAIM\_ID3: char(18) DIST\_USID\_ROUTE: char(10) MEME CK: int DIST\_LOCK\_TOKEN: smallint SBSB CK: int ATXR SOURCE ID: datetime GRGR CK: int SYS LAST UPD DTM: datetime SGSG CK: int SYS\_USUS\_ID: varchar(48) CSCS\_ID: char(4) SYS DBUSER ID: varchar(48) CSPI ID: char(8) PDPD ID: char(8) PDDS MCTR BCAT: char(4) CSPD CAT: char(1) CMC DICO CL OVR DICL INPUT DT: datetime DICL ID: char(18) (FK) DICL RCD DT: datetime DICO\_OR\_ID: char(2) DICL CREATE DTM: datetime DICL\_LST\_ACT\_DTM: datetime DICO\_OR\_AMT: money DIST\_CUR\_STS: char(2) DICO\_OR\_VALUE: varchar(30) DIST SEQ NO: smallint DICO OR DT: datetime DIST MCTR REAS: char(4) EXCD ID: char(3) DICL\_TERM\_EXCD: char(3) DICO\_AUTO\_GEN: char(1) DICL\_NXT\_REV\_DT: datetime DICO\_OR\_USID: char(10) DIDI\_MEMO: varchar(70) DICO\_LAST\_UPD\_DTM: datetime USUS ID: char(10) DICO LOCK TOKEN: smallint DICL LOCK TOKEN: smallint ATXR SOURCE ID: datetime ATXR SOURCE ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_LAST\_UPD\_DTM: datetime SYS USUS\_ID: varchar(48) SYS USUS ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC DIOR DI OVR

DICL\_ID: char(18) (FK) DIOR\_OR\_ID: char(2) DIOR\_EFF\_DT: datetime

DIOR\_TERM\_DT: datetime DIOR\_MCTR\_TRSN: char(4)

DIOR OR AMT: money

DIOR\_OR\_VALUE: varchar(30)

 $\mathsf{DIOR\_OR\_DT} \colon \mathsf{datetime}$ 

EXCD\_ID: char(3)

DIOR\_AUTO\_GEN: char(1)

DIOR OR USID: char(10)

DIOR\_LAST\_UPD\_DTM: datetime

DIOR\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

SYS\_LAST\_UPD\_DTM: datetime

SYS\_USUS\_ID: varchar(48)

SYS\_DBUSER\_ID: varchar(48)

#### CMC\_DIAP\_ALT\_PAYEE

DICL\_ID: char(18) (FK)
DIAP\_EFF\_DT: datetime

DIAP TERM DT: datetime

DIAP\_NAME: varchar(50)

DIAP\_ADDR1: varchar(40)

DIAP\_ADDR2: varchar(40)

DIAP ADDR3: varchar(40)

DIAP\_CITY: varchar(19)

DIAP\_STATE: char(2)

DIAP ZIP: varchar(11)

DIAP\_ZIP. Valcilai(11)

DIAP\_COUNTY: varchar(20)

DIAP\_CTRY\_CD: char(2)

DIAP\_PHONE: varchar(20)

DIAP\_PHONE\_EXT: char(4)

DIAP\_FAX: varchar(20)

DIAP\_FAX\_EXT: char(4)

DIAP\_EMAIL: varchar(40)

DIAP\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

SYS\_LAST\_UPD\_DTM: datetime

SYS USUS ID: varchar(48)

SYS\_DBUSER\_ID: varchar(48)

#### CMC DICL DIS CLAIM V

DICL ID: char(18)


#### CMC\_DIMC\_HEADER

DICL\_ID: char(18) (FK)

DIMC\_SEQ\_NO: smallint DIMC\_ADJ\_IND: char(1) MEME\_BIRTH\_DT: datetime DIMC\_ACPT\_DT: datetime DIMC\_ACD\_DT: datetime DIMC\_ACD\_STATE: char(2) DIMC\_LDW\_DT: datetime DIMC IPV DT: datetime DIMC\_SICK\_RM: smallint DIMC DISAB DT: datetime DIMC\_RTW\_DT: datetime DIMC\_DEATH\_DT: datetime DIMC\_SSN: char(9) DIMC SALARY: money DIMC\_SALARY\_TYPE: char(1) DIMC\_DIS\_TYPE: char(1) IDCD\_ID: varchar(10) IDCD\_ID2: varchar(10) IDCD ID3: varchar(10) IDCD\_ID4: varchar(10) IDCD\_ID\_REL: varchar(10) IDCD\_TYPE: char(18) DIMC\_BEN\_BGN\_DT: datetime DIMC\_BEN\_END\_DT: datetime DIMC\_LPAY\_BGN\_DT: datetime DIMC\_LPAY\_END\_DT: datetime DIMC\_LST\_RUN\_DT: datetime DIMC NXT RUN DT: datetime PDBC\_PFX\_DIDI: char(4) DIDI\_EXCL\_FICA\_IND: char(1) DIMC\_FICA\_BGN\_DT: datetime DIMC\_FICA\_END\_DT: datetime DIMC WP PERIOD: char(1) DIMC\_WP\_PER\_CTR: smallint DIMC\_EMP\_CONTR\_PCT: money DIMC\_BEN\_PERIOD: char(1) DIMC BEN PER RULE: char(1) DIMC\_BEN\_PER\_CTR: smallint DIMC\_MAX\_PERIOD: char(1) DIMC MAX CTR CAUSE: smallint DIMC\_BEN\_STOP\_AGE: smallint DIDI\_PAYMENT\_FREQ: char(1) DIMC\_BEN\_PER\_BEGIN: smallint DIDI\_CHK\_REL\_IND: char(1) DIDI\_CHK\_REL\_DAYS: smallint DIMC PER BASIS1: char(1) DIMC PER CTR1: smallint DIMC\_BEN\_CALC1: money DIMC\_TIER1\_END\_DT: datetime DIMC\_TIER1\_EXCD\_ID: char(3) DIMC PER BASIS2: char(1) DIMC\_PER\_CTR2: smallint DIMC\_BEN\_CALC2: money DIMC\_TIER2\_EXCD\_ID: char(3)

LOBD\_ID: char(4)

DIDI FED WH PCT: money DIMC DIPY1 FXCD ID char(3) Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.



#### CMC\_DIAC\_WORK\_DIS

DIAC\_ROW\_ID: numeric(10.0)

DICL\_ID: char(18)
DIAC\_PAY\_DT: datetime
GRGR\_CK: int
SBSB\_CK: int
DICL\_CL\_TYPE: char(1)
LOBD\_ID: char(4)
DIST\_CUR\_STS: char(2)
DIAC\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

#### CMC\_CKDD\_WORK\_DIS

CKDD\_ROW\_ID: numeric(10.0)

DICL\_ID: char(18)
DIDP\_SEQ\_NO: smallint
LOBD\_ID: char(4)
DIDP\_PAYEE\_IND: char(1)
DICL\_CL\_TYPE: char(1)
DIPS\_CUR\_STS: char(2)
CKDD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CKPY\_DEFN\_V

CKPY\_REF\_ID: char(16)

#### CMC\_ACDP\_DIS\_SUM

DICL\_ID: char(18)
DIDP\_SEQ\_NO: smallint
DIDP\_ADJ\_NO: smallint
LOBD\_ID: char(4)
ACDP\_PAYEE\_IND: char(1)

DICL\_CL\_TYPE: char(1)
CKPY\_REF\_ID: char(16) (FK)
CKPY\_PAY\_DT: datetime
ACDP\_PAYEE\_CK: int
ACDP\_CALC\_AMT: money
ACDP\_NET\_AMT: money
ACDP\_PYMT\_OVR\_IND: char(1)
ACDP\_OP\_BYPASS\_IND: char(1)
DIMC\_SEQ\_NO: smallint
ACDP\_COMB\_IND: char(1)
ACDP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)


#### CMC\_CKDP\_TEMP\_ACDP

CKDP ROW ID: numeric(10.0)

DICL ID: char(18) DIDP\_SEQ\_NO: smallint DIDP\_ADJ\_NO: smallint LOBD\_ID: char(4) ACDP\_PAYEE\_IND: char(1) DICL CL TYPE: char(1) CKPY REF ID: char(16) CKPY\_PAY\_DT: datetime ACDP\_PAYEE\_CK: int ACDP\_CALC\_AMT: money ACDP\_NET\_AMT: money ACDP\_PYMT\_OVR\_IND: char(1) ACDP\_OP\_BYPASS\_IND: char(1) DIMC\_SEQ\_NO: smallint ACDP\_COMB\_IND: char(1) ACDP\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### page 5 of 8 CMC\_BPDP\_DIS\_PYMT CER\_SYIN\_INST\_V SYIN INST: int (FK) BPDP\_STOCK\_ID: char(10) SYIN INST: int BPDP\_TYPE: char(4) BPDP SEQ NO: int DICL\_ID: char(18) LOBD\_ID: char(4) (FK) LOBD NAME: varchar(50) ACDP PAYEE IND: char(1) CMC LOBD LINE BUS V DICL CL TYPE: char(1) CKPY REF ID: char(16) LOBD\_ID: char(4) CKPY PAY DT: datetime CKPY\_NET\_AMT: money BPDP\_OVP\_REC\_AMT: money BPDP LIT AMT DESC: varchar(100) CKCK PAYEE NAME: varchar(50) CKCK\_SEQ\_NO: int PYPY DEFN V SBSB\_CK: int PYPY\_ID: char(8) BPDP\_CK\_NO: int BPDP PRINTED DT: datetime BPDP PAYEE ADDR1: varchar(40) BPDP\_PAYEE\_ADDR2: varchar(40) BPDP\_PAYEE\_ADDR3: varchar(40) BPDP\_PAYEE\_CITY: varchar(19) BPDP\_PAYEE\_STATE: char(2) BPDP\_PAYEE\_ZIP: varchar(11) BPDP\_PAYEE\_CTRY\_CD: char(4) BPDP\_PAYEE\_EMAIL: varchar(40) CMC\_PYBA\_BANK\_ACCT\_V MCBD ID: varchar(12) PYBA\_ID: char(4) BPDP PYEE ACCT NAM: varchar(60) BPDP\_PYEE\_ACCT\_NO: varchar(40) BPDP\_PYEE\_ACCT\_TYP: char(4) BPDP\_PYEE\_BNK\_NAME: varchar(50) BPDP\_PYEE\_BNK\_RTNG: char(5) BPDP\_PYEE\_BNK\_TRNS: char(5) BPDP\_PYEE\_BNK\_CTRL: char(4) MEME SSN: char(9) PYPY\_ID: char(8) (FK) PYPY\_PAYOR\_NAME: varchar(50) PYPY\_ADDR1: varchar(40) PYPY\_ADDR2: varchar(40) PYPY\_ADDR3: varchar(40) PYPY CITY: varchar(19) PYPY\_STATE: char(2) PYPY\_ZIP: varchar(11) CMC\_BPDO\_OVP\_REC PYPY\_CTRY\_CD: char(4) PYPY\_EMAIL: varchar(40) CKPY REF ID: char(16) PYBA ID: char(4) (FK) DICL\_ID: char(18) PYBA BANK NAME: varchar(50) ACPR\_REF\_ID: char(16) PYBA ADDR1: varchar(40) ACPR\_SUB\_TYPE: char(1) PYBA\_ADDR2: varchar(40) ACRH\_SEQ\_NO: int PYBA ADDR3: varchar(40) DICL\_SRCE\_CL\_ID: char(18) PYBA\_CITY: varchar(19) ACRH AMT: money PYBA\_STATE: char(2) ACPR\_CREATE\_DT: datetime PYBA ZIP: varchar(11) BPDO LOCK TOKEN: smallint PYBA CTRY CD: char(4) ATXR SOURCE ID: datetime PYBA EMAIL: varchar(40) SYS LAST UPD DTM: datetime PYBA\_BANK\_CONTROL: char(4) SYS USUS ID: varchar(48) PYBA\_BANK\_ROUTING: char(5) SYS DBUSER ID: varchar(48) PYBA\_BANK\_TRANSIT: char(5) MEME MCTR LANG: char(4) SYIN\_REF\_ID: char(16) BPDP\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS USUS ID: varchar(48) SYS DBUSER ID: varchar(48)

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.



# PDBC PFX: char(4)

#### CMC DIDI ADMIN

PDBC PFX: char(4) (FK) DIDI PLAN TYPE: char(1)

DIDI EFF DT: datetime DIDI\_TERM\_DT: datetime DIDI\_CL\_ACPT\_MNTHS: smallint DIDI\_PRE\_X\_MNTHS: smallint DIDI BEN TERM EXCD: char(3) DIDI\_DUP\_EXCD: char(3) WMDS\_SEQ\_NO: smallint DIDI\_MEMO: varchar(70) DIDI\_EMP\_CONTR\_PCT: money DIDI\_FED\_WH\_IND: char(1) DIDI\_FED\_WH\_PCT: money DIDI EXCL FICA IND: char(1) DIDI ROUNDING RULE: char(1) DIDI PAYMENT FREQ: char(1) DIDI BEN PER BEGIN: smallint DIDI\_CHK\_REL\_IND: char(1) DIDI CHK REL DAYS: smallint DIDI\_ACD\_COV\_IND: char(1) DIDI ACD COV EXCD: char(3) DIDI\_ACD\_WP\_IND: char(1) DIDI\_ACD\_WP\_CTR: smallint DIDI\_ILL\_COV\_IND: char(1) DIDI ILL EXCD: char(3) DIDI ILL WP IND: char(1) DIDI ILL WP CTR: smallint DIDI HOSP COV IND: char(1) DIDI HOSP EXCD: char(3) DIDI\_HOSP\_WP\_IND: char(1) DIDI\_HOSP\_WP\_CTR: smallint DIDI\_NOFLT\_COV\_IND: char(1) DIDI NOFLT EXCD: char(3) DIDI NOFLT WP IND: char(1) DIDI NOFLT WP CTR: smallint DIDI OCC COV IND: char(1) DIDI\_OCC\_EXCD: char(3) DIDI\_OCC\_WP\_IND: char(1) DIDI\_OCC\_WP\_CTR: smallint DIDI\_ACCM\_PER\_IND: char(1) DIDI\_ACCM\_PER\_RULE: char(1) DIDI ACCM PER CTR: smallint DIDI\_MAX\_PER\_IND: char(1) DIDI MAX CTR CAUSE: smallint DIDI\_MAX\_CTR\_EXCD: char(3) DIDI\_MAX\_CTR\_ALL: smallint DIDI\_MAX\_ALL\_EXCD: char(3) DIDI\_BEN\_STOP\_AGE: smallint DIDI\_STOP\_AGE\_EXCD: char(3) MBDR\_ID: char(4) (FK) DIDI\_REL\_PER\_IND: char(1) DIDI\_REL\_PER\_CTR: smallint DIDI REL PER EXCD: char(3) DIDI\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS USUS\_ID: varchar(48)

SYS\_DBUSER\_ID: varchar(48)

#### CMC\_DIPY\_PYMT

PDBC\_PFX: char(4) (FK) DIDI PLAN TYPE: char(1) (FK) DIDI\_EFF\_DT: datetime (FK) DIPY\_TIER\_SEQ\_NO: smallint

DIDI\_TERM\_DT: datetime DIPY PERIOD BASIS: char(1) DIPY PERIOD CTR: smallint DIPY PYMT\_BASIS: char(1) DIPY AMT PCT: money DIPY MIN AMT: money DIPY MIN EXCD: char(3) DIPY\_MAX\_AMT: money DIPY\_MAX\_EXCD: char(3) DIPY\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS LAST UPD DTM: datetime SYS USUS ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CDS CKDX CHECK EXT

CKPY REF ID: char(16) REC\_ORDER: smallint REC\_KEY: varchar(50)

CHECK EXT DATA: char(1800)

MBDR ID V

MBDR\_ID: char(4)

Copyright 1997-2014 TriZetto Corporation. All rights reserved.

Confidential and Proprietary. Restricted Information.

#### CMC FIPM FICA PARM

FIPM\_EFF\_DT: datetime

FIPM\_TERM\_DT: datetime FIPM\_SS\_PCT: money FIPM\_MDCR\_PCT: money FIPM\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC NRAG NORM AGES

NRAG\_BIRTH\_YR\_FROM: smallint NRAG\_EFF\_DT: datetime

NRAG\_BIRTH\_YR\_TO: smallint NRAG\_TERM\_DT: datetime NRAG\_YEARS: smallint NRAG\_MONTHS: smallint NRAG\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC\_ODDS\_OFDE\_DESC

ODDS\_ID: char(4)

ODDS\_DESC: varchar(70)
ODDS\_TYPE: char(1)
ODDS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### MBDR\_ID\_V

MBDR\_ID: char(04)

#### CMC MBDR BEN DUR

MBDR\_ID: char(04) (FK)
MBDR\_AGE\_FROM: smallint
MBDR\_EFF\_DT: datetime

MBDR\_TERM\_DT: datetime
MBDR\_AGE\_TO: smallint
MBDR\_NRAG\_IND: char(1)
MBDR\_MONTHS: smallint
MBDR\_OPERAND: char(1)
MBDR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CMC\_MBDS\_DESC

MBDR\_ID: char(4)


MBDS\_DESC: varchar(70)
MBDS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CHAPTER 13


# HIPAA Development (FHD) Data Model

Page 1 of 13


#### Transaction Model



#### Interchange



#### Documents



Page 3 of 13

#### Code Definition

#### FHD SYCD SYS CD D

SYCD\_ENTITY: char(4) SYCD\_TYPE: char(24)

SYCD\_SYSTEM\_INDB: char(1)
SYCD\_MOD\_DESC\_INDB: char(1)
SYCD\_DESCS: varchar(80)
SYCD\_RESERVED: char(12)
SYCD\_LAST\_USUS\_ID: char(10)
SYCD\_LAST\_UPD\_DTM: datetime
SYCD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD\_SYCV\_SYS\_VAL\_D

SYCD\_ENTITY: char(4) (FK) SYCD\_TYPE: char(24) (FK) SYCV\_VALUE: char(4)

SYCV\_DESCS: varchar(80) SYCV\_VALUE\_SIZE: smallint SYCV\_RESERVED: char(12) SYCV\_LAST\_USUS\_ID: char(10) SYCV\_LAST\_UPD\_DTM: datetime SYCV\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### FHD\_PZCD\_PROD\_CD\_A

PZPZ\_ID: char(2) SYCD\_ENTITY: char(4) (FK) SYCD\_TYPE: char(24) (FK) SYCV\_VALUE: char(4) (FK)

PZCD\_DESCS: varchar(80)
PZCD\_FILTER: char(4)
PZCD\_RESERVED: char(12)
PZCD\_LAST\_USUS\_ID: char(10)
PZCD\_LAST\_UPD\_DTM: datetime
PZCD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD CKYN CONTRIVE

CKYN ID: char(4)

CKYN\_CKN: numeric(15,0) CKYN\_INC\_VALUE: smallint CKYN\_LOCK\_TOKEN: smallint

#### FHD\_STST\_STATUS\_D

PZPZ\_ID: char(2) GTGT\_PZCD\_CTYP: char(4) STST\_STS\_VALUE: int

STST\_DESCS: varchar(80) STST\_DESC: varchar(160) STST\_RESERVED: char(12) STST\_LAST\_USUS\_ID: char(10) STST\_LAST\_UPD\_DTM: datetime STST\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### FHD\_STSR\_STATUS\_R

PZPZ\_ID: char(2) STST\_PZCD\_CTYP: char(4) STST\_STS\_VALUE: int STSR\_SEQ\_NO: smallint

STSR\_RELATED\_STS: int STSR\_ACTIVE\_INDB: char(1) STSR\_RESERVED: char(12) STSR\_LAST\_USUS\_ID: char(10) STSR\_LAST\_UPD\_DTM: datetime STSR\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

Page 4 of 13

#### Job Control

#### FHD\_SECT\_JOB\_CTL\_X

PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
SENG\_ENGINE\_NUMBER: smallint

SECT\_REQ\_STS: int
SECT\_RSP\_STS: int
SECT\_REQ\_DTM: datetime
SECT\_REQ\_USUS: char(10)
SECT\_RSP\_DTM: datetime
SECT\_RSP\_USUS: char(10)
SECT\_REQ\_CMD: varchar(128)
SECT\_REQ\_PARMS: varchar(128)
SECT\_REQ\_PARMS: varchar(255)
SECT\_RESERVED: char(12)
SECT\_LAST\_USUS\_ID: char(10)
SECT\_LAST\_UPD\_DTM: datetime
SECT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD\_SEST\_ENG\_ST

PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
SENG\_ENGINE\_NUMBER: smallint


SEST\_RUN\_STS: int
SEST\_RUN\_RPM: int
SEST\_CREATE\_DTM: datetime
SEST\_LAST\_TXN\_DTM: datetime
SEST\_LAST\_TXN\_DTM: datetime
SEST\_LAST\_TXN\_DTM: datetime
SEST\_ROW\_UPD\_CTR: int
SEST\_UNIT\_CTR: int
SEST\_TO\_RESP\_SEC\_L: numeric(10,4)
SEST\_BE\_RESP\_SEC\_L: numeric(10,4)
SEST\_GW\_RESP\_SEC\_L: numeric(10,4)
SEST\_TO\_RESP\_SEC\_A: numeric(10,4)
SEST\_BE\_RESP\_SEC\_A: numeric(10,4)
SEST\_GW\_RESP\_SEC\_M: numeric(10,4)
SEST\_TO\_RESP\_SEC\_M: numeric(10,4)
SEST\_BE\_RESP\_SEC\_M: numeric(10,4)
SEST\_BE\_RESP\_SEC\_X: numeric(10,4)
SEST\_GW\_RESP\_SEC\_X: numeric(10,4)
SEST\_BE\_RESP\_SEC\_X: numeric(10,4)
SEST\_BE\_RESP\_SEC\_X: numeric(10,4)
SEST\_BE\_RESP\_SEC\_X: numeric(10,4)
SEST\_GW\_RESP\_SEC\_X: numeric(10,4)
SEST\_LAST\_USUS\_ID: char(12)
SEST\_LAST\_USUS\_ID: char(10)
SEST\_LAST\_UPD\_DTM: datetime
SEST\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD\_SEHI\_ENG\_HIST

PZPZ\_ID: char(2) (FK)
PZAP\_APP\_ID: char(4) (FK)
SENG\_ENGINE\_NUMBER: smallint (FK)
SEHI\_ROW\_ID: numeric(10,0)


SEST\_RUN\_STS: int SEST\_RUN\_RPM: int SEST\_CREATE\_DTM: datetime SEST\_LAST\_TXN\_DTM: datetime SEST\_ROW\_UPD\_CTR: int SEST\_UNIT\_CTR: int SEST\_TO\_RESP\_SEC\_L: numeric(10,4) SEST\_BE\_RESP\_SEC\_L: numeric(10,4) SEST\_GW\_RESP\_SEC\_L: numeric(10,4) SEST\_TO\_RESP\_SEC\_A: numeric(10,4) SEST\_BE\_RESP\_SEC\_A: numeric(10,4) SEST\_BE\_RESP\_SEC\_A: numeric(10,4)
SEST\_TO\_RESP\_SEC\_M: numeric(10,4)
SEST\_BE\_RESP\_SEC\_M: numeric(10,4) SEST\_GW\_RESP\_SEC\_M: numeric(10,4)
SEST\_TO\_RESP\_SEC\_X: numeric(10,4)
SEST\_BE\_RESP\_SEC\_X: numeric(10,4) SEST\_GW\_RESP\_SEC\_X: numeric(10,4) SEST\_RESERVED: char(12) SEST\_LAST\_USUS\_ID: char(10) SEST\_LAST\_UPD\_DTM: datetime SEST\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

#### Index Definition and Storage




Page 6 of 13

**Entity Definition** 




Page 7 of 13





Page 9 of 13

#### **External Entity Registration**



#### FHG\_EXVT\_TRANS\_U

EXSY\_PZCD\_TYPE: char(4) EXVT\_PZCD\_TYPE: char(4) GTGT\_PZCD\_BTYP: char(4)

EXVT\_RESERVED: char(12)
EXVT\_LAST\_USUS\_ID: char(10)
EXVT\_LAST\_UPD\_DTM: datetime
EXVT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

Page 10 of 13

#### HIPAA Privacy Batch

#### FHD\_PTII\_WORK

PTII\_ROW\_ID: numeric

PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric GTST\_STS\_CURR: int

#### FHD\_PTMR\_WORK

PTMR\_ROW\_ID: numeric

PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric GTST\_STS\_CURR: int DOHD\_CKN: numeric(15,0)

#### FHD\_PTMO\_WORK

PTMO\_ROW\_ID: numeric

PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric
GTGT\_PZCD\_BTYP: char(4)
GTST\_STS\_CURR: int


#### FHD\_TFEX\_EDI\_XML\_D

TFTF\_ID: char(8)
TFTF\_SEQ\_NO: smallint

TFEX\_DATA\_FILE: varchar(70)
TFEX\_OBJECT: varchar(70)
TFEX\_METHOD: varchar(70)
TFEX\_RESERVED: char(12)
TFEX\_LAST\_USUS\_ID: char(10)
TFEX\_LAST\_UPD\_DTM: datetime
TFEX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

Page 11 of 13

#### **Transformation Method Tables**



Page 12 of 13

#### Application/Message Relationship

#### FHD\_APMR\_APP\_MSG\_R

PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) SYMD\_ID: char(8)

APMR\_RESERVED: char(12)
APMR\_LAST\_USUS\_ID: char(10)
APMR\_LAST\_UPD\_DTM: datetime
APMR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD\_SYMR\_MSG\_ID\_R

SYMD\_ID: char(8) SYMD\_ID\_REL: char(8)

SYMR\_RESERVED: char(12) SYMR\_LAST\_USUS\_ID: char(10) SYMR\_LAST\_UPD\_DTM: datetime SYMR\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### FHD\_PMOV\_PARM\_OVERRIDE

PMOV\_ID: varchar(35)
PZPZ\_ID: char(2)
SCSC\_SECTION\_ID: char(20)
PMSC\_PARM\_ID: char(20)

PZPV\_SEQ\_NO: smallint PMOV\_RESERVED: char(12) PMOV\_LAST\_UPD\_USUS: char(10) PMOV\_LAST\_UPD\_DTM: datetime PMOV\_LOCK\_TOKEN: smallint AXTR\_SOURCE\_ID: datetime

Page 13 of 13

#### FHD\_CDTR\_CD\_TRAN\_D

CDTR\_ID: char(4)
CDTR\_PZCD\_TYPE: char(4)
CDTR\_PZCD\_STYP: char(4)
CDTR\_FROM\_QUAL: char(8)
CDTR\_FROM\_VAL: char(4)
CDTR\_TO\_QUAL: char(8)

CDTR\_TO\_VAL: varchar(255)
CDTR\_RESERVED: char(12)
CDTR\_LAST\_USUS\_ID: char(10)
CDTR\_LAST\_UPD\_DTM: datetime
CDTR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHD\_CDQT\_TO\_QUAL\_D

CDTR\_ID: char(4)
CDTR\_PZCD\_TTYP: char(4)
CDTR\_PZCD\_STYP: char(4)
CDTR\_TO\_QUAL: char(8)

CDTR\_TO\_QUAL\_DESCS: varchar(80)
CDQT\_RESERVED: char(12)
CDQT\_LAST\_USUS\_ID: char(10)
CDQT\_LAST\_UPD\_DTM: datetime
CDQT\_LOCK\_TOKEN: smallint
AXTR\_SOURCE\_ID: datetime

#### FHD\_CDQF\_FR\_QUAL\_D


CDTR\_ID: char(4)
CDTR\_PZCD\_TTYP: char(4)
CDTR\_PZCD\_STYP: char(4)
CDTR\_FROM\_QUAL: char(8)

CDTR\_FR\_QUAL\_DESCS: varchar(80)
CDQF\_RESERVED: char(12)
CDQF\_LAST\_USUS\_ID: char(10)
CDQF\_LAST\_UPD\_DTM: datetime
CDQF\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime


**CHAPTER 14** 

# **HIPAA Gateway (FHG) Data Model**

#### Gateway Transaction Model - Inbound




#### Gateway Transaction Model - Outbound




Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.


## Gateway Transaction Model - Real-Time



#### Gateway Transaction Model - Compliance



#### X12 Envelope Data



#### Inbound Batch

#### Work Tables

#### Outbound Batch

#### FHG JPIC WORK

JPIC\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0)

#### FHG JPIU WORK

JPIU\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0)

#### FHG\_JPIF\_WORK

JPIF\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) XGSS\_SEQ\_NOL: int XSTS\_SEQ\_NOL: int EXSY\_ID\_DEST: char(4) GTGT\_PZCD\_BTYP: char(4) GTGT\_SIZE: numeric(15,0)

#### FHG\_JPIP\_WORK

JPIP ROW ID: numeric(10,0)

PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) EXSY\_ID\_DEST: char(4) GTGT\_PZCD\_BTYP: char(4)

#### FHG JPIS WORK

JPIS\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0)

#### FHG JPIT WORK

JPIT\_ROW\_ID: numeric(10,0)

PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric(15,0)
XGSS\_SEQ\_NOL: int
XSTS\_SEQ\_NOL: int
EXSY\_ID\_DEST: char(4)
GTGT\_PZCD\_BTYP: char(4)
GTGT\_SIZE: numeric(15,0)

#### FHG JPOR WORK

JPOR\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) EXSY\_ID\_DEST: char(4) GTGT\_PZCD\_BTYP: char(4) GTGT\_SIZE: numeric(15,0)

#### FHG JPOF WORK

JPOF\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) EXSY\_ID\_SOURCE: char(4) GTGT\_PZCD\_BTYP: char(4)

#### FHG JPOE WORK

JPOE\_ROW\_ID: numeric(10,0)
PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric(15,0)
EXSY\_ID\_DEST: char(4)
GTOP\_UNIT\_COUNT: int
GTOP\_EC\_CUSTNO: char(35)

#### FHG JPOS WORK

JPOS\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) GTGT\_SIZE: numeric(15,0)

#### FHG JPOM WORK

JPOM\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) EXSY\_ID\_DEST: char(4) GTGT\_PZCD\_BTYP: char(4) GTGT\_SIZE: numeric(15,0)

### FHG\_JPAI\_WORK

ate Ind

JPAI\_ROW\_ID: numeric(10,0)
PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric(15,0)
EXSY\_ID\_SOURCE: char(4)
GTGT\_PZCD\_BTYP: char(4)

#### FHG\_JPOU\_WORK

JPOU\_ROW\_ID: numeric(10,0) PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0) EXSY\_ID\_DEST: char(4) GTGT\_PZCD\_BTYP: char(4) GTGT\_SIZE: numeric(15,0)

#### FHG\_GTAR\_WORK

d A

Batch

GTGT\_CKN: numeric(15, DOHD\_CKN: numeric(15 PURGE\_IND: char(1) SYIN\_INST: int

#### FHG DOAR WORK

DOHD\_CKN: numeric(15,0) CATEGORY: char(04) XGSS\_SEQ\_NOL: int SYIN\_INST: int

#### FHG JPOC WORK

JPOC\_ROW\_ID: numeric(10,0)
PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric(15,0)
EXSY\_ID\_DEST: char(4)
GTGT\_PZCD\_BTYP: char(4)
GTGT\_SIZE: numeric(15,0)

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

#### FHG JPVR WORK

JPVR\_ROW\_ID: numeric(10,0)
PZPZ ID: char(2)

PZPZ\_ID: char(2) PZAP\_APP\_ID: char(4) GTGT\_CKN: numeric(15,0)

#### FHG JPOP WORK

JPOP\_ROW\_ID: numeric(10,0)
PZPZ\_ID: char(2)
PZAP\_APP\_ID: char(4)
GTGT\_CKN: numeric(15,0)
EXSY\_ID\_DEST: char(4)
GTGT\_PZCD\_BTYP: char(4)
GTOU\_EC\_CUSTNO: varchar(35)

#### **Business Type Translation**

#### FHG BTTR BTYP TR D

PZPZ ID: char(2) BTTR\_PZCD\_VTYP: char(4) BTTR\_VALUE: char(24)

GTGT\_PZCD\_BTYP: char(4) HDOC\_TYPE: varchar(25) BTTR\_RESERVED: char(12) BTTR\_LAST\_USUS\_ID: char(10)
BTTR\_LAST\_UPD\_DTM: datetime
BTTR\_LOCK\_TOKEN: smallint ATXR SOURCE\_ID: datetime

#### Purge and Archive Status

#### FHG GTPA PURGE X

GTGT CKN: numeric(15,0)

GTPA PZCD TYPE: char(4) GTPA PURGE DTM: datetime GTPA INDEX\_IND: char(1) SYIN INST: int GTPA\_RESERVED: char(12) GTPA\_LAST\_USUS\_ID: char(10) GTPA\_LAST\_UPD\_DTM: datetime GTPA\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

#### FHG SYMC MED CON D

### SYMC PZCD TYPE: char(4)

SYMC PZCD MTYP: char(4) SYMC MEDIA INFO1: varchar(250) SYMC MEDIA INFO2: varchar(250) SYMC MEDIA INFO3: varchar(250) SYMC MEDIA INFO4: varchar(250) SYMC RESERVED: char(12) SYMC LAST USUS ID: char(10) SYMC\_LAST\_UPD\_DTM: datetime SYMC LOCK TOKEN: smallint ATXR SOURCE ID: datetime

System Media Connections

#### TA1 ACKNOWLEGDMENT TABLES

#### FHG\_TPOT\_OUTBOUND\_U

CUSTNO: varchar(35) GTGT PZCD BTYP: char(4)

TPOT ACTIVE IND: char(1)

TPOT ISA13: int TPOT GS06: int

TPOT ISA15: char(1)

TPOT LAST USUS ID: char(10) TPOT LAST UPD DTM: datetime TPOT LOCK TOKEN: smallint ATXR SOURCE ID: datetime

#### FHG TPET ENVL D

TPET\_ID: varchar(15)

TPET PZCD TYPE: char(4)

TPET\_NAME: varchar(50)

TPET\_DESCL: varchar(255)

TPET\_IT\_ISA05: char(2)

TPET\_IBOX: varchar(255)

TPET OBOX: varchar(255) TPET CORE\_INDB: char(1)

TPET TA1 INDB: char(1)

TPET ISA14 POS IND: char(1)

TPET ISA14 NEG IND: char(1)

TPET IT ISA03 IND: char(1)

TPET IT ISA04: char(10)

TPET OT ISA03: char(2)

TPET OT ISA04: char(10)

TPET OT ISA14: char(1)

TPET\_LAST\_UPD\_DTM: datetime

TPET\_LAST\_UPD\_USUS: char(10)

TPET\_LOCK\_TOCKEN: smallint ATXR SOURCE ID: datetime

#### FHG GTAK ACK X

GTGT\_CKN: numeric(15,0) GTAK\_PZCD\_KTYP: char(4)

GTAK\_ACTION\_TYPE: char(1) GTAK\_ACK\_CODE: char(1) GTGT\_CKN\_ACK\_TRAN: nume GTAK\_LAST\_USUS\_ID: char(1(GTAK\_LAST\_UPD\_DTM: datetilGTAK\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

#### FHG TPCA INBOUND U

CUSTNO: varchar(35) GTGT\_PZCD\_BTYP: char(4)

TPCA\_ACK\_INDB: char(1)
TPCA\_LAST\_USUS\_ID: char(10)
TPCA\_LAST\_UPD\_DTM: datetime
TPCA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHG EDTX EDI STRUCTURE

EDTX\_CKN: numeric(15,0)

EDTX\_STATUS: smallint
EDTX\_LAST\_USUS\_ID: char(10)
EDTX\_LAST\_UPD\_DTM: datetime
EDTX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHG\_AICL\_ATL\_CLAIM\_ID\_U

CLCL\_ID: char(12)

INTL\_CNTL\_ID: varchar(50)
AICL\_STS: smallint
SYIN\_INST: int
AICL\_LAST\_USUS\_ID: char(10)
AICL\_LAST\_UPD\_DTM: datetime
AICL\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHG EDTD EDI DETAIL CLAIM


EDTX\_CKN: numeric(15,0) (FK) EDTD\_SEQ\_NOL: int

EDTD\_ST\_SEQ\_NO: smallint EDTD\_HL\_SEQ\_NO: smallint GTGT\_CKN: numeric(15,0) EDTD\_LAST\_USUS\_ID: char(10) EDTD\_LAST\_UPD\_DTM: datetime EDTD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime


#### **CHAPTER 15**


# **HIPAA Privacy Data Model**

#### Member Transactions



Member Transactions





#### Covered Entity

#### FHP\_PCED\_COV\_ENT\_D

PCED\_CKE: int

PCED\_ID: char(4)
PCED\_CTYP: char(4)
PCED\_EFF\_DT: datetime
PCED\_TERM\_DT: datetime
PCED\_PZCD\_TRSN: char(4)
PCED\_RESERVED: char(12)
PCED\_LAST\_USUS\_ID: char(10)
PCED\_LAST\_UPD\_DTM: datetime
PCED\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHP\_PBEA\_AGREE\_D

#### PBEA\_ID: char(8)

PBEA\_PZCD\_TYPE: char(4)
PBEA\_DOC\_NAME: varchar(80)
PBEA\_DESC: varchar(160)
PBEA\_RESERVED: char(12)
PBEA\_LAST\_USUS\_ID: char(10)
PBEA\_LAST\_UPD\_DTM: datetime
PBEA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### FHP\_PMAT\_AUTH\_D

#### PMAT\_ID: char(8)

PMAT\_PZCD\_TYPE: char(4)
PMAT\_DOC\_NAME: varchar(80)
PMAT\_DESC: varchar(160)
PMAT\_RESERVED: char(12)
PMAT\_LAST\_USUS\_ID: char(10)
PMAT\_LAST\_UPD\_DTM: datetime
PMAT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### **Business Entity**

#### FHP\_PBED\_BUSINES\_D


```
PBED_CKE: int


PBED_ID: varchar(24)
PBED_CTYP: char(4)
PBED_PZCD_TYPE: char(12)
PBED_RESERVED: char(12)
PBED_LAST_USUS_ID: char(10)
PBED_LAST_UPD_DTM: datetime
PBED_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
```

PBED\_CKE: int (FK)
PBEX\_SEQ\_NO: smallint
PBEX\_EFF\_DT: datetime

PBEX\_ORIG\_END\_DT: datetime
PCED\_CKE: int
PBEA\_ID: char(8)
PBEX\_TERM\_DTM: datetime
PBEX\_PZCD\_TRSN: char(4)
PBEX\_RESERVED: char(12)
PBEX\_LAST\_USUS\_ID: char(10)
PBEX\_LAST\_UPD\_DTM: datetime
PBEX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### Member Batch





Privacy Filter - Rules PZAP V PZPZ\_ID: char(2) PZAP APP ID: char(4) from\_CER\_PZAP\_APP: text FHP RLRU RULE U RLRU\_ROW\_ID: numeric(10,0) PZPZ ID: char(2) (FK) PZAP\_APP\_ID: char(4) (FK) RLRL\_ID: char(16) (FK) RLRU\_EFF\_DT: datetime RLRU\_TERM\_DTM: datetime RLRU\_PZCD\_TRSN: char(4) RLRU\_CREATE\_DTM: datetime RLRU\_RESERVED: char(12) RLRU\_LAST\_USUS\_ID: char(10) RLRU\_LAST\_UPD\_DTM: datetime RLRU\_LOCK\_TOKEN: smallint DOHD V DOHD\_CK: numeric(15,0) ATXR SOURCE ID: datetime FHP\_RLRL\_RULE\_D FHP\_RLCD\_COND\_D FHP\_RLRG\_REQ\_GRP\_D RLRL ID: char(16) RLCD ID: char(16) RLRG\_ID: char(16) RLRL\_NAME: varchar(30) RLCD\_NAME: varchar(30) RLRG\_ID: char(16) (FK) RLRG NAME: varchar(30) RLCD\_DESCS: varchar(80) RLCD\_ID: char(16) (FK) RLRG DESCS: varchar(80) DOHD\_CKN: numeric(15,0) RLAG\_ID: char(16) (FK) RLRG RESERVED: char(12) RLCD\_RESERVED: char(12) RLRG\_LAST\_USUS\_ID: char(10)
RLRG\_LAST\_UPD\_DTM: datetime
RLRG\_LOCK\_TOKEN: smallint RLRL\_DESCS: varchar(80) RLCD\_LAST\_USUS\_ID: char(10) RLRL\_RESERVED: char(12) RLCD\_LAST\_UPD\_DTM: datetime RLRL\_LAST\_USUS\_ID: char(10) RLCD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime RLRL\_LAST\_UPD\_DTM: datetime ATXR\_SOURCE\_ID: datetime RLRL LOCK TOKEN: smallint ATXR SOURCE ID: datetime FHP\_RLRA\_RQR\_D RLRG\_ID: char(16) (FK) RLRA\_SEQ\_NO: smallint FHP\_RLAG\_ACT\_GRP\_D RLRA RQR CTYP: char(4) RLAG\_ID: char(16) RLRA\_RESERVED: char(12) RLRA LAST USUS ID: char(10) RLAG\_NAME: varchar(30) RLRA\_LAST\_UPD\_DTM: datetime RLRA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime RLAG\_PZCD\_ACTION: char(4) RLAG\_DENY\_INDB: char(1) RLAG\_DESCS: varchar(80) RLAG RESERVED: char(12) RLAG LAST USUS ID: char(10) RLAG\_LAST\_UPD\_DTM: datetime RLAG\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime FHP\_RLCU\_COL\_ACT\_U FHP\_RLAP\_APP\_A RLAG ID: char(16) (FK) PZPZ\_ID: char(2) PZPZ\_ID: char(2) (FK) PZAP\_APP\_ID: char(4) (FK) PZAP\_APP\_ID: char(4) RLCU\_SEQ\_NO: smallint PZAP\_V RLAP DESCS: varchar(80) RLAP CREATE DTM: datetime PZPZ\_ID: char(2) RLCU\_REPLACE\_IND: char(1) RLAP RESERVED: char(12) PZAP\_APP\_ID: char(4) RLCU\_REPLACE\_VALUE: varchar(32) RLAP\_LAST\_USUS\_ID: char(10)
RLAP\_LAST\_UPD\_DTM: char()
RLAP\_LOCK\_TOKEN: smallint RLCU\_COLUMN\_NAME: varchar(48) from\_CER\_PZAP\_APP: text RLCU\_RESERVED: char(12) RLCU\_LAST\_USUS\_ID: char(10)
RLCU\_LAST\_UPD\_DTM: datetime
RLCU\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime ATXR\_SOURCE\_ID: datetime

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

#### **CHAPTER 16**

# **ITS Claim Data Model**

## **ITS Claim Domain Tables**

#### CMC CIFH ITS FD

SYIN\_INST: numeric(18,0)
MEME\_CK: int
CLCL\_ID: char(12)
CIFH\_TRANS\_ID: char(1)
CIFH\_REC\_TYPE: char(2)
CIFH\_REC\_SEQ\_NUM: smallint
CIFH\_SEQ\_NO: smallint

CIFH\_CREATE\_DT: datetime
CIFH\_STATUS: smallint
CIFH\_DATA\_1: varchar(237)
CIFH\_DATA\_3: varchar(237)
CIFH\_DATA\_4: varchar(237)
CIFH\_DATA\_5: varchar(237)
CIFH\_DATA\_6: varchar(237)
CIFH\_DATA\_6: varchar(237)
CIFH\_DATA\_7: varchar(237)
CIFH\_DATA\_8: varchar(237)

#### CMC CISQ WORK QUE

CISQ\_ROW\_ID: numeric(10,0) identity

CLCL\_ID: char(12)

MEME\_CK: int

CLMI\_ITS\_CUR\_STS: char(2)

CLMI\_HOST\_PLAN\_CD: char(3)

#### CMC CIDH ITS DF

CIDH\_ROW\_ID: numeric(10,0)

CLCL\_ID: char(12)

CIDH\_DF\_TYPE: char(2)

CIDH\_DF\_SEQ\_NO: smallint

CIDH\_SEQ\_NO: smallint

CIDH\_STATUS: smallint

CIDH\_CREATE\_DTM: datetime

CIDH\_DATA\_1: varchar(238)

CIDH\_DATA\_2: varchar(238)

CIDH\_DATA\_3: varchar(238)

CIDH\_DATA\_4: varchar(238)

CIDH\_DATA\_5: varchar(238)

CIDH\_DATA\_6: varchar(238)

CIDH\_DATA\_6: varchar(238)

CIDH\_DATA\_7: varchar(238)

CIDH\_DATA\_8: varchar(238)

#### **CHAPTER 17**

# **ITS Plan Data Model**

Page 1 of 2 CMCEITSP.ER1

#### ITSP domain tables

CMC\_ITPP\_PLAN\_PRFL

ITPP\_PRIMARY\_ACCES: char(12)
ITPP\_LOCAL\_PLAN\_CD: char(3)
ITPP\_CLAIM\_TYPE: char(2)
ITPP\_EFE\_START\_DT: datetime
ITPP\_R\_I\_START\_DT: datetime

ITPP\_EFF\_END\_DT: datetime
ITPP\_EFF\_END\_DT: datetime
ITPP\_RI\_CODE: char(1)
ITPP\_RI\_END\_DT: datetime
ITPP\_CTRL\_PLAN\_CD: char(3)
ITPP\_ORIG\_PAR\_DT: datetime
ITPP\_SUBM\_PRCS\_IND: char(1)
ITPP\_SUBM\_EDIT\_IND: char(1)
ITPP\_PRCD\_DATA\_IND: char(1)
ITPP\_PRCE\_DATA\_IND: char(1)
ITPP\_PRCE\_DATA\_IND: char(1)
ITPP\_PRCG\_DATA\_IND: char(1)
ITPP\_PRCG\_DATA\_IND: char(1)
ITPP\_CL\_DEVLP\_IND: char(1)
ITPP\_LOC\_STN\_CD\_S: char(4)
ITPP\_LOC\_STN\_CD\_S: char(4)
ITPP\_PRCS\_TN\_CD\_S: char(3)
ITPP\_SCCF\_PRCS\_PLM: char(3)

ITPP\_SCCF\_PRCS\_PLN: char(3)
ITPP\_PLAN\_PAYER\_CD: char(1)

ITPP\_PLAN\_PAYER\_Q1: char(2) ITPP\_PLAN\_PAYER\_Q2: char(2)

ITPP\_PLAN\_PAYER\_Q3: char(2)
ITPP\_PLAN\_PAYER\_Q4: char(2)

ITPP\_PLAN\_PAYER\_Q5: char(2) ITPP\_SCDF\_TYPE\_CD: char(1)

ITPP\_SCDF\_TYPE\_CD: char(1)
ITPP\_STATISTIC\_CD: char(1)
ITPP\_X1099\_GEN\_CD: char(1)
ITPP\_EOB\_GEN\_CD: char(1)
ITPP\_SMT\_MO\_CD\_DR: char(4)
ITPP\_NC\_STN\_CD\_DR: char(4)
ITPP\_RULE\_UPDT\_DT: datetime

IIIPP PRC SIN CD Dr: char(4)
IIPP RULE UPDT DT: datetime
ITPP\_CFA\_CD: char(1)
ITPP ADM\_EXP\_AL\_CD: char(1)
ITPP\_ADM\_EXP\_AL\_CD: char(1)
ITPP\_AEA\_NSTD\_AMT: money
ITPP\_MANAG\_CARE\_CD: char(1)
ITPP\_UPF\_PR\_EDT\_CD: char(1)
ITPP\_DELIVERY\_METH: char(1)
ITPP\_DELIVERY\_METH: char(1)
ITPP\_ROD\_TYPE\_CD: char(1)
ITPP\_ROD\_TYPE\_CD: char(1)
ITPP\_ADJ\_EDIT\_IND: char(1)
ITPP\_NATTON\_OOA\_CD: char(1)
ITPP\_NATTON\_OOA\_CD: char(1)
ITPP\_NEWEFF\_END\_DT: datetime
ITPP\_CTL\_STN\_CD\_PP: char(4)
ITPP\_LOC\_STN\_CD\_PP: char(4)
ITPP\_LOC\_STN\_CD\_PP: char(4)
ITPP\_LOC\_STN\_CD\_PP: char(4)
ITPP\_LOC\_STN\_CD\_PP: char(4)
ITPP\_ACCT\_PLN\_NAME: char(35)
ITPP\_LAST\_CHNG\_DT: datetime
ITPP\_OPERATOR\_ID: char(8)

ITPP\_OPERATOR\_ID: char(8)
ITPP\_STATUS\_CD: char(1)
ITPP\_STATUS\_QUAL: char(2)
ITPP\_CTL\_CREATE\_DT: datetime


ITPP\_CTL\_VERIFY\_DT: datetime
ITPP\_CTL\_DIST\_DT: datetime
ITPP\_LOC\_RECP\_DT: datetime
ITPP\_LOC\_VERIFY\_DT: datetime

ITPP\_LOC\_VERITY\_DIT. datetime
ITPP\_CTL\_RECP\_DT: datetime
ITPP\_CTL\_CANCEL\_DT: datetime
ITPP\_CTL\_CANCEL\_DT: datetime
ITPP\_LOC\_CANCEL\_DT: datetime
ITPP\_LAST\_PRCS\_DTM: datetime

ITPP\_LAST\_UPD\_DT: datetime
ITPP\_CL\_LST\_UPD\_DT: datetime
ITPP\_PREC\_VER\_NO: char(3)
ITPP\_ACCT\_TYPE\_CD: char(1)
ITPP\_WW\_BEN\_IND: char(01)

ITPP\_ADDL\_DATA: varchar(255)
ITPP\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime



#### CMC\_ICPE\_PR\_ENTITY

PRPR\_ENTITY: char(01) ICPE\_SEQ\_NO: smallint

PRPR\_MCTR\_TYPE: char(04)
ICPE\_ENTITY\_TYPE: char(01)
ICPE\_ADDL\_DATA: varchar(255)
ICPE\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_IHRA\_ITS\_ADMIN

IHRA\_ITS\_PFX: char(4)

IHRA\_MODEL: char(1)
IHRA\_ADDL\_DATA: varchar(255)
IHRA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_ITPR\_PRXY\_PROV

ITPR\_PFX: char(4)
ITPR\_SEQ\_NO: smallint

ITPR\_SEQ\_NO: smallint
ITPR\_ITS\_CL\_TYPE: char(2)
ITPR\_CLASS\_PROV: char(1)
ITPR\_PROV\_TYPE: char(4)
ITPR\_PROV\_SPEC: char(2)
ITPR\_PPO\_AVAIL: char(1)
ITPR\_PPO\_AVAIL: char(1)
ITPR\_ECRP\_CD: char(4)
ITPR\_ECRP\_CD: char(4)
ITPR\_ADDL\_DATA: varchar(255)
ITPR\_ADDL\_DATA: varchar(255)
ITPR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
IHS\_PRPR\_ID\_NVL: char(12)
RCRC\_ID\_NVL: char(4)

#### CMC\_ITAG\_PROV\_SANC

ITAG\_PFX: char(4) ITAG\_ITS\_CL\_TYPE: char(2)

ITAG\_SPR\_CD: char(3)
ITAG\_SPR\_CD: char(3)
ITAG\_SPR\_AMT: money
ITAG\_SPR\_PCT: money
ITAG\_SPR\_CD\_DAYS: char(3)
ITAG\_SPR\_DAYS\_AMT: money
ITAG\_ADDL\_DATA: varchar(255)
ITAG\_ADDL\_DATA: varchar(255)
ITAG\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)


#### CMC\_ITCB\_OPL\_METH


#### ITCB\_SEQ\_NO: smallint

ITCB\_COB\_CALC\_METH: char(1)
ITCB\_SPPQ\_IND: char(1)
ITCB\_CHRG\_CD: char(1)
ITCB\_OPL\_CALC\_METH: char(3)
ITCB\_ADDL\_DATA: varchar(255)
ITCB\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime


# CHAPTER 18


# **Managed Care Data Model**






MCAN\_PTRL\_ANSI\_CD: char(2) MCOT\_LOCK\_TOKEN: smallint








CMC\_MCPM\_PBP\_MAP


GRGR\_ID: char(08)
METR\_PBP\_ID: char(03)
METR\_PARTD\_SBSDY: char(03)
METR\_COPAY\_CAT: char(01)
MCPM\_EFF\_DT: datetime

MCPM\_EFF\_DT: datetime
SGSG ID: char(04)
CSCS\_ID: char(04)
CSPD\_CAT: char(01)
CSPI\_ID: char(08)
MCPM\_RX\_GROUP: varchar(15)
MCPM\_RXBIN: char(06)
MCPM\_RXPCN: char(10)
MCPM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

CHAPTER 19

# **Member/Subscriber Data Model**





To Page 1 (MCRE)

Facets Member/Subscriber Data Model - 5.10.006 CMC MEPR PRIM PROV Page 3 MEME CK: int (FK) CMC\_MEEL\_ELIG\_ENT CMC MECB COB of 11 MEPR\_PCP\_TYPE: char(2)
MEPR\_EFF\_DT: datetime MEME\_CK: int (FK)
MEEL\_EFF\_DT: datetime MEME\_CK: int (FK) MECB\_INSUR\_TYPE: char(1) MECB\_INSUR\_ORDER: char(1) MEPR\_TERM\_DT: datetime MEPR\_MCTR\_TRSN: char(4) MEPR\_MCTR\_ORSN: char(4) MEPR\_MCTR\_ERSN: char(4) MEEL\_INSQ\_DT: datetime MECB MCTR\_STYP: char(4) CMC MEME MEMBER GRGR CK: int MECB\_EFF\_DT: datetime MEEL\_ELIG\_TYPE: char(2) MEME\_CK: int MECB\_TERM\_DT: datetime MECB\_MCTR\_TRSN: char(4) GRGR\_CK: int PRPR ID: char(12) CSPD\_CAT: char(1) GRGR\_CK: int SBSB\_CK: int (FK) MEME\_SFX: smallint ID: char(8) EXCD ID: char(3) MEPR\_SOURCE: char(1)
MEPR\_DEMGRPHC\_IND: char(1) GRGR CK: int MEEL\_MCTR\_RSN: char(4) MCRE\_ID: char(9)
MECB\_POLICY\_ID: varchar(25)
MECB\_MCTR\_MSP: char(4) MEME\_REL: char(1) MEPR\_CR\_EFF\_DT: datetime
MEPR\_CR\_TERM\_DT: datetime
MEPR\_CAP\_REL\_ENT: char(12)
PDPD\_CAP\_RET\_MOS: smallint MEEL\_VOID\_IND: char(1)
MEEL\_MCTR\_ORSN: char(4) MEME\_ID\_NAME: char(6)
MEME\_LAST\_NAME: char(35)
MEME\_FIRST\_NAME: char(15) USUS\_ID: char(10) MEEL\_UPDATE\_DTM: datetime MECB\_MCTR\_PTYP: char(4) MECB\_RXBIN: char(6) MEME\_MID\_INIT: char(1) MEEL\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime MEPR\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime MECB\_RXPCN: varchar(10) MECB\_RX\_GROUP: varchar(15) MEME\_TITLE: char(10)
MEME\_ORIG\_EFF\_DT: datetime MECB\_RX\_ID: varchar(20)
MECB\_LAST\_VER\_DT: datetime
MECB\_LAST\_VER\_NAME: varchar(30
MECB\_MCTR\_VMTH: char(4) SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) (SBSB) MEME\_SSN: char(9) MEME\_SEX: char(1) MEME BIRTH DT: datetime CMC\_MECH\_CLM\_HOLD CMC MEST STUDENT MEME\_WRK\_PHONE: char(20) MECB\_LOI\_START\_DT: datetime
MECB\_PRIM\_LAST\_NM: varchar(35) MEME\_WRK\_PHONE\_EXT: char(4)
MEME\_MCTR\_STS: char(4) MECH\_EFF\_DT: datetime MEME\_CK: int (FK)
MEST\_EFF\_DT: datetime MECB\_PRIM\_FIRST\_NM: varchar(15) MEME\_CK: int (FK) CMC\_MEHE\_HEALTH\_DETL MEME\_MCTR\_LANG: char(4) MECB\_PRIM\_ID: varchar(40) MECB\_LOCK\_TOKEN: smallint MECH\_TERM\_DT: datetime MECH\_DATE\_IND: char(1) CLST\_MCTR\_REAS: char(4) MEME\_RECORD\_NO: char(11)
MEME\_LATE\_ENR\_IND: char(1)
MEME\_MARITAL\_STATUS: char(1) MEST TERM DT: datetime MEME\_CK: int (FK) MEST\_MCTR\_TRSN: char(4) MEHE\_IPCD\_ID: char(7)
MEHE\_LAST\_DT: datetime ATXR SOURCE ID: datetime GRGR CK: int SYS\_LAST\_UPD\_DTM: datetime MECH STS: char(1) MEST\_SCHOOL\_NAME: char(50) MEME\_HICN: char(12) SYS\_USUS\_ID: varchar(48) MEST\_TYPE: char(1)
MEST\_LAST\_VER\_DT: datetime
MEST\_LAST\_VER\_NAME: char(30)
MEST\_MCTR\_VMTH: char(4) MEME\_MEDCD\_NO: char(20)
MEME\_FAM\_LINK\_ID: char(12)
SBAD\_TYPE\_HOME: char(1)
SBAD\_TYPE\_MAIL: char(1) ATSY\_ID: char(4) MEHE\_PFX: char(1) MEHE\_SFX: char(1) SYS\_DBUSER\_ID: varchar(48) ATLD\_ID: varchar(32)
MECH\_LOCK\_TOKEN: smallint MEHE\_NEXT\_DT: datetime MEHE\_COMMENT: char(40) ATXR\_SOURCE\_ID: datetime MEST\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime SBAD\_TYPE\_WORK: char(1)
MEME\_LAST\_NAME\_XLOW: char(8) MEHE\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime MEME\_CCC\_START\_DT: datetime
MEME\_CCC\_END\_DT: datetime
MEME\_PREX\_EFF\_DT: datetime
MEME\_PREX\_CRED\_DAYS: smallint CMC\_MERD\_RATE\_DATA SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) MEME\_CK: int (FK)
MERD\_EFF\_DT: datetime SYS\_DBUSER\_ID: varchar(48) CMC MERP RELATION MERD\_INSQ\_DT: datetime MEME\_CK: int (FK)
MERP\_EFF\_DT: datetime MEME\_EXC\_CRED\_DAYS: smallint MEME\_MCTR\_ATYP: char(4) GRGR\_CK: int MERD\_TYPE: char(2) MEME\_ELIG\_DT: datetime
MEME QUALIFY DT: datetime MERP\_TERM\_DT: datetime MERP\_MCTR\_TRSN: char(4) GRGR\_CK: int CMC MEMF INTF ADDL CSPI\_ID: char(8)
MERD\_UNITS: int MEME CK: int (FK) MEME\_NEW\_SIG\_DT: datetime MEME\_PRBL\_IND: char(1) MEME\_PRBL\_EFF\_DT: datetime MEMI\_SEQ\_NO: smallint (FK) MERD\_MOD\_FCTR: int MERP MCTR TYPE: char(4) MERD\_MOD\_AMT: money MERD\_LOCK\_TOKEN: smallint MERP\_LAST\_VER\_DT: datetime MERP\_LAST\_VER\_NAME: char(30) MERP\_MCTR\_VMTH: char(4) MEME\_EOI\_TERM\_DT: datetime MEMF\_ADDL\_DATA: char(255) MEMF\_LOCK\_TOKEN: smallint MEME\_PREX\_TERM\_DT: datetime
MEME\_PREX\_LIMIT1: smallint
MEME\_PREX\_LIMIT2: smallint ATXR\_SOURCE\_ID: datetime MCRP\_ID: char(9) (FK)
MERP\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime MEME\_PREX\_LIMIT3: smallint
MCRL\_MEME\_CREL\_CD: char(2)
MEME\_HIST\_LINK\_ID: char(12)
MEME\_CELL\_PHONE: varchar(20) ATXR SOURCE ID: datetime CMC MEHD HANDICAP MEME CK: int (FK) MEME\_HEALTH\_ID: varchar(80)
MEME\_HEALTH\_ID: varchar(80)
MEME\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DRIVED\_ID: varchar(48) CMC MCRP RELĂT PER MEHD EFF DT: datetime CMC\_MEPE\_PR¢S\_ELIG MCRP ID: char(9) MEHD TERM DT: datetime MEME\_CK: int (FK) MEHD\_MCTR\_TRSN: char(4) GRGR\_CK: int MCRP\_LAST\_NAME: char(35) MCRP\_FIRST\_NAME: char(15) CSPD\_CAT: char(1) MEPE\_EFF\_DT: datetime SYS DBUSER ID: varchar(48) MEHD\_DESC: char(70) MEHD\_TYPE: char(1) MCRP\_FIRST\_NAME: char MCRP\_MID\_INIT: char(1) MCRP\_TITLE: char(10) MCRP\_ADDR1: char(40) MCRP\_ADDR2: char(40) MCRP\_ADDR3: char(40) MEPE\_TERM\_DT: datetime MEPE\_CREATE\_DTM: datetime CSCS\_ID: char(4) MEHD\_LAST\_VER\_DT: datetime
MEHD\_LAST\_VER\_DM: datetime
MEHD\_LAST\_VER\_NAME: char(30)
MEHD\_MCTR\_VMTH: char(4)
MEHD\_LOCK\_TOKEN: smallint GRGR CK: int MCRP\_ADDR3: char(40)
MCRP\_CITY: char(19)
MCRP\_STATE: char(02)
MCRP\_ZIP: char(11)
MCRP\_COUNTY: char(20)
MCRP\_CTRY\_CD: char(4)
MCRP\_PHONE EXT: char(4)
MCRP\_PHONE\_EXT: char(4) SGSG\_CK: int ATXR SOURCE ID: datetime CSPL ID: char(8) PDPD\_ID: char(8) MEPE\_ELIG\_IND: char(1) EXCD\_ID: char(3) MEPE MCTR RSN: char(4) MEPE\_SYS\_INEL\_CD: char(4) CMC\_MECD\_MEDICAID MCRP\_PHONE\_EXT: char(4)
MCRP\_FAX: char(20)
MCRP\_FAX: char(20)
MCRP\_EMAÎL: char(40)
MCRP\_PIN\_NO: char(9)
MCRP\_PIN\_WORD: char(20)
MCRP\_LAST\_NAME\_XLOW: char(8)
MCRP\_CITY\_XLOW: char(8)
MCRP\_MCRF\_MCTR\_LANG: char(4)
MCRP\_MCTR\_LANG: char(4)
MCRP\_EXTN\_ADDR\_IND: char(1)
MCRP\_LOCK\_TOKEN: smallint
ATXR\_SQUIRGE\_ID: datetime MEPE\_HAS\_MEDX\_IND: char(1)
MEPE\_HAS\_MEDX\_IND: char(1)
MEPE\_HAS\_WARN\_CD: char(1) MEME\_CK: int (FK) MECD\_EFF\_DT: datetime MECD\_TERM\_DT: datetime MEPE\_PRCS\_STS: char(2)
MEPE\_SOURCE: char(1) GRGR\_CK: int MECD\_AUTO\_ASSN\_IND: char(1) MEPE\_PLAN\_ENTRY\_DT: datetime MECD\_AUTO\_ASSN\_DT: datetime MECD\_MCTR\_MDCT: char(3) CMC\_MEDX\_COND\_ELIG MEPE LOCK TOKEN: smallint MEME\_CK: int (FK) MECD\_PAY\_MCTR\_MDCT: char(3)
MECD\_MCTR\_MDST: char(2) CSPD\_CAT: char(1) CSPI\_ID: char(8) MECD\_LOCK\_IND: char(1)
MECD\_MCTR\_AIDC: char(4) ATXR\_SOURCE\_ID: datetime IDCD\_ID\_REL: varchar(10) IDCD\_TYPE: char(1)
MEDX\_EFF\_DT: datetime MECD\_LOC\_FUND\_IND: char(1)
MECD\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime MEDX\_TERM\_DT: datetime MEDX\_MCTR\_TRSN: char(4) GRGR\_CK: int CMC\_MERV\_MECR\_VER MEME CK: int (FK) MEMD\_EVENT\_CD: char(4) (FK)
MEMD\_HCFA\_EFF\_DT: datetime (FK)
MERV\_SEQ\_NO: smallint MEDX\_PROC\_IND: char(1) CMC\_MEMA\_MECR\_ADDL EXCD\_ID: char(3) MEME\_CK: int (FK)
MEMD\_EVENT\_CD: char(4) (FK) MEDX LOCK TOKEN: smallint CMC\_MEDV\_MEDCD\_VER ATXR\_SOURCE\_ID: datetime GRGR\_CK: int MERV\_VER\_DT: datetime MERV\_VER\_NAME: char(30) MEME\_CK: int (FK) MEMD\_HCFA\_EFF\_DT: datetime (FK) MECD\_EFF\_DT: datetime (FK)
MEDV\_SEQ\_NO: smallint MERV\_MCTR\_VMTH: char(4) MEMA\_ADDL\_DATA: varchar(255) MEMA\_LOCK\_TOKEN: smallint MEDV\_LAST\_VER\_DT: datetime MEDV\_LAST\_VER\_NAME: char(30) MEDV\_MCTR\_VMTH: char(4) MEDV\_MCTR\_VRSN: char(4) MERV\_MCTR\_VRSN: char(4) MCRE\_ID: char(9) (FK) CMC\_MELC\_LSTY\_CD ATXR\_SOURCE\_ID: datetime MERV\_VER\_FROM\_DT: datetime MERV\_VER\_THRU\_DT: datetime MERV\_MCTR\_RSLT: char(4) MERV\_LOCK\_TOKEN: smallint MEME\_CK: int (FK)
MELC EFF DT: datetime MEDV LOCK TOKEN: smallint To Page 1 MELC\_TERM\_DT: datetime ATXR\_SOURCE\_ID: datetime (MCRE) CRFT\_MCTR\_LSTY: char(4) ATXR SOURCE ID: datetime MELC\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

CMC SBDT GR DETL

GRGR CK: int

SBBD\_BATCH\_ID: char(8) (FK)

SBDT\_LOCK\_TOKEN: smallint

MCBD\_ID: char(12) SBHR\_ACCT\_NO: varchar(40)

SBHR\_ACCT\_NAME: varchar(60) SBHR\_MCTR\_ATYP: char(4)

SBHR\_LAST\_UPD\_DTM: datetime SBHR\_LST\_USUS\_ID: char(10)

SBHR\_LSI\_USUS\_ID. (Idla(10))
SBHR\_BSIGN\_IND: char(2)
SBHR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

MERS\_ADDL\_DATA: varchar(255)
MERS\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

SBBD\_RENEW\_MO: smallint
GRGR\_MCTR\_TYPE: char(4)
SBBD\_STS: char(2)
USUS\_ID: char(10)

SBBD\_PRCS\_DTM: datetime SBBD\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

CDS\_IDIN\_ID\_INDIC Page 5 of 11 MEME\_CK: int CSPD\_CAT: char(1) MEIA\_REQ\_DT: datetime PDBC\_PFX\_V CDS\_IMEF\_CNTRL\_DTL CDS\_MMCT\_MEM\_COUNT PDBC\_PFX: char(4) SYIN INST: int SYIN\_INST: int
ITLC\_LOCAL\_PLAN\_CD: char(3)
ITMA\_CTRL\_PLAN\_CD: char(3) CMC\_MEEA\_ELIG\_ACT MMCT\_ELIG\_DT: datetime
CSPD\_CAT: char(1)
PRPR\_ID: char(12)
MEPR\_PCP\_TYPE: char(2)
MMCT\_TYPE: char(4)
GRGR\_CK: int
SGSG\_CK: int
CSCS\_ID: char(4)
CSPL\_ID: char(8)
MMCT\_REL: char(1)
MEME\_SEX: char(1)
MCRL\_MEME\_CREL\_CD: char(2)
MMCT\_FROM\_AGE: int MMCT\_ELIG\_DT: datetime MEIA\_ROW\_ID: numeric(10,0)
IDIN\_CREATE\_DT: datetime
PDBC\_PFX: char(4) (FK)
MEIA\_REQ\_TYPE: char(2)
CSPI\_MCTR\_CTYP: char(4)
CSPI\_CARD\_STOCK: char(10)
MEME\_ODC\_EEE\_DT: detailed Defined\_in\_Plan\_Model: char() MEEA\_ROW\_ID: numeric (10, 0) MEME\_CK: int GRGR\_CK: int SGSG CK: int GRGR\_CK: int SBSB\_CK: int SBSB CK: int GRGR\_ID: char(8)
IMEF\_COV\_END\_DT: datetime
IMEF\_COV\_STRT\_DT: datetime
IMEF\_SUB\_DEP\_IND: char(2) CSCS ID: char(4) MEME\_ORIG\_EFF\_DT: datetime MEPE\_PLAN\_ENTRY\_DT: datetime MEEA\_TYPE: char(4) MEEA\_STS: char(2) MEPE\_FI: char(1) CSCS ID: char(4) MEEA\_REQ\_DT: datetime
MEEA\_LOCK\_TOKEN: smallint IMEF\_SUB\_DEP\_IND: char(2)
ITMA\_CTRL\_GRGR\_ID: char(9)
ITMA\_CTRL\_SECT\_ID: char(6)
ITNW\_ITS\_NW\_ID: char(4)
MEIT\_ITS\_SBSB\_ID: char(17)
MEIT\_PAT\_REL: char(2) CSCS\_DESC: varchar(70) ATXR\_SOURCE\_ID: datetime CSPI ID: char(8) MMCT\_FROM\_AGE: int PLDS\_DESC: varchar(70) PDPD ID: char(8)
PDDS\_DESC: varchar(70)
MEME\_SFX: smallint
MEME\_REL: char(1) MMCT\_THRU\_AGE: int SYIN INST: int CDS\_IDPR\_ID\_PROV MEME\_BIRTH\_DT: datetime
MEME\_FIRST\_NAME: char(15)
MEME\_LAST\_NAME: char(35)
MEME\_MID\_INIT: char(1) SYIN\_CREATE\_DT\_TM: datetime MMCT\_MEMBERS: int SYIN INST: int (FK) CMC\_MEIA\_ID\_ACT MEME\_CK: int (FK) MEIA ROW ID: numeric (10, 0) MEME\_LAST\_NAME: varchar(35)
MEME\_FIRST\_NAME: char(15)
MEME\_MID\_INIT: char(1)
MEME\_TITLE: char(10) CSPD\_CAT: char(1) (FK)
MEIA\_REQ\_DT: datetime (FK)
MEPR\_PCP\_TYPE: char(2) GRGR\_ID: char(8)
GRGR\_NAME: char(50)
SGSG\_ID: char(4)
SGSG\_NAME: char(50) SYIN INST: int MEME\_SEX: char(1)
MEME\_SFX: smallint GRGR\_CK: int SGSG\_CK: int SBSB\_CK: int MEPR\_EFF\_DT: datetime MEPR\_TERM\_DT: datetime PRPR\_ID: char(12) MEME\_SSN: char(9) MEME\_SEX: char(1) CSCS\_DESC: char(70) PRPR\_ID. char(12)
PRPR\_NAME: char(55)
PRCP\_TITLE: char(10)
MEPR\_EFF\_DT: datetime
PRAD\_ADDR1: char(40) PLDS\_DESC: char(70) PDPD\_ID: char(8) PDDS\_DESC: char(70) MEME\_CK: int MEIA\_REQ\_TYPE: char(2) MEPR\_IERM\_DI: datetime
PRPR\_ID: char(12)
PRPR\_NAME: char(55)
SBSB\_ID: char(9)
IMEF\_RECON\_TO\_DT: datetime
IMEF\_ADDL\_DATA: varchar(255)
IMEF\_CREATE\_DTM: datetime MEME\_BIRTH\_DT: datetime MEME\_RECORD\_NO: char(11) CSPI\_ID: char(8) CSPD\_CAT: char(1) SBAD\_ADDR1: varchar(40) SBAD\_ADDR2: varchar(40) LOBD\_ID: char(4) PRAD\_ADDR2: char(40) PRAD\_ADDR3: char(40) CSCS\_ID: char(4) MEIA STS: char(2) LOBD\_NAME: char(50) LOBD\_ALT\_RISK\_ID: char(4) SBAD\_ADDR3: varchar(40) PRAD\_CITY: char(19)
PRAD\_STATE: char(2) MEIA\_S13. Cital(2)
MEIA\_REQ\_DT: datetime
MEIA\_SOURCE: char(4)
MEIA\_MREQ\_CARD\_NUM: smallint PRPR\_NAME: char(55)
MCRL\_CREL\_DESC: varchar(30)
MMCT\_LOCK\_TOKEN: smallint SBAD\_CITY: varchar(19) SBAD\_STATE: char(2) IMEF LOCK TOKEN: smallint PRAD\_ZIP: char(11) PRAD\_COUNTY: char(20) SBAD\_ZIP: char(11) SBAD\_COUNTY: varchar(20) MEIA\_CREATE\_DTM: datetime USUS\_ID: char(10) PRAD\_CTRY\_CD: char(4)
PRAD\_PHONE: char(20) SBAD\_CTRY\_CD: char(4) SBSB\_CK: int MEIA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime CMC\_SBRA\_RATE\_ACT SBSB\_ID: char(9)
SBSB\_LAST\_NAME: varchar(35)
SBSB\_FIRST\_NAME: char(15)
SBSB\_MID\_INIT: char(1) PRAD\_PHONE\_EXT: char(4)
PRAD\_FAX: char(20) SBRA\_ROW\_ID: numeric(10,0) PRAD\_FAX\_EXT: char(4)
PRAD\_EMAIL: char(40) CMC\_ELPR\_EL\_PREPRO GRGR CK: int GRGR\_CK: Int SGSG\_CK: int SBSB\_CK: int CSPI\_ID: char(8) SBRA\_TYPE: char(4) SBRA\_STS: char(2) GRGR\_CK: int IDPR LOCK TOKEN: smallint SBSB\_TITLE: char(10)
SBSB\_MCTR\_VIP: char(1) SBSB\_CK\_LOW: int CDS MEPA PMPM ACT SBSB\_EMPLOY\_ID: char(10)
SBSB\_HIRE\_DT: datetime
SBSB\_RETIRE\_DT: datetime SBSB\_CK\_HIGH: int ELPR WEIGHT: int GRGR\_CK: int ELPR\_ROW\_ID: numeric (10, 0) CDS\_SBRI\_RATE\_INQ SBRA DGR IND: char(1) SYIN\_INST: int PAGR CK: int ELPR STS: int PAGR\_CK: Int PAGR\_ID: char(9) PAGR\_NAME: varchar(50) GRGR\_CK: int GRGR\_ID: char(8) SBRA\_REQ\_DTM: datetime CSPD\_CAT: char(1) MEPA\_MOS: smallint ELPR\_LOCK\_TOKEN: smallint SBSB\_CK: int (FK) MEME\_CK: int (FK) SBRA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime ATXR\_SOURCE\_ID: datetime MEPA\_STS: char(2)
MEPA\_REQ\_DT: datetime CSPI\_ID: char(8) (FK) PDPD ID: char(8) (FK) MEPA\_REQ\_DT: datetifie
MEPA\_PCP\_TYPE: char(14)
MEPA\_TYPE\_SPLIT: char(1)
MEPA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime GRGR\_NAME: varchar(50) PDBL\_ID: char(4) (FK)
SBRI\_COV\_FROM\_DT: datetime (FK) SGSG\_CK: int SGSG\_ID: char(4) CMC\_MSIA\_INTF\_ACT CMC\_MECA\_CDH\_ACT BLEI\_CK: int SGSG\_NAME: varchar(50) MEME\_HICN: char(12) MECA\_ROW\_ID: numeric(10,0) MSIA\_ROW\_ID: numeric (10, 0) SBRI\_COV\_THRU\_DT: datetime GRGR CK: int PAGR\_CK: int MCRE\_ID: char(9)
IDIN\_ID\_CARD\_NUM: smallint BLEI\_BILL\_LVL: char(1)
GRGR\_CK: int GRGR\_CK: int SGSG\_CK: int GRDC\_PFX: char(4) SGSG\_CK: int
SBRI\_PREM\_IND: char(1)
SBRI\_PREM\_TYPE: char(1)
SBRI\_PREM\_BASIS: smallint DELG\_CLAIMS: char(01) DELG\_CASE: char(01) SBSB\_CK: int MECA\_ACCT\_TYPE: char(1) SBSB\_CK: int
MEME\_CK: int
MSIA\_TYPE: char(1)
MSIA\_ORIG\_CODE: char(4) DELG\_ADDR1: varchar(40) DELG\_ADDR2: varchar(40) DELG\_ADDR3: varchar(40) MECA\_TYPE: char(4) MECA\_STS: char(2) MECA\_CREATE\_DTM: datetime
MECA\_ADDL\_DATA: varchar(255)
MECA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime SBRI\_LVS\_SB: smallint MSIA\_INTF\_IND: char(1) DELG\_CITY: varchar(19) DELG\_STATE: char(02) SBRI\_LVS\_DEP: smallint MSIA\_STS: char(2)
MSIA\_CREATE\_DTM: datetime
MSIA\_LOCK\_TOKEN: smallint SBRI\_VOL: money DELG\_ZIP: char(11)
DELG\_COUNTY: varchar(20)
DELG\_CTRY\_CD: char(04)
DELG\_PHONE: varchar(20) SBRI\_PREM\_SB: money
SBRI\_PREM\_DEP: money
SBRI\_LOAD\_AMT\_SB: money
SBRI\_LOAD\_AMT\_DEP: money ATXR\_SOURCE\_ID: datetime CDS\_SBRC\_RT\_CHOICE SBRI\_CONV\_PREM\_SB: money SBRI\_CONV\_PREM\_DEP: money SBRI\_LIAB\_LMT\_SB: money SBRI\_LIAB\_LMT\_DEP: money DELG\_UM: char(1)
DELG\_NAME: varchar(50) SBSB\_CK: int MEME\_CK: int CSPI\_ID: char(8) CMC\_MECP\_CDH\_PREPR DELG\_PHONE\_EXT: char(04)
MCRL\_MEME\_CREL\_CD: char(2) GRGR\_CK: int SBSB\_CK\_LOW: int PDPD\_ID: char(8) MCRL\_CREL\_DESC: varchar(30)
MEMD\_RX\_ID: varchar(20)
IDIN\_RX\_GROUP: varchar(15)
IDIN\_RXPCN: char(10) SBRI\_COL\_STRUCT: char(1)
SBRI\_COUNT\_1: smallint
SBRI\_COUNT\_2: smallint
SBRI\_COUNT\_3: smallint PDBL\_ID: char(4)
SBRI\_COV\_FROM\_DT: datetime SBSB\_CK\_HIGH: int
MECP\_WEIGHT: int
MECP\_ROW\_ID: numeric(10,0)
MECP\_STS: char(2)
MECP\_ADDL\_DATA: varchar(255)
MECP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime SBRI\_COV\_THRU\_DT: datetime SBRI\_COV\_THRU\_DT: datetime
SBRC\_PRDA\_IND: char(1)
SBRC\_MEDI\_IND: char(1)
SBRC\_DFLT\_NBNF\_IND: char(1)
SBRC\_MRAC\_CAT\_MIDC: char(4)
SBRC\_RSK\_ADJ\_FCTRA: int
SBRC\_RSK\_ADJ\_FCTRB: int
SBRC\_PRTA\_CHC\_PREM: money
SBRC\_PRTB\_CHC\_PREM: money SBRI\_COUNT\_4: smallint SBRI\_COUNT\_5: smallint SBRI\_COUNT\_6: smallint IDIN\_RXBIN: char(6) IDIN PBP: char(3) IDIN\_LOCK\_TOKEN: smallint MCRE\_CRCR\_ID: char(9) CSCS\_ID: char(4) SBRI\_FI: char(1) SBRI\_FI: char(1)
SBRI\_RT\_ST: char(2)
SBRI\_RT\_CNTY: char(3)
SBRI\_RT\_AREA: char(8)
SBRI\_RT\_SIC: char(8)
PDBL\_TYPE: char(1) SBRC\_PRTB\_CHC\_PREM: money SBRC\_PRTA\_NET\_PREM: money CMC SBST SGSG TFR SBST\_REF\_ID: char(9) SBRC\_PRTB\_NET\_PREM: money SBRC\_LOCK\_TOKEN: smallint

SBRI\_MR\_ENTL\_CD: char(1) SBRI\_LOCK\_TOKEN: smallint

SYIN\_INST: int

SSINT\_INST.IN
SBST\_CREATE\_DTM: datetime
SBST\_TYPE: char(1)
SBST\_STS: char(2)
USUS\_ID: char(10)
SBST\_CHG\_EFF\_DT: datetime
GRGR\_CK: int

SBST\_SGSG\_CK\_FROM: int SBST\_SGSG\_CK\_TO: int SBSG\_MCTR\_TRSN: char(4) SBST\_ID\_CARD\_IND: char(1) SBST\_SB\_SEL\_CNT: int SBST\_PROC\_CNT: int SBST\_ERR\_CNT: int SBST\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

## CMC\_MEMI\_MECR\_INTF

MEME\_CK: int (FK) MEMI\_SEQ\_NO: smallint

GRGR\_CK: int
MEMI\_INTF\_STS: char(2)
MEMI\_LAST\_UPD\_DT: datetime
MEMI\_SOURCE\_IND: char(1) MEMI\_SOURCE\_IND: char(1)
MEMI\_BATCH\_ID: char(6)
MEMI\_TXN\_CD: char(2)
MEMI\_TXN\_EFF\_DT: datetime
MEMI\_MCTR\_MCST: char(4)
MEMI\_MCTR\_MCCT: char(4)

MEMI\_MCTR\_MCCT: char(4)
BGBG\_ID: char(8)
USUS\_ID: char(10)
MEMI\_MCTR\_RSN: char(4)
MEMI\_SIG\_DT: datetime
MEMI\_ELECT\_TYPE: char(1)
MEMI\_MCTR\_PSP: char(4)
MEMI\_EGHP\_IND: char(1)
MEMI\_SEGMENT\_ID: char(3)
MEMI\_PRIOR\_COM\_OVR: char(1)
MEMI\_PREM\_WH\_OPT: char(1)
MEMI\_PREM\_WH\_OPT: char(1)

MEMI\_PREM\_WH\_OPT: char(1)
MEMI\_PRTC\_PREM: money
MEMI\_PRTD\_PREM: money
MEMI\_CRED\_COV\_IND: char(1)
MEMI\_UNCOV\_MOS: smallint
MEMI\_RX\_ID: varchar(20)
MEMI\_MCTR\_RX\_GROUP: char(4)
MEMI\_MCTR\_RXBIN: char(4)
MEMI\_MCTR\_PXP(A): char(4)

MEMI\_MCTR\_RXPCN: char(4)
MEMI\_ENRL\_OVRD: char(1)
MEMI\_PRTD\_OPTOUT: char(1)
MEMI\_COB\_IND: char(1)

MEMI\_COB\_IND: char(1)
MEMI\_COB\_RX\_ID: varchar(20)
MEMI\_COB\_RX\_GROUP: varchar(15)
MEMI\_COB\_RXEMIN: char(6)
MEMI\_COB\_RXPCN: char(10)
MEMI\_ENRL\_SOURCE: char(1)
MEMI\_ENRL\_SOURCE: char(1)
MEMI\_TRACK\_ID: varchar(15)
MEMI\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_RCNH\_IHS\_RECON\_HIST

MEME CK: int RECN ACTIVE DT: datetime RECN\_CHANGE\_DT: datetime
RECN\_SNAP\_DT: datetime

RECN\_BGBG\_ID: char(5) RECN\_MEME\_HICN: char(12)

RECN\_BBSB\_ID: char(9)
RECN\_MEME\_SFX: char(3)
RECN\_SUPP\_ID: char(15)
RECN\_MEME\_LAST\_NAME: char(20)
RECN\_MEME\_FIRST\_NAME: char(15)
RECN\_MEME\_SEX: char(1)

RECN\_MEME\_BIRTH\_DT: char(8)
RECN\_MEMD\_MCTR\_MCST: char(2) RECN\_MEMD\_MCTR\_MCCT: char(3)
RECN\_SBAD\_ADDR1: char(20)

RECN\_SBAD\_ADDR1: char(20) RECN\_SBAD\_ADDR2: char(20) RECN\_SBAD\_CITY: char(20) RECN\_SBAD\_SIATE: char(2) RECN\_SBAD\_ZIP: char(5) RECN\_SBAD\_PHONE: char(20) RECN\_PARTA: char(1) RECN\_PARTB: char(1) RECN\_HOSPICE: char(1) RECN\_ESRD: char(1) RECN\_ESRD: char(1)

RECN\_WKAG: char(1) RECN\_INST: char(1) RECN\_NHC: char(1) RECN\_MDCD: char(1)

RECN\_MDCD: char(1)
RECN\_MDCD\_ADD: char(1)
RECN\_PIP: char(2)
RECN\_CHF\_ONE: char(1)
RECN\_CHF\_TWO: char(1)
RECN\_CHF\_THREE: char(1)
RECN\_MEMD\_MCTR\_PBP: char(3)
RECN\_ENROLL: char(1)
RECN\_ENROLL: char(1)

RECN\_ENROLL: char(1)
RECN\_LIVING: char(1)
RECN\_MEME\_SSN: char(9)
RECN\_RA\_TYPE: char(2)
RECN\_DISABLED: char(1)
RECN\_MEMD\_SEGMENT\_ID: char(3)
RECN\_MEMD\_ENRL\_SOURCE: char(1)
RECN\_EGHP: char(1)
RECN\_MEMD\_PRTC\_PREM: char(8)
RECN\_MEMD\_PREM\_WH\_OPT: char(3)
RECN\_MEMD\_PREM\_WH\_OPT: char(3)
RECN\_MEMD\_PREM\_WH\_OPT: char(6)
RECN\_MEMD\_PRTD\_PREM: char(6)

RECN\_MEMD\_PRTD\_PREM: char(6)
RECN\_LATE\_ENRL: char(1)
RECN\_MEMD\_UNCOV\_MOS: char(3)
RECN\_MEMD\_PARTD\_SBSDY: char(3)
RECN\_LTII: char(1)
RECN\_MEMD\_RA\_PRTD\_FCTR: char(7)
RECN\_MSP\_IND: char(1)
RECN\_COPAY\_CAT: char(1)
RECN\_LATE\_WAIVE\_AMT: char(8)
RECN\_LATE\_WAIVE\_AMT: char(8)
RECN\_LOCK\_TOKEN: smallint

## CMC\_RCNT\_IHS\_RECON\_TEMP

MEME\_CK: int RECN ACTIVE DT: datetime RECN\_CHANGE\_DT: datetime RECN\_SNAP\_DT: datetime

RECN\_BGBG\_ID: char(5) RECN\_MEME\_HICN: char(12) RECN\_SBSB\_ID: char(9) RECN\_MEME\_SFX: char(3)

RECN\_MEME\_SFX: char(3)
RECN\_SUPP\_ID: char(15)
RECN\_MEME\_LAST\_NAME: char(20)
RECN\_MEME\_FIRST\_NAME: char(15)
RECN\_MEME\_SEX: char(1)
RECN\_MEME\_BIRTH\_DT: char(8)
RECN\_MEMD\_MCTR\_MCST: char(2)
RECN\_MEMD\_MCTR\_MCCT: char(3)
PECN\_SERD\_ADDRIT\_char(3)

RECN\_MEMD\_MCTR\_MCCT: ch RECN\_SBAD\_ADDR1: char(20) RECN\_SBAD\_ADDR2: char(20) RECN\_SBAD\_CITY: char(20) RECN\_SBAD\_STATE: char(2) RECN\_SBAD\_ZIP: char(5) RECN\_SBAD\_ZIP: char(1) RECN\_PARTB: char(1) RECN\_PARTB: char(1)

RECN\_HOSPICE: char(1)
RECN\_ESRD: char(1)

RECN\_WKAG: char(1) RECN\_INST: char(1)

RECN\_INST: char(1)
RECN\_MHC: char(1)
RECN\_MDCD: char(1)
RECN\_MDCD\_ADD: char(1)
RECN\_PIP: char(2)
RECN\_CHF\_ONE: char(1)
RECN\_CHF\_TWO: char(1)
RECN\_CHF\_TWO: char(1)
RECN\_MEMD\_MCTR\_PBP: char(3)
RECN\_ENROLL: char(1)
RECN\_ENROLL: char(1)
RECN\_MEMD\_MCTR\_PBP: char(3)
RECN\_ENROLL: char(1)

RECN\_LIVING: char(1)
RECN\_MEME\_SSN: char(9)
RECN\_RA\_TYPE: char(2)
RECN\_DISABLED: char(1)
RECN\_MEMD\_SEGMENT\_ID: char(3)
RECN\_MEMD\_ENRL\_SOURCE: char(1)

RECN\_MEMD\_ENRL\_SOURCE: char(1)
RECN\_EGHP: char(1)
RECN\_MEMD\_PRTC\_PREM: char(8)
RECN\_MEMD\_PRTD\_PREM: char(6)
RECN\_MEMD\_PRTD\_PREM: char(6)
RECN\_LATE\_ENRL: char(1)
RECN\_MEMD\_UNCOV\_MOS: char(3)
RECN\_MEMD\_PARTD\_SBSDY: char(3)

RECN\_MEMD\_PARTD\_SBSDY: char(3)
RECN\_LTII: char(1)
RECN\_MEMD\_RA\_PRTD\_FCTR: char(7)
RECN\_MSP\_IND: char(1)
RECN\_COPĀY\_CAT: char(1)
RECN\_LATE\_WAIVE\_AMT: char(8)
RECN\_ADDL\_DATA: varchar(255)
RECN\_LOCK\_TOKEN: smallint

Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

## CMC\_MEMD\_MECR\_DETL MEME\_CK: int (FK) MEMD\_EVENT\_CD: char(4) MEMD\_HCFA\_EFF\_DT: datetime

GRGR\_CK: int
MEMD\_HCFA\_TERM\_DT: datetime
MEMD\_INPUT\_DT: datetime
MEMD\_EVENT\_EFF\_DT: datetime
MEMD\_EVENT\_TERM\_DT: datetime
MEMD\_MCTR\_MCST: char(4)
MEMD\_MCTR\_MCCT: char(4)
MEMD\_MCTR\_INCOTE: char(4)

MEME\_HICN: char(12) BGBG\_CK: int

MEMD\_RAC\_CAT: chan(12)
BGBG\_CK: int
MRAC\_CAT: char(4)
MEMD\_RA\_PRTB\_FCTR: int
MEMD\_RA\_PRTB\_FCTR: int
MEMD\_SIG\_DT: datetime
MEMD\_ELECT\_TYPE: char(1)
MEMD\_MCTR\_PBP: char(4)
MEMD\_SEGMENT\_ID: char(3)
MEMD\_RA\_PRTD\_FCTR: int
MEMD\_RA\_FCTR\_TYPE: char(2)
MEMD\_PREM\_WH\_OPT: char(1)
MEMD\_PRTC\_PREM: money
MEMD\_PRTD\_PREM: money
MEMD\_PRIOR\_COM\_OVR: char(1)
MEMD\_UNCOV\_MOS: smallint
MEMD\_UNCOV\_MOS: smallint
MEMD\_UNCOV\_MOS: smallint

MEMD\_UNCOV\_MOS: smallint
MEMD\_RX\_ID: varchar(20)
MEMD\_MCTR\_RX\_GROUP: char(4)
MEMD\_MCTR\_RXBIN: char(4)
MEMD\_MCTR\_RXPEN: char(4)
MEMD\_COB\_IND: char(1)
MEMD\_COB\_RX\_ID: varchar(20)
MEMD\_COB\_RX\_GROUP: varchar(15)
MEMD\_COB\_RX\_BRIN: char(6)
MEMD\_COB\_RX\_BRIN: char(6)
MEMD\_COB\_RX\_BRIN: char(10)
MEMD\_PARTD\_SBSDY: char(3)
MEMD\_COB\_RX\_GROUP: warchar(10)
MEMD\_COB\_RX\_GROUP: char(10)
MEMD\_PARTD\_SBSDY: mar(3)
MEMD\_COB\_RX\_GROUP: warchar(10)
MEMD\_LICS\_SBSDY: money

MEMD\_LICS\_SBSDY: money
MEMD\_LATE\_PENALTY: money MEMD\_LATE\_WAIV\_AMT: money MEMD\_LATE\_SBSDY: money MEMD\_MSP\_CD: char(1) MEMD\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

#### CMC\_MERW\_RWD\_ACCUM

MEME\_CK: int MEME\_CK: int

MERW\_CUR\_YEAR: datetime
MERW\_YR1\_AMT: money
MERW\_YR1\_THRES\_AMT: money
MERW\_YR1\_RWDCO\_AMT: money
MERW\_YR1\_BONCO\_AMT: money
MERW\_YR1\_BONCO\_AMT: money
MERW\_YR1\_BONUS\_AMT: money
MERW\_YR1\_BONUS\_AMT: money
MERW\_YR2\_ON\_COUNT: money
MERW\_YR2\_AMT: money
MERW\_YR2\_THRES\_AMT: money
MERW\_YR2\_THRES\_AMT: money
MERW\_YR2\_BONCO\_AMT: money
MERW\_YR2\_BONCO\_AMT: money
MERW\_YR2\_BONCO\_AMT: money
MERW\_YR2\_BONCO\_COUNT: money
MERW\_YR2\_BONCO\_COUNT: money
MERW\_YR2\_BONCO\_COUNT: money
MERW\_YR2\_BONCO\_COUNT: money
MERW\_YR2\_BONCO\_COUNT: money
MERW\_YR2\_DON\_COUNT: money
MERW\_YR2\_OON\_COUNT: money
MERW\_YR3\_AMT: money MERW\_YR3\_AMT: money MERW\_YR3\_THRES\_AMT: money MERW\_YR3\_RWDCO\_AMT: money MERW\_YR3\_BONCO\_AMT: money MERW\_YR3\_BONUS\_AMT: money MERW\_YR3\_BONUS\_AMT: money MERW\_YR3\_BONUS\_COUNT: money MERW\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

#### CDS\_TRPR\_TR\_PREPRO

TRPR\_KEY\_ID: char(12) PZAP\_APP\_ID: char(4) GRGR\_ID: char(8) SBSB\_ID: char(9) MEME\_SFX: smallint

TRPR WEIGHT: int TRPR\_ROW\_ID: numeric(10,0)
TRPR\_STS: char(2)
TRPR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CDS\_METR\_TRAN\_RPLY

SYIN\_INST: int METR\_HICN: char(12) METR\_TR\_REPLY: char(3) METR\_TR\_TYPE: char(2) METR\_SEQ\_NO: int

METR\_SEQ\_NO: int

METR\_SEQ\_NO: int

METR\_SEQ\_NO: int

METR\_SEQ\_NO: int

METR\_SEQ\_NO: int

MEME\_SEQ\_NO: int

MEME\_SEQ\_NO: int

MEME\_SEQ\_SO: int

MEME\_SEX: smallint

CSCS\_ID: char(9)

MEME\_SEX: smallint

CSCS\_ID: char(4)

CSP\_ID: char(8)

PDPD\_ID: char(8)

MEME\_LAST\_NAME: varchar(35)

METR\_LAST\_NAME: varchar(12)

MEME\_FIRST\_NAME: char(12)

MEME\_MID\_INIT: char(1)

METR\_FIRST\_NAME: char(7)

METR\_MID\_INIT: char(1)

METR\_SEX: char(1)

MEME\_SEX: char(1)

MEME\_BIRTH\_DT: datetime

METR\_BIRTH\_DT: datetime

METR\_BIRTH\_DT: datetime

MEMD\_MOCD\_IND: char(1)

MEMD\_MCTR\_MCST: char(2)

MEMD\_MCTR\_MCST: char(2)

MEMD\_MCTR\_MCST: char(3)

MEMD\_DABL\_IND: char(1)

METR\_DABL\_IND: char(1)

METR\_DABL\_IND: char(1)

MEMD\_MSP\_IND: char(1)

MEMD\_MSP\_IND: char(1)

MEMD\_MSP\_IND: char(1)

MEMD\_LSRD\_IND: char(1)

MEMD\_LSRD\_IND: char(1)

METR\_ESRD\_IND: char(1)

METR\_ESRD\_IND: char(1)

METR\_ESRD\_IND: char(1)

MEMD\_DESRD\_IND: char(1)

MEMD\_HCFA\_EFF\_DT: datetime METR\_ESRD\_IND: char(1)
MEMD\_HCFA\_EFF\_DT: datetime
METR\_HCFA\_EFF\_DT: datetime
MEMD\_WKAG\_IND: char(1) METR\_HCFA\_EFF\_DT: datetime
MEMD\_WKAG\_IND: char(1)
METR\_WKAG\_IND: char(1)
MEMD\_MCTR\_PBP: char(3)
MEMD\_MCTR\_PBP: char(3)
MEMD\_PBP\_TERM\_DT: datetime
METR\_PROR\_TERM\_DT: datetime
METR\_PROR\_TERM\_DT: datetime
METR\_PROR\_TERM\_DT: datetime
MEMD\_PBP\_EFF\_DT: datetime
METR\_PROR\_EFF\_DT: datetime
METR\_CANC\_EFF\_DT: datetime
METR\_CANC\_EFF\_DT: datetime
METR\_PROR\_EFF\_DT: datetime
METR\_PROR\_EFF\_DT: datetime
METR\_PROR\_EFF\_DT: datetime
METR\_DEATH\_ST\_DT: datetime
METR\_DEATH\_ST\_DT: datetime
METR\_DEATH\_ST\_DT: datetime
METR\_HSPC\_ST\_DT: datetime
METR\_HSPC\_ST\_DT: datetime
METR\_HSPC\_END\_DT: datetime
METR\_HSPC\_END\_DT: datetime
MEMD\_ESRD\_ST\_DT: datetime
MEMD\_ESRD\_ST\_DT: datetime
MEMD\_ESRD\_ST\_DT: datetime
MEMD\_ESRD\_END\_DT: datetime
MEMD\_ESRD\_END\_DT: datetime
MEMD\_INNH\_ST\_DT: datetime
MEMD\_INNH\_ST\_DT: datetime
METR\_INNH\_END\_DT: datetime
MEMD\_INNH\_ST\_DT: datetime
MEMD\_INNH\_ST\_DT: datetime
MEMD\_INNH\_END\_DT: datetime METR\_INNH\_END\_DT: datetime MEMD\_MDCD\_ST\_DT: datetime METR\_MDCD\_ST\_DT: datetime METR\_MDCD\_ST\_DT: datetime MEMD\_MDCD\_END\_DT: datetime MEMD\_MUCD\_END\_DT: datetime METR\_MDCD\_END\_DT: datetime MEMD\_PRTA\_END\_DT: datetime METR\_PRTA\_END\_DT: datetime MEMD\_WKAG\_ST\_DT: datetime METR\_WKAG\_ST\_DT: datetime MEMD\_WKAG\_END\_DT: datetime METR\_WKAG\_END\_DT: datetime METR\_PRTA\_RI\_DT: datetime METR\_PRTB\_END\_DT: datetime METR\_PRTB\_END\_DT: datetime METR\_PRTB\_RI\_DT: datetime MEMD\_SCC: char(5) METR\_SCC: char(5) METR SCC: char(5)
METR SCC: char(5)
METR DOC: char(3)
METR SOURCE\_ID: char(3)
METR PRIOR\_PBP\_ID: char(3)
MEMD\_SIG\_DT: datetime
METR\_OOA\_IND: char(1)
MEMD\_SEGMENT\_ID: char(3)
MEMD\_SEGMENT\_ID: char(3)
MEMD\_PRTC\_PREM: money
METR\_PRTC\_PREM: money
MEMD\_PRTD\_PREM: money
MEMD\_PRTD\_PREM: money
MEMD\_PRTD\_PREM: char(1)
MEMD\_ELECT\_TYPE: char(1)
METR\_ELECT\_TYPE: char(1)
METR\_ENRL\_SOURCE: char(1)
MEMD\_ENRL\_SOURCE: char(1)
MEMD\_DOO: char(1)
METR\_PDOO: char(1)
METR\_PDOO: char(1)

MEMD\_PDOO: char(1)
METR\_PDOO: char(1)
MEMD\_PREM\_WH\_OPT: char(1)
METR\_PREM\_WH\_OPT: char(1)
MEMD\_UNCOV\_MOS: smallint
METR\_UNCOV\_MOS: smallint
METR\_CO: char(1)
METR\_CO: char(1)
MEMD\_ESEO: char(1)
METR\_ESEO: char(1)
METR\_ESEO: char(1)
MEMD\_COS IND: char(1)

MEMD\_COB\_RX\_ID: varchar(20) METR\_COB\_RX\_ID: varchar(20)

MEMD\_COB\_IND: char(1) METR\_COB\_IND: char(1)

#### Facets Member/Subscriber Data Model - 5.10.006

#### Page 6 continued

# CMC\_SBSP\_SPLT\_DTL SBSB\_CK: int (FK) SBSP\_EFF\_DT: datetime (FK) CSPD\_CAT: char(1) (FK) SBSD\_SPLT\_TO\_IND: char(1) SBSD\_SEQ\_NO: smallint BGBG\_CK: int SBSP\_SPLT\_RMNR\_CD: char(1) SBSD\_SPLT\_RMNR\_CD: char(1) SBSD\_SPLT\_RMNR\_CD: char(1) SBSD\_SPLT\_RMNR\_CD: datetime CMC\_MEAR\_ADDR\_RES MEME\_CK: int MEMI\_SEQ\_NO: smallint ATXR\_SOURCE\_ID: datetime CMC\_MEAR\_ADDR\_RES MEME\_CK: int MEMI\_SEQ\_NO: smallint MEAR\_EFF\_DT: datetime MEAR\_ACTION: char(1) MEAR\_TERM\_DT: datetime MEAR\_ADDR1: varchar(65) MEAR\_ADDR1: varchar(65) MEAR\_CITY: varchar(25) MEAR\_ZIP: varchar(1) MEAR\_ADDL\_DATA: varchar(255) MEAR\_ADDL\_DATA: varchar(255) MEAR\_LOCK\_TOKEN: smallint

#### CDS\_METV\_TRAN\_VBTM


SYIN\_INST: int
METV\_HICN: char(12)
METV\_SEQ\_NO: int
METV\_LAST\_NAME: char(12)
METV\_FIRST\_NAME: char(7)
METV\_FIRST\_NAME: char(7)
METV\_MID\_INIT: char(1)
METV\_SEX: char(1)
METV\_BERTH\_DT: datetime
METV\_REC\_TYPE: char(1)
BGBG\_ID: char(8)
METV\_TEXT1: varchar(100)
METV\_TEXT2: varchar(100)
METV\_TEXT3: varchar(100)
METV\_TEXT3: varchar(100)
METV\_TEXT5: varchar(26)
METV\_STATUS: varchar(11)
METV\_SYSTEM\_ID: varchar(11)
METV\_TRACK\_ID: varchar(15)
METV\_ADDL\_DATA: varchar(256
METV\_LOCK\_TOKEN: smallint

#### CDS\_MET2\_EXTN\_METR

SYIN\_INST: int METR\_HICN: char(12) METR\_TR\_REPLY: char(3) METR\_TR\_TYPE: char(2) METR\_SEQ\_NO: int

MET2\_APP\_DT\_IND: char(1)
MET2\_TRC\_SHORT: varchar(15)
MET2\_SYSTEM\_ID: varchar(11)
MET2\_TRACK\_ID: varchar(15)
MET2\_LOCK\_TOKEN: smalllint
METR\_DRC\_NVL: char(2)
METR\_FADOOF\_NVL: char(1)

MEMD\_COB\_RX\_GROUP: varchar(15)
MEMD\_COB\_RX\_GROUP: varchar(15)
METR\_COB\_RX\_GROUP: varchar(15)
MEMD\_EGHP: char(1)
MEMD\_EGHP: char(1)
MEMD\_PARTD\_SBSDY: char(3)
METR\_EGHP: char(1)
MEMD\_PARTD\_SBSDY: char(3)
METR\_COPAY\_CAT: char(1)
MEMD\_COPAY\_CAT: char(1)
MEMD\_LICS\_EFF\_DT: datetime
MEMD\_LICS\_EFF\_DT: datetime
MEMD\_LICS\_SBSDY: money
METR\_LICS\_SBSDY: money
METR\_LICS\_SBSDY: money
MEMD\_LATE\_PENALTY: money
MEMD\_LATE\_PENALTY: money
MEMD\_LATE\_WAIV\_AMT: money
MEMD\_LATE\_WAIV\_AMT: money
MEMD\_LATE\_WAIV\_AMT: money
METR\_LATE\_WAIV\_AMT: money
METR\_LATE\_WAIV\_AMT: money
MEMD\_LATE\_SBSDY: money
MEMD\_LATE\_SBSDY: money
MEMD\_RXBIN: char(6)
METR\_RXBIN: char(10)
METR\_RX\_GROUP: varchar(15)
MEMD\_RX\_GROUP: varchar(15)
MEMD\_RX\_ID: varchar(20)
MEMD\_RX\_ID: varchar(20)
MEMD\_COB\_RXBIN: char(6)
METR\_RX\_GROUP: varchar(10)
METR\_COB\_RXBIN: char(6)
METR\_COB\_RXBIN: char(6)
METR\_COB\_RXBIN: char(6)
METR\_COB\_RXPCN: char(10)
METR\_LIC\_GRES\_CONPBP: char(10)
METR\_UI\_ORG: char(2)
METR\_UI\_ORG: char(2)
METR\_DEMINIMIS\_AMT: money
MEMD\_MSP\_CD: char(1)
METR\_MSP\_CD: char(1)
METR\_MSP\_CD: char(1)
METR\_MSP\_CD: char(1)
METR\_LICS\_SOURCE: char(1)
METR\_ADDL\_DATA: varchar(255)
METR\_LOCK\_TOKEN: smallint



#### Page 8 of 11

#### CMC MEME MEMBER V VISION CARE PLAN TABLES CMC\_MVLA\_ACCUM MEME CK: int MEME CK: int (FK) VSAL\_ID: char(4) MVLA EFF DT: datetime CMC SBSB SUBSC V CMC\_MVSA\_SG\_ACCUM MVLA\_SEQ\_NO: smallint SBSB CK: int MEME\_CK: int (FK) MVLA\_VOID\_IND: char(1) MVLA\_TERM\_DT: datetime GRGR\_CK: int MVSA NETWORK IND: char(1) GRGR\_CK: int MVLA\_AMOUNT\_USED: money MVLA\_COUNT\_USED: smallint MVLA\_CCUNT\_USED: smallint MVLA\_LST\_UPDT\_DTM: datetime MVLA\_LST\_USUS\_ID: char(10) MVLA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) MVSA\_EFF\_DT: datetime MVSA\_SEQ\_NO: smallint MVSA\_VOID\_IND: char(1) MVSA\_TERM\_DT: datetime GRGR\_CK: int CMC SBOA OUT AREA SBSB CK: int (FK) MVSA AMOUNT USED: money MVSA\_COUNT\_USED: smallint MVSA\_LST\_UPDT\_DTM: datetime MVSA\_LST\_USUS\_ID: char(10) SBOA\_EFF\_DT: datetime SBOA\_TERM\_DT: datetime GRGR CK: int PDBC\_PFX\_VCFL: char(4) VSAL\_ID: char(4) SBOA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) MVSA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CMC\_MVAC\_ACCUM\_ACT MEME CK: int (FK) VSAL\_ID: char(4) (FK) MVLA\_EFF\_DT: datetime (FK) MVLA\_SEQ\_NO: smallint (FK) MVAC\_SEQ\_NO: smallint MVLA\_TERM\_DT: datetime GRGR\_CK: int MVAC\_AMOUNT\_USED: money MVAC\_COUNT\_USED: smallint MVAC\_OCCUR\_USED: smallint MVAC\_CLCL\_ID: char(12) CMC\_MVAA\_ACCUM\_ACT MEME\_CK: int (FK) SVGR ID: char(4) (FK) MVSA\_NETWORK\_IND: char(1) (FK) MVSA\_EFF\_DT: datetime (FK) MVAC\_SVC\_DT: datetime MVAC\_MAN\_UPDT\_IND: char(1) MVSA\_SEQ\_NO: smallint (FK) MVAA SEQ NO: smallint MVAC\_WAN\_UPD1\_IND. char(1) MVAC\_MCTR\_RSN: char(4) MVAC\_VOID\_DT: datetime MVAC\_MCTR\_VRSN: char(4) MVAC\_UPDT\_DTM: datetime MVAC\_USUS\_ID: char(10) MVAC\_LOCK\_TOKEN: smallint GRGR\_CK: int MVAA\_AMOUNT\_USED: money MVAA\_COUNT\_USED: smallint MVAA\_SVC\_DT: datetime MVAA\_CLCL\_ID: char(12) SESE ID: char(4) ATXR\_SOURCE\_ID: datetime SESE\_ID: char(4) MVAA\_MAN\_UPDT\_IND: char(1) MVAA\_MAN\_UPDT\_IND: char(1) MVAA\_VOID\_DT: datetime MVAA\_WCTR\_VRSN: char(4) MVAA\_UPDT\_DTM: datetime MVAA\_USUS\_ID: char(10) MVAA\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime MLR Reporting Data Tables SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS DBUSER ID: varchar(48) CMC\_GRLR\_MLR GRGR CK: inf CMC\_SBEC\_EE\_CONT SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) GRLR\_EFF\_DT: datetime SBSB\_CK: int GRLR\_TERM\_DT: datetime GRLR\_MCTR\_CLAS: char(4) GRLR\_SITUS: char(2) SBEC\_EFF\_DT: datetime SYS DBUSER ID: varchar(48) SBEC\_TERM\_DT: datetime GRGR\_CK: int SBEC\_CONT\_TYPE: char(1) SBEC\_EE\_PCT: int SBEC\_EE\_AMT: money GRLR\_REPORT\_LEV: char(1) GRLR\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SBEC\_ER\_AMT: money SBEC\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime CMC MEME MEMBER V MEME CK: int SYS LAST UPD DTM: datetime SYS\_USUS\_ID: varchar(48) CMC\_MECM\_COMM SYS\_DBUSER\_ID: varchar(48) MEME\_CK: int (FK) MECM\_EFF\_DT: datetime MECM\_MCTR\_CTYP: char(4) MECM\_MCTR\_CMTH: char(4) CMC\_MESU\_SUBSIDY CMC\_MEES\_EXCHANGE CMC\_GRLC\_MLR\_COUNT MEME\_CK: int (FK) MEME\_CK: int (FK) GRGR\_CK: int (FK) GRLR\_EFF\_DT: datetime (FK) GRLC\_SEQ\_NO: smallint MECM\_TERM\_DT: datetime MECM\_MCTR\_TRSN: char(4) CSPD\_CAT: char(1) MEES\_EFF\_DT: datetime CSPD\_CAT: char(1) MESU\_MCTR\_TYPE: char(4) CMC MLRR RULE GRGR CK: int MESU\_RATE\_TYPE: char(1) MESU\_EFF\_DT: datetime PDBC PFX: char(4) MECM\_OPT\_OUT: char(1) MECM\_MCTR\_LANG: char(4) GRLC EFF DT: datetime MEES TERM DT: datetime MLRR\_EFF\_DT: datetime GRGR\_CK: int GRLC\_TERM\_DT: datetime SGSG\_CK: int MECM\_MOTIC\_LARGE char(40) MESU\_TERM\_DT: datetime GRGR\_CK: int SBSB\_CK: int MEES\_CHANNEL: varchar(30) MEES\_EXCHANGE: varchar(80) MLRR TERM DT: datetime MECM\_SMS\_TEXT: varchar(20) MECM\_SBAD\_TYPE: char(1) MECM\_RCVD\_DT: datetime MECM\_LOCK\_TOKEN: smallint CSPI\_ID: char(8) GRLC\_TOTAL\_ELIG: int MLRR\_MLR\_IND: char(1) MLRR\_LOCK\_TOKEN: smallint MEES\_MCTR\_METH: char(4) MEES\_APTC\_IND: char(1) MESU\_SUBSIDY: money GRLC\_TOTAL\_EMPL: int GRLC\_MCTR\_AFFL: char(4) ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) MEES\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime BGBG\_CK: int MESU\_FAM\_IND: char(1) ATXR\_SOURCE\_ID: datetime GRLC\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) MESU\_BASIS: smallint MESU\_LOCK\_TOKEN: smallint SYS\_LAST\_UPD\_DTM: datetim SYS\_USUS\_ID: varchar(48) ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) MEES\_QHP\_ID\_NVL: varchar(50)

MEES\_MEM\_ID\_NVL: varchar(50)

SYS\_DBUSER\_ID: varchar(48)


Page 9 of 11

#### **ENROLLMENT MANAGER**

CMC\_SBSB\_SUBSC\_V SBSB\_CK: int CMC\_EMPM\_PLAN\_MAP EMCM\_CHANNEL: varchar(30) (FK)
EMCM\_SUBMITTER\_ID: varchar(80) (FK)
EMCM\_TYPE: char(2) (FK)
EMCM\_EFF\_DT: datetime (FK)
EMPM\_QHP\_LOB: char(3)
EMPM\_QHP\_ID: varchar(50) CMC\_SBTD\_TEG\_DATA SBSB\_CK: int (FK) SBTD\_TYPE: char(3) SBTD\_SEQ\_NO: smallint CSPD\_CAT: char(1)
CSPI\_ID: char(8)
EMPM\_DEN\_CSPI\_ID: char(8)
EMPM\_DEN\_CSPD\_CAT: char(1)
EMPM\_DEN\_MAX\_AGE: smallint
EMPM\_VIS\_CSPI\_ID: char(8) SBTD\_EFF\_DT: datetime
SBTD\_TERM\_DT: datetime
SBTD\_NAME: varchar(60)
SBTD\_ID\_TYPE: char(3)
SBTD\_ID: varchar(30)
SBTD\_REF\_ID\_TYPE: char(3)
SBTD\_REF\_ID: varchar(80)
SBTD\_RESERVED\_1: varchar(255)
SBTD\_RESERVED\_2: varchar(255)
SBTD\_RESERVED\_2: varchar(255)
SBTD\_RESERVED\_3: varchar(255)
SBTD\_RESERVED\_3: varchar(255)
SBTD\_RESERVED\_3: varchar(255)
SBTD\_RESERVED\_3: varchar(255) CMC\_EMCM\_CLASS\_MAP EMCM\_CHANNEL: varchar(30)
EMCM\_SUBMITTER\_ID: varchar(80)
EMCM\_TYPE: char(2) EMCM\_EFF\_DT: datetime EMPM\_VIS\_CSPD\_CAT: char(1)
EMPM\_VIS\_MAX\_AGE: smallint
EMPM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime EMCM\_TERM\_DT: datetime GRGR\_ID: char(8) SGSG\_ID: char(4) SGSG\_ID: char(4)
CSCS\_ID: char(4)
BLPF\_ID: char(12)
EMCM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)
BGRG\_ID\_NWI: char(6) SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SBTD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: datetime SYS\_DBUSER\_ID: varchar(48)

BGBG\_ID\_NVL: char(8)

#### **OUTBOUND ACCUMULATORS**



#### Flexible Spending Account tables

#### CMC\_SBFS\_FSA\_ACCUM

SBSB\_CK: int
SBFS\_PLAN\_YEAR\_DT: datetime
SBFS\_FSA\_TYPE: char(01)
SBFS\_EFF\_DT: datetime
SBFS\_TERM\_DT: datetime

SBFS\_IERM\_DI: datetime
GRGR\_CK: int
SBFS\_SUBMIT\_IND: char(01)
SBFS\_EE\_PLDG\_AMT: money
SBFS\_ER\_PLDG\_AMT: money
SBFS\_ER\_PLDG\_AMT: money
SBFS\_ER\_CNTRB\_YTD: money
SBFS\_PAID\_YTD\_AMT: money
SBFS\_PAID\_YTD\_AMT: money
SBFS\_BALANCE\_AMT: money
SBFS\_PAY\_HOLD\_IND: char(1)
SBFS\_PAY\_HOLD\_IND: char(1)
SBFS\_PAID\_CUR\_AMT: money
SBFS\_CARD\_CUR\_AMT: money
SBFS\_MCTR\_CRSN: char(4)
SBFS\_MCTR\_CRSN: char(4)
SBFS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SBFS\_PRO\_AMT\_NVL: money
SBFS\_PRO\_MAX\_AMT\_NVL: money
SBFS\_FY\_PRO\_PD\_NVL: money

#### CMC\_SBFT\_FSA\_CNTRB

SBSB\_CK: int
SBFS\_PLAN\_YEAR\_DT: datetime
SBFS\_FSA\_TYPE: char(1)
SBFT\_TXN\_DT: datetime
SBFT\_SEQ\_NO: smallint
GRGR\_CK: int
SBFT\_PROCESS\_DTM: datetime
SBFT\_INPUT\_SOURCE: char(01)
SBFT\_EE\_CNTRB\_AMT: money
SBFT\_EC\_CNTRB\_AMT: money
SBFT\_MCTR\_CRSN: char(04)
SBFT\_MCTR\_CRSN: char(04)
SBFT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

# TELADOC TABLES

#### CMC GRTI TELADOC

GRGR\_CK: int GRTI\_EFF\_DT: datetime

GRTI\_TERM\_DT: datetime GRTI\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC\_SGTI\_TELADOC

SGSG\_CK: integer SGTI\_EFF\_DT: datetime

SGTI\_TERM\_DT: datetime GRGR\_CK: int SGTI\_TELADOC\_IND: char(1) SGTI\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### Patient Centered Medical Home Tables

#### CMC\_MEPV\_PROV

MEME\_CK: int MEPV\_MCTR\_PTYP: char(4) MEPV\_EFF\_DT: datetime

MEPV\_TERM\_DT: datetime MEPV\_MCTR\_TRSN: char(4) GRGR\_CK: int PRPR\_ID: char(12) MEPV\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### CMC MEPK RISK

MEME\_CK: int MEPK\_MCTR\_RTYP: char(4) MEPK\_EFF\_DT: datetime

MEPK\_TERM\_DT: datetime MEPK\_MCTR\_TRSN: char(4) GRGR\_CK: int MEPK\_RISK\_SCORE: int MEPK\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### Page 10 of 11

#### CMC\_DCTI\_IMP\_ACCUM

DCTI\_ID: numeric(18,0) DCTI\_ACCT\_TYPE\_CD: char(3) DCTI\_SSN: char(9) DCTI\_CARDHOLDER\_ID: varchar(50)
DCTI\_DEBT\_CARD\_NO: varchar(256) DCTI\_FROM\_DT: datetime DCTI\_TO\_DT: datetime
DCTI\_TO\_DT: datetime
DCTI\_IND\_AVAIL\_BAL: money
DCTI\_IND\_DISB\_AMT: money
DCTI\_IND\_PREAU\_BAL: money
DCTI\_FAM\_AVAIL\_BAL: money
DCTI\_FAM\_DISB\_AMT: money DCTI\_FAM\_PREAU\_BAL: money DCTI\_EMPLOYER\_ID: char(12) DCTI\_MERCH\_NAME: varchar(70) DCTI\_MERCH\_TYPE\_CD: char(4) DCTI\_WERCH\_TFE\_GO. (Idal(4))
DCTI\_NOTE: varchar(70)
DCTI\_SEQ\_NO: int
DCTI\_SETTLE\_DT: datetime
DCTI\_TPA\_ID: char(6)
DCTI\_ADJ\_TRNS\_STS: varchar(30)
DCTI\_TRNS\_AMT: money DCTI\_TRNS\_DTM: datetime
DCTI\_TRNS\_DENY\_AMT: money
DCTI\_PLN\_YR\_BEG\_DT: datetime
DCTI\_PLN\_YR\_END\_DT: datetime
DCTI\_TRNS\_CD: varchar(50) DCTI\_STS: char(2)
DCTI\_ERR\_REC\_ID: numeric(18,0) SYMD\_ID: char(8) SYMD\_MSG\_CD: int DCTI\_STS\_DTM: datetime
DCTI\_LST\_USUS\_ID: char(10)
PITM\_TICKET\_NO: char(36)
DCTI\_MCTR\_CNCL\_RSN: char(4) DCTI\_DEPENDENT\_IND: varchar(10) DCTI\_DEPENDENT\_ID: varchar(50) DCTI\_ADDL\_DATA: varchar(255)
DCTI\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

# CMC\_DCAT\_CDH\_ACC DCAT\_ID: numeric(18,0)

SBSB CK: int
MEME\_CK: int
MEME\_CK: int
DCAT\_TRANS\_TYPE: char(4)
CSPD\_CAT: char(1)
DCAT\_PLAN\_YR\_DT: datetime
DCAT\_EFF\_DT: datetime
HSAI\_ACC\_SFX: char(4)
SBFS\_FSA\_TYPE: char(1)
GRDC\_PFX: char(4)
DCAT\_CLAIM\_AMT: money
DCAT\_FAM\_BAL: money
DCAT\_FAM\_BAL: money
DCAT\_IND\_BAL: money
DCAT\_IND\_TRANS\_BAL: money
DCAT\_IND\_TRANS\_BAL: money
DCAT\_SOURCE: char(1)
DCAT\_SOURCE: char(1)
DCAT\_SOURCE: DI: varchar(12)
PZPZ\_ID: char(4)
PZPZ\_ID: char(4)
DCAT\_STS: char(2)
DCAT\_STS: char(2)
DCAT\_STS: char(2)
DCAT\_CREAT\_USUS\_ID: char(10)
DCAT\_CREAT\_EDTM: datetime
DCAT\_BYPASS\_SOURCE: numeric(18,0)
DCAT\_CREATE\_DTM: datetime
DCAT\_VNDR\_ERR\_CD: varchar(70)
DCAT\_VNDR\_ERR\_DESC: varchar(70)
DCAT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

## CMC\_DCXT\_EXT\_ACCUM


DCTI\_ID: numeric(18,0) (FK)

SBSB\_CK: int
MEME\_CK: int
DCXT\_TRANS\_TYPE: char(4)
DCXT\_PLAN\_YR\_DT: datetime
HSAI\_ACC\_SFX: char(4)
SBFS\_FSA\_TYPE: char(1)
CSPD\_CAT: char(1)
GRDC\_PFX: char(4)
DCTI\_FROM\_DT: datetime
DCTI\_TRNS\_DTM: datetime
DCTI\_TRNS\_DTM: datetime
DCTI\_TRNS\_DTM: datetime
DCTI\_TRNS\_DTM: datetime
DCTI\_TRNS\_DTM: datetime
DCTI\_SETTLE\_DT: datetime
DCTI\_SETTLE\_DT: datetime
DCTI\_SETTLE\_DT: datetime
DCTI\_MERCH\_TYPE\_CD: char(4)
DCTI\_MERCH\_NAME: varchar(70)
DCTI\_ADJ\_TRNS\_STS: varchar(30)
DCXT\_IND\_CUR\_BAL: money
DCXT\_FAM\_CUR\_BAL: money
DCXT\_FAM\_CUR\_BAL: money
DCXT\_CREATE\_DTM: datetime
DCXT\_ADDL\_DATA: varchar(255)
DCXT\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

MASTER MEMBER Page 11 of 11

#### CMC\_MAME\_MASTER





# CHAPTER 20

# **NetworX Data Model**

#### Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

NRBR\_LOCK\_TOKEN: smallint NRBR\_SUPP\_PCT\_ALLOWED: numeric(9,6)

NRBR\_EFF\_DT: datetime
NRBR\_TERM\_DT: datetime

NRBR\_CREATE\_BY: char(10) NRBR\_CREATE\_DTM: datetime

NRBR\_MODIFY\_BY: char(10) NRBR\_MODIFY\_DTM: datetime

ATRX SOURCE ID: datetime

NRBR\_UPDATE\_IND: char(01)

NSRS RATE SHT ID: int

NRSN\_NOTE\_TEXT: text NRSN\_CREATE\_BY: varchar(20)

NRSN\_NOTE\_PART\_NO: int

NRSN\_CREATE\_DTM: datetime ATXR\_SOURCE\_ID: datetime

NRSN\_LOCK\_TOKEN: smallint

NRCG\_PCT\_80: numeric(12.4)

NRCG\_PCT\_80: numeric(12,4) NRCG\_PCT\_85: numeric(12,4) NRCG\_PCT\_90: numeric(12,4) NRCG\_PCT\_95: numeric(12,4) NRCG\_CREATE\_BY: char(10)

NRCG CREATE DTM: datetime

NRCG\_CREATE\_DTM: datetime NRCG\_MODIFY\_BY: char(10) NRCG\_MODIFY\_DTM: datetime ATRX\_SOURCE\_ID: datetime NRCG\_LOCK\_TOKEN: smallint

NRBG\_MODIFY\_BY: char(10) NRBG\_MODIFY\_DTM: datetime ATRX\_SOURCE\_ID: datetime

NRBG\_LOCK\_TOKEN: smallint

NCST\_SOURCE\_TYPE: varchar(2)

NRB4\_CARRIER\_NO: varchar(5)

NRB4\_LOCALITY\_NO: varchar(2) NRB4\_TERM\_DT: datetime NRB4\_CREATE\_BY: varchar(20)

NRB4\_CREATE\_DTM: datetime NRB4\_MODIFY\_BY: varchar(20)

NRB4\_MODIFY\_DTM: datetime NRB4\_LOCK\_TOKEN: smallint ATRX SOURCE ID: datetime

**NWX NSHC SCHEDULES** 

Page 2 of 4

#### NSHC\_SCHEDULE\_ID: int NWX\_NRST\_R\$\_TERMS NSHC\_SCHEDULE\_CODE: varchar(15) NRST\_RS\_TERM\_ID: int NSHC\_DESC: varchar(50) NSHC\_BASE\_TABLE: varchar(20) NSRS\_RATE\_SHT\_ID: int NRST\_SECTION\_TYPE: int NRST\_DISP\_SECT\_NO: int NSHC\_EXCP\_TABLE: varchar(20) NSHC\_EFF\_DT: datetime NSHC\_TERM\_DT: datetime NWX\_NRVC\_RVU\_CONV NRST\_SEQ\_NO: int NRST\_EFF\_DT: datetime NSHC\_DEF\_MED\_PCT: numeric(9,6) NSHC\_DEF\_PC\_PCT: numeric(9,6) NSHC\_DEF\_PC\_PCT: numeric(9,6) NSHC\_DEF\_ANES\_PCT: numeric(9,6) NSHC\_DEF\_TC\_PCT: numeric(9,6) NSHC\_PCT\_SCHEDULE: numeric(9,6) NRVC\_PROC\_LOW: char(5) NRVC\_EFF\_DT: datetime NRVC\_ZIP\_LOW: char(3) NSHC\_SCHEDULE\_ID: int NRST\_TERM\_DT: datetime NRST\_TERM\_TYPE: int NRST\_COMMENTS: varchar(60) NRST\_SVC\_TYPE: int NRST\_RATE\_SELECT: int NRVC\_PROC\_HIGH: char(5) NRVC\_TERM\_DT: datetime NRVC\_ZIP\_HIGH: char(3) NRVC\_SCHEDULE\_TYPE: char(10) NRVC\_EXCP\_TABLE: varchar(20) NRVC\_ANES\_CONV\_FCT: numeric(13,4) NRVC\_MED\_CONV\_FCT: numeric(13,4) NSHC\_SOURCE\_PCT: int NSHC\_CREATE\_BY: char(10) NRST\_PRICING\_MODE: int NRST\_CODE\_TP\_BEAN: varchar(50) NSHC\_CREATE\_BY: char(10) NSHC\_CREATE\_DTM: datetime NSHC\_MODIFY\_BY: char(10) NSHC\_MODIFY\_DT: datetime NSHC\_ACTIVE\_IND: int NSHC\_RVU\_SRC\_TP: char(1) NSHC\_ZIP\_OPT: varchar(16) NSHC\_GEG\_SRC\_TP: char(1) NSHC\_GPC\_SRC\_TP: char(1) NSHC\_CIP\_SRC\_TP: char(1) NSHC\_ZIP\_SRC\_TP: char(1) NSHC\_ZIP\_SRC\_TP: char(1) NSHC\_ZIP\_SRC\_TP: char(1) NSHC\_CONV\_SRC\_TP: char(1) NSHC\_YEAR\_OPT: char(10) ATRX\_SOURCE\_ID: datetime NSHC\_LOCK\_TOKEN: smallint NRST\_CODE\_TP\_LOW: varchar(50) NRST\_CODE\_TP\_HIGH: varchar(50) NRST\_ACT\_BEAN\_ID: int NRST\_CALC\_BEAN: varchar(50) NRST\_CALC\_BEAN: varchar(50) NRST\_SUB\_RS\_ID: int NRST\_NUMBER\_1: numeric(13,4) NRST\_COUNT\_1: int NRST\_NUMBER\_2: numeric(13,4) NRST\_COUNT\_2: int NRST\_NUMBER\_3: numeric(13,4) NRST\_COUNT\_3: int NRST\_COUNT\_3: int NRST\_NUMBER\_4: numeric(13,4) NRST\_NUMBER\_4: numeric(13,4) NRVC\_MED\_CONV\_FCT: numeric(13,4) NRVC\_PC\_CONV\_FCT: numeric(13,4) NRVC\_TC\_CONV\_FCT: numeric(13,4) NRVC\_CREATE\_BY: char(10) NRVC\_CREATE\_DTM: datetime NRVC\_MODIFY\_BY: char(10) NRVC\_MODIFY\_DTM: datetime ATRX\_SOURCE\_ID: datetime NRVC\_MOCK\_TOKEN\_beamblist ATRA SOURCE\_ID: datetime NSHC\_LOCK\_TOKEN: smallint NSCT\_SCHEDULE\_TYPE: varchar(20) NSHC\_SCHED\_CODE\_UP: varchar(15) NSHC\_DESC\_UP: varchar(50) NSHC\_LOCATION: varchar(1) NRVC LOCK TOKEN: smallint NRST\_NUMBER\_5: numeric(13,4) NRST\_NUMBER\_6: numeric(13,4) NRST\_NUMBER\_7: numeric(13,4) NRST\_NUMBER\_8: numeric(13,4) NSHC\_PROFTECHFROMBASE: varchar(1) NSHC\_SUPP\_PCT\_ALLOWED: varchar(10) NSHC\_PRICING\_TYPE: varchar(25) NSHC\_ACTION\_PARM1: varchar(20) NRST\_NUMBER\_9: numeric(13,4) NWX\_NSCT\_SCHD\_TYPE NRST\_NUMBER\_10: numeric(13,4) NRST\_ACTION\_PARM\_1: varchar(100) NSCT\_SCHEDULE\_TYPE: varchar(20) NRST\_ACTION\_PARM\_2: varchar(100) NRST\_ACTION\_PARM\_3: varchar(100) NRST\_ACTION\_PARM\_4: varchar(100) NSHC\_ACTION\_PARM2: varchar(20) NSCT\_DESC: varchar(50) NSCT\_ACTIVE\_IND: int NSHC\_ZIP\_CODE\_OPTION: varchar(1) NSHC\_VERSION: varchar(20) NRST\_ACTION\_PARM\_5: varchar(100) NSCT\_SCH\_CALC\_BEAN: varchar(50) NSCT\_SCH\_PANL\_BEAN: varchar(50) NRST\_CREATE\_BY: char(10) NRST\_CREATE\_BY: char(10) NRST\_CREATE\_DTM: datetime NRST\_MODIFY\_BY: char(10) NRST\_MODIFY\_DTM: datetime NRST\_CALC\_DESC: varchar(255) NSHC\_OWNER\_ID: int NSHC\_LOCKED: char(01) NSCT\_CREATE\_BY: char(10) NSCT\_CREATE\_DTM: datetime NSCT\_MODIFY\_BY: char(10) NSCT\_MODIFY\_DTM: datetime ATRX\_SOURCE\_ID: datetime NSCT\_LOCK\_TOKEN: smallint NSCT\_CATEGORY: char(1) ATXR SOURCE ID: datetime ATXR\_SOURCE\_ID: datetime NRST\_LOCK\_TOKEN: smallint NRST\_SRC\_MOD\_DTM: datetime NRST\_SRC\_RS\_TRM\_ID: int NRST\_QUAL\_DESC: varchar(100) NCGP\_CODE\_GROUP\_ID: int NRST\_CALC\_DESC\_2: varchar(255) NWX\_NCGP\_CD\_GROUP NCGP\_CODE\_GROUP\_ID: int NCGP\_CODE\_GRP\_NAME: varchar(50) NCGP\_QUALIFIER\_TP: int NCGP\_CREATE\_BY: char(10) NWX\_NCGV\_CD\_VALUE NSHC SCHEDULE ID: int EXCD\_ID: varchar(3) WMDS\_SEQ\_NO: smallint NCGP\_CODE\_GROUP\_ID: int NCGV\_SEQ\_NO: int NCGP\_CREATE\_BY: char(10) NCGP\_CREATE\_DTM: datetime NCGP\_MODIFY\_BY: char(10) NCGP\_MODIFY\_DTM: datetime NCGP\_EFF\_DT: datetime NCGP\_TERM\_DT: datetime NCGP\_QUAL\_PROC\_TP: int ATXR\_SOURCE\_ID: datetime NRST\_DISABLED: int NRST\_TERM\_SEQ\_NO: int NRST\_SECTION\_ALIAS: varchar(60) NCGV\_CODE\_TP\_LOW: varchar(50) NCGV\_CODE\_TP\_HIGH: varchar(50) NCGV\_CREATE\_BY: char(10) NCGV\_CREATE\_DTM: datetime NRST\_USERFIELD1: numeric(13,4) NRST\_USERFIELD2: numeric(13,4) NRST\_USERFIELD3: numeric(13,4) NRST\_USERFIELD4: numeric(13,4) NCGV\_CREATE\_DTM: datetime NCGV\_MODIFY\_BY: char(10) NCGV\_MODIFY\_DTM: datetime NCGV\_CODE\_TP\_BEAN: varchar(50) NCGV\_EFF\_DT: datetime NCGV\_TERM\_DT: datetime NCGP\_LOCK\_TOKEN: smallint NCGP\_SRC\_MOD\_DTM: datetime NRST\_USERFIELD5: numeric(13.4) NRST\_USERFIELD6: numeric(13,4) NCGP\_SRC\_CG\_ID: int NCGP\_SRC\_SCHEMA: varchar(50) NRST\_USERFIELD7: numeric(13.4) NRST\_USERFIELD8: numeric(13,4) NRST\_USERFIELD9: numeric(13,4) NCGP\_SRC\_SYS: varchar(50) NCGP\_SRC\_SYS: varchar(50) NCGP\_OWNER\_ID: int NCGP\_SAME\_LINE\_FLG: int WMGT\_MSG\_TYPE: int NCGP\_IMPORTED\_DATE: datetime NCGP\_CODE\_GRP\_TYPE: char(1) ATXR\_SOURCE\_ID: datetime NCGV\_LOCK\_TOKEN: smallint NRST\_USERFIELD10: numeric(13,4) NRST\_ACTION\_PARM6: varchar(100) NCGV\_OWNER\_ID: int NCGV\_LOW\_DISPLAY: varchar(50) NRST\_ACTION\_PARM7: varchar(100) NRST\_ACTION\_PARM8: varchar(100) NCGV HIGH DISPLAY: varchar(50) NCGV\_OPERAND\_TYPE: int NRST\_ACTION\_PARM9: varchar(100) NCGP\_LOCKED: varchar(20) NCGP\_VERSION: varchar(1) NRST\_ACTION\_PARM10: varchar(100) NRST\_CALC\_DESC\_3: varchar(255) NRST\_TERM\_CATEGORY\_ID: varchar(10) NWX NQBN QUAL BEAN NWX\_NSLV\_SCH\_VAL NWX\_NCCM\_CALC\_MEMB NWX NSRS RATE SHT NQBN\_BEAN\_NAME: varchar(50) NQBN\_QUAL\_TYPE: varchar(50) NSLV\_SVID\_NMBR: int NCCT\_CATEGORY\_ID: int NCCM\_CALC\_BEAN: varchar(50) NSRS\_RATE\_SHT\_ID: int NSLV TYPE IND: varchar(1) NQBN\_ALIAS: varchar(50) NQBN\_STD\_NAME: varchar(50) NSLV\_TABLE\_NAME: varchar(20) NSLV\_YEAR\_APPL: varchar(4) NSRS\_RATE\_SHT\_CD: varchar(30) NCCM\_CREATE\_BY: char(10) NSRS\_RATE\_SHT\_DESC: varchar(50) NSRS\_SUB\_RS\_IND: int NSRS\_EFF\_DT: datetime NQBN\_DISPLAY: char(1) NQBN\_DISPLAY\_SEQ: int NQBN\_EXPLANATION: varchar(200) NCCM\_CREATE\_DTM: datetime NCCM\_MODIFY\_BY: char(10) NCCM\_MODIFY\_DTM: datetime ATXR\_SOURCE\_ID: datetime NSLV\_STATE: varchar(2) NSLV\_CARR\_NMBR: varchar(5) NSRS\_TERM\_DT: datetime NSRS\_CREATE\_BY: char(10) NSLV\_LOCL\_NMBR: varchar(2) NSLV\_EFF\_DT: datetime NQBN\_EXPLAINATION. Valchal(20) NQBN\_VERSION\_NO: varchar(50) NQBN\_PANEL\_TYPE: varchar(50) NQBN\_CREATE\_BY: char(10) NQBN\_CREATE\_DATE: datetime NCCM\_LOCK\_TOKEN: smallint NCCM\_OWNER\_ID: int NSLV\_TERM\_DT: datetime NSLV\_PROC\_CD: varchar(5) NSLV\_MOD\_1: varchar(2) NSRS\_CREATE\_DTM: datetime NSRS\_MODIFY\_BY: char(10) NSRS\_MODIFY\_DTM: datetime NQBN\_MODIFY\_BY: char(10) NQBN\_MODIFY\_DTM: datetime NQBN\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime NQBN\_DATA1: varchar(100) NSRS\_MODIFY\_DTM: datetime NSRS\_MATRIX: varchar(20) NSRS\_SUR\_TERM: int NSRS\_BASE\_CHG\_IND: char(1) NSRS\_HOLD\_IND: char(2) ATXR\_SOURCE\_ID: datetime NSLV\_MOD\_2: varchar(2) NSLV\_REIMB\_METH: varchar(2) NSLV\_ALLOWED: numeric(10,2) NSLV\_PERCENT: numeric(7,4) NSLV CREATE BY: varchar(20) NWX\_NCCT\_CALC\_CATG NQBN\_DATA2: varchar(100) NQBN\_DATE1: datetime ATAR\_SOURCE\_ID: datetime NSRS\_LOCK\_TOKEN: smallint NSRS\_SRC\_MOD\_DTM: datetime NSRS\_SRC\_RS\_ID: int NSRS\_SRC\_SCHEMA: varchar(50) NSLV\_CREATE\_BT: Varichal(20) NSLV\_CREATE\_DTM: datetime NSLV\_MODIFY\_BY: varchar(20) NSLV\_MODIFY\_DTM: datetime NSLV\_OWNER\_ID: int NCCT\_CATEGORY\_ID: int NQBN\_NUM1: numeric(13,2) NQBN\_NUM2: numeric(13,2) NCCT\_CATEGORY\_DESC: varchar(50) NCCT\_CREATE\_BY: char(10) NCCT\_CREATE\_DTM: datetime NQBN\_TYPE\_MED: char(1) NQBN\_TYPE\_DEN: char(1) NQBN\_TYPE\_VIS: char(1) NSRS\_SRC\_SYS: varchar(50) NSRS\_OWNER\_ID: int ATXR SOURCE ID: datetime NSLV\_LOCK\_TOKEN: smallint NCCT\_MODIFY\_BY: char(10) NCCT\_MODIFY\_BY: char(10) NCCT\_MODIFY\_DTM: datetime ATXR\_SOURCE\_ID: datetime NCCT\_LOCK\_TOKEN: smallint NCCT\_OWNER\_ID: int NSRS\_BASE\_RS: varchar(1) NSRS\_ASSOC\_BRS\_CD: varchar(30) NSRS\_SRC\_RS\_CODE: varchar(30) NSRS\_IMPORTED\_DATE: datetime NSRS\_DRG\_VAL: char(1) NSRS\_VERSION: varchar(20) NSRS\_LOCKED: varchar(1) NSRS\_ICD\_PRICE\_DTM: datetime NCCT\_CATEGORY\_TYPE: char(1)

#### NWX\_NRTN\_TERM\_NOTE

NRST\_RS\_TERM\_ID: int NRTN\_NOTE\_NO: int NRTN\_NOTE\_PART\_NO: int

NSRS\_RATE\_SHT\_ID: int NRTN\_NOTE\_TEXT: text NRTN\_CREATE\_BY: varchar(20) NRTN\_CREATE\_DTM: datetime ATXR\_SOURCE\_ID: datetime NRTN\_LOCK\_TOKEN: smallint NRTN\_SRC\_RS\_TERM\_ID: int NRST\_TERM\_SEQ\_NO: int

#### NWX\_NMCL\_MEDICARE\_CLAB

NMCL\_PROCEDURE\_CD: varchar(5) NMCL\_MODIFIER: varchar(2) NMCL\_CARRIER: varchar(5) NMCL\_LOCALITY: varchar(2) NMCL\_EFF\_DT: datetime

NMCL\_TERM\_DT: datetime
NMCL\_60PERCENT\_AMT: numeric(7,2)
NMCL\_62PERCENT\_AMT: numeric(7,2)
NMCL\_GREATE\_DT: datetime
NMCL\_CREATE\_BY: varchar(20)
NMCL\_MODIFY\_DT: datetime
NMCL\_MODIFY\_BY: varchar(20)

NWX\_NAPG\_CODE\_XREF

NAPG\_RET\_CODE: varchar(05)

NWX\_NBCS\_SYSTEM

NBCS\_SYS\_NAME: varchar(10) NBCS\_IP\_ADDRESS: varchar(50) NBCS\_PORT: int

NBCS\_QUEUE\_NAME: varchar(50)

NBCS\_GUEUE\_NAME: Varchar(50)
NBCS\_FACT\_NAME: varchar(50)
NBCS\_SYS\_STATUS: varchar(1)
NBCS\_PUB\_IND: varchar(1)
NBCS\_CREATE\_DTM: datetime

NBCS\_MODIFY\_DTM: datetime NBCS\_LOCKED: varchar(1) ATXR\_SOURCE\_ID: timestamp

NBCS\_LOCK\_TOKEN: smallint

NBCS SYS ID: int

NAPG\_EXCD\_ID: char(03) NAPG\_WMDS\_NMBR: smallint

#### **NWX NBCH HISTORY**

NBCH BROADCAST NMBR: int

NBCH\_BROADCAST\_DTM: datetime NBCH\_STATUS: varchar(20) NBCH\_SCHEDULER ID: int NBCH\_PUB\_SUB\_IND: varchar(1) NBCH\_SCHED\_IND: varchar(1) NBCH\_SYS\_NAME: varchar(20) NBCH\_VERSION: varchar(20) NBCH\_RS\_CODE: varchar(50) NBCH\_RS\_CODE: varchar(50) NBCH\_CG\_ID: int NBCH\_CREATE\_DTM: datetime NBCH\_MODIFY\_DTM: datetime NBCH\_MODIFY\_DTM: datetime NBCH\_LOCK\_TOKEN: smallint NBCH\_MSG: text NBCH\_OBJECT\_ID: numeric(10) NBCH\_OBJECT\_ID: numeric(30) NBCH\_USER: varchar(30) NBCH\_USER: varchar(20)

NBCH END DTM: datetime

Page 3 of 4

PRPR ID: char(12)

WPVA\_SEQ\_NO: int
CLPR\_FAC\_NAME: varchar(55)
CLPR\_TAX\_ID: varchar(25)
CLPR\_ADDR1: varchar(40)
CLPR\_ADDR2: varchar(40)
CLPR\_ADDR3: varchar(40)
CLPR\_ADDR3: varchar(40)
CLPR\_ADDR3: varchar(40)
CLPR\_CITY: varchar(19)
CLPR\_ZIP: varchar(11)
CLPR\_COUNTY: varchar(20)
WPVA\_EFB\_DT: datetime
WPVA\_CREATE\_DT: datetime
WPVA\_CREATE\_BY: char(10)
WPVA\_CREATE\_DTM: datetime
WPVA\_MODIFY\_BY: char(10)
WPVA\_MODIFY\_DTM: datetime
WPVA\_MODIFY\_DTM: datetime
WPVA\_MODIFY\_DTM: datetime
CLPR\_SNS: varchar(9)
CLPR\_LAST\_NAME: varchar(15)
CLPR\_FIRST\_NAME: varchar(15)
CLPR\_SS\_EIN\_IND: varchar(1)
CLPR\_UPIN: varchar(10)

NWX\_WPVA\_PROV\_ALIAS

VISION CARE SCEDULE TABLES

#### NWX\_NSHV\_SCHEDULES

NSHV SCHEDULE ID: int

NSHV\_SCHEDULE\_CODE: varchar(15)
NSHV\_DESC: varchar(50)
NSHV\_RATE\_TABLE: varchar(20)
NSCT\_SCHEDULE\_TYPE: varchar(20)
NSHV\_EFF\_DT: datetime
NSHV\_TERM\_DT: datetime
NSHV\_CREATE\_BY: char(10)
NSHV\_PCT\_SCHEDULE: numeric(9,6)
NSHV\_CREATE\_DTM: datetime
NSHV\_MODIFY\_BY: char(10)
NSHV\_MODIFY\_BY: char(10)
NSHV\_MODIFY\_DT: datetime
NSHV\_ACTIVE\_IND: int

## NWX\_NSVV\_SCH\_VALUE

NSVV\_TABLE\_NAME: varchar(20) NSVV\_PRICING\_CODE: varchar(15) NSVV\_PRICING\_TYPE: char(2) NSVV\_EFF\_DT: datetime

NSVV\_TERM\_DT: datetime NSVP\_RATE: numeric(7.2) NSVV\_CREATE\_BY: varchar(20) NSVV\_CREATE\_DTM: datetime NSVV\_MODIFY\_BY: varchar(20) NSVV\_MODIFY\_DTM: datetime NSVV\_REIMB\_MTH: char(2) NSVV\_PCT: numeric(8,4)

## NWX\_LCSV\_SCH\_VALUE

LCSV\_TABLE\_NAME: varchar(20) LCSV\_SCHEDULE\_TYPE: varchar(20) LCSV\_PRICING\_CODE: varchar(15) LCSV\_PRICING\_TYPE: char(2) LCSV\_EFF\_DT: datetime

LCSV\_TERM\_DT: datetime LCSV\_PCT: numeric(8,4) LCSV\_CALCULATION\_MTH: char(2) LCSV\_RATE: numeric(7,2) LCSV\_CREATE\_BY: varchar(20) LCSV\_GREATE\_DTM: datetime LCSV\_MODIFY\_BY: varchar(20) LCSV\_MODIFY\_DTM: datetime

#### NWX\_LPXR\_LAB\_PFX\_XREF

LPXR\_LAB\_PFX: char(4) LPXR\_EFF\_DT: datetime

LPXR\_TERM\_DT: datetime LPXR\_SCHEDULE\_CODE: varchar(15) LPXR\_CREATE\_BY: char(10) LPXR\_CREATE\_DTM: datetime LPXR\_MODIFY\_BY: char(10) LPXR\_MODIFY\_DTM: datetime

#### NWX NSVP PRICING TYPE

NSVP\_PRICING\_TYPE: char(2)

NSVP\_DESC: varchar(50)

#### NWX\_LISX\_LAB\_ID\_SCHED\_CD\_XREF

LISX\_LAB\_ID: char(12) LISX\_BUS\_MODEL\_TYPE: char(1) LISX\_EFF\_DT: datetime

LISX\_TERM\_DT: datetime
LISX\_LAB\_FEE\_SCHEDULE\_CODE: varchar(15)
LISX\_ADMIN\_FEE\_SCHEDULE\_CODE: varchar(15)
LISX\_CREATE\_BY: char(10)
LISX\_CREATE\_DTM: datetime
LISX\_MODIFY\_BY: char(10)
LISX\_MODIFY\_DTM: datetime

# These 3 tables are reserved for future use

#### NWX\_NJCD\_J\_CODES

NCST\_SOURCE\_TYPE: varchar(2) NJCD\_J\_CODE: varchar(5) NJCD\_EFF\_DT: datetime

NJCD\_TERM\_DT: datetime
NJCD\_MEAN\_ALL: numeric(7,2)
NJCD\_MEAN\_BRN: numeric(7,2)
NJCD\_MEAN\_BRN: numeric(7,2)
NJCD\_MED\_ALL: numeric(7,2)
NJCD\_MED\_ALL: numeric(7,2)
NJCD\_MED\_GEN: numeric(7,2)
NJCD\_LOW\_BRN: numeric(7,2)
NJCD\_LOW\_BRN: numeric(7,2)
NJCD\_LOW\_GEN: numeric(7,2)
NJCD\_HIGH\_GEN: numeric(7,2)
NJCD\_HIGH\_GEN: numeric(7,2)
NJCD\_HIGH\_GEN: numeric(7,2)
NJCD\_LOK\_TOKEN: smalllint
ATXR\_SOURCE\_ID: datetime
NJCD\_CREATE\_BY: char(10)
NJCD\_CREATE\_DTM: datetime
NJCD\_MODIFY\_BY: char(10)
NJCD\_MODIFY\_DTM: datetime

#### NWX\_NRSC\_RS\_SECT

NRSC\_SECTION\_ID: int

NRSC\_SECTION\_TYPE: int
NRSC\_SERVICE\_TYPE: int
NRSC\_DESC: varchar(50)
NRSC\_CREATE\_BY: char(10)
NRSC\_CREATE\_DTM: datetime
NRSC\_MODIFY\_DTM: datetime
ATXR\_SOURCE\_ID: datetime
NRSC\_MOSE\_ID: datetime
NRSC\_LOCK\_TOKEN: smallint

#### NWX NRSX RS EXCP

NRSX\_RS\_EXCP\_DESC: varchar(50)

NRSX\_CREATE\_BY: char(10)
NRSX\_CREATE\_DTM: datetime
NRSX\_MODIFY\_BY: char(10)
NRSX\_MODIFY\_DTM: datetime
ATXR\_SOURCE\_ID: datetime
NRSX\_LOCK\_TOKEN: smallint

#### NWX\_NSVM\_SCH\_MOD

NSVM\_ID: int

NSVM\_TABLE: varchar(20)
NSVM\_PROCEDURE\_CD: char(5)
NSVM\_MODIFIER: char(2)
NSVM\_EFF\_DT: datetime
NSVM\_TERM\_DT: datetime
NSVM\_FOLLOWIP\_DAYS: int
NSVM\_FOLLOWIP\_DAYS: int
NSVM\_CREATE\_BY: char(10)
NSVM\_CREATE\_DTM: datetime
NSVM\_MODIFY\_BY: char(10)
NSVM\_MODIFY\_DTM: datetime
ATRX\_SOURCE\_ID: datetime
ATRX\_SOURCE\_ID: datetime
NSVM\_LOCK\_TOKEN: smallint
NSVM\_PCT: numeric(8,4)
NSVM\_REIMB\_MTH: char(2)
NSVM\_RSVM\_SUMER\_ID: int

#### NWX\_NASA\_ASA\_XREF

NASA\_PROCEDURE\_CD: char(5) NASA\_ASA\_CODE: char(5) NASA\_YEAR\_APPLIED: char(4) NASA\_EFF\_DT: datetime

NASA\_ID: int
NASA\_MEDICRE\_BS\_UT: numeric(3,0)
NASA\_ASA\_BS\_UT: numeric(3,0)
NASA\_PROC\_DESC: varchar(100)
NASA\_PROC\_DESC: varchar(72)
NASA\_TEM\_DT: datetime
NASA\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
NASA\_CREATE\_BY: char(10)
NASA\_CREATE\_DTM: char(18)
NASA\_CREATE\_DTM: datetime
NASA\_CREATE\_DTM: datetime
NASA\_MODIFY\_DTM: datetime
NASA\_USER\_DEFINED: char(01)

#### NWX\_NDCD\_NDC\_CODE

NDCD\_NDC\_CODE: varchar(13)

NDCD\_PRODUCT\_NAME: varchar(60)
NDCD\_PACKAGE\_SIZE: numeric(8)
NDCD\_PACKAGE\_QUAN: int
NDCD\_PACKAGE\_QUAN: int
NDCD\_REMB\_IND: varchar(1)
NDCD\_MULTI\_SRC\_CD: varchar(1)
NDCD\_MULTI\_SRC\_CD: varchar(1)
NDCD\_PROC\_CATEGORY: varchar(2)
NDCD\_BAND\_IND: varchar(1)
NDCD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
NDCD\_CREATE\_BY: char(10)
NDCD\_MODIFY\_BY: char(10)
NDCD\_MODIFY\_BY: char(10)
NDCD\_MODIFY\_BY: char(10)
NDCD\_MODIFY\_DTM: datetime

#### NWX\_NNDC\_NDC\_RULE

PDPD\_ID: char(8) SESE\_ID: char(4) NNDC\_EFF\_DT: datetime

NNDC\_TERM\_DT: datetime
NNDC\_SESE\_BS\_RULE: char(3)
NNDC\_SESE\_GS\_RULE: char(3)
NNDC\_LOCK\_TOKEN: int
ATXR\_SOURCE\_ID: datetime
NNDC\_CREATE\_BY: varchar()
NNDC\_CREATE\_DTM: datetime
NNDC\_MODIFY\_BY: char(10)
NNDC\_MODIFY\_DTM: datetime

#### NWX\_NCHS\_CODE\_LOAD

NCHS\_TYPE: varchar()
NCHS\_TRANSFER\_TYPE: varchar()
NCHS\_EFF\_DT\_: datetime
NCHS\_YEAR\_APPLIED: varchar(4)
NCHS\_SOURCE\_TYPE: varchar(2)
NCHS\_IBLE\_NAME: varchar()
NCHS\_USER\_ID: varchar()
NCHS\_IMPORT\_DT: datetime
NCHS\_STATUS: varchar(10)
NCHS\_ADDED\_CT: numeric(15,5)
NCHS\_UPDATED\_CT: numeric(15,5)
NCHS\_TERMINATED\_CT: numeric(15,5)
NCHS\_TOTAL\_CT: numeric(15,5)
NCHS\_TOTAL\_CT: numeric(15,5)
NCHS\_TOTAL\_CT: numeric(15,5)

#### NWX\_NSCV\_SCH\_VALUE

NSCV\_TABLE: varchar(20) NSCV\_PROCEDURE\_CD: char(5) NSCV\_EFF\_DT: datetime

NSCV\_TERM\_DT: datetime
NSCV\_MED\_REIMB\_MTH: char(2)
NSCV\_MED\_ALLOW: numeric(13,4)
NSCV\_MED\_ALLOW: numeric(13,4)
NSCV\_MED\_PCT: numeric(8,4)
NSCV\_PC\_REIMB\_MTH: char(2)
NSCV\_PC\_REIMB\_MTH: char(2)
NSCV\_PC\_ALLOW: numeric(13,4)
NSCV\_PC\_ALLOW: numeric(13,4)
NSCV\_CALLOW: numeric(8,4)
NSCV\_PC\_PCT: numeric(8,4)
NSCV\_PC\_PCT: numeric(8,4)
NSCV\_CREATE\_BY: char(10)
NSCV\_FCLLOWLD\_DAYS: int
NSCV\_CREATE\_BY: char(10)
NSCV\_TC\_REIMB\_MTH: char(2)
NSCV\_MODIFY\_BY: char(10)
NSCV\_TC\_ALLOW: numeric(13,4)
NSCV\_MODIFY\_BY: datetime
NSCV\_TC\_PCT: numeric(8,4)
ATRX\_SOURCE\_ID: datetime
NSCV\_TC\_PCT: numeric(8,4)
ATRX\_SOURCE\_ID: datetime
NSCV\_LOCK\_TOKEN: smallint
NSCV\_UNNER\_ID: int

#### NWX\_AUDT\_APPL\_MDDT

AUDT\_APPL\_NAME: varchar(50)

AUDT\_MODIFY\_DTM: datetime AUDT\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime AUDT\_CREATE\_DTM: datetime AUDT\_CREATE\_BY: char(10) AUDT\_MODIFY\_BY: datetime

#### NWX\_NDCP\_NDC\_PRICE

NDCD\_NDC\_CODE: varchar(13) NCST\_SOURCE\_TYPE: varchar(2) NDCP\_PRICE\_DATA\_TYP: varchar(5) NDCP\_EFF\_DT: datetime

NDCP\_PKG\_PRICE: numeric(11,2) NDCP\_UNIT\_PRICE: numeric(9,2) NDCP\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime NDCP\_CREATE\_BY: char(10) NDCP\_MODIFY\_BY: char(10) NDCP\_MODIFY\_BY: char(10) NDCP\_MODIFY\_DTM: datetime

#### NWX\_NHSS\_CODE\_XREF

NHSS\_RET\_CODE: varchar(5)

NHSS\_EXCD\_ID: char(3)
NHSS\_WMDS\_NMBR: smallint

#### NWX\_NAPS\_STATUS\_IND

NAPS\_STATUS\_IND: varchar(2)

NAPS\_DESC: varchar(70)
NAPS\_CREATE\_BY: char(10)
NAPS\_CREATE\_DTM: datetime
NAPS\_MODIFY\_BY: char(10)
NAPS\_MODIFY\_DTM: datetime
NAPS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### NWX\_CLIN\_EDIT\_PROC

CLIN\_PROCEDURE\_CD: varchar(5) CLIN\_MODIFIER: varchar(2) CLIN\_ORIGIN: varchar() CLIN\_EFF\_DATE: datetime

CLIN\_ADJUST\_PCT: numeric(7,4)
CLIN\_TERM\_DATE: datetime
ATXR\_SOURCE\_ID: datetime
CLIN\_LOCK\_TOKEN: smallint

#### NWX\_NDRP\_PERDIEM

NDRP\_DRG\_ID: numeric(10,0)

NDRP\_OWNER\_ID: int
NDRP\_DRG: varchar(10)
NDRP\_EFF\_DT: datetime
NDRP\_TERM\_DT: datetime
NDRP\_YEAR\_APPL: varchar(4)
NDRP\_SOURCE\_TYPE: varchar(2)
NDRP\_PD\_RATE1: numeric(12,4)
NDRP\_PD\_RATE2: numeric(12,4)
NDRP\_PD\_RATE3: numeric(12,4)
NDRP\_CREATE\_BY: varchar(10)
NDRP\_MODIFY\_BY: varchar(10)
NDRP\_CREATE\_DTM: datetime
NDRP\_MODIFY\_DTM: datetime

#### NWX\_NSTN\_SCH\_TABLE\_NAMES

NSTN\_TABLE: varchar(20) NSTN\_TYPE: char(1)

NSTN\_MODIFY\_DTM: datetime

#### NWX\_NSCD\_SCH\_VALUE\_DENT

NSCD\_DENT\_TABLE: varchar()
NSCD\_DENT\_CDT\_CD: char(5)
NSCD\_DENT\_EFF\_DT: datetime

NSCD\_DENT\_TERM\_DT: datetime
NSCD\_DENT\_ALLOW\_REIMB\_MTH: char(2)
NSCD\_DENT\_ALLOW: numeric(13,4)
NSCD\_DENT\_PCT: numeric(8,4)
NSCD\_DENT\_CREATE\_BY: char(10)
NSCD\_DENT\_CREATE\_DTM: datetime
NSCD\_DENT\_MODIFY\_BY: char(10)
NSCD\_DENT\_MODIFY\_DTM: datetime
ATRX\_SOURCE\_ID: datetime
NSCD\_DENT\_MODIFY\_DTM: datetime
NSCD\_DENT\_LOCK\_TOKEN: smallint

#### NWX CBEX CALC EXCD

CBEX CALC BEAN: varchar(50)

CBEX\_CALC\_TYPE: varchar(50)
CBEX\_EXCD\_ID\_1: char(3)
CBEX\_EXCD\_ID\_2: char(3)
CBEX\_ALIAS: varchar(50)
CBEX\_ALIAS: varchar(50)
CBEX\_CREATE\_BY: char(10)
CBEX\_CREATE\_BY: char(10)
CBEX\_MODIFY\_BY: char(10)
CBEX\_MODIFY\_BY: char(10)
CBEX\_MODIFY\_DTM: datetime
CBEX\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
CBEX\_LOTA: varchar(100)
CBEX\_DATA: varchar(100)
CBEX\_DATE1: datetime
CBEX\_NUMT: numeric
CBEX\_NUMT: numeric

#### NWX\_NRSH\_RATE\_SHT\_HISTORY

NRSH\_ORIG\_RATE\_SHT\_ID: int


NRSH\_NEW\_RATE\_SHT\_ID: int
NRSH\_RATE\_SHT\_CD: varchar(30)
NRSH\_RATE\_SHT\_DESC: varchar(50)
NRSH\_SUB\_RS\_IND: int
NRSH\_SET\_DT: datetime
NRSH\_TERM\_DT: datetime
NRSH\_TERM\_DT: datetime
NRSH\_CREATE\_BY: char(10)
NRSH\_CREATE\_DTM: datetime
NRSH\_MODIFY\_BY: char(10)
NRSH\_MODIFY\_BY: char(10)
NRSH\_MODIFY\_DTM: datetime
NRSH\_VERSION: varchar(20)
NRSH\_LOCKED: varchar(1)

#### NWX\_NRTH\_RS\_TERMS\_HISTORY


NRSH\_ORIG\_RATE\_SHT\_ID: int
NRTH\_ORIG\_RS\_TERM\_ID: int
NRTH\_DISP\_SECT\_NO: int
NRTH\_SEQ\_NO: int
NRTH\_EFF\_DT: datetime
NRTH\_EFRM\_DT: datetime
NRTH\_COMMENTS: varchar(60)
NRTH\_TERM\_DESC: text
NRTH\_QUAL\_DESC: text
NRTH\_QUAL\_DESC: text
NRTH\_QUAL\_DESC: int
NRTH\_PRICING\_MODE: int
NRTH\_PRICING\_MODE: int
NRTH\_RATE\_SELECT: int
NRTH\_SECTION\_TYPE: int
NRTH\_SECTION\_TYPE: int
NRTH\_TEXD\_ID: varchar(3)
NRTH\_DISABLED: int
NRTH\_DISABLED: int
NRTH\_WNDS\_SEQ\_NO: smallint
NRTH\_CREATE\_BY: char(10)
NRTH\_MODIFY\_BY: char(10)
NRTH\_MODIFY\_BY: char(10)
NRTH\_TERM\_CATEGORY\_ID: varchar(20)


# **CHAPTER 21** Plan Data Model

Facets Plan Data Model - 5.10.006 CMC CSCS CLASS Page 1 of 22 CMC\_CSPI\_CS\_PLAN GRGR\_CK: int CMC\_CASV\_SERVICE GRGR\_CK: int (FK) CSCS\_ID: char(4) SESE ID: char(4) CSCS\_ID: char(4) (FK) CSPD\_CAT: char(1) (FK) CSCS DESC: char(70) CASV\_EFF\_DT: datetime TPCT\_PFX: char(4) (FK) CSCS\_OPTS: char(4) CSPI\_ID: char(8) (FK) TPPX DESC CASV MCTR TYPE: char(04) CSPI EFF DT: datetime CASV\_TERM\_DT: datetime
CASV\_LAST\_UPD\_DT: datetime
CASV\_LAST\_UPD\_USID: char(10) PLPB\_PFX: char(4)
CSCS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime TPCT\_PFX: char(4) CSPI TERM DT: datetime CSPI\_TERNE\_DT: datetime
PDPD\_ID: char(8) (FK)
CSPI\_SEL\_IND: char(1)
CSPI\_FI: char(1)
CSPI\_GUAR\_DT: datetime
CSPI\_GUAR\_PER\_MOS: smallint
CSPI\_GUAR\_IND: char(1) Defined\_on\_Page\_2: char(1) CASV\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)
CSCS\_SP\_NWST\_PFX\_NVL: char(4) CMC PLPB PART BNK PLPB\_PFX: char(4) PLPB\_EFF\_DT: datetime PLPB\_SEQ\_NO: smallint CSCS\_SP\_PDPD\_ID\_NVL: char(8) PMAR\_PFX: char(4) (FK)
WMDS SEQ NO: smallint CMC GPAI GRP ADM GPAI ID: char(08) CSPI\_OPEN\_BEG\_MMDD: smallint PLPB\_TERM\_DT: datetime MCBD\_ID: char(12) CSPI\_OPEN\_END\_MMDD: smallint GPAI\_ID: char(08) (FK) CMC PLDS PLAN DESC GPAI\_DESC: varchar(70) GPAI\_DESC: Valctial (70)
GPAI\_WT\_PER\_TYPE: char(01)
GPAI\_WT\_PER\_VAL: smallint PLPB\_ESIG\_IND: char(01)
PLPB\_ADDL\_DATA: varchar(255)
PLPB\_LOCK\_TOKEN: smallint GFAI\_ID. GHAI(U6) (FA)
CSPI\_ITS\_PREFIX: char(3)
CSPI\_AGE\_CALC\_METH: char(01)
CSPI\_CARD\_STOCK: char(10)
CSPI\_MCTR\_CTYP: char(04)
CSPI\_HEDIS\_CEBREAK: char(01) CSPI\_ID: char(8) GPAI\_WT\_PER\_VAL: smallint
GPAI\_WT\_PER\_IND: char(01)
GPAI\_SB\_STOP\_AGE: smallint
GPAI\_SB\_SA\_EXCD: char(03)
GPAI\_SB\_STOP\_IND: char(01)
GPAI\_SP\_STOP\_IND: char(01)
GPAI\_SP\_STOP\_IND: char(01)
GPAI\_SP\_STOP\_IND: char(01)
GPAI\_DEP\_STOP\_IND: char(01)
GPAI\_DEP\_STOP\_IND: char(03)
GPAI\_DEP\_STOP\_IND: char(01)
GPAI\_DEP\_STOP\_IND: char(01) PLDS\_DESC: char(70)
PLDS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) CSPI\_HEDIS\_DAYS: smallint
CSPI\_PDPD\_BEG\_MMDD: smallint SYS\_DBUSER\_ID: varchar(48) CSPI\_PDPD\_CO\_MNTH: smallint NWST\_PFX: char(04) CVST\_PFX: char(04) HSAI\_ID: char(08)
CSPI\_POSTPONE\_IND: char(01)
GRDC\_PFX: char(04)
UTED\_PFX: char(04) PMAR V GPAI\_DEP\_STOP\_IND: char(01)
GPAI\_STU\_STOP\_AGE: smallint PMAR\_PFX: char(4) CMC\_VBBR\_VBB\_RULES GPAI\_STU\_SA\_EXCD: char(03)
GPAI\_STU\_STOP\_IND: char(01)
GPAI\_CVG\_BEGIN: char(1) To: Page 10 VBBR\_ID: char(8) VBBR\_ID: char(8) (FK)
CSPI\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime VBBR\_DESC: varchar(70) VBBR\_LOCK\_TOKEN: small ATXR\_SOURCE\_ID: datetim GPAI\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CSPI\_SEC\_PLAN\_CD\_NVL: char(2) SYS LAST UPD DTM: date SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(4 CMC CSPD DESC MCRE ID\_NVL: char(9)
CSPI\_ITS\_ACCT\_EXCP\_NVL: char(1)
CSPI\_REN\_BEG\_MMDD\_NVL: smallint SYS\_DBUSER\_ID\_\_11651: ( CSPD CAT: char(1) CSPD\_CAT\_DESC: char(70) CSPD\_TYPE: char(1) CMC\_VBBD\_VBB\_DESC CMC\_PDFC\_CAP\_FCTR CSPD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime VBBD\_RULE: char(4) PDPD\_ID: char(8) (FK)
PDFC\_MCTR\_CFCD: char(4) VBBD\_DESC: varchar(70) VBBD\_RULE\_TYPE: char(1) VBBD\_LOCK\_TOKEN: smallint SYS USUS ID: varchar(48) PDFC\_EFF\_DT: datetime SYS\_DBUSER\_ID: varchar(48) PDFC\_TERM\_DT: datetime ATXR SOURCE ID: datetime PDFC\_CAP\_PCT: int
PDFC\_LOCK\_TOKEN: smallint CMC\_PDDS\_PROD\_DESC SYS\_LAST\_UPD\_DTM: datetim SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) PDPD ID: char(8) PDDS\_DESC: varchar(70) CMC\_PDVC\_VAR\_COMP PDDS\_UM\_IND: char(1)
PDDS\_MED\_PRICE\_IND: char(1) SYS\_DBUSER\_ID: varchar(48) PDPD ID: char(8) (FK) PDDS\_MED\_FRICE\_IND: char(1)
PDDS\_MED\_CLMS\_IND: char(1)
PDDS\_DEN\_UM\_IND: char(1)
PDDS\_DEN\_PD\_IND: char(1)
PDDS\_DEN\_PRICE\_IND: char(1) PDVC TIER: smallint PDVC\_TYPE: char(01)
PDVC\_EFF\_DT: datetime CMC PDPX DESC PDVC\_SEQ\_NO: smallint PDDS\_DEN\_CLMS\_IND: char(1)
PDDS\_PREM\_IND: char(1)
PDDS\_CLED\_IND: char(1) PDBC\_PFX: char(4) PDBC\_TYPE: char(4) (FK) PDVC\_TERM\_DT: datetime PDVC\_PR\_PCP: char(1) PDVC\_PR\_IN: char(1) PDPX\_DESC: char(70)
PDPX\_LOCK\_TOKEN: smallint PDDS\_CAP\_IND: char(1)
PDDS\_INT\_STATE\_IND: char(01) PDVC\_PR\_PAR: char(1) ATXR\_SOURCE\_ID: datetime PDDS\_MCTR\_BCAT: char(04) PDVC\_PR\_NONPAR: char(1) PDVC\_PC\_NR: char(1) PDDS\_MCTR\_VAL1: char(04)
PDDS\_MCTR\_VAL2: char(04)
PDDS\_APP\_TYPE: char(01)
PDDS\_PROD\_TYPE: char(01) PDVC PC\_NR: char(1)
PDVC PC\_OBT: char(1)
PDVC PC\_VIOL: char(1)
PDVC REF\_NR: char(1)
PDVC REF\_OBT: char(1)
PDVC REF\_VIOL: char(1)
PDVC\_LOBD\_PTR: char(1)
SEPY\_PFX: char(4) PDDS\_PROD\_TYPE: char(01)
PDDS\_DOFR\_IND: char(1)
PDDS\_OPTOUT\_IND: char(1)
PDDS\_OOA\_IND: char(1)
PDDS\_OOA\_IND: char(1)
PDDS\_DISP\_IND: char(1)
PDDS\_DISP\_IND: char(1)
PDDS\_ALT\_DISP\_IND: char(1)
PDDS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48) DEDE\_PFX: char(4)
DEDE\_PFX: char(4)
LTLT\_PFX: char(4)
DPPY\_PFX: char(4)
CGPY\_PFX: char(4)
BSME\_PFX: char(4) CMC\_PDPT\_DESC PDBC\_TYPE: char(4) PDVC\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime PDPT DESC: char(70) ATAR\_SURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) SEPY\_SHDW\_PFX\_NVL: char(4) DEDE\_SHDW\_PFX\_NVL: char(4) SYS\_DBUSER\_ID: varchar(48) PDPT\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime CMC DPIN INCENT LTLT\_SHDW\_PFX\_NVL: char(4)
DPPY\_SHDW\_PFX\_NVL: char(4)
CGPY\_SHDW\_PFX\_NVL: char(4) CMC PDPD PRODUC PDBC PFX: char(4) PDPD ID: char(8) (FK) DPIN\_TYPE: char(1) PDPD\_EFF\_DT: datetime PDPD\_ID: char(8) (FK)
PDBC TYPE: char(4) (FK) DPIN PERIOD: char(1) DPIN\_RULE: char(1)
DPIN\_LOCK\_TOKEN: smallint PDPD\_TERM\_DT: datetime PDBC\_EFF\_DT: datetime PDPD\_RISK\_IND: char(1) LOBD\_ID: char(4) ATXR\_SOURCE\_ID: datetime CMC\_ACCM\_DISPLAY PDBC\_TERM\_DT: datetime LOBD\_ID: Cliai(4) LOBD\_ALT\_RISK\_ID: char(4) PDPD\_ACC\_SFX: char(4) PDPD\_OPTS: char(4) PDBC\_PFX: char(4) (FK) PDBC\_OPTS: char(4) PDPD\_ID: char(8) (FK) ACCM\_TYPE: char(1) PDBC\_LOCK\_TOKEN: smallint ACCM\_EFF\_DT: datetime PDPD\_CAP\_POP\_LVL: char(1)
PDPD\_CAP\_RET\_MOS: smallint
PDPD\_MCTR\_CCAT: char(4)
PDPD\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48) CMC IDDP INCEN DP ACCM\_SEQ\_NO: smallint PDBC\_PFX: char(4) DPDP ID: char(5) ACCM\_TERM\_DT: datetime ACAC\_ACC\_NO: smallint ACCM\_DESC: varchar(70) ATXR\_SOURCE\_ID: datetime IDDP LOCK TOKEN: smallint SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) ATXR\_SOURCE\_ID: datetime ACCM\_PFX: char(4)
ACCM\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime SYS\_DBUSER\_ID: varchar(48)
PDPD ACC SHDW SFX NVL: char(4) Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.





#### Facets Plan Data Model - 5.10.006








Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.






















Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.











CMC\_MRPP\_PARMS

MRPP\_EFF\_DT: datetime

MRPP\_TERM\_DT: datetime

MRPP\_CHOICE\_PCT: int

MRPP\_NAE\_AMT: money

MRPP\_ACTU\_PRTA\_PCT: int

MRPP\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

Page 15 of 22

#### CMC\_IPMC\_DEFN

PDBC\_PFX: char(04)
IPCD\_LOW: char(07)
IPMC\_EFF\_DT: datetime

IPMC\_TERM\_DT: datetime
IPCD\_HIGH: char(07)
IPMC\_UM\_IND: char(01)
IPMC\_UM\_AUTH\_AMT: money
IPMC\_UM\_UNITS\_WAIVE: smallint
IPMC\_AUTH\_WV\_DAYS: smallint
IPMC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_MDPC\_MOD\_PRICE


PDBC\_PFX: char(04) MDPC\_MODIFIER: char(02)


MDPC\_PCT: money MDPC\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime


#### CMC\_MDHR\_MOD\_HIER

MDHR\_MODIFIER: char(02) MDHR\_PRIORITY: smallint

MDHR\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime







# CMC\_HSAI\_HSA\_ADMIN

HSAI\_ID: char(08) HSAI\_EFF\_DT: datetime

EXCD\_ID: char(03)
FSEC\_LOCK\_TOKEN: smallint ATXR SOURCE ID: datetime

HSAI\_TERM\_DT: datetime HSAI DESC: varchar(70) HSAI\_DESC: varchar(70)
HSAI\_DED\_IND: char(01)
HSAI\_COPAY\_IND: char(01)
HSAI\_COINS\_IND: char(01)
HSAI\_COINS\_IND: char(01)
HSAI\_CDINS\_IND: char(01)
HSAI\_CDIS\_CALC\_IND: char(01)
HSAI\_CDIS\_CALC\_IND: char(01)
HSAI\_CDIS\_CALC\_IND: char(04)
HSQE\_PFX: char(04) HSAI\_ACC\_SFX: char(04) HSAI\_HSA\_FSA\_IND: char(01) LOBD\_ID: char(04)
HSAI\_COVERED\_PCT: money
HSAI\_DISALL\_EXCD: char(03) DEDE\_PFX: char(04) IHRA\_ITS\_PFX: char(4) HSAI\_DED\_ACC\_NO: smallint HSAI\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

FSAI\_TERM\_DT: datetime FSAI\_MIN\_PLDG\_AMT: money FSAI\_MAX\_PLDG\_AMT: money FSAI\_MAX\_FLIDG\_AMI: money
FSAI\_RUNOUT\_IND: char(01)
FSAI\_RUNOUT\_VAL: smallint
FSAI\_RUNOUT\_EXCD: char(03)
FSAI\_ER\_MATCH\_AMT: money FSALER\_MATCH\_PCT: money FSALER\_MATCH\_PCT: money FSALDISALL\_EXCD: char(03) FSALINV\_SUB\_EXCD: char(03) FSALGRACE\_DAYS: smallint FSALDED\_IND: char(1) FSAI\_COPAY\_IND: char(1) FSAI\_COINS\_IND: char(1) FSAI\_PLIAB\_IND: char(1) FSAI\_PLIAB\_IND: char(1) FSAI\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime FSAI\_PRO\_IND\_NVL: char(1) FSAI\_PRO\_MAX\_AMT\_NVL: money PDBC\_PFX: char(04) (FK)

DUFS\_DESC: varchar(70)
DUFS\_EXACT\_DAY\_IND: char(01)
DUFS\_OVERLP\_IND: char(01)
DUFS\_EXPNS\_AMT\_IND: char(01)
DUFS\_EXPNS\_AMT\_IND: char(01)
DUFS\_EXT\_REF\_IND: char(01)
DUFS\_SOURCE\_IND: char(01)
DUFS\_SUB\_TYPE\_IND: char(01)
DUFS\_SUB\_TYPE\_IND: char(01) DUFS\_ACTION\_IND: char(01)
EXCD\_ID: char(03)
DUFS\_INC\_PEND\_IND: char(01) DUFS\_NAME\_IND: char(1)
DUFS\_DATA\_LVL: char(1)
DUFS\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_HSAL\_HSA\_ALLOC

HSAL\_PFX: char(04) HSAL\_EFF\_DT: datetime

HSAL\_TERM\_DT: datetime
HSAL\_COL\_STRUCT: char(01)
HSAL\_CO\_CALC\_IND: char(01)
HSAL\_ALLOC\_AMT1: money
HSAL\_ALLOC\_AMT2: money
HSAL\_ALLOC\_AMT3: money
HSAL\_ALLOC\_AMT4: money HSAL\_MAX\_CO\_AMT1: money HSAL\_MAX\_CO\_AMT2: money HSAL\_MAX\_CO\_AMT3: money HSAL\_MAX\_CO\_AMT4: money HSAL\_DED\_AMT1: money ISAL\_WAX\_CO\_AMITA: IMOREY
HSAL\_DED\_AMTT: money
HSAL\_DED\_AMTT: money
HSAL\_DED\_AMTT: money
HSAL\_DED\_AMTT: money
HSAL\_DED\_AMTT: money
HSAL\_ME\_ALLOC\_AMT: money
HSAL\_ME\_DED\_AMT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_AMTT: money
HSAL\_DED2\_IND: char(1)
HSAL\_ME\_DED2\_AMT: money
HSAL\_DED\_IND: char(1)
HSAL\_ME\_DED2\_IND: char(1)
HSAL\_ME\_DEAT\_IND: char(1)
HSAL\_NON\_ANN\_MODE: char(1)
HSAL\_NON\_ANN\_METH: char(1)
HSAL\_FLOAT\_DAYS: smallint
HSAL\_FLOAT\_DAYS: smallint
HSAL\_FLOAT\_DAYS: smallint HSAL\_FAM\_STAT\_IND: char(1) HSAL\_ME\_ALLOC\_IND: char(1) HSAL\_OC\_PCT: money
HSAL\_NON\_ANN\_PRO: char(1)
HSAL\_RED\_ALLOC\_IND: char(1)
HSAL\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_HSQE\_QUAL\_EXPN

HSQE\_PFX: char(04) HSQE CD: char(04)

HSQE\_DESC: varchar(70)
HSQE\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC CEIR IIR MSG


CEIR\_TYPE: char(01) CEIR\_CODE: char(02)

CEIR\_TEXT: varchar(250)
CEIR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CMC\_APRE\_APP\_REDIR

APRE SRC PZAP ID: char(04) CLCL\_CL\_SUB\_TYPE: char(1)

APRE\_DEST\_PZAP\_ID: char(04) APRE\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime



#### CMC\_DOFR\_DESC


DOFR\_ID: char(12)

DOFR\_DESC: varchar(70)
DOFR\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

CMC\_DFSC\_SCAT\_DESC


DFSC\_ID: char(8)

DFSC\_DESC: varchar(70)
DFSC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)



SYS\_DBUSER\_ID: varchar(48)

Page 20 of 22



#### **ESSENTIAL HEALTH BENEFITS**

#### CMC\_EHBD\_BEN\_DESC

EHBD\_ID: char(4)

EHBD\_DESC: varchar(70)
EHBD\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CMC\_EHBC\_ESSN\_BEN

PDBC\_PFX: char(4) SESE\_ID: char(4) EHBC\_EFF\_DT: datetime


EHBC\_TERM\_DT: datetime
EHBD\_ID: char(4)
EHBC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

#### CMC\_LTEH\_EH\_IX


LTLT\_PFX: char(4)
ACAC\_ACC\_NO: smallint
EHBD ID: char(4)

LTEH\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)


#### **Guided Benefit Configuration Table Objects**





#### **VISION CARE TABLES**




## **CHAPTER 22** Provider Data Model










# CMC\_IPDF\_ITS\_PDF SYIN\_INST: numeric(18,0) ITLC\_LOCAL\_PLAN\_CD: char(03) PRPR\_ID: char(12) ITNW\_ITS\_NW\_ID: char(04) IPDF\_REC\_TYPE: char(02) IPDF\_REC\_SEQ\_NO: smallint IPDF\_SEQ\_NO: smallint IPDF\_SEQ\_NO: smallint IPDF\_SEQ\_NO: smallint IPDF\_SEQ\_NO: smallint IPDF\_SEQ\_NO: smallint IPDF\_STATUS: smallint IPDF\_DATA\_1: varchar(235) IPDF\_DATA\_2: varchar(235) IPDF\_DATA\_3: varchar(235) IPDF\_DATA\_4: varchar(235) IPDF\_DATA\_5: varchar(235) IPDF\_DATA\_6: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_7: varchar(235) IPDF\_DATA\_8: varchar(235)












### VISION CARE ADMINISTRATIVE TABLES




# **CHAPTER 23** System Data Model




User/Security Page 2 of 12






Copyright 1997-2014 TriZetto Corporation. All rights reserved. Confidential and Proprietary. Restricted Information.

Product Parms Page 4 of 12



Attachment Setup Page 5 of 12





#### CER\_SEQS\_SEQUENCE

SEQS\_SPID: int

SEQS\_CURRENT\_DTM: datetime

Attachments Page 6 of 12





Page 8 of 12

CER\_KEYG\_KEYGEN KEYG\_ID: char(004) USUS ID: char(10)

KEYG DESC: char(070) KEYG\_DATE\_STYLE: char(001) KEYG\_DATE\_STYLE: char(001)
KEYG\_GEN\_LEN: smallint
KEYG\_USUS\_TOKEN: char(004)
KEYG\_LAST\_GEN\_DT: datetime
KEYG\_LAST\_GEN\_DT: datetime
KEYG\_LAST\_GEN\_NUM: varchar(64)
KEYG\_DARSED\_KEY: char(025)
KEYG\_GEN\_ORDER: char(4)
KEYG\_ALPHA\_SEQ: smallint
KEYG\_PAD\_TO\_ZK\_B: varchar(255)
KEYG\_PAD\_TO\_ZK\_B: varchar(255)
KEYG\_PAD\_TO\_ZK\_D: varchar(255)
KEYG\_PAD\_TO\_ZK\_D: varchar(255)
KEYG\_PAD\_TO\_ZK\_D: varchar(255)
KEYG\_PAD\_TO\_ZK\_D: varchar(255)
KEYG\_PAD\_TO\_ZK\_D: varchar(255) KEYG\_PAD\_TO\_2K\_E: varchar(255)
KEYG\_PAD\_TO\_2K\_F: varchar(255)
KEYG\_PAD\_TO\_2K\_G: varchar(200)
KEYG\_LOCK\_TOKEN: smallint

CER\_MCZT\_ZIP\_TRANS

MCZT\_ZIP\_CODE: char(005) MCZT\_UPDATE\_KEY\_NO: char(010) MCZT\_ACTION\_CODE: char(001) MCZT\_REC\_TYPE: char(002) MCZT\_REC\_TYPE: char(002)
MCZT\_FINANCE\_NO: char(006)
MCZT\_LAST\_LINE\_NO: char(006)
MCZT\_STATE\_ABBREV: char(002)
MCZT\_CITY\_NAME: char(028)
MCZT\_CITY\_ABBREV: char(013)
MCZT\_LAST\_LN\_NAME: char(025)
MCZT\_COUNTY\_NO: char(003)
MCZT\_COUNTY\_NAME: char(025)
MCZT\_FACILITY\_CODE: char(001)
MCZT\_LOCK\_TOKEN: smallint

MCZT\_LOCK\_TOKEN: smallint

CER MCCY CTRY TRAN

MCCY\_CTRY\_CD: char(4) MCCY\_NAME: char(50) MCCY\_LOCK\_TOKEN: smallint ATXR\_SOURCE\_ID: datetime

CER\_CKEY\_CONTRIVE

CKEY ID: char(004) CKEY\_CK: int CKEY\_INC\_VALUE: smallint CKEY\_PAD\_TO\_2K\_A: varchar(255) CKEY\_PAD\_TO\_2K\_B: varchar(255) CKEY\_PAD\_TO\_2K\_C: varchar(255) CKEY\_PAD\_TO\_2K\_D: varchar(255) CKEY\_PAD\_TO\_2K\_E: varchar(255)
CKEY\_PAD\_TO\_2K\_E: varchar(255)
CKEY\_PAD\_TO\_2K\_G: varchar(255)
CKEY\_PAD\_TO\_2K\_G: varchar(255)
CKEY\_LOCK\_TŌKEN: smallint CER TBTB INDICATOR

TBTB\_ID: char(8) TBTB NAME: varchar(30) TBTB\_NAME: varchar(30)
TBTB\_AUDIT\_IND: smallint
TBTB\_LGLG\_IND: smallint
TBTB\_LCLG\_IND: smallint
TBTB\_LAST\_SUMM\_DTM: datetime
TBTB\_LAST\_COMP\_DTM: datetime
TBTB\_LAST\_HIST\_ROW\_ID: numeric(10,0)
TBTB\_LAST\_COMP\_ROW\_ID: numeric(10,0)
TBTB\_LAST\_COMP\_ROW\_ID: numeric(10,0) TBTB\_TRIG\_IND: char(11)

CER\_LGLG\_LOG\_D

LGLG\_ID: timestamp
TBTB\_ID: char(004)
TBTB\_ID\_FA\_PARENT: char(004)
TBTB\_ID\_FC\_PARENT: char(004)
LGLG\_FUNC: char(001) LGLG\_IMAGE: char(001)
LGLG\_CREATE\_DT: datetime
LGLG\_CREATE\_USUS: char(010)
LGLG\_COMPILED\_KEY: char(100) LGLG\_DATA1: varchar(255) LGLG\_DATA2: varchar(255) LGLG\_DATA3: varchar(255) LGLG DATA4: varchar(255) \_GLG\_DATA5: varchar(255) LGLG\_DATA6: varchar(255) LGLG\_DATA7: varchar(170)

CER\_DBOB\_FA\_OBJECTS

DBOB OBJECT OWNER: char(30) DBOB\_OBJECT\_NAME: char(30) DBOB\_OBJECT\_TYPE: char(2)

DBOB\_OBJECT\_TABLE: char(30) DBOB\_OBJECT\_IND: char(1) DBOB\_SYSTEM: char(10)
DBOB\_COMMENT: char(10) DBOB\_LOCK\_TOKEN: smallint

Facets Objects

This table would be filled from System supplied data Object Ind: R = Required
O = Optional

System: Audit Core XC

CER\_DBUS\_USER\_OBJECTS

DBUS\_OBJECT\_OWNER: char(30) DBUS\_OBJECT\_NAME: char(30)
DBUS\_OBJECT\_TYPE: char(2)

DBOB\_OBJECT\_TABLE: char(30) DBUS\_USER\_TYPE: char(10) DBUS\_LOCK\_TOKEN: smallint

Facets User Objects


This table would be filled by a customer for optional

CER\_DBRP\_REPORT


DBRP\_OBJECT\_OWNER: char(30) DBRP\_OBJECT\_NAME: char(30) DBRP\_OBJECT\_TYPE: char(2)


DBOB OBJECT TABLE: char(30) DBRP\_REASON: char(20)
DBRP\_ACTION: char(20)
DBRP\_SET\_IND: char(1)
DBRP\_SYSTEM: char(10)
DBRP\_COMMENT: char(10)
DBRP\_LOCK\_TOKEN: smallint


Facets database report file




# CER\_SRCH\_GROUP









#### **TRANSLATION**

#### CER\_XTLT\_TRANSLATE

XMSG\_ID: varchar(50) XTLT\_SEQ\_NO: int

XTLT\_TEXT: varchar(1800)

#### CER XDEF DEFAULT

XMSG\_ID: varchar(50) XDEF\_SEQ\_NO: int

XDEF\_TEXT: varchar(1800)

#### CER\_XLAT\_XSTRING

XLAT\_SOURCE: varchar(50) XLAT\_IDX: int

XMSG\_ID: varchar(50) XLAT\_TYPE: char(4) SYS\_LAST\_UPD\_DTM: datetime SYS\_USUS\_ID: varchar(48) SYS\_DBUSER\_ID: varchar(48)

#### **Table Conversions**

#### CER CONV STATS

CONV\_TABLE\_NAME: varchar(40) CONV\_ITERATION\_NO: smallint

CONV\_STATUS: char(01)
CONV\_NAME: varchar(30)
CONV\_START\_TIME: datetime
CONV\_END\_TIME: datetime
CONV\_START\_ROW\_CNT: int
CONV\_END\_ROW\_CNT: int
CONV\_USER: varchar(30)
CONV\_DEPEND\_BEFORE: varchar(30)
CONV\_DEPEND\_AFTER: varchar(30)
CONV\_SCHEMA\_NAME: varchar(50)

#### **Track Table Changes**

#### CER\_TRAC\_CHANGES

TRAC\_FILE\_NAME: varchar(50)
TRAC\_RELEASE: varchar(30)
TRAC\_SEQ\_NO: smallint

TRAC\_APPLIED\_DTM: datetime
TRAC\_PACKAGE\_NUM: varchar(30)
TRAC\_STATUS: char(1)
TRAC\_USER: varchar(50)
TRAC\_ESER: varchar(50)
TRAC\_REVISION\_NUM: varchar(50)
SYS\_LAST\_UPD\_DTM: datetime
SYS\_USUS\_ID: varchar(48)
SYS\_DBUSER\_ID: varchar(48)

## **Tax Data Model**

#### CDS TXPY PAYOR

PYPY\_ID: char(08)

PYPY\_TAX\_ID: char(09)
PYPY\_PAYOR\_NAME: char(50)
PYPY\_ADDR1: char(40)
PYPY\_ADDR2: char(40)
PYPY\_ADDR3: char(40)
PYPY\_ADDR3: char(40)
PYPY\_STATE: char(19)
PYPY\_STATE: char(11)
PYPY\_PHONE: char(20)
PYPY\_EFF\_DT: datetime
PYPY\_TERM\_DT: datetime
PYPY\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CDS\_TXER\_EMPLOYER

GRGR\_EIN: char(9) GRGR\_CK: int

PAGR\_CK: int
GRGR\_NAME: varchar(50)
GRGR\_ADDR1: varchar(40)
GRGR\_ADDR2: varchar(40)
GRGR\_ADDR3: varchar(40)
GRGR\_CTY: varchar(19)
GRGR\_CTY: varchar(19)
GRGR\_STATE: char(2)
GRGR\_ZIP: varchar(11)
GRGR\_PHONE: varchar(20)
GRGR\_PHONE\_EXT: char(4)
GRGR\_PHONE\_EXT: char(4)
GRGR\_FAX: varchar(20)
TXER\_RPT\_ADDR\_IND: char(1)
TXER\_RPT\_ADDR\_IND: char(1)
TXER\_ADDL\_DATA: varchar(255)
TXER\_LOCK\_TOKEN: smalllint
ATXR\_SOURCE\_ID: datetime

#### Page 1 of 1

#### CDS\_TXPD\_PAY\_DTL

TXPD\_RPT\_TX\_ENTY: char(09)
TXRC\_RECIP\_TAX\_ID: char(09)
TXRC\_TAX\_ID\_TYPE: char(01)
TXRC\_PAYEE\_PR\_ID: char(12)
TXRC\_PAYEE\_CK: int
CKPY\_REF\_ID: char(16)

CKPY\_REF\_ID: char(16)

CKPY\_TYPE: char(02)

CKPY\_PAYEE\_TYPE: char(01)

CKPY\_NET\_AMT: money

CKPY\_PAY\_DT: datetime

CKCK\_PRINTED\_DT: datetime

CKCK\_PRINTED\_DT: datetime

CKCK\_PRINTED\_DT: datetime

CKCK\_PRINTED\_DT: datetime

CKCK\_PRINTED\_DT: datetime

CKCK\_PRINTED\_DT: money

DIDMC\_EMP\_CONTR\_PCT: money

DIDP\_PAID\_AMT: money

DIDP\_PAID\_AMT: money

DIDP\_SS\_AMT: money

DIDP\_FIT\_AMT: money

DIDP\_PAID\_DT: datetime

DIDP\_PAY\_TO\_DT: datetime

DIDP\_PAY\_TO\_DT: datetime

GRGR\_CK: int

TXPD\_LOCK\_TOKEN: smallint

ATXR\_SOURCE\_ID: datetime

#### CDS\_TXOP\_OVP\_DTL

TXOP\_RPT\_TX\_ENTY: char(09)
TXRC\_RECIP\_TAX\_ID: char(09)
TXRC\_TAX\_ID\_TYPE: char(1)
TXRC\_PAYEE\_PR\_ID: char(12)
TXRC\_PAYEE\_CK: int
TXOP\_OVP\_REF\_ID: char(16)
TXOP\_SUB\_TYPE: char(01)
TXOP\_SEQ\_NO: smallint

TXOP\_AMT: money
TXOP\_OVP\_DT: datetime
TXOP\_MCTR\_RSN: char(04)
ACPR\_TYPE: char(2)
GRGR\_CK: int
TXOP\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CDS\_TXSU\_SUMMARY

TXSU\_RPT\_TX\_ENTY: char(09)
TXRC\_RECIP\_TAX\_ID: char(09)
TXRC\_TAX\_ID\_TYPE: char(01)

TXSU\_PAID\_AMT: money
TXSU\_RECD\_AMT: money
TXSU\_TAXABLE\_AMT: money
TXSU\_PRINT\_IND: char(01)
TXSU\_PRINT\_IND: char(01)
TXSU\_FIT\_WAGES\_W2: money
TXSU\_FIT\_WH\_W2: money
TXSU\_SS\_WAGES\_W2: money
TXSU\_SS\_WH\_W2: money
TXSU\_SS\_WH\_W2: money
TXSU\_MED\_WAGES\_W2: money
TXSU\_MED\_WAGES\_W2: money
TXSU\_MED\_WH\_W2: money
TXSU\_MED\_WH\_W2: money
TXSU\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime

#### CDS\_TXRC\_RECIPIENT


TXRC\_RECIP\_TAX\_ID: char(9)
TXRC\_TAX\_ID\_TYPE: char(1)

TXRC\_PAYEE\_PR\_ID: char(12)
TXRC\_PAYEE\_CK: int
TXRC\_RECIP\_TYPE: char(01)
TXRC\_RECIP\_ENTITY: char(01)
PRPR\_STS: char(02)
TXRC\_RECIP\_ITILE: char(10)
TXRC\_RECIP\_ITILE: char(10)
TXRC\_RECIP\_ITILE: char(10)
TXRC\_RECIP\_LAST\_NAME: varchar(35)
TXRC\_RECIP\_FIRST\_NAME: varchar(15)
TXRC\_RECIP\_MID\_INIT: char(01)
TXRC\_RECIP\_ADDR1: varchar(40)
TXRC\_RECIP\_ADDR2: varchar(40)
TXRC\_RECIP\_ADDR3: varchar(40)
TXRC\_RECIP\_ADDR3: varchar(40)
TXRC\_RECIP\_STATE: char(02)
TXRC\_RECIP\_STATE: char(02)
TXRC\_RECIP\_ID: char(11)
TXRC\_LOCK\_TOKEN: smallint
ATXR\_SOURCE\_ID: datetime


CHAPTER 25


# **Utilization Management Data Model**

UM Base Data Model Page 1 of 5




UM Service Data Model Page 2 of 5






UM Stay Review Data Model




UM Criteria Response Data Model


Page 5 of 5




#### **CHAPTER 26**

## **Vision Data Model**







## **CHAPTER 27** Workflow Data Model











CLPR\_UPIN: varchar(6)


























Workflow - Work Item Page 4 of 4

#### NWX\_WFOL\_FOLLOWUP

## WFOL\_FOLLOWUP\_ID: int

WFOL\_REL\_QUEUE\_ID: int WFOL\_REL\_MSG\_TYPE: int WFOL\_REL\_MSG\_ID: varchar(30) WFOL\_FOLLOWUP\_TYPE: int

WFOL\_FLWUP\_OWNER: char(10)
WFOL\_FOLLOWUP\_DATE: datetime

WFOL\_STATUS: int

WFOL\_WORKED\_USER: char(10) WFOL\_WORKED\_DTM: datetime WFDN\_TRANS\_ID: varchar(36)

WROL\_ROLE\_ID: int

### NWX\_WFLN\_FLWP\_NOTE

SWFOL\_FOLLOWUP\_ID: int
SWFLN\_SEQ\_NO: int
WFLN\_NOTE\_TYPE: int

WFLN\_NOTE: varchar(255)