

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected \_\_\_\_\_.

Select one:

- d. Deny



Which Applications has Claim Accept Month criteria?

Select one or more:

- b. Medical Agreement ✓
- c. Administrative Information ✓

The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- c. Payment Reference ID (CKPY\_REF\_ID)



Explanation Code can be used for \_\_\_\_\_.

Select one or more:

a. Disallow

c. Informational

d. Override

Users may transfer to the Claims Inquiry application from an open Subscriber/Family record. What piece of information will automatically populate in the Claims Inquiry dialog box when transferred?

Select one:

- c. Subscriber Id ✓

Line level indicative information for a Claim excluding which of the listed parameters is stored in the CDML table?

Select one:

- d. GRGR\_CK

A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group. ✓

What are the two most common columns in the database? Select all that apply.

Select one or more:

- b. ATXR\_SOURCE\_ID ✓
- c. XXXX\_LOCK\_TOKEN ✓

Overpayment happening at a claim level can be identified from the \_\_\_\_\_ table.

Select one:

- a. CMC\_CLOV\_OVERPAY

Which table has Member Handicap status?

Select one:

- d. MEHD

Only \_\_\_\_\_ can have a common practitioner record in Facets.


Select one:

- a. IPA
- b. None of the Listed Options
- c. Facility
- d. Provider Group

All TOS codes must first be defined in the \_\_\_\_\_.

Select one:

- a. Service ID Descriptions application



How many ways can a service be priced within one Service Definition record?

Select one:

b. One

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

- b. Auto-Number Subscribers

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- a. System Administrator



Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are \_\_\_\_\_.

Select one:

- a. CMC\_CLOR\_CL\_OVR, CMC\_CDOR\_LI\_OVR

In what area will the primary keys be displayed in the Facets Data Model table?

Select one:

- a. Key Segment

A subscriber can have how many classes of benefits effective at a time?

Select one:

- a. 1

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select one:

- a. CSCS\_ID



What is the most common relationship between a parent and child table?

Select one:

- a. Identifying

The default region is defined in each application server as \_\_\_\_\_.


Select one:

- a. Registry Entry

The Job that is used to load Membership data into core Facets database is \_\_\_\_\_.

Select one:

- d. ErCcsRunMms0



Which file is used as an Input file for Facets core batch Job?

Select one:

- a. Command File
- b. Data File
- c. Configuration File
- d. Keyword File

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

---

Select one:

- c. XC100
- 
-

A premium feature-set that enables customers access to key business logic is \_\_\_\_\_.

Select one:

- b. Facets Premium

What are the required System Architecture for Facets?

Select one:

- b. Facets Database, Interactive Application, Broker Client, Application Server

How many application groups are there under the Applications tab for an end-user?

Select one:

- d. It depends on the security the user has been assigned



## How to clear a smart edit fields in Facets?

Select one:

- b. F2

What are the three most common table prefixes in the Facets database?

Select one:

- b. CMC, CDS, CER

In the Medical Claims Processing application, if the cursor is placed in either the Subscriber ID or Provider ID fields and the IDs are not known, which hot key can be selected to search?


Select one:

- a. F7

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

- a. Use the payment drag on the provider's agreement



A group may agree to furnish health care benefits for its eligible members and may have limits or restrictions placed on certain items which are linked to \_\_\_\_\_ bucket that allows the limits and restrictions to be tracked for a specified amount.

Select one:

c. Accumulator



A Class ID can be attached to Subscrber, Subgroup and \_\_\_\_\_.

Select one:

- b. Group

The Service Procedure, Service Revenue Code and Service Code Conversion prefix is attached to which application?

Select one:

- a. Class/Plan Definition



Cost-sharing arrangement in which a plan member pays a specified charge per service such as \$10 per office visit is \_\_\_\_\_.

Select one:

- a. Copay



What address type will Facets use to price a service based on where it was performed?

Select one:

- c. Practice

Eligibility for a member begins with the \_\_\_\_\_.

Select one:

- b. SL event

What is the amount paid by Sponsors to the Healthplan for the coverage of members?

Select one:

- d. Premium



Member level COB entry required configuration is available in \_\_\_\_\_ Application.

Select one:

- a. Administrative Information

What are the available frequencies of the payment drag cycle in the Payment Frequency? Select all that apply.

Select one or more:

a. An annual basis

d. A monthly basis

The history of the various statuses, the Claim has passed through is stored in \_\_\_\_\_.

Select one:

- b. CMC\_CLST\_STATUS ✓

Key combination to reset the display in Billing 360 Application is \_\_\_\_.

Select one:

- d. Ctrl + 0

The Service Payment Table CMC\_SEPY\_SE\_PYMT links Service ID's (SESE\_ID) to \_\_\_\_\_.

Select one:

- d. Service Rules (SESE\_RULE)

Descriptive information about a Network will be stored in the \_\_\_\_\_ table.

Select one:

- b. CMC\_NWNW\_NETWORK

Pricing Method and Charges Rule fields can be found in which of the following applications?

Select one:

- c. Service Pricing

The following Credentialing ID column is used to identify the credentialing details for the providers in facets.

Select one:

- b. PRCR\_ID ✓

Application provides clients with the ability to view and manage product components in one place.

Select one:

- a. Product Catalog
- 

Choose all the Government sponsored plans from the list below.

Select one or more:

b. Medicare

d. Medicaid

What are the available entity types for a provider? Select all that apply.

Select one or more:

- a. Facility ✓
- b. IPA ✓

In the Enrollment application, the process to duplicate an existing subscriber record is called \_\_\_\_\_.

Select one:

- a. Modeling

