


In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected \_\_\_\_\_.

Select one:

- ☐ a. Warning
  - ☐ b. Error
  - ☐ c. Bypass
  - ☒ d. Deny
- 

Which Applications has Claim Accept Month criteria?

Select one or more:

- ☒ a. Provider
  - ☐ b. Medical Agreement
  - ☐ c. Administrative Information
  - ☒ d. Practitioner
- 

The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- ☐ a. Provider ID (PRPR\_ID)
- ☐ b. Check No (CKCK\_CK\_NO)
- ☒ c. Payment Reference ID (CKPY\_REF\_ID)
- ☐ d. Claim ID (CLCL\_ID)

Explanation Code can be used for \_\_\_\_\_.

Select one or more:

- ☒ a. Disallow
- ☒ b. Warning
- ☐ c. Informational
- ☒ d. Override

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected \_\_\_\_\_.

Select one:

- ☒ a. Warning
- ☐ b. Error
- ☐ c. Bypass
- ☐ d. Deny

Users may transfer to the Claims Inquiry application from an open Subscriber/Family record. What piece of information will automatically populate in the Claims Inquiry dialog box when transferred?


Select one:

- ☐ a. Member Id
- ☒ b. Claim Id
- ☐ c. Subscriber Id
- ☐ d. Provider Id

Line level indicative information for a Claim excluding which of the listed parameters is store in the CDML table?

Select one:

- ☐ a. MCTR\_ID
- ☒ b. IPCD\_ID
- ☐ c. IDCD\_ID
- ☐ d. GRGR\_CK



A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- ☐ a. Irrespective of the Class the Plan which the Employer group has purchased.
- ☐ b. Any Plan which though the Employer group has not purchased.
- ☐ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.
- ☐ d. None of the Listed Options

What are the two most common columns in the database? Select all that apply.

Select one or more:

- ☐ a. XXXX\_SOURCE\_NAME
- ☐ b. ATXR\_SOURCE\_ID
- ☒ c. XXXX\_LOCK\_TOKEN
- ☒ d. CDS\_ATXR\_TOKEN

Overpayment happening at a claim level can be identified from the \_\_\_\_\_ table.


Select one:

- ☐ a. CMC\_CLOV\_OVERPAY
- ☐ b. CMC\_CLCL\_CLAIM
- ☐ c. CMC\_ACPR\_PYMT\_RED
- ☒ d. CMC\_CLOR\_OVERPY

Which table has Member Handicap status?

Select one:

- ☐ a. MEHA
- ☐ b. MEHC
- ☐ c. MEHP
- ☒ d. MEHD



Facets Fast Forward Program Assessment - Google Chrome

moodle.cognizant.com/onemoodle/mod/quiz/attempt.php?attempt=48733988&page=3

### Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40		

Finish attempt ...

Time left 0:32:21

#### Question 31

Answer saved

Marked out of 1

Flag question

Only \_\_\_\_\_ can have a common practitioner record in Facets.

Select one:

- ☐ a. Facility
- ☒ b. None of the Listed Options
- ☐ c. Provider Group
- ☐ d. IPA

#### Question 32

Answer saved

Marked out of 1

Flag question

All TOS codes must first be defined in the \_\_\_\_\_.

Select one:

- ☐ a. Service Definition application
- ☐ b. Service Payment application
- ☒ c. Service ID Descriptions application
- ☐ d. Service Conversion Description application

#### Question 33

Answer saved

Marked out of 1

Flag question

How many ways can a service be priced within one Service Definition record?

Select one:

- ☐ a. Zero
- ☒ b. One
- ☐ c. Many
- ☐ d. Four

15:03 24-10-2024

Question 21

Answer saved

Marked out of 1

Flag question

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

- ☐ a. Automatic Reinstatement Period
- ☐ b. Auto-Number Subscribers
- ☒ c. Custom Subscriber Id Field in Group
- ☐ d. None of the Listed Options

Question 22

Answer saved

Marked out of 1

Flag question

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- ☒ a. System Administrator ✓
- ☐ b. Client Representative
- ☐ c. Stakeholder
- ☒ d. Database Administrator



**Question 11**

Answer saved

Marked out of 1

Flag question

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are \_\_\_\_\_.

Select one:

- ☒ a. CMC\_CLOR\_CL\_OVR, CMC\_CDOR\_LI\_OVR
- ☐ b. CMC\_CLOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☐ c. CMC\_CDOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☐ d. CMC\_CLOR\_CL\_OVR, CMC\_CLCL\_CLAIM

**Question 12**

Answer saved

Marked out of 1

Flag question

In what area will the primary keys be displayed in the Facets Data Model table?

Select one:

- ☒ a. Key Segment
- ☐ b. Required Segment
- ☐ c. Non-Key Segment
- ☐ d. Mandatory Area



A subscriber can have how many classes of benefits effective at a time?

Select one:

- ☐ a. 1
- ☐ b. None
- ☐ c. 3
- ☐ d. 2

A subscriber can have how many classes of benefits effective at a time?

Select one:

- ☐ a. 2
- ☐ b. 3
- ☐ c. 1
- ☐ d. None

**Question 21**

Not yet answered

Marked out of 1

Flag question

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

- ☐ a. Auto-Number Subscribers
- ☐ b. None of the Listed Options
- ☐ c. Automatic Reinstatement Period
- ☐ d. Custom Subscriber Id Field in Group

**Question 22**

Not yet answered

Marked out of 1

Flag question

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- ☐ a. Database Administrator
- ☐ b. System Administrator
- ☐ c. Stakeholder
- ☐ d. Client Representative

A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- ☐ a. Irrespective of the Class the Plan which the Employer group has purchased.
- ☐ b. Any Plan which though the Employer group has not purchased.
- ☐ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.
- ☐ d. None of the Listed Options

A subscriber can have how many classes of benefits effective at a time?

Select one:

- ☐ a. 3
- ☐ b. None
- ☐ c. 2
- ☒ d. 1

**Question 8**

Answer saved

Marked out of 1

Flag question

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select one:

- ☒ a. CSCS\_ID
- ☐ b. MEME\_REL
- ☐ c. SBSB
- ☐ d. PAGR

**Question 9**

Answer saved

Marked out of 1

Flag question

What is the most common relationship between a parent and child table?


Select one:

- ☒ a. Identifying
- ☐ b. Dependent
- ☐ c. Relational
- ☐ d. Non-identifying

**Question 14**

Not yet answered

Marked out of 1

 Flag question

The default region is defined in each application server as \_\_\_\_\_.


Select one:

- ☐ a. Registry Entry
- ☐ b. Runbook Entry
- ☐ c. Procbook Entry
- ☐ d. None of the Listed Options

**Question 15**

Not yet answered

Marked out of 1

 Flag question

The Job that is used to load Membership data into core Facets database is \_\_\_\_\_.

Select one:

- ☐ a. ErCcsRunMmsR
- ☐ b. Ercmcrunmcsa
- ☐ c. Ercmcrunmcse
- ☐ d. ErCcsRunMms0

**Question 16**

Not yet answered

Marked out of 1

 Flag question

Which file is used as an Input file for Facets core batch Job?

Select one:

- ☐ a. XLS File
- ☐ b. CSV File
- ☐ c. Text File
- ☐ d. Keyword File

**Question 16**

Answer saved

Marked out of 1

Flag question

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

- ☐ a. MMS
- ☐ b. CKMM
- ☒ c. XC100
- ☐ d. CLMU

**Question 17**

Answer saved

Marked out of 1

Flag question

A premium feature-set that enables customers access to key business logic is \_\_\_\_\_.

Select one:

- ☐ a. Facets Core
- ☒ b. Facets Premium
- ☐ c. Facets Foundation
- ☐ d. Facets Adapter

**Question 18**

Answer saved

Marked out of 1

Flag question

What are the required System Architecture for Facets?

Select one:

- ☐ a. Facets Database, Interactive Application, Broker client, Archive Database
- ☐ b. Facets Database, NetworX Pricer, Broker client, Application Server
- ☒ c. Facets Database, Interactive Application, Broker Client, Application Server
- ☐ d. Interactive Application, NetworXPricer, Broker service, Application server

**Question 19**

Answer saved

Marked out of 1

Flag question

How many application groups are there under the Applications tab for an end-user?

Select one:

- ☒ a. It depends on the security the user has been assigned
- ☐ b. 47
- ☐ c. User can add the Application group based on requirement
- ☐ d. 36

**Question 20**

Answer saved

Marked out of 1

Flag question

How to clear a smart edit fields in Facets?

Select one:

- ☐ a. F11
- ☒ b. F2
- ☐ c. F3
- ☐ d. F12



Question 31

Not yet answered

Marked out of 1

[Flag question](#)

Only \_\_\_\_\_ can have a common practitioner record in Facets.

Select one:

- ☐ a. IPA
- ☐ b. None of the Listed Options
- ☐ c. Facility
- ☐ d. Provider Group

Question 32

Not yet answered

Marked out of 1

[Flag question](#)

All TOS codes must first be defined in the \_\_\_\_\_.


Select one:

- ☐ a. Service ID Descriptions application
- ☐ b. Service Conversion Description application
- ☐ c. Service Payment application
- ☐ d. Service Definition application

**Question 9**

Answer saved

Marked out of 1

 Flag question

What are the three most common table prefixes in the Facets database?


Select one:

- ☐ a. CBS, CMT, CER
- ☐ b. CMC, CDS, CER
- ☐ c. CMS, CDS, CIA
- ☒ d. CDS, CMC, CMS

**Question 10**

Answer saved

Marked out of 1

 Flag question

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select one:

- ☒ a. CSCS\_ID
- ☐ b. PAGR
- ☐ c. MEME\_REL
- ☐ d. SBSB

In the Medical Claims Processing application, if the cursor is placed in either the Subscriber ID or Provider ID fields and the IDs are not known, which hot key can be selected to search?

Select one:

- ☐ a. F7
- ☒ b. F12
- ☐ c. Ctrl+ F12
- ☐ d. F8

**Question 11**

Answer saved

Marked out of 1

Flag question

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are \_\_\_\_\_.

Select one:

- ☐ a. CMC\_CLOR\_CL\_OVR, CMC\_CDOR\_LI\_OVR
- ☒ b. CMC\_CLOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☐ c. CMC\_CDOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☐ d. CMC\_CLOR\_CL\_OVR, CMC\_CLCL\_CLAIM

**Question 12**

Answer saved

Marked out of 1

Flag question

In what area will the primary keys be displayed in the Facets Data Model table?

Select one:

- ☒ a. Key Segment
- ☐ b. Required Segment
- ☐ c. Non-Key Segment

**Question 26**

Not yet answered

Marked out of 1

Flag question

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

- ☐ a. Use the payment drag on the provider's agreement
- ☐ b. Use the Payment Drag on the product's administrative information
- ☐ c. Use the Claim Paid date in the claims processing application
- ☐ d. Use the Claim Received date in the claims processing application

**Question 27**

Answer saved

Marked out of 1

Flag question

Cost-sharing arrangement in which a plan member pays a specified charge per service such as \$10 per office visit is \_\_\_\_\_.

Select one:

- ☒ a. Copay
- ☐ b. Deductible
- ☐ c. Coinsurance
- ☐ d. Premium

**Question 21**

Answer saved

Marked out of 1

Flag question

A group may agree to furnish health care benefits for its eligible members and may have limits or restrictions placed on certain items which are linked to \_\_\_\_\_ bucket that allows the limits and restrictions to be tracked for a specified amount.

Select one:

- ☐ a. Deductible
- ☐ b. Limits
- ☒ c. Accumulator
- ☐ d. Stoploss

**Question 22**

Not yet answered

Marked out of 1

Flag question

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- ☐ a. Database Administrator
- ☐ b. Client Representative
- ☐ c. System Administrator
- ☐ d. Stakeholder

**Question 23**

Answer saved

Marked out of 1

Flag question

A Class ID can be attached to Subscriber, Subgroup and \_\_\_\_\_.

Select one:

- ☐ a. Related Entity
- ☐ b. Group
- ☒ c. Plan/Product
- ☐ d. Other Carrier

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

- ☐ a. Use the Payment Drag on the product's administrative information
- ☐ b. Use the Claim Paid date in the claims processing application
- ☐ c. Use the payment drag on the provider's agreement
- ☐ d. Use the Claim Received date in the claims processing application



**Question 34**

Not yet answered

Marked out of 1

Flag question

The Service Procedure, Service Revenue Code and Service Code Conversion prefix is attached to which application?

Select one:

- ☐ a. Class/Plan Definition
- ☐ b. Group
- ☐ c. Subscriber
- ☐ d. Agreement, Medical

**Question 35**

Not yet answered

Marked out of 1

Flag question

What address type will Facets use to price a service based on where it was performed?

Select one:

- ☐ a. Default
- ☐ b. Primary
- ☐ c. Practice
- ☐ d. Remit

**Question 36**

Not yet answered

Marked out of 1

Flag question

Eligibility for a member begins with the \_\_\_\_\_.

Select one:

- ☐ a. CB event
- ☐ b. SL event
- ☐ c. TM event
- ☐ d. RI event

**Question 6**

Not yet answered

Marked out of 1

 Flag question

Line level indicative information for a Claim excluding which of the listed parameters is store in the CDML table?

Select one:

- ☐ a. MCTR\_ID
- ☐ b. IPCD\_ID
- ☐ c. IDCD\_ID
- ☐ d. GRGR\_CK

**Question 7**

Answer saved

Marked out of 1

 Flag question

In the Medical Claims Processing application, if the cursor is placed in either the Subscriber ID or Provider ID fields and the IDs are not known, which hot key can be selected to search?

Select one:

- ☐ a. F12
- ☒ b. F7
- ☐ c. Ctrl+ F12
- ☐ d. F8

**Question 37**

Not yet answered

Marked out of 1

Flag question

What is the amount paid by Sponsors to the Healthplan for the coverage of members?

Select one:

- ☐ a. Claim
- ☐ b. Capitation
- ☐ c. Commission
- ☐ d. Premium

**Question 38**

Not yet answered

Marked out of 1

Flag question

Member level COB entry required configuration is available in \_\_\_\_ Application.

Select one:

- ☐ a. Administrative Information
- ☐ b. Subscriber/Member
- ☐ c. COB Rules
- ☐ d. Administrative Rules, Medical

**Question 39**

Not yet answered

Marked out of 1

Flag question

A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- ☐ a. Any Plan which though the Employer group has not purchased.
- ☐ b. None of the Listed Options
- ☐ c. Irrespective of the Class the Plan which the Employer group has purchased.
- ☐ d. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

**Question 17**

Not yet answered

Marked out of 1

Flag question

A premium feature-set that enables customers access to key business logic is \_\_\_\_\_.

Select one:

- ☐ a. Facets Core
- ☐ b. Facets Premium
- ☐ c. Facets Foundation
- ☐ d. Facets Adapter

**Question 18**

Not yet answered

Marked out of 1

Flag question

What are the required System Architecture for Facets?

Select one:

- ☐ a. Facets Database, NetworX Pricer, Broker client, Application Server
- ☐ b. Facets Database, Interactive Application, Broker Client, Application Server
- ☐ c. Interactive Application, NetworXPricer, Broker service, Application server
- ☐ d. Facets Database, Interactive Application, Broker client, Archive Database

What are the available frequencies of the payment drag cycle in the Payment Frequency? Select all that apply.

Select one or more:

- ☒ a. An annual basis
- ☐ b. Once a week
- ☐ c. On days from a base date basis
- ☒ d. A monthly basis

The history of the various statuses, the Claim has passed through is stored in \_\_\_\_\_.

Select one:

- ☐ a. CMC\_CLCL\_CLAIM
- ☐ b. CMC\_CLST\_STATUS
- ☒ c. CMC\_CDML\_CL\_LINE
- ☐ d. CMC\_ACPR\_PYMT\_RED

Key combination to reset the display in Billing 360 Application is \_\_\_\_\_.

Select one:

- ☐ a. Ctrl +
- ☐ b. Ctrl + D
- ☐ c. Ctrl -
- ☒ d. Ctrl + 0

The Service Payment Table CMC\_SEPY\_SE\_PYMT links Service ID's (SESE


Select one:

- ☐ a. Service Rules (SESE\_RULE)
- ☐ b. Procedure code(IPCD\_ID)
- ☐ c. Product Component(PDBC\_PFX)
- ☐ d. Provider ID(PRPR\_ID)

**Question 31**

Not yet answered

Marked out of 1

 Flag question

Descriptive information about a Network will be stored in the \_\_\_\_\_ table.

Select one:

- ☐ a. None of the Listed Options
- ☐ b. CMC\_NWNW\_NETWORK
- ☐ c. CMC\_NWGR\_RELATION
- ☐ d. CMC\_NWGP\_NET\_GROUP

**Question 32**

Not yet answered

Marked out of 1

 Flag question

All TOS codes must first be defined in the \_\_\_\_\_.

Select one:

- ☐ a. Service Conversion Description application
- ☐ b. Service Payment application
- ☐ c. Service ID Descriptions application
- ☐ d. Service Definition application

**Question 33**

Not yet answered

Marked out of 1

 Flag question

Pricing Method and Charges Rule fields can be found in which of the following applications?

Select one:

- ☐ a. Price Calculation
- ☐ b. Service Rule Definition
- ☐ c. Service Pricing
- ☐ d. Service Definition



Question 29

Answer saved

Marked out of 1

Flag question

The following Credentialing ID column is used to identify the credentialing details for the providers in facets.

Select one:

- ☐ a. None of the Listed Options
- ☐ b. PRCR\_ID
- ☐ c. PRCP\_ID
- ☒ d. PRPR\_ID

Question 30

Answer saved

Marked out of 1

Flag question

In which Application a Provider is configured to In-Network Provider or a Participating Provider?

Select one:

- ☐ a. None of the Listed Options
- ☐ b. Provider --> Networks
- ☐ c. Practitioner --> Networks
- ☒ d. Network Set

The default region is defined in each application server as \_\_\_\_\_.

Select one:

- ☐ a. Registry Entry
- ☒ b. Runbook Entry
- ☐ c. Procbook Entry
- ☐ d. None of the Listed Options

The Job that is used to load Membership data into core Facets database is \_\_\_\_\_.

Select one:

- ☐ a. ErCcsRunMmsR
- ☐ b. ErCcsRunMms0
- ☒ c. Ercmcrunmcse
- ☐ d. Ercmcrunmcsa

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

- ☐ a. CKMM
- ☐ b. CLMU
- ☒ c. XC100
- ☐ d. MMS

**Question 13**

Answer saved

Marked out of 1

Flag question

\_\_\_\_\_ Application provides clients with the ability to view and manage product components in one place.

Select one:

- ☒ a. Product Catalog
- ☐ b. Billing 360
- ☐ c. Benefit Catalog
- ☐ d. Claims Inquiry 360

**Question 14**

Answer saved

Marked out of 1

Flag question

The default region is defined in each application server as \_\_\_\_\_.

Select one:

- ☒ a. Registry Entry
- ☐ b. Runbook Entry
- ☐ c. Procbook Entry
- ☐ d. None of the Listed Options

**Question 15**

Answer saved

Marked out of 1

Flag question

The Job that is used to load Membership data into core Facets database is \_\_\_\_\_.

Select one:

- ☐ a. ErCcsRunMmsR
- ☐ b. Ercmcrunmcsa
- ☐ c. Ercmcrunmcse
- ☒ d. ErCcsRunMms0

A premium feature-set that enables customers access to key business logic is \_\_\_\_\_.

Select one:

- ☒ a. Facets Core
- ☐ b. Facets Adapter
- ☐ c. Facets Foundation
- ☐ d. Facets Premium

What are the required System Architecture for Facets?

Select one:

- ☐ a. Facets Database, Interactive Application, Broker client, Archive Database
- ☒ b. Facets Database, NetworX Pricer, Broker client, Application Server
- ☐ c. Interactive Application, NetworXPricer, Broker service, Application server
- ☐ d. Facets Database, Interactive Application, Broker Client, Application Server

How many application groups are there under the Applications tab for an end-user?


Select one:

- ☐ a. 47
- ☒ b. User can add the Application group based on requirement
- ☐ c. 36
- ☐ d. It depends on the security the user has been assigned

**Question 27**

Answer saved

Marked out of 1

 Flag question

Choose all the Government sponsored plans from the list below.


Select one or more:

- ☒ a. PPO
- ☒ b. Medicare
- ☒ c. HMO
- ☒ d. Medicaid

**Question 28**

Answer saved

Marked out of 1

 Flag question

What are the available entity types for a provider? Select all that apply.

Select one or more:

- ☒ a. Facility
- ☒ b. IPA
- ☐ c. Subscriber
- ☐ d. Group

**Question 38**

Not yet answered

Marked out of 1

Flag question

In the Enrollment application, the process to duplicate an existing subscriber record is called \_\_\_\_\_.

Select one:

- ☐ a. Modeling
- ☐ b. This functionality does not exist
- ☐ c. Copying
- ☐ d. Imaging

**Question 39**

Not yet answered

Marked out of 1

Flag question

Multiple user warning messages can be added to which applications?

Select one:

- ☐ a. Practitioner and Employer
- ☐ b. Subscriber/Family and Class/Plan
- ☐ c. Practitioner and Class/Plan
- ☐ d. Subscriber/Family and Practitioner

**Question 33**

Not yet answered

Marked out of 1

 Flag question

An ID for the \_\_\_\_\_ application needs to be created before a user can add a service and pricing ID to the Service Definition.

Select one:

- ☐ a. Service Pricing
- ☐ b. Service Id Description
- ☐ c. Service Payment
- ☐ d. Service Rule



**Question 25**

Not yet answered

Marked out of 1

Flag question

Information on the benefit limit accumulator will be stored in the \_\_\_\_\_.

Select one:

- ☐ a. CMC\_LTLT\_LIMIT\_RULE
- ☐ b. CMC\_LTLT\_LIMIT
- ☐ c. CMC\_ACDE\_ACCUM\_DESC
- ☐ d. None of the Listed Options

**Question 26**

Not yet answered

Marked out of 1

Flag question

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

- ☐ a. Use the payment drag on the provider's agreement
- ☐ b. Use the Claim Received date in the claims processing application
- ☐ c. Use the Payment Drag on the product's administrative information
- ☐ d. Use the Claim Paid date in the claims processing application

Which Application Group has LOB Application?

Select one:

- ☐ a. Subscriber/Member
- ☒ b. Application Support
- ☐ c. Accounting
- ☐ d. Medical Plan

The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- ☐ a. Claim ID (CLCL\_ID)
- ☐ b. Provider ID (PRPR\_ID)
- ☒ c. Payment Reference ID (CKPY\_REF\_ID)
- ☐ d. Check No (CKCK\_CK\_NO)

Which three codes are Industry Standard Codes? Select all that apply.

Select one or more:


- ☒ a. Revenue codes
- ☐ b. Type of Service codes
- ☒ c. Diagnosis codes
- ☒ d. Procedure codes

☐ d. None of the Listed Options

### Question 8

Answer saved

Marked out of 1

 Flag question

What are the two most common columns in the database? Select all that apply.


Select one or more:

- ☐ a. XXXX\_LOCK\_TOKEN
- ☐ b. XXXX\_SOURCE\_NAME
- ☐ c. ATXR\_SOURCE\_ID
- ☐ d. CDS\_ATXR\_TOKEN

### Question 9

Answer saved

Marked out of 1

 Flag question

What are the three most common table prefixes in the Facets database?

Select one:

- ☐ a. CBS, CMT, CER
- ☐ b. CMC, CDS, CER
- ☐ c. CMS, CDS, CIA
- ☒ d. CDS, CMC, CMS

### Question 10

What is the first reference that Facets obtains to the class in the Class Plan table. CSPI?

**Question 30**

Not yet answered

Marked out of 1

 Flag question

Select two items in the Network Set application and Network section of the provider's application that must match for a provider to be considered as in-network?

Select one or more:

- ☐ a. NSRS
- ☐ b. NPPR
- ☐ c. NWPR
- ☐ d. NWNW\_ID

**Question 6**

Answer saved

Marked out of 1

Flag question

What are the four main functions recognized in processing a claim. ( Select 2 )

Select one or more:

- ☐ a. Service Conversion, Eligibility
- ☒ b. Service Pricing, Billing
- ☐ c. Service Conversion, Billing
- ☒ d. Service Pricing, Service Payment

**Question 7**

Answer saved

Marked out of 1

Flag question

Which application should a user open to process a claim for professional services (outpatient in an office)?

Select one:

- ☐ a. Claims Enquiry
- ☒ b. Professional Claim Processing
- ☐ c. Medical Claim Processing
- ☐ d. Hospital Claim Processing

**Question 8**

Answer saved

Marked out of 1

Flag question

Which table contains payment information by Claim ID and It includes payee and subscriber information, as well as amount such as original and prompt payment discounts?

Select one:

- ☒ a. CMC\_CKPY\_PAYEE\_CLM
- ☐ b. CMC\_CLCK\_CLM\_CHECK
- ☐ c. CMC\_ACPR\_PYMT\_RED
- ☐ d. None of the Listed Options

**Question 9**

Answer saved

Marked out of 1

Flag question

A subscriber record in SBSB and the corresponding Member record in the MEME table is linked using \_\_\_\_\_

Select one:

- ☐ a. GRGR\_CK
- ☐ b. CSPI\_ID
- ☐ c. MEME\_CK
- ☒ d. SBSB\_CK

**Question 10**

Answer saved

Marked out of 1

Flag question

What is the prefix for Facets HIPAA Privacy?

Select one:

- ☐ a. CER
- ☒ b. FHP
- ☐ c. FHD
- ☐ d. FHE

 Snipping Tool

Snip copied to clipboard

**Question 18**

Not yet answered

Marked out of 1

Flag question

What are the required System Architecture for Facets?

Select one:

- ☐ a. Interactive Application, NetworXPricer, Broker service, Application server
- ☐ b. Facets Database, Interactive Application, Broker Client, Application Server
- ☐ c. Facets Database, NetworX Pricer, Broker client, Application Server
- ☐ d. Facets Database, Interactive Application, Broker client, Archive Database

**Question 19**

Answer saved

Marked out of 1

Flag question

How many application groups are there under the Applications tab for an end-user?

Select one:

- ☒ a. 36
- ☐ b. 47
- ☐ c. User can add the Application group based on requirement
- ☐ d. It depends on the security the user has been assigned

**Question 20**

Answer saved

Marked out of 1

Flag question

Once an application is opened which tab will be activated?

Select one:

- ☐ a. Navigation Area
- ☐ b. Related Information
- ☒ c. Applications
- ☐ d. Open Work



The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- ☐ a. Provider ID (PRPR\_ID)
- ☐ b. Check No (CKCK\_CK\_NO)
- ☒ c. Payment Reference ID (CKPY\_REF\_ID)
- ☐ d. Claim ID (CLCL\_ID)

Explanation Code can be used for \_\_\_\_\_.

Select one or more:

- ☒ a. Disallow
- ☒ b. Warning
- ☐ c. Informational
- ☒ d. Override

Which Application Group has LOB Application?

Select one:

- ☐ a. Medical Plan
- ☐ b. Accounting
- ☒ c. Application Support
- ☐ d. Subscriber/Member



**Question 40**

Not yet answered

Marked out of 1

 Flag question

Modling option available in \_\_\_\_\_ Application.

Select one:

- ☐ a. Enrollment
- ☐ b. Subscriber/Family
- ☐ c. Group
- ☐ d. Practitioner

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

- ☐ a. CKMM
- ☐ b. CLMU
- ☐ c. XC100
- ☒ d. MMS

A premium feature-set that enables customers access to key business logic is \_\_\_\_\_.

Select one:

- ☐ a. Facets Premium
- ☒ b. Facets Core
- ☐ c. Facets Adapter
- ☐ d. Facets Foundation

Which table has Member Handicap status?

Select one:

- ☐ a. MEHC
- ☐ b. MEHA
- ☒ c. MEHD
- ☐ d. MEHP

**Question 26**

Answer saved

Marked out of 1

Flag question

Which of the following statements is true about the DUMD application?

Select one:

- ☐ a. Pended claims cannot be included in the duplicate rules.
- ☐ b. The order of the rules is not important.
- ☒ c. Disallowed line-items can be excluded from duplicate checking.
- ☐ d. Only history claims may be included in duplicate checking.

**Question 27**

Answer saved

Marked out of 1

Flag question

Cost-sharing arrangement in which a plan member pays a specified charge per service such as \$10 per office visit is \_\_\_\_\_.

Select one:

- ☐ a. Coinsurance
- ☐ b. Deductible
- ☒ c. Copay
- ☐ d. Premium

**Question 28**

Answer saved

Marked out of 1

Flag question

What are the available entity types for a provider? Select all that apply.

Select one or more:

- ☒ a. Group
- ☐ b. Subscriber
- ☒ c. IPA
- ☒ d. Facility

**Question 29**

Answer saved

Marked out of 1

Flag question

A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is \_\_\_\_\_.

Select one:

- ☐ a. Commissions
- ☐ b. Claim
- ☒ c. Capitation
- ☐ d. Coinsurance

**Question 30**

Answer saved

Marked out of 1

Flag question

Select two items in the Network Set application and Network section of the provider's application that must match for a provider to be considered as in-network?

Select one or more:

- ☒ a. NWNW\_ID
- ☐ b. NSRS
- ☒ c. NWPR
- ☐ d. NPPR

Key combination to reset the display in Billing 360 Application is \_\_\_\_\_.

Select one:

- ☐ a. Ctrl -
- ☒ b. Ctrl + 0
- ☐ c. Ctrl +
- ☐ d. Ctrl + D

In which folder Proc File will be available?

Select one:

- ☐ a. Facets->System
- ☒ b. Facets->Utilities
- ☐ c. Facets->Regions
- ☐ d. Facets->Customer

**Question 21**

Answer saved

Marked out of 1

Flag question

Waiting period, Stop ages information associated with the Member's eligibility can be retrieved from the \_\_\_\_\_.

Select one:

- ☐ a. CMC\_AIAI\_ADM\_INFO
- ☐ b. CMC\_GPAI\_GRP\_ADM
- ☒ c. CMC\_MEEL\_ELIG\_ENT
- ☐ d. CMC\_MEPE\_PRCES\_ELIG

**Question 22**

Answer saved

Marked out of 1

Flag question

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- ☐ a. System Administrator
- ☐ b. Database Administrator
- ☐ c. Stakeholder
- ☒ d. Client Representative

**Question 23**

Answer saved

Marked out of 1

Flag question

How many parent groups can a group have?

Select one:

- ☐ a. Many
- ☐ b. None of the Listed Options
- ☐ c. No Parent Group
- ☒ d. One

**Question 24**

Answer saved

Marked out of 1

Flag question

Service Tier can be of \_\_\_\_\_ type(S).

Select one:

- ☒ a. 3
- ☐ b. 2
- ☐ c. 4
- ☐ d. 1

**Question 25**

Answer saved

Marked out of 1

Flag question

Which application/component holds the "PCP Required" checkbox/indicator?

Select one:

- ☒ a. Administrative Information
- ☐ b. Product, Variable Component section
- ☐ c. Service Rule Definition
- ☐ d. Benefit Summary

The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- ☐ a. Provider ID (PRPR\_ID)
- ☐ b. Check No (CKCK\_CK\_NO)
- ☒ c. Payment Reference ID (CKPY\_REF\_ID)
- ☐ d. Claim ID (CLCL\_ID)

Explanation Code can be used for \_\_\_\_\_.

Select one or more:

- ☒ a. Disallow
- ☒ b. Warning
- ☐ c. Informational
- ☒ d. Override

**Question 31**

Not yet answered

Marked out of 1

Flag question

Only \_\_\_\_\_ can have a common practitioner record in Facets.

Select one:

- ☐ a. Facility
- ☐ b. None of the Listed Options
- ☐ c. Provider Group
- ☐ d. IPA

**Question 32**

Answer saved

Marked out of 1

Flag question

All TOS codes must first be defined in the \_\_\_\_\_.

Select one:

- ☐ a. Service ID Descriptions application
- ☐ b. Service Definition application
- ☒ c. Service Conversion Description application
- ☐ d. Service Payment application



In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected \_\_\_\_\_.

Select one:

- ☐ a. Warning
- ☐ b. Error
- ☐ c. Bypass
- ☒ d. Deny

Which Applications has Claim Accept Month criteria?

Select one or more:

- ☒ a. Provider
- ☐ b. Medical Agreement
- ☐ c. Administrative Information
- ☒ d. Practitioner

**Question 36**

Answer saved

Marked out of 1

Flag question

When a specific member (excluding the subscriber) has to be terminated, the user would usually add a \_\_\_\_\_.

Select one:

- ☐ a. Void Event
- ☒ b. Termination Event
- ☐ c. Change Event
- ☐ d. Separation Event

**Question 37**

Answer saved

Marked out of 1

Flag question

The relationship between the subscriber and the subgroup is established in the \_\_\_\_\_ table.

Select one:

- ☒ a. CMC\_SBSG\_RELATION
- ☐ b. CMC\_SGSG\_SUB\_GROUP
- ☐ c. CMC\_SBSB\_SUBSC
- ☐ d. CMC\_GRGR\_GROUP

**Question 11**

Answer saved

Marked out of 1

Flag question

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are \_\_\_\_\_.

Select one:

- ☐ a. CMC\_CLOR\_CL\_OVR, CMC\_CDOR\_LI\_OVR
- ☐ b. CMC\_CDOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☒ c. CMC\_CLOR\_CL\_OVR, CMC\_CLOR\_LI\_OVR
- ☐ d. CMC\_CLOR\_CL\_OVR, CMC\_CLCL\_CLAIM

**Question 12**

Answer saved

Marked out of 1

Flag question

The history of the various statuses, the Claim has passed through is stored in \_\_\_\_\_.

Select one:

- ☐ a. CMC\_CLST\_STATUS
- ☐ b. CMC\_CDML\_CL\_LINE
- ☒ c. CMC\_CLCL\_CLAIM
- ☐ d. CMC\_ACPR\_PYMT\_RED

**Question 13**

Answer saved

Marked out of 1

Flag question

Key combination to reset the display in Billing 360 Application is \_\_\_\_\_.

Select one:

- ☐ a. Ctrl +
- ☐ b. Ctrl -
- ☒ c. Ctrl + D
- ☐ d. Ctrl + 0

**Question 14**

Answer saved

Marked out of 1

Flag question

In which folder Proc File will be available?

Select one:

- ☐ a. Facets->Customer
- ☐ b. Facets->Regions
- ☐ c. Facets->System
- ☒ d. Facets->Utilities

**Question 15**

Answer saved

Marked out of 1

Flag question

The Job that is used to load Membership data into core Facets database is \_\_\_\_\_.

Select one:

- ☒ a. ErCcsRunMmsR
- ☐ b. ErCmcRunmcse
- ☐ c. ErCmcRunmcsa
- ☐ d. ErCcsRunMms0

A subscriber can have how many classes of benefits effective at a time?

Select one:

- ☐ a. 3
- ☐ b. None
- ☐ c. 2
- ☒ d. 1

Member level Accumulator information is stored in the \_\_\_\_\_ table.

Select one:

- ☐ a. CMC\_MATX\_ACCUM\_TXN
- ☒ b. CMC\_ACDE\_ACCUM\_DESC
- ☐ c. CMC\_FATX\_ACCUM\_TXN
- ☐ d. CMC\_CDCD\_ACCUM\_DESC

A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- ☐ a. Any Plan which though the Employer group has not purchased.
- ☐ b. Irrespective of the Class the Plan which the Employer group has purchased.
- ☐ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.
- ☐ d. None of the Listed Options

Modling option available in \_\_\_\_\_ Application.

Select one:

- ☒ a. Practitioner
- ☐ b. Group
- ☐ c. Enrollment
- ☐ d. Subscriber/Family

What address type will Facets use to price a service based on where it was performed?

Select one:

- ☐ a. Primary
- ☒ b. Practice
- ☐ c. Default
- ☐ d. Remit

Select the field(s) that are used to identify the mailing address lines associated with the dependent of a Subscriber in the SBAD table.

Select one:

- ☐ a. MEME\_CK and SBAD\_TYPE\_HOME
- ☐ b. SBSB\_CK and SBAD\_TYPE\_HOME
- ☐ c. SBSB\_CK and SBAD\_TYPE\_MAIL
- ☐ d. SBAD\_TYPE\_MAIL and MEME\_CK

Eligibility for a member begins with the \_\_\_\_\_.

Select one:

- ☐ a. TM event
- ☒ b. RI event
- ☐ c. CB event
- ☐ d. SL event

The Service Payment Table CMC\_SEPY\_SE\_PYMT links Service ID's (SESE\_ID) to \_\_\_\_\_.

Select one:

- ☐ a. Procedure code(IPCD\_ID)
- ☐ b. Product Component(PDBC\_PFX)
- ☐ c. Provider ID(PRPR\_ID)
- ☒ d. Service Rules (SESE\_RULE)

Select the three applications where a Service Conversion Category code can be indicated.

Select one:

- ☐ a. Explanation Codes, Procedure Codes, User-Defined Codes
- ☐ b. Diagnosis Codes, Place of Service Desc-Medical, Practitioner
- ☐ c. Procedure Codes, Revenue Codes, Modifier Pricing Rules
- ☐ d. Diagnosis Codes, Procedure Codes, Revenue Codes

What address type will Facets use to price a service based on where it was performed?

Select one:

- ☐ a. Primary
- ☒ b. Practice
- ☐ c. Default
- ☐ d. Remit



Descriptive information about a Network will be stored in the \_\_\_\_\_ table.

Select one:

- ☐ a. None of the Listed Options
- ☒ b. CMC\_NWGR\_RELATION
- ☐ c. CMC\_NWGP\_NET\_GROUP
- ☐ d. CMC\_NWNW\_NETWORK

All TOS codes must first be defined in the \_\_\_\_\_.

Select one:

- ☐ a. Service Payment application
- ☐ b. Service ID Descriptions application
- ☐ c. Service Definition application
- ☒ d. Service Conversion Description application



The Product contains the Indicative, Business Info, Variable Components, Capitation Rate Factors, Notes and \_\_\_\_\_.

Select one:

- ☒ a. Components sections
- ☐ b. Billing Info sections
- ☐ c. Address sections
- ☐ d. Attachments sections

The Deductible Rules benefit component prefix is linked to a product via \_\_\_\_\_.

Select one:

- ☐ a. CMC\_PDBC\_PROD\_COMP
- ☒ b. CMC\_PDVC\_VAR\_COMP
- ☐ c. CMC\_PDPD\_PRODUCT
- ☐ d. None of the Listed Options

Which of the following statements is true about the DUMD application?

Select one:

- ☒ a. Disallowed line-items can be excluded from duplicate checking.
- ☐ b. The order of the rules is not important.
- ☐ c. Only history claims may be included in duplicate checking.
- ☐ d. Pended claims cannot be included in the duplicate rules.

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

- ☐ a. Automatic Reinstatement Period
- ☒ b. Auto-Number Subscribers
- ☐ c. None of the Listed Options
- ☐ d. Custom Subscriber Id Field in Group

Client IDs in the Group application are user-defined and can be configured by \_\_\_\_\_.

Select one:

- ☐ a. Database Administrator
- ☐ b. Stakeholder
- ☒ c. System Administrator
- ☐ d. Client Representative

GRGR\_ID links \_\_\_\_\_.

Select one:

- ☐ a. All subscribers and members to a specific group.
- ☐ b. A subgroup to the larger parent group.
- ☒ c. All groups to a plan.
- ☐ d. A member to a subscriber.

Choose all the Government sponsored plans from the list below.

Select one or more:

- ☒ a. Medicaid
- ☒ b. Medicare
- ☐ c. PPO
- ☐ d. HMO

What are the available entity types for a provider? Select all that apply.


Select one or more:

- ☒ a. Facility
- ☒ b. Group
- ☒ c. IPA
- ☒ d. Subscriber

A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is \_\_\_\_\_.

Select one:

- ☐ a. Claim
- ☐ b. Commissions
- ☐ c. Coinsurance
- ☒ d. Capitation



A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is \_\_\_\_\_.

Select one:

- ☐ a. Claim
- ☐ b. Commissions
- ☐ c. Coinsurance
- ☒ d. Capitation

In which Application a Provider is configured to In-Network Provider or a Participating Provider?

Select one:

- ☒ a. Network Set
- ☐ b. None of the Listed Options
- ☐ c. Practitioner --> Networks
- ☐ d. Provider --> Networks

Question 2

Answer saved

Question 2 out of 1

Tag question

The Payments associated with a provider will be rolled up under a common

Select one:

- ☐ a. Claim ID (CLCL\_ID)
- ☐ b. Payment Reference ID (CKPY\_REF\_ID)
- ☒ c. Check No (CKCK\_CK\_NO)
- ☐ d. Provider ID (PRPR\_ID)

Question 3

Answer saved

Question 3 out of 1

Tag question

Explanation Code can be used for \_\_\_\_\_.

Select one or more:

- ☒ a. Override
- ☐ b. Informational
- ☒ c. Disallow
- ☒ d. Warning

Question 4

Answer saved

In the Procedure Codes application, the Explanation drop down field becomes selected \_\_\_\_\_.

**Question 1**

Answer saved

Marked out of 1

Flag question

Which Application Group has LOB Application?

Select one:

- ☒ a. Application Support
- ☐ b. Medical Plan
- ☐ c. Subscriber/Member
- ☐ d. Accounting

**Question 2**

Answer saved

Marked out of 1

Flag question

The Payments associated with a provider will be rolled up under a common \_\_\_\_\_ ID.

Select one:

- ☐ a. Provider ID (PRPR\_ID)
- ☐ b. Check No (CKCK\_CK\_NO)
- ☐ c. Payment Reference ID (CKPY\_REF\_ID)
- ☒ d. Claim ID (CLCL\_ID)

**Question 3**

Answer saved

Marked out of 1

Flag question

Which three codes are Industry Standard Codes? Select all that apply.

Select one or more:

- ☒ a. Revenue codes
- ☐ b. Type of Service codes
- ☒ c. Diagnosis codes
- ☒ d. Procedure codes

**Question 4**

Answer saved

Marked out of 1

Flag question

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected

Select one:

- ☐ a. Error
- ☐ b. Bypass
- ☐ c. Deny
- ☒ d. Warning

**Question 5**

Not yet answered

Marked out of 1

Flag question

An error message \_\_\_\_\_

Select one:

- ☐ a. Transfers you to another application
- ☒ b. Stops a claim from fully processing
- ☐ c. Warns you about a situation
- ☐ d. Can be ignored and can edit the claim



A subscriber is entitled to receive benefits under an Employer group \_\_\_\_\_.

Select one:

- ☐ a. Irrespective of the Class the Plan which the Employer group has purchased.
- ☐ b. Any Plan which though the Employer group has not purchased.
- ☐ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.
- ☐ d. None of the Listed Options