In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected _____.

Select one:
- ○ a. Warning
- ○ b. Error
- ○ c. Byepass
- ◉ d. Deny

Which Applications has Claim Accept Month criteria?

Select one or more:
- ☑ a. Provider
- ☐ b. Medical Agreement
- ☐ c. Administrative Information
- ☑ d. Practitioner

The Payments associated with a provider will be rolled up under a common _____ ID.

Select one:

○ a. Provider ID (PRPR_ID)

○ b. Check No (CKCK_CK_NO)

◉ c. Payment Reference ID (CKPY_REF_ID)

○ d. Claim ID (CLCL_ID)

Explanation Code can be used for _____.

Select one or more:

☑ a. Disallow

☑ b. Warning

☐ c. Informational

☑ d. Override

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected _____.

Select one:

- ◉ a. Warning
- ○ b. Error
- ○ c. Byepass
- ○ d. Deny

Users may transfer to the Claims Inquiry application from an open Subscriber/Family record. What piece of information will automatically populate in the Claims Inquiry dialog box when transferred?

Select one:

- ○ a. Member Id
- ◉ b. Claim Id
- ○ c. Subscriber Id
- ○ d. Provider Id

Line level indicative information for a Claim excluding which of the listed parameters is store in the CDML table?

Select one:

- ○ a. MCTR_ID
- ◉ b. IPCD_ID
- ○ c. IDCD_ID
- ○ d. GRGR_CK

On-Screen Keyboard

So | Some | Site

Esc | ~ ` | ! 1 | @ 2 | # 3 | $ 4 | % 5 | ^ 6

Tab | q | w | e | r | t | y | u

A subscriber is entitled to receive benefits under an Employer group _____.

Select one:

○ a. Irrespective of the Class the Plan which the Employer group has purchased.

○ b. Any Plan which though the Employer group has not purchased.

○ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

○ d. None of the Listed Options

What are the two most common columns in the database? Select all that apply.

Select one or more:

- ☐ a. XXXX_SOURCE_NAME

- ☐ b. ATXR_SOURCE_ID

- ☑ c. XXXX_LOCK_TOKEN

- ☑ d. CDS_ATXR_TOKEN

Overpayment happening at a claim level can be identified from the _____ table.

Select one:

- ○ a. CMC_CLOV_OVERPAY

- ○ b. CMC_CLCL_CLAIM

- ○ c. CMC_ACPR_PYMT_RED

- ◉ d. CMC_CLOR_OVERPY

Which table has Member Handicap status?

Select one:

- ○ a. MEHA

- ○ b. MEHC

- ○ c. MEHP

- ◉ d. MEHD

On-Screen K

So		Some
Esc	~ `	! 1	@ 2	# 3
Tab	q	w	e	r
Caps	a	s	d
Shift		z	x	c
Fn	Ctrl		Alt

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40		

Finish attempt ...

Time left 0:32:21

Question 31
Answer saved
Marked out of 1
⚑ Flag question

Only _____ can have a common practitioner record in Facets.

Select one:
- ○ a. Facility
- ● b. None of the Listed Options
- ○ c. Provider Group
- ○ d. IPA

Question 32
Answer saved
Marked out of 1
⚑ Flag question

All TOS codes must first be defined in the _____.

Select one:
- ○ a. Service Definition application
- ○ b. Service Payment application
- ● c. Service ID Descriptions application
- ○ d. Service Conversion Description application

Question 33
Answer saved
Marked out of 1
⚑ Flag question

How many ways can a service be priced within one Service Definition record?

Select one:
- ○ a. Zero
- ● b. One
- ○ c. Many
- ○ d. Four

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

○ a. Automatic Reinstatement Period

○ b. Auto-Number Subscribers

◉ c. Custom Subscriber Id Field in Group

○ d. None of the Listed Options

Client IDs in the Group application are user-defined and can be configured by _____.

Select one:

○ a. System Administrator

○ b. Client Representative

○ c. Stakeholder

◉ d. Database Administrator

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are _____.

Select one:

- ⦿ a. CMC_CLOR_CL_OVR, CMC_CDOR_LI_OVR
- ○ b. CMC_CLOR_CL_OVR, CMC_CLOR_LI_OVR
- ○ c. CMC_CDOR_CL_OVR, CMC_CLOR_LI_OVR
- ○ d. CMC_CLOR_CL_OVR, CMC_CLCL_CLAIM

In what area will the primary keys be displayed in the Facets Data Model table?

Select one:

- ⦿ a. Key Segment
- ○ b. Required Segment
- ○ c. Non-Key Segment
- ○ d. Mandatory Area

A subscriber can have how many classes of benefits effective at a time?

Select one:

O a. 1

O b. None

O c. 3

O d. 2

A subscriber can have how many classes of benefits effective at a time?

Select one:

- ○ a. 2
- ○ b. 3
- ○ c. 1
- ○ d. None

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

○ a. Auto-Number Subscribers

○ b. None of the Listed Options

○ c. Automatic Reinstatement Period

○ d. Custom Subscriber Id Field in Group

Client IDs in the Group application are user-defined and can be configured by _____.

Select one:

○ a. Database Administrator

○ b. System Administrator

○ c. Stakeholder

○ d. Client Representative

A subscriber is entitled to receive benefits under an Employer group _____.

Select one:

○ a. Irrespective of the Class the Plan which the Employer group has purchased.

○ b. Any Plan which though the Employer group has not purchased.

○ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

○ d. None of the Listed Options

A subscriber can have how many classes of benefits effective at a time?

Select one:

○ a. 3

○ b. None

○ c. 2

◉ d. 1

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select one:

- ⦿ a. CSCS_ID
- ○ b. MEME_REL
- ○ c. SBSB
- ○ d. PAGR

What is the most common relationship between a parent and child table?

Select one:

- ⦿ a. Identifying
- ○ b. Dependent
- ○ c. Relational
- ○ d. Non-identifying

The default region is defined in each application server as _____.

Select one:

- a. Registry Entry
- b. Runbook Entry
- c. Procbook Entry
- d. None of the Listed Options

The Job that is used to load Membership data into core Facets database is _____.

Select one:

- a. ErCcsRunMmsR
- b. Ercmcrunmcsa
- c. Ercmcrunmcse
- d. ErCcsRunMms0

Which file is used as an Input file for Facets core batch Job?

Select one:

- a. XLS File
- b. CSV File
- c. Text File
- d. Keyword File

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

○ a. MMS

○ b. CKMM

◉ c. XC100

○ d. CLMU

A premium feature-set that enables customers access to key business logic is _____.

Select one:

○ a. Facets Core

◉ b. Facets Premium

○ c. Facets Foundation

○ d. Facets Adapter

What are the required System Architecture for Facets?

Select one:

○ a. Facets Database, Interactive Application, Broker client, Archive Database

○ b. Facets Database, NetworX Pricer, Broker client, Application Server

◉ c. Facets Database, Interactive Application, Broker Client, Application Server

○ d. Interactive Application, NetworXPricer, Broker service, Application server

How many application groups are there under the Applications tab for an end-user?

Select one:

◉ a. It depends on the security the user has been assigned

○ b. 47

○ c. User can add the Application group based on requirement

○ d. 36

How to clear a smart edit fields in Facets?

Select one:

○ a. F11

◉ b. F2

○ c. F3

○ d. F12

Only _____ can have a common practitioner record in Facets.

Select one:

○ a. IPA

○ b. None of the Listed Options

○ c. Facility

○ d. Provider Group

All TOS codes must first be defined in the _____.

Select one:

○ a. Service ID Descriptions application

○ b. Service Conversion Description application

○ c. Service Payment application

○ d. Service Definition application

Answer saved

Marked out of 1

⚑ Flag question

What are the three most common table prefixes in the Facets database?

Select one:

- ○ a. CBS, CMT, CER
- ○ b. CMC, CDS, CER
- ○ c. CMS, CDS, CIA
- ◉ d. CDS, CMC, CMS

Answer saved

Marked out of 1

⚑ Flag question

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select one:

- ◉ a. CSCS_ID
- ○ b. PAGR
- ○ c. MEME_REL
- ○ d. SBSB

In the Medical Claims Processing application, if the cursor is placed in either the Subscriber ID or Provider ID fields and the IDs are not known, which hot key can be selected to search?

Select one:

○ a. F7

◉ b. F12

○ c. Ctrl+ F12

○ d. F8

Question 11

Answer saved

Marked out of 1

⚑ Flag question

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are _____.

Select one:

○ a. CMC_CLOR_CL_OVR, CMC_CDOR_LI_OVR

◉ b. CMC_CLOR_CL_OVR, CMC_CLOR_LI_OVR

○ c. CMC_CDOR_CL_OVR, CMC_CLOR_LI_OVR

○ d. CMC_CLOR_CL_OVR, CMC_CLCL_CLAIM

Question 12

Answer saved

Marked out of 1

⚑ Flag question

In what area will the primary keys be displayed in the Facets Data Model table?

Select one:

◉ a. Key Segment

○ b. Required Segment

○ c. Non-Key Segment

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

- a. Use the payment drag on the provider's agreement
- b. Use the Payment Drag on the product's administrative information
- c. Use the Claim Paid date in the claims processing application
- d. Use the Claim Received date in the claims processing application

Cost-sharing arrangement in which a plan member pays a specified charge per service such as $10 per office visit is _____.

Select one:

- a. Copay
- b. Deductible
- c. Coinsurance
- d. Premium

Question 21

Answer saved

Marked out of 1

⚑ Flag question

A group may agree to furnish health care benefits for its eligible members and may have limits or restrictions placed on certain items which are linked to _____ bucket that allows the limits and restrictions to be tracked for a specified amount.

Select one:

○ a. Deductible

○ b. Limits

◉ c. Accumulator

○ d. Stoploss

Question 22

Not yet answered

Marked out of 1

⚑ Flag question

Client IDs in the Group application are user-defined and can be configured by _____.

Select one:

○ a. Database Administrator

○ b. Client Representative

○ c. System Administrator

○ d. Stakeholder

Question 23

Answer saved

Marked out of 1

⚑ Flag question

A Class ID can be attached to Subscriber, Subgroup and _____.

Select one:

○ a. Related Entity

○ b. Group

◉ c. Plan/Product

○ d. Other Carrier

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

○ a. Use the Payment Drag on the product's administrative information

○ b. Use the Claim Paid date in the claims processing application

○ c. Use the payment drag on the provider's agreement

○ d. Use the Claim Received date in the claims processing application

Not yet answered

Marked out of 1

Flag question

The Service Procedure, Service Revenue Code and Service Code Conversion prefix is attached to which application?

Select one:

- ○ a. Class/Plan Definition
- ○ b. Group
- ○ c. Subscriber
- ○ d. Agreement, Medical

Not yet answered

Marked out of 1

Flag question

What address type will Facets use to price a service based on where it was performed?

Select one:

- ○ a. Default
- ○ b. Primary
- ○ c. Practice
- ○ d. Remit

Not yet answered

Marked out of 1

Flag question

Eligibility for a member begins with the _____.

Select one:

- ○ a. CB event
- ○ b. SL event
- ○ c. TM event
- ○ d. RI event

Not yet answered

Marked out of 1

⚑ Flag question

Line level indicative information for a Claim excluding which of the listed parameters is store in the CDML table?

Select one:

○ a. MCTR_ID

○ b. IPCD_ID

○ c. IDCD_ID

○ d. GRGR_CK

Question 7

Answer saved

Marked out of 1

⚑ Flag question

In the Medical Claims Processing application, if the cursor is placed in either the Subscriber ID or Provider ID fields and the IDs are not known, which hot key can be selected to search?

Select one:

○ a. F12

◉ b. F7

○ c. Ctrl+ F12

○ d. F8

Not yet answered

Marked out of 1

⚐ Flag question

What is the amount paid by Sponsors to the Healthplan for the coverage of members?

Select one:

○ a. Claim

○ b. Capitation

○ c. Commission

○ d. Premium

Not yet answered

Marked out of 1

⚐ Flag question

Member level COB entry required configuration is available in _____ Application.

Select one:

○ a. Administrative Information

○ b. Subscriber/Member

○ c. COB Rules

○ d. Administrative Rules, Medical

Not yet answered

Marked out of 1

⚐ Flag question

A subscriber is entitled to receive benefits under an Employer group _____.

Select one:

○ a. Any Plan which though the Employer group has not purchased.

○ b. None of the Listed Options

○ c. Irrespective of the Class the Plan which the Employer group has purchased.

○ d. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

A premium feature-set that enables customers access to key business logic is _____.

Select one:

○ a. Facets Core

○ b. Facets Premium

○ c. Facets Foundation

○ d. Facets Adapter

What are the required System Architecture for Facets?

Select one:

○ a. Facets Database, NetworX Pricer, Broker client, Application Server

○ b. Facets Database, Interactive Application, Broker Client, Application Server

○ c. Interactive Application, NetworXPricer, Broker service, Application server

○ d. Facets Database, Interactive Application, Broker client, Archive Database

What are the available frequencies of the payment drag cycle in the Payment Frequency? Select all that apply.

Select one or more:

- ☑ a. An annual basis
- ☐ b. Once a week
- ☐ c. On days from a base date basis
- ☑ d. A monthly basis

The history of the various statuses, the Claim has passed through is stored in _____.

Select one:
- ○ a. CMC_CLCL_CLAIM
- ○ b. CMC_CLST_STATUS
- ◉ c. CMC_CDML_CL_LINE
- ○ d. CMC_ACPR_PYMT_RED

Key combination to reset the display in Billing 360 Application is _____.

Select one:
- ○ a. Ctrl +
- ○ b. Ctrl + D
- ○ c. Ctrl -
- ◉ d. Ctrl + 0

The Service Payment Table CMC_SEPY_SE_PYMT links Service ID's (SESE

Select one:

○ a. Service Rules (SESE_RULE)

○ b. Procedure code(IPCD_ID)

○ c. Product Component(PDBC_PFX)

○ d. Provider ID(PRPR_ID)

Descriptive information about a Network will be stored in the _____ table.

Select one:

○ a. None of the Listed Options

○ b. CMC_NWNW_NETWORK

○ c. CMC_NWGR_RELATION

○ d. CMC_NWGP_NET_GROUP

All TOS codes must first be defined in the _____.

Select one:

○ a. Service Conversion Description application

○ b. Service Payment application

○ c. Service ID Descriptions application

○ d. Service Definition application

Pricing Method and Charges Rule fields can be found in which of the following applications?

Select one:

○ a. Price Calculation

○ b. Service Rule Definition

○ c. Service Pricing

○ d. Service Definition

The following Credentialing ID column is used to identify the credentialing details for the providers in facets.

Select one:

- ○ a. None of the Listed Options
- ○ b. PRCR_ID
- ○ c. PRCP_ID
- ◉ d. PRPR_ID

In which Application a Provider is configured to In-Network Provider or a Participating Provider?

Select one:

- ○ a. None of the Listed Options
- ○ b. Provider --> Networks
- ○ c. Practitioner --> Networks
- ◉ d. Network Set

The default region is defined in each application server as _____ .

Select one:

○ a. Registry Entry

◉ b. Runbook Entry

○ c. Procbook Entry

○ d. None of the Listed Options

The Job that is used to load Membership data into core Facets database is _____ .

Select one:

○ a. ErCcsRunMmsR

○ b. ErCcsRunMms0

◉ c. Ercmcrunmcse

○ d. Ercmcrunmcsa

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

○ a. CKMM

○ b. CLMU

◉ c. XC100

○ d. MMS

Question 13

Answer saved

Marked out of 1

⚑ Flag question

_____ Application provides clients with the ability to view and manage product components in one place.

Select one:

- ⦿ a. Product Catalog
- ○ b. Billing 360
- ○ c. Benefit Catalog
- ○ d. Claims Inquiry 360

Question 14

Answer saved

Marked out of 1

⚑ Flag question

The default region is defined in each application server as _____.

Select one:

- ⦿ a. Registry Entry
- ○ b. Runbook Entry
- ○ c. Procbook Entry
- ○ d. None of the Listed Options

Question 15

Answer saved

Marked out of 1

⚑ Flag question

The Job that is used to load Membership data into core Facets database is _____.

Select one:

- ○ a. ErCcsRunMmsR
- ○ b. Ercmcrunmcsa
- ○ c. Ercmcrunmcse
- ⦿ d. ErCcsRunMms0

A premium feature-set that enables customers access to key business logic is _____.

Select one:

- ◉ a. Facets Core
- ○ b. Facets Adapter
- ○ c. Facets Foundation
- ○ d. Facets Premium

What are the required System Architecture for Facets?

Select one:

- ○ a. Facets Database, Interactive Application, Broker client, Archive Database
- ◉ b. Facets Database, NetworX Pricer, Broker client, Application Server
- ○ c. Interactive Application, NetworXPricer, Broker service, Application server
- ○ d. Facets Database, Interactive Application, Broker Client, Application Server

How many application groups are there under the Applications tab for an end-user?

Select one:

- ○ a. 47
- ◉ b. User can add the Application group based on requirement
- ○ c. 36
- ○ d. It depends on the security the user has been assigned

Question 27

Answer saved

Marked out of 1

⚑ Flag question

Choose all the Government sponsored plans from the list below.

Select one or more:

☑ a. PPO

☑ b. Medicare

☑ c. HMO

☑ d. Medicaid

Question 28

Answer saved

Marked out of 1

⚑ Flag question

What are the available entity types for a provider? Select all that apply.

Select one or more:

☑ a. Facility

☑ b. IPA

☐ c. Subscriber

☐ d. Group

Not yet answered

Marked out of 1

⚑ Flag question

In the Enrollment application, the process to duplicate an existing subscriber record is called _____.

Select one:

○ a. Modeling

○ b. This functionality does not exist

○ c. Copying

○ d. Imaging

Not yet answered

Marked out of 1

⚑ Flag question

Multiple user warning messages can be added to which applications?

Select one:

○ a. Practitioner and Employer

○ b. Subscriber/Family and Class/Plan

○ c. Practitioner and Class/Plan

○ d. Subscriber/Family and Practitioner

An ID for the _____ application needs to be created before a user can add a service and pricing ID to the Service Definition.

Select one:

○ a. Service Pricing

○ b. Service Id Description

○ c. Service Payment

○ d. Service Rule

Question 25
Not yet answered
Marked out of 1
Flag question

Information on the benefit limit accumulator will be stored in the _____.

Select one:

○ a. CMC_LTLT_LIMIT_RULE

○ b. CMC_LTLT_LIMIT

○ c. CMC_ACDE_ACCUM_DESC

○ d. None of the Listed Options

Question 26
Not yet answered
Marked out of 1
Flag question

When a Payment Drag is set on the products Administrative Information and on the provider's agreement, what will Facets do?

Select one:

○ a. Use the payment drag on the provider's agreement

○ b. Use the Claim Received date in the claims processing application

○ c. Use the Payment Drag on the product's administrative information

○ d. Use the Claim Paid date in the claims processing application

Which Application Group has LOB Application?

Select one:

○ a. Subscriber/Member

◉ b. Application Support

○ c. Accounting

○ d. Medical Plan

The Payments associated with a provider will be rolled up under a common _____ ID.

Select one:

○ a. Claim ID (CLCL_ID)

○ b. Provider ID (PRPR_ID)

◉ c. Payment Reference ID (CKPY_REF_ID)

○ d. Check No (CKCK_CK_NO)

Which three codes are Industry Standard Codes? Select all that apply.

Select one or more:

☑ a. Revenue codes

☐ b. Type of Service codes

☑ c. Diagnosis codes

☑ d. Procedure codes

○ d. None of the Listed Options

Answer saved

Marked out of 1

⚑ Flag question

What are the two most common columns in the database? Select all that apply.

Select one or more:

☐ a. XXXX_LOCK_TOKEN

☐ b. XXXX_SOURCE_NAME

☐ c. ATXR_SOURCE_ID

☐ d. CDS_ATXR_TOKEN

Question 9

Answer saved

Marked out of 1

⚑ Flag question

What are the three most common table prefixes in the Facets database?

Select one:

○ a. CBS, CMT, CER

○ b. CMC, CDS, CER

○ c. CMS, CDS, CIA

● d. CDS, CMC, CMS

Question 10

What is the first reference that Facets obtains to the class in the Class Plan table, CSPI?

Select two items in the Network Set application and Network section of the provider's application that must match for a provider to be considered as in-network?

Select one or more:

☐ a. NSRS

☐ b. NPPR

☐ c. NWPR

☐ d. NWNW_ID

Question 6

Answer saved

Marked out of 1

⚑ Flag question

What are the four main functions recognized in processing a claim. (Select 2)

Select one or more:

☐ a. Service Conversion, Eligibility

☑ b. Service Pricing, Billing

☐ c. Service Conversion, Billing

☑ d. Service Pricing, Service Payment

Question 7

Answer saved

Marked out of 1

⚑ Flag question

Which application should a user open to process a claim for professional services (outpatient in an office)?

Select one:

○ a. Claims Enquiry

◉ b. Professional Claim Processing

○ c. Medical Claim Processing

○ d. Hospital Claim Processing

Question 8

Answer saved

Marked out of 1

⚑ Flag question

Which table contains payment information by Claim ID and It includes payee and subscriber information, as well as amount such as original and prompt payment discounts?

Select one:

◉ a. CMC_CKPY_PAYEE_CLM

○ b. CMC_CLCK_CLM_CHECK

○ c. CMC_ACPR_PYMT_RED

○ d. None of the Listed Options

Question 9

Answer saved

Marked out of 1

⚑ Flag question

A subscriber record in SBSB and the corresponding Member record in the MEME table is linked using _____.

Select one:

○ a. GRGR_CK

○ b. CSPI_ID

○ c. MEME_CK

◉ d. SBSB_CK

Question 10

Answer saved

Marked out of 1

⚑ Flag question

What is the prefix for Facets HIPAA Privacy?

Select one:

○ a. CER

◉ b. FHP

○ c. FHD

○ d. FHE

Snipping Tool

Snip copied to clipboa

Not yet answered

Marked out of 1

Flag question

What are the required System Architecture for Facets?

Select one:

- a. Interactive Application, NetworXPricer, Broker service, Application server
- b. Facets Database, Interactive Application, Broker Client, Application Server
- c. Facets Database, NetworX Pricer, Broker client, Application Server
- d. Facets Database, Interactive Application, Broker client, Archive Database

Answer saved

Marked out of 1

Flag question

How many application groups are there under the Applications tab for an end-user?

Select one:

- ● a. 36
- b. 47
- c. User can add the Application group based on requirement
- d. It depends on the security the user has been assigned

Answer saved

Marked out of 1

Flag question

Once an application is opened which tab will be activated?

Select one:

- a. Navigation Area
- b. Related Information
- ● c. Applications
- d. Open Work

The Payments associated with a provider will be rolled up under a common _____ ID.

Select one:

○ a. Provider ID (PRPR_ID)

○ b. Check No (CKCK_CK_NO)

◉ c. Payment Reference ID (CKPY_REF_ID)

○ d. Claim ID (CLCL_ID)

Explanation Code can be used for _____ .

Select one or more:

☑ a. Disallow

☑ b. Warning

☐ c. Informational

☑ d. Override

Which Application Group has LOB Application?

Select one:

- ○ a. Medical Plan
- ○ b. Accounting
- ● c. Application Support
- ○ d. Subscriber/Member

Modling option available in _____ Application.

Select one:

○ a. Enrollment

○ b. Subscriber/Family

○ c. Group

○ d. Practitioner

What is the batch that adjudicates Claims and move them from XC to Facets Data base?

Select one:

○ a. CKMM

○ b. CLMU

○ c. XC100

◉ d. MMS

A premium feature-set that enables customers access to key business logic is _____.

Select one:

○ a. Facets Premium

◉ b. Facets Core

○ c. Facets Adapter

○ d. Facets Foundation

Which table has Member Handicap status?

Select one:

- ○ a. MEHC
- ○ b. MEHA
- ● c. MEHD
- ○ d. MEHP

Which of the following statements is true about the DUMD application?

Select one:

- a. Pended claims cannot be included in the duplicate rules.
- b. The order of the rules is not important.
- ● c. Disallowed line-items can be excluded from duplicate checking.
- d. Only history claims may be included in duplicate checking.

Cost-sharing arrangement in which a plan member pays a specified charge per service such as $10 per office visit is _____.

Select one:

- a. Coinsurance
- b. Deductible
- ● c. Copay
- d. Premium

What are the available entity types for a provider? Select all that apply.

Select one or more:

- ☑ a. Group
- ☐ b. Subscriber
- ☑ c. IPA
- ☑ d. Facility

A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is _____.

Select one:

- a. Commissions
- b. Claim
- ● c. Capitation
- d. Coinsurance

Select two items in the Network Set application and Network section of the provider's application that must match for a provider to be considered as in-network?

Select one or more:

- ☑ a. NWNW_ID
- ☐ b. NSRS
- ☑ c. NWPR
- ☐ d. NPPR

Key combination to reset the display in Billing 360 Application is _____.

Select one:

○ a. Ctrl -

◉ b. Ctrl + 0

○ c. Ctrl +

○ d. Ctrl + D

In which folder Proc File will be available?

Select one:

○ a. Facets->System

◉ b. Facets->Utilities

○ c. Facets->Regions

○ d. Facets->Customer

Waiting period, Stop ages information associated with the Member's eligibility can be retrieved from the _____.

Answer saved

Marked out of 1

Flag question

Select one:
- ○ a. CMC_AIAI_ADM_INFO
- ○ b. CMC_GPAI_GRP_ADM
- ● c. CMC_MEEL_ELIG_ENT
- ○ d. CMC_MEPE_PRCS_ELIG

Question 22

Client IDs in the Group application are user-defined and can be configured by _____.

Answer saved

Marked out of 1

Flag question

Select one:
- ○ a. System Administrator
- ○ b. Database Administrator
- ○ c. Stakeholder
- ● d. Client Representative

Question 23

How many parent groups can a group have?

Answer saved

Marked out of 1

Flag question

Select one:
- ○ a. Many
- ○ b. None of the Listed Options
- ○ c. No Parent Group
- ● d. One

Question 24

Service Tier can be of _____ type(S).

Answer saved

Marked out of 1

Flag question

Select one:
- ● a. 3
- ○ b. 2
- ○ c. 4
- ○ d. 1

Question 25

Which application/component holds the "PCP Required" checkbox/indicator?

Answer saved

Marked out of 1

Flag question

Select one:
- ● a. Administrative Information
- ○ b. Product, Variable Component section
- ○ c. Service Rule Definition
- ○ d. Benefit Summary

The Payments associated with a provider will be rolled up under a common _____ ID.

Select one:

○ a. Provider ID (PRPR_ID)

○ b. Check No (CKCK_CK_NO)

◉ c. Payment Reference ID (CKPY_REF_ID)

○ d. Claim ID (CLCL_ID)

Explanation Code can be used for _____.

Select one or more:

☑ a. Disallow

☑ b. Warning

☐ c. Informational

☑ d. Override

Not yet answered

Marked out of 1

⚑ Flag question

Only _____ can have a common practitioner record in Facets.

Select one:

○ a. Facility

○ b. None of the Listed Options

○ c. Provider Group

○ d. IPA

Question 32

Answer saved

Marked out of 1

⚑ Flag question

All TOS codes must first be defined in the _____.

Select one:

○ a. Service ID Descriptions application

○ b. Service Definition application

◉ c. Service Conversion Description application

○ d. Service Payment application

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected _____.

Select one:

○ a. Warning

○ b. Error

○ c. Byepass

◉ d. Deny

Which Applications has Claim Accept Month criteria?

Select one or more:

☑ a. Provider

☐ b. Medical Agreement

☐ c. Administrative Information

☑ d. Practitioner

When a specific member (excluding the subscriber) has to be terminated, the user would usually add a

_____.

Select one:

- a. Void Event
- ● b. Termination Event
- c. Change Event
- d. Separation Event

The relationship between the subscriber and the subgroup is established in the _____ table.

Select one:

- ● a. CMC_SBSG_RELATION
- b. CMC_SGSG_SUB_GROUP
- c. CMC_SBSB_SUBSC
- d. CMC_GRGR_GROUP

Overrides are created to bypass specific items/actions for a claim. Overrides can happen at the Claim as well as the Line level. Tables which contain the Claim level and Line level overrides are _____.

Select one:
- ○ a. CMC_CLOR_CL_OVR, CMC_CDOR_LI_OVR
- ○ b. CMC_CDOR_CL_OVR, CMC_CLOR_LI_OVR
- ● c. CMC_CLOR_CL_OVR, CMC_CLOR_LI_OVR
- ○ d. CMC_CLOR_CL_OVR, CMC_CLCL_CLAIM

The history of the various statuses, the Claim has passed through is stored in _____.

Select one:
- ○ a. CMC_CLST_STATUS
- ○ b. CMC_CDML_CL_LINE
- ● c. CMC_CLCL_CLAIM
- ○ d. CMC_ACPR_PYMT_RED

Key combination to reset the display in Billing 360 Application is _____.

Select one:
- ○ a. Ctrl +
- ○ b. Ctrl -
- ● c. Ctrl + D
- ○ d. Ctrl + 0

In which folder Proc File will be available?

Select one:
- ○ a. Facets->Customer
- ○ b. Facets->Regions
- ○ c. Facets->System
- ● d. Facets->Utilities

The Job that is used to load Membership data into core Facets database is _____.

Select one:
- ● a. ErCcsRunMmsR
- ○ b. Ercmcrunmcse
- ○ c. Ercmcrunmcsa
- ○ d. ErCcsRunMms0

A subscriber can have how many classes of benefits effective at a time?

Select one:

- ○ a. 3
- ○ b. None
- ○ c. 2
- ◉ d. 1

Member level Accumulator information is stored in the _____ table.

Select one:

○ a. CMC_MATX_ACCUM_TXN

◉ b. CMC_ACDE_ACCUM_DESC

○ c. CMC_FATX_ACCUM_TXN

○ d. CMC_CDCD_ACCUM_DESC

A subscriber is entitled to receive benefits under an Employer group _____.

Select one:

○ a. Any Plan which though the Employer group has not purchased.

○ b. Irrespective of the Class the Plan which the Employer group has purchased.

○ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

○ d. None of the Listed Options

Modling option available in _____ Application.

Select one:

◉ a. Practitioner

○ b. Group

○ c. Enrollment

○ d. Subscriber/Family

What address type will Facets use to price a service based on where it was performed?

Select one:

○ a. Primary

◉ b. Practice

○ c. Default

○ d. Remit

Select the field(s) that are used to identify the mailing address lines associated with the dependent of a Subscriber in the SBAD table.

Select one:

○ a. MEME_CK and SBAD_TYPE_HOME

○ b. SBSB_CK and SBAD_TYPE_HOME

○ c. SBSB_CK and SBAD_TYPE_MAIL

○ d. SBAD_TYPE_MAIL and MEME_CK

Eligibility for a member begins with the _____.

Select one:

○ a. TM event

◉ b. RI event

○ c. CB event

○ d. SL event

The Service Payment Table CMC_SEPY_SE_PYMT links Service ID's (SESE_ID) to _____.

Select one:

○ a. Procedure code(IPCD_ID)

○ b. Product Component(PDBC_PFX)

○ c. Provider ID(PRPR_ID)

◉ d. Service Rules (SESE_RULE)

Select the three applications where a Service Conversion Category code can be indicated.

Select one:

○ a. Explanation Codes, Procedure Codes, User-Defined Codes

○ b. Diagnosis Codes, Place of Service Desc-Medical, Practitioner

○ c. Procedure Codes, Revenue Codes, Modifier Pricing Rules

○ d. Diagnosis Codes, Procedure Codes, Revenue Codes

What address type will Facets use to price a service based on where it was performed?

Select one:

○ a. Primary

◉ b. Practice

○ c. Default

○ d. Remit

Descriptive information about a Network will be stored in the _____ table.

Select one:

○ a. None of the Listed Options

⊙ b. CMC_NWGR_RELATION

○ c. CMC_NWGP_NET_GROUP

○ d. CMC_NWNW_NETWORK

All TOS codes must first be defined in the _____.

Select one:

○ a. Service Payment application

○ b. Service ID Descriptions application

○ c. Service Definition application

⊙ d. Service Conversion Description application

The Product contains the Indicative, Business Info, Variable Components, Capitation Rate Factors, Notes and _____.

Select one:

- ⦿ a. Components sections
- ○ b. Billing Info sections
- ○ c. Address sections
- ○ d. Attachments sections

The Deductible Rules benefit component prefix is linked to a product via _____.

Select one:

- ○ a. CMC_PDBC_PROD_COMP
- ⦿ b. CMC_PDVC_VAR_COMP
- ○ c. CMC_PDPD_PRODUCT
- ○ d. None of the Listed Options

Which of the following statements is true about the DUMD application?

Select one:

- ⦿ a. Disallowed line-items can be excluded from duplicate checking.
- ○ b. The order of the rules is not important.
- ○ c. Only history claims may be included in duplicate checking.
- ○ d. Pended claims cannot be included in the duplicate rules.

Which option will cause Facets to automatically generate a subscriber ID during enrollment?

Select one:

- ○ a. Automatic Reinstatement Period
- ◉ b. Auto-Number Subscribers
- ○ c. None of the Listed Options
- ○ d. Custom Subscriber Id Field in Group

Client IDs in the Group application are user-defined and can be configured by _____.

Select one:

- ○ a. Database Administrator
- ○ b. Stakeholder
- ◉ c. System Administrator
- ○ d. Client Representative

GRGR_ID links _____.

Select one:

- ○ a. All subscribers and members to a specific group.
- ○ b. A subgroup to the larger parent group.
- ◉ c. All groups to a plan.
- ○ d. A member to a subscriber.

Choose all the Government sponsored plans from the list below.

Select one or more:
- ☑ a. Medicaid
- ☑ b. Medicare
- ☐ c. PPO
- ☐ d. HMO

What are the available entity types for a provider? Select all that apply.

Select one or more:
- ☑ a. Facility
- ☑ b. Group
- ☑ c. IPA
- ☑ d. Subscriber

A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is _____.

Select one:
- ○ a. Claim
- ○ b. Commissions
- ○ c. Coinsurance
- ◉ d. Capitation

On-Screen Keyboard

Esc ~ ` ! 1 @ 2 # 3 $ 4 % 5 ^ 6

Tab q w e r t y

Caps a s d f g h

A payment arrangement in which set amount is paid to Provider for each enrolled person assigned to them, per period of time, whether or not that person seeks care is _____.

Select one:

○ a. Claim

○ b. Commissions

○ c. Coinsurance

◉ d. Capitation

In which Application a Provider is configured to In-Network Provider or a Participating Provider?

Select one:

◉ a. Network Set

○ b. None of the Listed Options

○ c. Practitioner --> Networks

○ d. Provider --> Networks

The Payments associated with a provider will be rolled up under a comme

Select one:

- ○ a. Claim ID (CLCL_ID)
- ○ b. Payment Reference ID (CKPY_REF_ID)
- ◉ c. Check No (CKCK_CK_NO)
- ○ d. Provider ID (PRPR_ID)

Explanation Code can be used for _____.

Select one or more:

- ☑ a. Override
- ☐ b. Informational
- ☑ c. Disallow
- ☑ d. Warning

In the Procedure Codes application, the Explanation drop down field beco
selected _____.

Which Application Group has LOB Application?

Select one:
- ● a. Application Support
- ○ b. Medical Plan
- ○ c. Subscriber/Member
- ○ d. Accounting

The Payments associated with a provider will be rolled up under a common _____ ID.

Select one:
- ○ a. Provider ID (PRPR_ID)
- ○ b. Check No (CKCK_CK_NO)
- ○ c. Payment Reference ID (CKPY_REF_ID)
- ● d. Claim ID (CLCL_ID)

Which three codes are Industry Standard Codes? Select all that apply.

Select one or more:
- ☑ a. Revenue codes
- ☐ b. Type of Service codes
- ☑ c. Diagnosis codes
- ☑ d. Procedure codes

In the Procedure Codes application, the Explanation drop down field becomes available when the following action is selected

Select one:
- ○ a. Error
- ○ b. Byepass
- ○ c. Deny
- ● d. Warning

Question 5
Not yet answered
Marked out of 1
Flag question

An error message _____.

Select one:
- ○ a. Transfers you to another application
- ● b. Stops a claim from fully processing
- ○ c. Warns you about a situation
- ○ d. Can be ignored and can edit the claim

A subscriber is entitled to receive benefits under an Employer group _____.

Select one:

○ a. Irrespective of the Class the Plan which the Employer group has purchased.

○ b. Any Plan which though the Employer group has not purchased.

○ c. Based on the Plan under the Class to which the Subscriber is tied to in the Employer group.

○ d. None of the Listed Options