



RV College of Engineering®

Mysore Road, RV Vidyanketan Post, Bengaluru - 560059, Karnataka, India

Go, change the world

Monsoon Driven Crop Price Prediction

An Interdisciplinary Project Report (CS367P)

Submitted by,

SATHWIK T S

1RV22CY052

SHREYA MARALI

1RV22CS113

KAPSHA SURAJ SINGH

1RV23CY402

MRINAL CARIAPPA G P

1RV22AI028

ARCHIT S K

1RV22ME027

M D YAANA MUTHAMMA

1RV22BT028

Under the guidance of

Dr. Nagashree N Rao

HOD

Dept. of BT

RV College of Engineering®

In partial fulfillment of the requirements for the degree of
Bachelor of Engineering in respective departments

2024-25

RV College of Engineering®, Bengaluru
(Autonomous institution affiliated to VTU, Belagavi)



CERTIFICATE

Certified that the interdisciplinary project (CS367P) work titled ***Monsoon Driven Crop Price Prediction*** is carried out by **SATHWIK T S (1RV22CY052)**, **SHREYA MARALI (1RV22CS113)**, **KAPSHA SURAJ SINGH (1RV23CY402)**, **MRI-NAL CARIAPPA G P (1RV22AI028)**, **ARCHIT S K (1RV22ME027)** and **M D YAANA MUTHAMMA (1RV22BT028)** who are bonafide students of RV College of Engineering, Bengaluru, in partial fulfillment of the requirements for the degree of **Bachelor of Engineering** in respective departments during the year 2024-25. It is certified that all corrections/suggestions indicated for the Internal Assessment have been incorporated in the interdisciplinary project report deposited in the departmental library. The interdisciplinary project report has been approved as it satisfies the academic requirements in respect of interdisciplinary project work prescribed by the institution for the said degree.

Dr. Nagashree N Rao
Guide

Dr. Nagashree N Rao
Head of the Department

Dr. M.V. Renukadevi
Dean Academics

Dr. K. N. Subramanya
Principal

External Viva

Name of Examiners

Signature with Date

- 1.
- 2.

DECLARATION

We, **SATHWIK T S, SHREYA MARALI, KAPSHA SURAJ SINGH, MRINAL CARIAPPA G P, ARCHIT S K** and **M D YAANA MUTHAMMA** students of sixth semester B.E., RV College of Engineering, Bengaluru, hereby declare that the interdisciplinary project titled '**Monsoon Driven Crop Price Prediction**' has been carried out by us and submitted in partial fulfilment for the award of degree of **Bachelor of Engineering** in respective departments during the year 2024-25.

Further we declare that the content of the dissertation has not been submitted previously by anybody for the award of any degree or diploma to any other university.

We also declare that any Intellectual Property Rights generated out of this project carried out at RVCE will be the property of RV College of Engineering, Bengaluru and We will be one of the authors of the same.

Place: Bengaluru

Date:

Name

Signature

1. SATHWIK T S(1RV22CY052)
2. SHREYA MARALI(1RV22CS113)
3. KAPSHA SURAJ SINGH(1RV23CY402)
4. MRINAL CARIAPPA G P(1RV22AI028)
5. ARCHIT S K(1RV22ME027)
6. M D YAANA MUTHAMMA(1RV22BT028)

ACKNOWLEDGEMENTS

We are indebted to our guide, **Dr. Nagashree N Rao**, HOD, Department of BT, RVCE for the wholehearted support, suggestions and invaluable advice throughout our project work and also helped in the preparation of this thesis.

We also express our gratitude to our panel member **Dr. Kariyappa**, Professor, Department of ECE, RVCE for the valuable comments and suggestions during the phase evaluations.

Our sincere thanks to the project coordinator **Dr. Chetana G**, Professor, Department of ECE for timely instructions and support in coordinating the project.

Our gratitude to **Prof. Narashimaraja P**, Department of ECE, RVCE for the organized latex template which made report writing easy and interesting.

Our sincere thanks to **Dr. Nagashree N Rao**, Professor and Head, Department of Department of Biotechnology, RVCE for the support and encouragement.

We are deeply grateful to **Dr. M.V. Renukadevi**, Professor and Dean Academics, RVCE, for the continuous support in the successful execution of this Interdisciplinary project.

We express sincere gratitude to our beloved Professor and Vice Principal, **Dr. Geetha K S**, RVCE and Principal, **Dr. K. N. Subramanya**, RVCE for the appreciation towards this project work.

Lastly, we take this opportunity to thank our family members and friends who provided all the backup support throughout the project work.

ABSTRACT

Abstract

For Indian farmers, price volatility during the monsoon season poses significant challenges, particularly for crops that are sensitive to weather, such as onions and soybeans. Inaccurate forecasts and financial losses result from traditional price forecasting systems' lack of integration with real-time weather data and monsoon-specific factors. In order to produce precise, real-time forecasts, this project suggests a monsoon-driven crop price prediction platform that integrates machine learning with market data, rainfall patterns, and satellite imagery.

The system uses rainfall trends, NDVI data, and past prices from over 1000 markets to forecast prices using Random Forest, Support Vector Regression, and Gradient Boosting models that have been optimized through GridSearchCV and cross-validation. Accuracy and robustness are improved through feature engineering and ensemble modeling.

The system, which was created with Python (scikit-learn, pandas, and numpy), has a hybrid PostgreSQL–MongoDB storage system, a React.js frontend, and a Node.js backend. It outperforms traditional methods by 40%, achieving up to 95% prediction accuracy with an MAE of 353 INR for important crops like soybean and onion.

The platform, which has been tested in a variety of markets and seasons, allows for real-time integration and gives farmers timely insights for crop planning and sale. Farmers, legislators, and insurers can all access it thanks to its web-based, scalable architecture, which provides a proactive approach to monsoon-related agricultural issues.

CONTENTS

Abstract	i
List of Figures	vi
List of Tables	vii
1 Introduction to Monsoon-Driven Crop Price Prediction	1
1.1 Introduction	2
1.2 Literature Review	2
1.2.1 Impact of COVID-19 on Indian Agriculture [8]	3
1.2.2 Price Forecasting with LSTM Networks [7]	3
1.2.3 Yield Forecasting Using ML in Karnataka [9]	4
1.2.4 ARIMA-Based Forecasting of Agri Prices [10]	4
1.2.5 Machine Learning in Crop Yield Forecasting [11]	5
1.2.6 CNN-LSTM for Crop Price Prediction [12]	5
1.2.7 Spatial Crop Suitability Mapping [13]	6
1.2.8 Rainfall Variability in Karnataka [14]	6
1.2.9 AI-Based Advisory Platform for Farmers [15]	7
1.2.10 Deep Learning for Commodity Price Forecasting [6]	7
1.3 Motivation	8
1.4 Problem Statement	8
1.5 Objectives	9
1.6 Brief Methodology of the project	9
1.7 Assumptions made / Constraints of the project	10
1.8 Organization of the report	11
2 Theory and Fundamentals of Monsoon-Driven Crop Price Estimation	12
2.1 Introduction	13
2.2 Theoretical Background	13
2.2.1 Monsoon Impact on Agriculture	13
2.2.2 Machine Learning in Agricultural Price Prediction	14

2.2.3	Time Series Analysis and Forecasting	14
2.3	System Requirements and Prerequisites	15
2.3.1	Domain Knowledge Requirements	15
2.3.2	Technical Prerequisites	15
2.4	Technology Stack Overview	16
2.4.1	Frontend Technologies	16
2.4.2	Backend Technologies	16
2.4.3	Machine Learning Infrastructure	17
2.5	System Architecture Considerations	17
2.5.1	Scalability and Performance	17
2.5.2	Data Security and Privacy	18
3	Analysis and Design of Intelligent Agricultural Decision Support Sys-	
	tem	19
3.1	Contents of this Chapter	20
3.2	System Specifications and Requirements	20
3.2.1	Functional Requirements for Crop Price Prediction	20
3.2.2	Performance Specifications for Real-time Data Processing	21
3.2.3	User Interface Requirements for Multilingual Support	21
3.2.4	Data Visualization and Reporting Specifications	22
3.3	Pre-analysis Work and Technology Stack Selection	22
3.3.1	Market Research and Existing Solutions Analysis	22
3.3.2	Technology Stack Evaluation and Selection Criteria	23
3.3.3	Database Design Considerations for Agricultural Data	24
3.3.4	API Integration Requirements for Market Data	24
3.4	System Architecture and Design Methodology	25
3.4.1	Frontend Architecture Using React and Tailwind CSS	25
3.4.2	Backend Design with Node.js and Express Framework	25
3.4.3	Database Schema Design for Crop and Pricing Data	26
3.4.4	Integration Patterns for External Data Sources	26
3.5	Design Equations and Algorithmic Approaches	27
3.5.1	Price Prediction Algorithms and Mathematical Models	27
3.5.2	Profitability Calculation Formulas	27

3.5.3	Crop Suitability Scoring Mechanisms	28
3.5.4	Risk Assessment Mathematical Frameworks	29
3.6	Implementation Techniques and Data Processing	29
3.6.1	Component-Based Architecture Implementation	29
3.6.2	Real-time Data Synchronization Methods	30
3.6.3	Multilingual Chatbot Integration Techniques	30
3.6.4	Performance Optimization Strategies	31
4	Implementation of Monsoon Crop Price Estimation System	32
4.1	Contents of this chapter	33
4.2	System Architecture Overview	33
4.3	Machine Learning Model Implementation	35
4.3.1	Model Architecture and Framework Selection	35
4.3.2	Data Processing and Feature Engineering	35
4.4	Backend System Architecture	36
4.4.1	RESTful API Development with Node.js and Express	36
4.4.2	Database Integration and ORM Implementation	36
4.5	Frontend User Interface Implementation	37
4.5.1	React Component Architecture	37
4.5.2	Responsive Design with Tailwind CSS	37
4.6	Data Visualization and Analysis	37
4.6.1	Chart Implementation with Recharts	37
4.6.2	Advanced Analytics and Filtering	38
4.7	System Integration and Testing	38
4.7.1	API Integration and Data Flow	38
4.7.2	Testing Framework and Quality Assurance	39
5	Results and Discussions	41
5.1	Simulation Results	42
5.2	Experimental Results	44
5.3	Performance Comparison	44
5.4	Inferences Drawn from Results	44

6 Conclusion	45
6.1 Future Scope	46
6.2 Learning Outcomes of the Project	47
A Appendix	48
Bibliography	51



LIST OF FIGURES

1.1	Overall Methodology of the Monsoon-Driven Crop Price Prediction System	10
4.1	System Architecture Overview for Monsoon Crop Price Estimation . . .	34
5.1	Landing page showcasing core features of the platform	42
5.2	Platform's Mission and Vision for Agricultural Empowerment	43
5.3	Soybean price trend visualization (Modal, Min, Max, and Average Prices)	43



LIST OF TABLES

5.1	Mean Absolute Error (MAE) for crop price predictions	44
A.1	Model accuracy and error metrics for onion and soybean price prediction	50









Chapter 1

Introduction to Monsoon-Driven Crop Price Prediction

CHAPTER 1

INTRODUCTION TO MONSOON-DRIVEN CROP PRICE PREDICTION

India's agricultural economy is intricately tied to the monsoon, which directly impacts the yield and market value of Kharif crops [1], [2]. This chapter introduces the motivation behind developing a predictive system for crop prices influenced by seasonal rainfall trends. It outlines the context and importance of the project, defines the specific problem being addressed, and clearly states the objectives of the work. In addition, it presents an overview of the methodology used, the assumptions made during implementation, and the structure of the report that follows.

1.1 Introduction

Agriculture forms the backbone of the Indian economy, with a significant portion of the population relying on farming for their livelihood [3]. Among the different cropping seasons, the Kharif season is particularly crucial, as it is heavily dependent on the monsoon [1]. The unpredictability of rainfall directly influences crop yields and, consequently, the market prices of essential commodities like rice, maize, and pulses [4]. Price volatility creates uncertainty for farmers and buyers alike, making it difficult to plan cultivation and trading activities effectively [5].

To address this issue, the project titled *Monsoon-Driven Crop Price Prediction* aims to forecast the prices of Kharif crops based on historical data trends and regional inputs. By leveraging government-sourced datasets and applying machine learning techniques, the project seeks to offer a reliable price prediction tool through an interactive web interface. This system not only predicts future prices but also visualizes past pricing patterns, empowering farmers, traders, and policymakers with valuable insights for decision-making [6], [7].

1.2 Literature Review

This section reviews relevant academic contributions in the domain of crop price and yield prediction, with a focus on monsoon-related variability and regional forecasting models in India. The reviewed works span multiple methodologies including machine learning, deep learning, statistical modeling, and remote sensing. These papers collec-

tively emphasize the importance of using climate data, particularly monsoon characteristics, in building reliable, region-specific price or yield prediction systems for agricultural decision-making.

1.2.1 Impact of COVID-19 on Indian Agriculture [8]

Cariappa et al. (2020) provide an extensive analysis of the COVID-19 pandemic's effects on Indian agriculture, underscoring how pre-existing systemic issues were amplified during the crisis. The paper outlines the consequences of nationwide lockdowns on supply chain dynamics, market accessibility, and price stability. In particular, farmers faced significant difficulties in transporting produce, accessing inputs, and finding buyers, which led to large post-harvest losses and income instability. The study makes special mention of the disproportionate impact on smallholder farmers who lacked digital tools or access to storage infrastructure. Using state-wise case studies, including Karnataka, the paper reveals stark differences in market recovery speeds and resilience. The researchers advocate for the creation of robust digital platforms to enable real-time access to market and weather information. This resonates directly with our project's goals, emphasizing the need for predictive tools that not only mitigate monsoon-driven variability but also serve as a buffer during unprecedented disruptions. By presenting a holistic view of agricultural vulnerabilities under extreme conditions, the study sets a strong contextual foundation for our work.

1.2.2 Price Forecasting with LSTM Networks [7]

Mahmud et al. (2025) present a detailed examination of LSTM-based forecasting models applied to agricultural commodity prices across India, emphasizing their effectiveness in handling temporal dependencies and nonlinearities in pricing data. The paper explores multiple variants of LSTM, comparing their performance to classical statistical models like ARIMA and Holt-Winters on commodities such as rice and pulses. A standout feature of the research is the inclusion of exogenous climatic factors like rainfall, humidity, and temperature as input variables, which significantly enhanced prediction accuracy. The authors validate their findings using datasets from multiple Indian states, ensuring model robustness and generalizability. The results show that LSTM-based models consistently outperform traditional models, especially during periods of sudden climatic variability. The study concludes with recommendations for integrating these models into

real-time decision support systems. For our project focused on Karnataka's Kharif crops, this paper provides not only methodological inspiration but also empirical validation for incorporating deep learning models that leverage climatic indicators. The emphasis on combining temporal modeling with external variables strengthens the rationale behind our design choices.

1.2.3 Yield Forecasting Using ML in Karnataka [9]

Kumar et al. (2024) investigate the application of machine learning algorithms—specifically Random Forest and Support Vector Regression (SVR)—for rice yield forecasting in Karnataka. The study sources data from government repositories, comprising over a decade of observations on rainfall, humidity, temperature, soil characteristics, and cropping patterns. Through rigorous training and validation, Random Forest emerged as the most accurate and stable model, demonstrating an ability to capture complex nonlinear interactions between variables. The researchers emphasize the importance of district-level models due to Karnataka's diverse agro-climatic zones, noting that state-aggregated models often overlook local nuances. Their work highlights the need for granular data and localized analysis, especially in contexts where regional variability can significantly alter agricultural outcomes. Additionally, the study provides a practical framework for integrating environmental and soil data into predictive systems. While the research focuses on yield rather than price, the insights into spatial modeling, feature importance, and model scalability are directly transferable to our project. This alignment supports our emphasis on region-specific forecasting and further justifies our methodological focus.

1.2.4 ARIMA-Based Forecasting of Agri Prices [10]

Darekar and Reddy (2018) offer a methodical evaluation of ARIMA models for forecasting agricultural commodity prices, drawing on a rich dataset from government procurement centers and wholesale markets. The authors focus on commodities such as onions, rice, and wheat, examining price trends over a multi-year period to assess model robustness across seasonal and economic cycles. They highlight that ARIMA performs well in capturing long-term trends and cyclical patterns but struggles with abrupt changes caused by unpredictable events like policy shifts, climate anomalies, or supply disruptions. The study advocates for hybrid forecasting systems that combine ARIMA's strengths with machine learning's adaptability. In terms of model evaluation, metrics like RMSE and

MAPE are used to compare predictive accuracy, and the paper thoroughly documents preprocessing steps such as stationarity testing and parameter tuning. While ARIMA serves as a solid baseline, the study concludes that dynamic, learning-based models are more suited for volatile environments like India's agri-markets. This underscores our decision to integrate monsoon variables and machine learning algorithms, using ARIMA results as a performance benchmark for more advanced models.

1.2.5 Machine Learning in Crop Yield Forecasting [11]

Ghetiya et al. (2024) provide a comprehensive overview and empirical evaluation of machine learning techniques—including Decision Trees, Random Forest, and XGBoost—for yield forecasting in Indian agriculture. The dataset spans 15 years and includes information on climate, soil properties, seed quality, and market inputs. The study conducts experiments across different agro-climatic regions and reports that XGBoost delivers the highest predictive accuracy, particularly in scenarios involving variable rainfall and fertilizer use. The authors make a compelling case for multi-source data integration, citing improved generalization and model reliability. A noteworthy aspect is their discussion on feature selection, where agro-meteorological indicators are consistently ranked as the most impactful variables. The paper also emphasizes the importance of regional customization, suggesting that even within a single state, model tuning can significantly improve outcomes. Though it does not tackle price forecasting directly, the insights into feature importance and algorithmic performance provide a strong foundation for our work. This study reaffirms our choice of ensemble models and justifies the attention we give to regional data segmentation in our project.

1.2.6 CNN-LSTM for Crop Price Prediction [12]

Ragunath and Rathipriya (2025) propose a novel deep learning architecture that combines Convolutional Neural Networks (CNN) with Long Short-Term Memory (LSTM) networks to forecast crop prices. The model is trained on a comprehensive dataset that includes temporal price data, regional climate information, and spatial cropping patterns. The CNN component is used to extract regional features such as district-level cropping intensity and market access, while the LSTM component captures temporal dependencies and price fluctuations over time. The hybrid architecture shows significant improvements over standalone CNN or LSTM models, achieving lower error rates in

MAPE and RMSE evaluations. The authors argue that combining spatial and temporal modeling better reflects the multifactorial nature of agricultural pricing, particularly in a monsoon-dependent state like Karnataka. Their study supports our design philosophy of integrating both geographic and temporal factors to create a more robust and context-aware prediction tool. Furthermore, the emphasis on model interpretability and real-world deployment makes this work a valuable reference for implementing our predictive web interface.

1.2.7 Spatial Crop Suitability Mapping [13]

Tripathi et al. (2021) conduct a spatial suitability assessment of Kharif crops across Karnataka using Geographic Information System (GIS) techniques integrated with machine learning classifiers. The paper leverages extensive environmental datasets, including rainfall, temperature, soil type, and past cropping patterns, to develop suitability indices for different crops. These indices help identify optimal regions for specific crops, revealing ecological constraints and opportunities. A key insight is the correlation between ecological suitability and market price volatility—regions with lower suitability often exhibit unstable prices due to inconsistent yields. While the study does not perform direct price predictions, it provides an essential ecological baseline that enhances the explanatory power of any price prediction model. The mapping outputs are also useful for policymakers and agricultural extension officers aiming to promote climate-resilient agriculture. By contextualizing market outcomes within ecological feasibility, the paper aligns well with our project's objective of offering region-specific crop price forecasts grounded in environmental data.

1.2.8 Rainfall Variability in Karnataka [14]

Henrich et al. (2020) analyze rainfall patterns in southern Karnataka over a period of 60 years to uncover long-term trends and emerging anomalies. Using data from the India Meteorological Department, the authors identify shifts in the onset, duration, and intensity of the monsoon season. Their statistical approach involves time series decomposition, anomaly detection, and spatial clustering, which reveal increased variability and delayed monsoon onset in recent decades. These findings have profound implications for agricultural planning and price forecasting, as delayed rainfall affects sowing times, yield cycles, and subsequently, market supply. The paper calls for adaptive agricultural practices and

better forecasting tools that can integrate real-time weather updates. For our project, the relevance lies in using these rainfall trends as predictive features in our machine learning models. The study lends empirical support to the hypothesis that monsoon variability is a key determinant of crop price fluctuations in Karnataka.

1.2.9 AI-Based Advisory Platform for Farmers [15]

Singh and Sindhu (2024) describe the development of an AI-driven advisory system designed to assist farmers in real-time decision-making related to crop choice, irrigation scheduling, and market pricing. The platform integrates multiple data streams, including weather forecasts, soil health data, and market trends, to provide personalized recommendations. Built using ensemble machine learning techniques and designed for low-bandwidth environments, the tool is accessible via smartphones and feature phones. User studies conducted in rural districts of Haryana and Maharashtra show a marked improvement in input optimization and yield outcomes. While the system's primary goal is not price forecasting, its architecture demonstrates the feasibility and value of integrating diverse data sources into a single user interface. The emphasis on usability, accessibility, and region-specific customization offers critical lessons for our project's web application. It validates the need for user-centric design and supports the inclusion of real-time, adaptive analytics in agricultural decision support systems.

1.2.10 Deep Learning for Commodity Price Forecasting [6]

Jain et al. (2020) conduct a comprehensive evaluation of deep learning models for predicting daily commodity prices in India, focusing on LSTM, GRU, and BiLSTM architectures. The authors collect high-frequency price data from Agmarknet for rice, wheat, and pulses and compare the models across multiple error metrics. BiLSTM consistently delivers the best results due to its ability to consider both past and future contexts during training. The study also includes a detailed analysis of data preprocessing techniques like normalization, outlier treatment, and time-step optimization, all of which significantly impact model performance. Importantly, the paper discusses deployment strategies, recommending cloud-based solutions for scalability and real-time accessibility. For our project, this research offers a solid foundation in neural architecture selection, hyperparameter tuning, and deployment considerations. It reinforces our decision to use deep learning for time-series price forecasting and provides actionable insights into

building a robust and scalable prediction engine.

1.3 Motivation

Agriculture continues to play a vital role in Karnataka's economy, employing a significant portion of the rural population and contributing substantially to the state's GDP [16], [17]. However, the cultivation and pricing of Kharif crops are highly sensitive to the onset, distribution, and intensity of the monsoon [1], [18]. In recent years, erratic rainfall patterns have made it increasingly difficult for farmers to anticipate crop yields and market prices [18], [19]. This uncertainty affects not only their income but also influences decisions on sowing, input purchases, and marketing strategies.

Although Karnataka has made progress in digital agriculture through various government initiatives, there is still a lack of localized, data-driven tools that can assist farmers in planning around price trends [20]. Most existing solutions are either too generalized or inaccessible to grassroots users. This project aims to address this gap by focusing specifically on Karnataka, using its historical crop price data and regional characteristics to build a system capable of predicting prices and visualizing trends. The motivation is to empower farmers with actionable insights that reduce dependency on middlemen and speculative pricing, ultimately contributing to better financial outcomes and more sustainable agricultural practices in the state.

1.4 Problem Statement

Kharif crop prices in Karnataka exhibit significant seasonal and regional variability, largely influenced by unpredictable monsoon patterns and inconsistent market conditions [1], [14], [18]. Farmers often lack access to timely and accurate information on future price trends, making it difficult for them to make informed decisions regarding crop selection, harvesting, and selling [6], [8]. This leads to financial uncertainty, exploitation by intermediaries, and inefficient resource allocation [15], [16]. Despite the availability of historical data, there is currently no localized, accessible platform that leverages this information to predict crop prices in a user-friendly manner [7], [13]. The problem addressed by this project is the need for a predictive and visual tool that can forecast Kharif crop prices based on time and location inputs, helping stakeholders make better decisions aligned with climatic and market realities in Karnataka.

1.5 Objectives

The objectives of the project are:

1. To collect, clean, and integrate historical crop price and monsoon data specific to Karnataka from various government sources.
2. To develop a machine learning model that predicts Kharif crop prices based on temporal and regional parameters.
3. To build an interactive website that allows users to visualize past trends and view predicted prices based on selected time and area.

1.6 Brief Methodology of the project®

The overall workflow of the project is organized into multiple interdependent phases: Data Processing, ML Engineering, Development, Deployment, and User Interaction. It begins with collecting and pre-processing data related to Kharif crop prices and monsoon trends. This cleaned data is then used to develop and evaluate machine learning models in the ML Engineering Phase. Once a suitable model is finalized, it is integrated into a web application during the Development Phase. The application undergoes testing before being deployed for production use. End users can interact with the interface to obtain price predictions and visualize historical trends. A feedback loop from the user interface to the model training helps in improving future predictions.




Figure 1.1: Overall Methodology of the Monsoon-Driven Crop Price Prediction System

1.7 Assumptions made / Constraints of the project

The following assumptions and constraints were considered during the development of the project:

- It is assumed that the historical crop price data collected from government sources is accurate, reliable, and representative of market conditions across Karnataka.
- The model assumes that past price trends and monsoon patterns can be used as predictive indicators for future prices, with minimal interference from unexpected external events such as policy changes, natural disasters, or sudden market shocks.
- It is assumed that the administrative boundaries and area classifications used in the dataset remain consistent over time for valid regional comparisons.
- A major constraint of the project is the limited availability and granularity of historical data for some regions and crops, which may affect the precision of predictions in those areas.

- The current scope of the project is limited to the state of Karnataka and primarily focuses on Kharif crops; extension to other states or crop seasons would require significant data restructuring and retraining of the model.
- The model does not currently account for non-climatic factors such as storage costs, transportation, government subsidies, or market interventions which can also influence crop prices.

1.8 Organization of the report

This report is organized as follows:

- Chapter 2 discusses the prerequisite theory and fundamentals required for the execution of the project.
- Chapter 3 discusses the AI-driven design of a scalable platform that delivers real-time insights on crop loss, price trends, and profitability to farmers.
- Chapter 4 discusses the implementation of the project highlighting the methodology and the technologies used.
- Chapter 5 discusses outcome of crop price prediction system, enabling informed agricultural decisions through analytics and visualizations.
- Chapter 6 discusses the comparison between the objectives and the results obtained with potential future improvements and learning outcomes.



Chapter 2

Theory and Fundamentals of Monsoon-Driven Crop Price Estimation

CHAPTER 2

THEORY AND FUNDAMENTALS OF MONSOON-DRIVEN CROP PRICE ESTIMATION

2.1 Introduction

India's agricultural landscape is heavily influenced by monsoon patterns, with over 60% of the country's agriculture dependent on rainfall. The unpredictable nature of monsoon seasons creates significant challenges for farmers, particularly in pricing weather-sensitive crops such as soybean and onion. Traditional crop price estimation methods rely on historical data and basic statistical models that fail to incorporate real-time weather patterns, satellite imagery, and market dynamics. This disconnect between weather variability and price prediction leads to substantial economic losses for farmers who lack timely information to make informed decisions about crop sales and market timing.

The integration of machine learning algorithms with monsoon-specific data represents a paradigm shift from reactive to proactive agricultural planning. By combining satellite-derived vegetation indices, rainfall patterns, and market price histories, it becomes possible to develop predictive models that account for the complex relationships between weather conditions and crop pricing. This approach addresses the fundamental challenge of providing farmers with accurate, timely price forecasts that consider the unique impact of monsoon variations on agricultural markets.

2.2 Theoretical Background

2.2.1 Monsoon Impact on Agriculture

The monsoon system significantly affects crop yields through multiple mechanisms including soil moisture availability, temperature regulation, and pest management. The relationship between rainfall patterns and crop productivity follows complex non-linear dynamics that vary across different geographical regions and crop types. Understanding these relationships is crucial for developing accurate price prediction models that can account for weather-induced supply variations.

Satellite-based vegetation monitoring using Normalized Difference Vegetation Index (NDVI) provides quantitative measures of crop health and growth patterns. NDVI values range from -1 to +1, with higher values indicating healthier vegetation. The temporal

analysis of NDVI data reveals seasonal patterns and anomalies that correlate with crop yield variations, making it a valuable input for price prediction models.

2.2.2 Machine Learning in Agricultural Price Prediction

Machine learning algorithms excel at identifying complex patterns in multi-dimensional datasets that traditional statistical methods cannot capture. In the context of agricultural price prediction, ensemble methods such as Random Forest and Gradient Boosting have demonstrated superior performance due to their ability to handle non-linear relationships and feature interactions.

Random Forest regression combines multiple decision trees to create robust predictions while preventing overfitting. Each tree is trained on a bootstrap sample of the data, and the final prediction is the average of all individual tree predictions. This approach is particularly effective for agricultural data where relationships between variables may be complex and non-linear.

Support Vector Regression (SVR) utilizes kernel functions to map input features into higher-dimensional spaces where linear relationships can be identified. The radial basis function (RBF) kernel is commonly used for agricultural applications due to its ability to model complex, non-linear relationships between weather variables and crop prices.

2.2.3 Time Series Analysis and Forecasting

Agricultural price data exhibits strong temporal dependencies and seasonal patterns that must be captured for accurate forecasting. Time series decomposition techniques separate price data into trend, seasonal, and residual components, allowing for better understanding of underlying patterns.

Autoregressive Integrated Moving Average (ARIMA) models provide a foundation for understanding temporal dependencies in price data. However, the integration of exogenous variables such as weather data requires more sophisticated approaches like Vector Autoregression (VAR) or machine learning-based methods that can handle multiple input variables simultaneously.

2.3 System Requirements and Prerequisites

2.3.1 Domain Knowledge Requirements

Understanding agricultural cycles, crop characteristics, and market dynamics is essential for developing meaningful price prediction models. Knowledge of how monsoon patterns affect different crops, the timing of planting and harvesting seasons, and the relationship between weather events and market prices provides the foundation for feature engineering and model interpretation.

Familiarity with agricultural economics, including concepts such as supply and demand dynamics, market integration, and price volatility, is crucial for understanding the broader context in which price predictions operate. This knowledge helps in identifying relevant features and interpreting model outputs in economically meaningful ways.

2.3.2 Technical Prerequisites

Programming and Data Analysis

Proficiency in Python programming is essential for implementing machine learning models and data processing pipelines. Key libraries include scikit-learn for machine learning algorithms, pandas for data manipulation, and numpy for numerical computations. Understanding of data preprocessing techniques, feature engineering methods, and model evaluation metrics is fundamental to successful implementation.

Statistical knowledge encompassing descriptive statistics, hypothesis testing, and regression analysis provides the theoretical foundation for model development and validation. Understanding concepts such as bias-variance tradeoff, cross-validation, and performance metrics enables the development of robust predictive models.

Web Development Technologies

Full-stack development skills using JavaScript, React.js, and Node.js are required for creating user-friendly interfaces and scalable backend systems. Knowledge of RESTful API design, database management, and web security principles ensures the development of production-ready applications.

Database design and management skills for both relational (PostgreSQL) and non-relational (MongoDB) databases are necessary for efficient data storage and retrieval. Understanding of indexing strategies, query optimization, and data modeling principles improves system performance and scalability.

2.4 Technology Stack Overview

2.4.1 Frontend Technologies

React.js Framework

React.js provides a component-based architecture that enables the development of interactive and responsive user interfaces. Its virtual DOM implementation ensures efficient rendering of dynamic content, making it suitable for displaying real-time crop price data and interactive visualizations. The component reusability and state management capabilities of React facilitate the development of complex agricultural dashboards.

Tailwind CSS

Tailwind CSS offers a utility-first approach to styling that enables rapid development of responsive and consistent user interfaces. Its extensive utility classes provide fine-grained control over layout, spacing, and visual elements, making it ideal for creating professional agricultural applications that work across different devices and screen sizes.

Data Visualization Libraries

Recharts provides React-native chart components that integrate seamlessly with React applications. Its declarative API and responsive design capabilities make it suitable for displaying complex agricultural data including price trends, seasonal patterns, and comparative analyses. The library supports various chart types including line charts for time series data, bar charts for categorical comparisons, and area charts for cumulative displays.

2.4.2 Backend Technologies

Node.js Runtime Environment

Node.js provides a JavaScript runtime environment that enables server-side development using the same language as the frontend. Its event-driven, non-blocking I/O model makes it particularly suitable for handling concurrent requests and real-time data processing requirements common in agricultural applications.

Express.js Framework

Express.js is a minimalist web framework for Node.js that simplifies the development of RESTful APIs. Its middleware architecture enables modular development of authentication, logging, and error handling components. The framework's simplicity and flexibility make it ideal for building scalable backend services for agricultural data man-

agement.

Database Systems

PostgreSQL serves as the primary relational database for storing structured data including crop information, historical prices, and user accounts. Its advanced features such as JSON support, full-text search, and spatial data capabilities make it suitable for complex agricultural applications.

MongoDB provides document-based storage for flexible data structures such as weather patterns, satellite imagery metadata, and analytical reports. Its schema-less design allows for easy adaptation to changing data requirements and supports rapid development of new features.

2.4.3 Machine Learning Infrastructure

Python Ecosystem

The Python programming language provides the foundation for machine learning model development through libraries such as scikit-learn, pandas, and numpy. Scikit-learn offers comprehensive machine learning algorithms with consistent APIs, making it ideal for developing and comparing different prediction models.

Data Processing Pipeline

Pandas library enables efficient data manipulation and analysis, providing tools for data cleaning, transformation, and aggregation. Its DataFrame structure simplifies working with structured data and supports complex operations such as time series analysis and grouping operations.

NumPy provides fundamental support for numerical computations and array operations, forming the basis for scientific computing in Python. Its efficient array operations and mathematical functions are essential for feature engineering and data preprocessing tasks.

2.5 System Architecture Considerations

2.5.1 Scalability and Performance

The system architecture must accommodate growing data volumes and user bases while maintaining response times suitable for real-time applications. Horizontal scaling capabilities through load balancing and distributed processing ensure that the system

can handle increasing demands from agricultural stakeholders.

Caching strategies using Redis reduce database load and improve response times for frequently accessed data such as current crop prices and popular market information. Background job processing handles computationally intensive tasks such as model training and batch predictions without affecting user experience.


2.5.2 Data Security and Privacy

Agricultural data contains sensitive information about farming operations, financial transactions, and personal details that require robust security measures. Encryption of data in transit and at rest, secure authentication mechanisms, and role-based access control ensure the protection of user information.

Compliance with data protection regulations and agricultural data governance requirements necessitates careful attention to data handling practices, user consent mechanisms, and audit trails for data access and modifications.

Summary

This chapter established the theoretical foundation for the monsoon-driven crop price estimation system by examining the complex relationships between weather patterns and agricultural pricing. The integration of machine learning algorithms with domain-specific knowledge creates opportunities for developing more accurate and timely price prediction models. The technical prerequisites and technology stack overview provide the necessary background for understanding the system design and implementation details that will be presented in subsequent chapters. The combination of modern web technologies with advanced analytics capabilities enables the development of comprehensive solutions that address the real-world challenges faced by agricultural stakeholders during monsoon seasons.



Chapter 3

Analysis and Design of Intelligent Agricultural Decision Support System

CHAPTER 3

ANALYSIS AND DESIGN OF INTELLIGENT AGRICULTURAL DECISION SUPPORT SYSTEM

Optimizing crop selection, forecasting prices, and choosing when to harvest present previously unheard-of difficulties for the agriculture industry. In order to maximize profitability, modern farmers need advanced technological solutions that can forecast future prices, analyze market trends, and offer tailored advice. This chapter provides a thorough analysis and design process for an intelligent agricultural decision support system that combines predictive analytics, real-time market data, and multilingual accessibility to give farmers access to data-driven insights. The system architecture is made to provide the best sowing and harvesting advice while keeping things simple for users with different levels of technological proficiency. It includes both frontend user interfaces and backend data processing capabilities.

3.1 Contents of this Chapter

This chapter contains the following sections and subsections in detail:

1. System Specifications and Requirements
2. Pre-analysis Work and Technology Stack Selection
3. System Architecture and Design Methodology
4. Design Equations and Algorithmic Approaches
5. Implementation Techniques and Data Processing

Apart from the aforementioned sections, additional components have been included for multilingual chatbot integration and real-time market linkage features as per the project requirements.

3.2 System Specifications and Requirements

3.2.1 Functional Requirements for Crop Price Prediction

Accurate price predictions for a range of crops in a variety of seasons and geographical locations must be provided by the intelligent agricultural decision support system. In

order to facilitate trend analysis and the identification of seasonal patterns, the system will keep an extensive database of past price data covering several years. For short-term forecasts (one to three months) and medium-term forecasts (six to six months), the accuracy of price prediction must meet a minimum threshold of 85% and 70%, respectively. At least 50 major crops that are frequently grown in various agricultural regions must have price predictions supported by the system.

Regional price variations must be accounted for through location-specific algorithms that consider local market conditions, transportation costs, and regional demand patterns. The system shall provide price forecasts at multiple geographical levels including state, district, and local mandi levels. Real-time market data integration ensures that predictions are continuously updated based on current market conditions, weather patterns, and policy changes affecting agricultural markets.

3.2.2 Performance Specifications for Real-time Data Processing

Location-specific algorithms that take into account regional demand patterns, local market conditions, and transportation costs must be used to account for regional price variations. Price forecasts will be available from the system at several geographic levels, such as the state, district, and local mandi levels. Predictions are constantly updated in response to weather patterns, policy changes impacting agricultural markets, and current market conditions thanks to real-time market data integration.

Critical price updates must be processed within 15 minutes of the source data becoming available, and data synchronization with external market APIs must take place on a regular basis. In order to manage server failures or network interruptions, the system must have automatic failover mechanisms and maintain a 99.5% uptime availability. In order to decrease database load and enhance response times for frequently accessed data, caching techniques must be used.

3.2.3 User Interface Requirements for Multilingual Support

In addition to English, the frontend interface must support at least five of the major Indian languages: Bengali, Tamil, Telugu, Hindi, and Marathi. The user's preferred language must be automatically detected based on location information or browser settings, and language selection must be consistent across user sessions. Every component of the user interface, such as form labels, error messages, navigation menus, and help text, needs

to be completely localized for every language that is supported.

Natural language processing skills in all supported languages must be provided by the multilingual chatbot component, along with context-aware responses that are aware of regional farming customs and agricultural jargon. To help farmers who might not be very literate, voice input and output features should be combined. The user interface must continue to be user-friendly and compatible with desktop computers, tablets, and smartphones.

3.2.4 Data Visualization and Reporting Specifications

In order to ensure optimal viewing across various screen sizes and devices, interactive charts and graphs must be implemented using responsive design principles. Bar charts for seasonal price comparisons, line graphs for trend analysis, pie charts for crop distribution analysis, and heatmaps for regional price patterns are just a few of the visualization options that the system will offer. For the purpose of additional analysis or reporting, all visualizations must be exportable in common formats such as PDF, PNG, and CSV.

The ability to create custom dashboards must enable users to set up customized views according to their own crops, geographical locations, and interest periods. By using WebSocket connections for live data streaming, real-time data updates ought to be reflected in visualizations without the need for manual refreshes. According to WCAG accessibility guidelines, color schemes and visual components must be usable by people with color vision impairments.

3.3 Pre-analysis Work and Technology Stack Selection

3.3.1 Market Research and Existing Solutions Analysis

Numerous agricultural platforms are currently available, according to thorough market research, but the majority only offer basic pricing data or general farming advice without incorporating predictive analytics. Although they offer historical price data, traditional government portals lack both user-friendly interfaces and advanced forecasting capabilities. Large-scale operations are frequently the focus of commercial agricultural platforms, underserving smallholder farmers and limiting their access to cutting-edge decision-support tools.

The study found several significant flaws in the existing solutions, such as the absence of integrated market linkage features, limited multilingual support, and a lack of personalized profitability analysis. For thorough decision-making, farmers must consult several platforms because the majority of current systems function independently. The opportunity that has been identified is in developing a single, easily accessible platform that integrates personalized recommendations, predictive analytics, and useful market access data.

Critical requirements for crop suitability recommendations based on local conditions, real-time price alerts, and simplified interfaces that accommodate different levels of technological literacy were identified through stakeholder interviews with farmers, agricultural extension officers, and market intermediaries. Given how common smartphones are in rural areas, the study underlined the significance of mobile-first design.

3.3.2 Technology Stack Evaluation and Selection Criteria

Because of its component-based architecture, which facilitates modular development and effective state management for intricate agricultural data presentations, React was given priority when choosing frontend technologies. Tailwind CSS was selected because of its utility-first methodology, which allows for quick implementation of responsive designs while preserving consistency across various device types. Quick prototyping and iterative design improvements based on user feedback are supported by the framework's extensive utility classes.

With integrated request and response interceptors, Axios offers strong HTTP client capabilities for API communications, facilitating effective error handling and authentication token administration. React Router preserves user context and application state while facilitating seamless navigation between various application sections. The selection criteria placed a strong emphasis on the technologies' long-term maintainability, developer productivity, and community support.

Due to the need for data visualization, several charting libraries, such as Recharts, Chart.js, and D3.js, were evaluated. Recharts was chosen because of its declarative methodology, integrated responsive design features, and React-native integration. The wide range of chart types supported by the library and its customization capabilities are ideal for meeting the various visualization requirements of agricultural data presentation.

3.3.3 Database Design Considerations for Agricultural Data

Numerous data types, such as numerical price data, categorical crop data, geographic location data, and temporal patterns spanning several years, must be supported by the database architecture. MongoDB was chosen because of its adaptable document structure, which makes it possible to store intricate nested data relationships between crops, regions, seasons, and market conditions in an efficient manner. As new requirements and data sources appear, the NoSQL methodology enables quick schema evolution.

Time-series price data retrieval, geographic queries for regional analysis, and crop-specific historical data access are examples of common access patterns for which indexing strategies must maximize query performance. Effective data retrieval across various query scenarios is ensured by compound indexes that combine temporal, geographical, and categorical dimensions. While preserving query performance, data partitioning techniques allow for the scalable storage of sizable historical datasets.

Mechanisms for data consistency and validation must guarantee the correctness of pricing data and guard against data corruption from external API integrations. Automated data quality checks preserve dataset integrity for accurate forecasts and analysis by identifying and flagging unusual price movements or incomplete records.

3.3.4 API Integration Requirements for Market Data

Strong API management skills are necessary for external market data integration in order to manage numerous data sources with different formats, update schedules, and reliability attributes. APIs from private market information providers, commodity exchanges, and government agricultural departments must be supported by the system. Mechanisms for request queuing and API rate limiting guarantee adherence to external service limitations while preserving data currency.

Pipelines for data transformation must handle unit conversions, price normalization, and temporal alignment while standardizing incoming data from various sources. Even in the event of brief outages or performance problems with external services, robust data collection is ensured by error handling and retry mechanisms. When external data providers update their service interfaces, smooth transitions are made possible by API versioning support.

While facilitating automated data collection procedures, authentication and security protocols must safeguard private API credentials. To track API performance and spot

possible problems with data quality before they affect user-facing features, the system needs to have appropriate error logging and monitoring in place.

3.4 System Architecture and Design Methodology

3.4.1 Frontend Architecture Using React and Tailwind CSS

By dividing functionality into modular, reusable components that can be independently developed, tested, and maintained, the frontend architecture adheres to a component-based design pattern. Presentation components concentrate on rendering the user interface and handling user interactions, while container components handle application state and business logic. Simplified testing processes and effective development workflows are made possible by this division of responsibilities.

State management makes use of React's built-in hooks, such as `useContext` for global application state sharing and `useState` for local component state. `UseReducer` hooks handle intricate state transitions associated with data filtering, user authentication, and chart configuration, offering more straightforward debugging tools and consistent state updates. To encourage code reuse across various components, the application uses custom hooks for data retrieval, local storage management, and API integration.

Both public and authenticated user paths are supported by the routing architecture; protected routes, on the other hand, require user authentication before they can access customized features like crop recommendations and profit analysis. By loading components as needed, lazy loading techniques decrease the initial bundle size and enhance application startup performance, particularly on slower network connections that are typical in rural areas.

3.4.2 Backend Design with Node.js and Express Framework

Using industry best practices for resource organization, HTTP method usage, and status code conventions, the backend architecture implements a RESTful API design. Request logging, error handling, authentication verification, and CORS configuration for frontend integration are among the cross-cutting issues that are handled by the `Express.js` middleware. Individual functionality components can be easily maintained and tested thanks to the modular middleware approach.

With distinct route files for crops, prices, users, and analytics endpoints, the route organization is resource-based. With thorough input validation and error handling, each

route file includes handlers for GET, POST, PUT, and DELETE operations as needed. By providing authorization and authentication checks, middleware functions make sure that sensitive operations need the right user credentials.

Mongoose ODM is used for MongoDB interactions in database integration, offering data modeling, query construction, and schema validation. Under various load scenarios, dependable database access is guaranteed by the connection pooling and automatic re-connection features. Atomic operations are made possible by transaction support when updating related data across several collections.

3.4.3 Database Schema Design for Crop and Pricing Data

While preserving query performance and data integrity, the database schema design takes into account the intricate relationships between crops, prices, locations, and time data. The crop collection contains detailed information about growing seasons, cultivation requirements, market categories, botanical names, and local names in various languages. Consistent data relationships between all system components are made possible by this centralized crop registry.

A time-series data structure that is optimized for effective temporal queries and aggregations is implemented in the pricing collection. Crop identification, geographic location, market type (mandi, wholesale, retail), date and time, and source data are all included in each price record. Price histories for particular combinations of crop, location, and date fields can be quickly retrieved thanks to compound indexes on these fields.

States, districts, and local market areas, along with the corresponding coordinates and administrative boundaries, are all included in the geographical collection's hierarchical location data. Both radius-based queries for regional analysis and exact location matching are supported by this structure. Provisions for agricultural and demographic data pertinent to crop suitability evaluations are included in the schema.

3.4.4 Integration Patterns for External Data Sources

By using an adapter pattern approach, external data integration hides implementation details from the main application logic and creates standardized interfaces for various data sources. Each data source adapter manages rate limiting, error handling, data format conversion, and authentication unique to that provider. With this design, adding new data sources is simple and doesn't require changing the main components of the

application.

Multiple system components can respond to new data availability without tight coupling thanks to the integration pipeline's implementation of the publisher-subscriber pattern for data updates. While audit logging records all data modifications for debugging and compliance purposes, data validation and transformation procedures guarantee consistency across various source formats.

By locally storing frequently accessed data, caching techniques decrease the number of external API calls and speed up response times. With adjustable expiration times depending on the data type and source properties, the cache invalidation mechanism optimizes performance while guaranteeing data freshness.

3.5 Design Equations and Algorithmic Approaches

3.5.1 Price Prediction Algorithms and Mathematical Models

To attain the best accuracy across various crops and market conditions, the price prediction system uses a hybrid approach that combines several mathematical models. In order to identify trends, seasonal variations, and cyclical behaviors, the main algorithm makes use of a time-series forecasting model based on the ARIMA (AutoRegressive Integrated Moving Average) methodology.

Secondary prediction models include linear regression models that incorporate external factors like weather data, fuel prices, and government policy indicators, as well as exponential smoothing techniques that handle irregular seasonal patterns. Weighted averaging, in which weights are dynamically modified according to each model's most recent prediction accuracy, is used in the ensemble approach to aggregate predictions from several models.

Bootstrap resampling techniques are used to compute the prediction confidence intervals, giving users uncertainty estimates in addition to point predictions. Farmers can make well-informed decisions by taking into account both expected prices and related risks thanks to this probabilistic approach.

3.5.2 Profitability Calculation Formulas

The profitability analysis system estimates net returns per unit area for various crop choices using extensive financial modeling.

Seeds, fertilizer, pesticides, labor, and transportation are examples of variable costs,

whereas land preparation, irrigation infrastructure, and equipment depreciation are examples of fixed costs. Alternative revenue streams or crops that could be cultivated on the same piece of land at the same time are taken into consideration when calculating opportunity costs.

The yield prediction component makes use of past productivity data that has been modified for the current climate, farming methods, and soil quality indicators. Regression analysis makes recommendations for resource allocation optimization by determining the relationship between input levels and expected yields.

Using Monte Carlo simulation techniques, risk-adjusted profitability calculations take production risk and price volatility into account. In order to help farmers comprehend possible outcomes and make decisions that are in line with their risk tolerance levels, the system creates probability distributions for a variety of profit scenarios.

3.5.3 Crop Suitability Scoring Mechanisms

Using a multi-criteria decision analysis framework, the crop suitability assessment assesses possible crops according to practical, economic, and environmental considerations. The scoring algorithm assigns weights to different criteria based on their relative importance and local conditions:

$$\text{Suitability Score} = \sum_{i=1}^n (w_i \times s_i) \quad (3.1)$$

Where w_i represents the weight assigned to criterion i , and s_i is the standardized score for that criterion. Compatibility of soil types, water needs, climate, and pest resistance traits are examples of environmental factors. Expected profitability, market demand, and price stability measures are all considered economic factors.

Using z-score standardization or min-max normalization techniques, the standardization process transforms various measurement scales into equivalent numerical scores. This guarantees that elements measured in various units make a proportionate contribution to the overall suitability evaluation.

The scoring model is continuously improved by machine learning algorithms based on real farmer results and shifting market conditions. Over time, the system improves recommendation accuracy by modifying weights based on successful crop selections.

3.5.4 Risk Assessment Mathematical Frameworks

Several sources of uncertainty are integrated into risk assessment, such as production risks, market price volatility, and weather variability. By quantifying possible losses at predetermined confidence levels, the Value at Risk (VaR) methodology gives farmers specific risk metrics to use when making decisions.

Weather risk assessment estimates the likelihood of unfavorable weather events during crucial crop growth periods using climate models and historical meteorological data. Based on vulnerability patterns unique to each crop, the system estimates losses from drought, heavy precipitation, temperature extremes, and other weather-related factors.

In order to predict price volatility over various time horizons, market risk evaluation uses volatility modeling techniques, such as GARCH (Generalized Auto regressive Conditional Heteroskedasticity) models. Farmers can plan risk mitigation techniques like contract farming or crop insurance with the aid of the risk metrics, which also help them comprehend possible price movements.

To account for dependencies between various risk sources, the integrated risk score uses correlation analysis to combine individual risk factors. This all-encompassing method offers thorough risk assessment, facilitating well-informed decision-making in the face of uncertainty.

3.6 Implementation Techniques and Data Processing

3.6.1 Component-Based Architecture Implementation

Reusable components that encapsulate particular functionality while preserving unambiguous interfaces for data flow and user interaction are emphasized by the React application architecture. Common features like data loading states, error boundary handling, and authentication checking are provided by higher-order components for use across various application sections. This method guarantees consistent behavior across the application and minimizes code duplication.

Complex state management logic, such as form validation, user preference management, and API data fetching, is abstracted by custom hooks. While encapsulating implementation details that may alter as the application develops, these hooks give components clear interfaces. The hook-based approach makes it simpler to test and debug application logic independently of UI issues.

By merging smaller, more focused components into larger functional units, component composition techniques allow for flexible user interface construction. In addition to preserving component independence and reusability across various application contexts, the prop-based communication pattern guarantees predictable data flow.

3.6.2 Real-time Data Synchronization Methods

WebSocket connections are used in real-time data synchronization to deliver updates instantly upon the release of new market data. In order to manage the frequent network outages that occur in rural areas, the client-side implementation uses automatic reconnection logic to maintain persistent connections. Even if a client is momentarily disconnected, message queuing on the server side guarantees that they receive all pertinent updates.

For one-way data streaming, server-sent events offer an alternate channel of communication that lowers connection overhead while preserving real-time update capabilities. Based on the data requirements and network conditions at the moment, the hybrid approach enables the application to select the best communication method.

Conflict resolution techniques are incorporated into data synchronization logic to manage concurrent updates from several sources. When necessary, the system uses last-writer-wins and timestamp-based ordering, while keeping audit trails for important data changes that might need human review.

3.6.3 Multilingual Chatbot Integration Techniques

Natural language processing libraries that have been specially trained on agricultural terminology and frequently asked questions by farmers are used in the multilingual chatbot implementation. Context-aware responses that are aware of regional farming practices and terminology variations are made possible by the system's maintenance of distinct language models for each supported language.

Algorithms for intent recognition group user queries into pre-established groups, such as requests for market information, crop recommendations, or price inquiries. By using machine learning techniques that learn from user interactions and feedback, the classification accuracy is continuously increased.

Response generation integrates dynamic content insertion for customized information with template-based methods for frequently asked questions. More organic dialogue flows

and follow-up question handling are made possible by the system's ability to preserve conversational context throughout several exchanges.


3.6.4 Performance Optimization Strategies

Code splitting strategies that load only the components required for particular user workflows are part of frontend performance optimization. This lowers the initial bundle size and speeds up load times. Lazy loading techniques and image optimization reduce bandwidth consumption, which is especially crucial for users with spotty internet access.

Even with massive historical datasets, database performance optimization uses connection pooling, query optimization, and strategic indexing to guarantee quick response times. Multiple-level caching layers speed up response times for frequently accessed data and lessen database load.

Request batching for external API calls, response compression, and effective memory management are examples of server-side performance improvements. The system can accommodate growing user loads without experiencing performance deterioration thanks to load balancing and horizontal scaling features.

A sophisticated agricultural decision support system that meets the intricate requirements of contemporary farming operations is produced by combining sophisticated predictive analytics, multilingual accessibility, and extensive market linkage features. The technical architecture gives farmers the resources they need to make data-driven agricultural decisions while guaranteeing scalability, dependability, and maintainability. Through strategic technology deployment, this all-encompassing approach to agricultural technology development lays the groundwork for future innovation and adaptation to changing market conditions and farmer needs, ultimately enhancing agricultural productivity and farmer prosperity. If this system is implemented successfully, it will close the gap between conventional farming methods and contemporary technological capabilities, giving farmers useful information for the best crop selection, timing, and market engagement tactics.

The logo is a circular emblem. The outer ring contains the text "RASHTREEYA SIKSHANA SAMITHI TRUST" at the top and "INSTITUTIONS" at the bottom. Inside the ring is a shield divided vertically, with a large "R" on the left and a large "V" on the right. A registered trademark symbol (®) is located to the upper right of the logo.

Chapter 4

Implementation of Monsoon Crop Price Estimation System

CHAPTER 4

IMPLEMENTATION OF MONSOON CROP PRICE ESTIMATION SYSTEM

The monsoon crop price forecasting system deployment represents an end-to-end integration of machine learning algorithms, web technologies and rigorous data management definitions designed to allow farmers to make data driven decisions regarding soybean and onion crop prices. The chapter described the whole end-to-end technical deployment in respect of, i) Predictive model development using Python-based machine learning platforms; ii) Web application development using React-based and Node.js web technologies; and iii) Scalable database framework to add and retrieve data. The deployment has been executed using a full-stack approach which encompasses the gap between predictive analytics complexity and user interface simplicity to allow farmers to easily access and interpret crop price forecasts. The system design has focused on modularity, scaling and real-time processing capabilities, all toward delivering accurate monsoon season price forecasting for agricultural value chain players.

4.1 Contents of this chapter

This chapter should elaborate the following in detail.

1. Machine Learning Model Implementation and Training Pipeline
2. Backend System Architecture and API Development
3. Frontend User Interface Design and Implementation
4. Database Design and Data Management System
5. Integration and System Testing Procedures

4.2 System Architecture Overview

As shown in Figure 4.1, the monsoon crop price estimation system has a multi-layered architecture that includes external data sources, a presentation layer, an application layer, a machine learning layer, and a data layer. In order to provide real-time price predictions

for soybean and onion crops during monsoon seasons, the system architecture combines machine learning capabilities with contemporary web technologies.




Figure 4.1: System Architecture Overview for Monsoon Crop Price Estimation

The top-level architecture shows data flow from external sources to the machine learning pipeline and then to the user interface. The presentation layer supports user interaction and data visualization using React and Tailwind CSS while the application layer supports business logic and RESTful API services using Node.js and Express. The Machine Learning layer processes agricultural data using Python backends and produced price predictions while the data layer supports efficient storage and retrieval of data using PostgreSQL, MongoDB, and Redis caching. The system integrates weather data, market data, and historical price trends in real time to deliver accurate crop price predictions to

farmers in the monsoon season.

4.3 Machine Learning Model Implementation

4.3.1 Model Architecture and Framework Selection

The predictive core of the system employs Python-based libraries for machine learning to build strong price prediction models for both soybean and onion crops in monsoon seasons. The underlying machine-learning library is called scikit-learn, and we also use pandas for data manipulation and numpy for numerical computations. The model creates market-specific price predictions using a range of regression approaches such as Random Forest, Support Vector Regression, and Gradient Boosting algorithms.

The training pipeline is also designed with an end-to-end data clean-up process that manages missing values, outliers, and certain feature engineering that is specific to agricultural price trends. Feature selection techniques are used to choose the relevant features based on selecting the most suitable set of variables that affect crop prices, including price movement, weather, demand indicators, and seasonality. The project has an interactive hyperparameter search incorporated with GridSearchCV and tuning strategies targeting overfitting and cross-validation.

4.3.2 Data Processing and Feature Engineering

The model utilizes multiple modern data pre-processing techniques to convert raw market and agricultural data to useful features to predict prices. Pre-processing includes data normalisation, one-hot encoding, and extracting time features to identify seasonal trends and cycles in the market. The incorporation of weather data includes rain, temperature variations, and humidity levels that are unique during the monsoon seasons which are deterministically related to crop yields and therefore, prices.

The feature engineering processes also create derived features (such as price volatility averages, moving averages, and seasonality trends) that aid the market for more accurate predictions. To ensure that the entire processing pipeline maintains data quality there are built-in data quality checks and validation processes. Therefore, the model allows for real-time data ingestion which includes the latest information on market and weather statistics, leading to a real time price forecast.

4.4 Backend System Architecture

4.4.1 RESTful API Development with Node.js and Express

The backend infrastructure employs a Node.js runtime and an Express.js framework to provide an efficient and scalable server-side solution. The RESTful API design is consistent with industry standards, and endpoints are well documented to manage crop data, price retrieval, and user sign on/off for authenticated users. The solution has extensive CRUD functionality, managed through well documented HTTP endpoints, for an application manager to manage crop entries, historical prices for crops, and user options.

API design has middleware modules for request validation of inputs, error handling and add on security features such as managing CORS configuration for accessing resources, and providing protection of HTTP headers through Helmet.js. The API uses secure JWT (JSON Web Tokens) authentication to provide secure access to the protected resources, and bcrypt is used for password hashing to secure user accounts. There is effective data aggregation logic in the backend to support seasonal filtering aggregations of prices trends and optimization of internal database queries for fast response time.

4.4.2 Database Integration and ORM Implementation

The application features a hybrid database architecture with PostgreSQL for the relational data storage, and MongoDB for the dynamic document-oriented requirement. PostgreSQL is used for the storage of critical relational documents such as crop data, historical prices and user accounts, while the MongoDB document stores unstructured data documents such as weather patterns and market analysis papers. Sequelize ORM also offers a user-friendly interface to accomplish work with PostgreSQL using model definitions, migrations and efficient querying.

The database schema design has incorporated various indexing methods for query efficiency, foreign keys for data consistency and most importantly stored procedures for complex analytical queries. The system also has included automated backup methods and duplication recovery methods to maintain system integrity and data availability. The database load has been managed and the system optimized by connection pooling and efficient querying.

4.5 Frontend User Interface Implementation

4.5.1 React Component Architecture

The frontend implementation utilizes React's component-based architecture to create a modular and maintainable stakeholder-specific agricultural user interface. The component hierarchy contains such specific components as cropping selection, price display, seasonally filtered, and user dashboard. The implementation follows React best practices regarding state management, component reactivity, and rendering.

The system uses conditional rendering methods to render the interface to the seasons and user preferences. React Router allows easy routing of the various sections of the application, while Axios handles HTTP requests to enable API communication. The components are designed to be reusable and scalable, allowing for easy extension to add more crop and market features.

4.5.2 Responsive Design with Tailwind CSS

The user interface uses the utility-first approach to Tailwind CSS to produce responsive and beautiful interfaces to provide the necessary experiences across devices and screen sizes. The style implementations are successful whenever they incorporate a custom brand color palette, typography, and spacing configurations that complement the agricultural data being displayed. Responsive styles were implemented to offer the optimal experience to those using a desktop or mobile device on the farm – farmers can and will access the service from different places, and the responsive styling covered that.

The implementation has interactive elements like dropdowns for crop selection, date pickers for seasonal filtration, and hover effects for engaging user interaction. We adopted Tailwind utility classes for rapid prototyping, and consistent styling throughout the app implementations. Custom css extensions incorporated all specific required visualization components associated with agricultural data.

4.6 Data Visualization and Analysis

4.6.1 Chart Implementation with Recharts

The user interface uses a utility-first approach to Tailwind CSS to offer responsive and beautiful interfaces to deliver the experiences across devices and screen sizes that are necessary. Once the styles were implemented successfully, we had a custom brand color palette, typography, and spacing configurations that were fitting for the presentation of

agricultural data. Responsive styles were implemented to provide the best experience for those who were either on a phone or a computer on the farm – since it is the nature of farmers to access and use a service from various locations, that responsive component was received well as part of the styling.

The implementation also has interactive components, such as dropdowns to select crops, date pickers for seasonal filtering, and hover effects to increase user engagement and interactivity. We used Tailwind utility classes for quick prototyping and to maintain a consistent styling approach throughout all of the app implementations. Custom css extensions incorporated all required visualization components that were particular and required to be associated with agricultural data.

4.6.2 Advanced Analytics and Filtering

The frontend execution will incorporate sophisticated, upgraded query filters so users can analyze price data across variables such as crop, location, and time intervals. The queries have multi-select filters, are dynamic to create more advanced queries for customized analysis and reproducible research. All the advanced features in the tool will allow users to support their decision making by establishing trends for price change, establish price volatility, support comparisons between crops and seasons.

The execution will provide visualizations of forecasts where predictive analytics represent forecast confidence intervals, forecasts with accuracy testing results using forecasts in various Scenario Analyses. The interactivity tools will allow users to see different market situations that influence prices, with the ability to Export the analysis and create reports for those purposes with an eye on agricultural planning.

4.7 System Integration and Testing

4.7.1 API Integration and Data Flow

The fully integrated system allows for effective and complete communication from ML models to backend APIs to frontend components with a lineage established by data pass using a consistent protocol. The integration architecture specifies how price predictions are to pass to backend and be communicated to frontend in real time. The accuracy of communication is an equally significant consideration for the implementation that can include aspects such as handling error messages, retry logic, and fallback handling that will allow the machine learning system to remain functional under various types of stress

conditions.

The implementation of data flow included some caching to improve performance and avoid unnecessary computations. We used a Redis cache to store price data and model predictions which were almost always needed. Since there was definitely an opportunity to have some compute heavy requirements which could cause the UI to lag, we ended up offloading some of that heavy lifting including the data caching to be processed as a background job. This implementation provided us with some monitors and logging so we could assess our performance and see what some issues bottlenecks may have been.

4.7.2 Testing Framework and Quality Assurance

The implementation will incorporate robust testing procedures including unit tests, integration tests, and end-to-end testing (e.g. agricultural price prediction) scenarios. The testing framework verified model performance, validated API correctness, and tested the state of the front-end, in some representation of the user journey. Automated testing pipelines validate and continuously integrate new code at a high level, as well as ensure system reliability.

Quality assurance procedures that were verified during the testing process included performance testing of the complete system under a simulated extreme user load, security testing to verify that data protection measures are acceptable, and usability testing with real farmers to ensure that the interface will achieve the user journey. The testing implementation will also allow for various edge cases common in agricultural price prediction (extreme weather conditions, market fluctuations, data timeouts, etc.).

Summary

The practical implementation of the model crop price estimation has incorporated leading machine learning techniques and current Web-based technologies into a practical application for predicting agricultural prices. The modular design provides a scalable solution for timely and accurate crop price prediction for farmers of soybean and onion crops. The solution was provided as an application with a robust backend, a responsive frontend, an apparent and purposeful visualisation aspect, and a user-centred interface to provide the flexibility necessary for agricultural stakeholders (farmers, sellers, and buyers) and their needs during their corresponding monsoon period. The implementation was a comprehensive platform to evaluate the system and assess performance evaluation, which

is discussed in the next chapter for results and performance efficacy.





Chapter 5

Results and Discussions

CHAPTER 5

RESULTS AND DISCUSSIONS

This section presents the outcomes derived from the Monsoon-Driven Crop Price Prediction system. It includes insights into the system's analytical, predictive, and monsoon-integrated modules, followed by a detailed examination of crop price trends and prediction accuracy. The discussion encapsulates experimental analysis and the impact of weather variations on market pricing for crops like soybean and onion.

5.1 Simulation Results

Figures 5.1 to 5.3 show the user interface and visualizations from the developed system. Figure 5.1 highlights the home page with key features like Advanced Analytics, ML Predictions, and Monsoon Integration. Figure 5.2 outlines the mission and vision, while Figure 5.3 demonstrates price trend visualization for soybean in Dharwad market using line charts.




Figure 5.1: Landing page showcasing core features of the platform




Figure 5.2: Platform's Mission and Vision for Agricultural Empowerment




Figure 5.3: Soybean price trend visualization (Modal, Min, Max, and Average Prices)

5.2 Experimental Results

Data collected over a span of 5–7 years across multiple markets for crops such as onion and soybean were used. The machine learning models trained using these datasets achieved a prediction accuracy of up to 95%, tracking more than 500 commodities across 1000+ markets.

5.3 Performance Comparison

The model’s performance was evaluated using standard regression metrics. One of the key indicators was the Mean Absolute Error (MAE). Table 5.1 shows the MAE values:

Table 5.1: Mean Absolute Error (MAE) for crop price predictions

Crop	MAE (in INR)
Onion	353
Soybean	353

5.4 Inferences Drawn from Results

The integration of monsoon data significantly enhanced prediction accuracy by accounting for seasonal and climatic variations. Soybean and onion prices showed strong correlation with rainfall trends, validating the platform’s weather-driven model.

Overall, the platform provides a robust solution for stakeholders to make informed decisions in agricultural trading. The next section will explore the implementation specifics and backend system architecture that powered this predictive platform.



Chapter 6

Conclusion

CHAPTER 6

CONCLUSION

This project addresses the rising problem of erratic monsoon conditions affecting Indian agriculture by proposing a system that calculates crop losses and forecasts the prices of weather-sensitive crops such as onion and soybean in the market. The first objective was the acquisition and pre-processing of data, including satellite NDVI data, long-term rainfall patterns, and crop prices across more than 1000 markets. The second objective was analysis and modeling that focused on defining correlations between weather conditions and crop performance using machine learning models. The third objective was prediction and validation to develop a tool that provides timely and location-specific information to farmers, policymakers, and insurers.

To achieve these objectives, we constructed a modular pipeline that cleans and processes multi-seasonal data, performs forecasting using Random Forest regression models, and incorporates monsoon-related variables in the forecasting pipeline. The software has been deployed as a web application using React, Tailwind CSS, Node.js, and MongoDB/PostgreSQL. Due to its scalable and user-friendly design, the system enables access to visualizations with Recharts and Chart.js, filtering results by crop or region, simulating future scenarios, and receiving real-time notifications.

The results for each objective were significant. The integrated database covered a wide range of crops (500+) and markets (1,000+). The prediction model demonstrated the capability to predict prices with an accuracy of up to 95% and a mean absolute error (MAE) of 353 for both onion and soybean. The platform gained the ability to identify risk areas and indicators of crop failure reliably through the incorporation of NDVI anomalies and rainfall trends. The transformation from reactive estimation of crop losses to proactive and environment-sensitive forecasting provides a comprehensive decision support tool for enhancing agricultural planning and minimizing risks.

6.1 Future Scope

Although the existing system can efficiently combine NDVI data, rainfall patterns, and historical prices of crops such as onion and soybean, there are certain limitations. The system is trained on limited crops and cannot be applied on a large scale to other crops without additional training. Moreover, satellite data granularity and real-time

availability might constrain spatial accuracy, particularly for small agricultural fields. There was also a lack of validation against ground-truth losses or farmer-reported yield surveys due to resource constraints.

The system can be expanded in the future to include other types of crops and localities, particularly those that are underrepresented due to different agro-climatic conditions. It can be integrated with IoT-based soil sensors and weather sensors to enhance real-time prediction accuracy. Additionally, the platform may be extended to offer dynamic sowing/harvest recommendations, automated insurance claims processing, and blockchain-based crop sales records for verification purposes. Another way to enhance accessibility for farmers in India is to ensure that the mobile version supports multiple languages.

6.2 Learning Outcomes of the Project

The key learning outcomes from this project include:

- Gained practical knowledge in applying machine learning models to real agricultural data
- Acquired experience in preprocessing and analyzing data from various sources, including NDVI time-series, rainfall data, and market price records
- Developed full-stack web development skills using technologies like React, Node.js, Tailwind CSS, and MongoDB/PostgreSQL
- Enhanced data visualization skills for presenting agricultural and pricing patterns using libraries such as Recharts and Chart.js
- Understood the complexities of integrating multi-source data for agricultural decision support systems
- Learned the importance of user-centric design in developing tools for diverse stakeholders in agriculture



Appendix A

Appendix

APPENDIX A

APPENDIX

A.1 Dataset Summary

- **Crop Price Data:** Sourced from Agmarknet and eNAM platforms, covering over 1000 markets across Karnataka for soybean and onion crops.
- **Rainfall Data:** Extracted via NASA's POWER API, including daily and monthly rainfall observations at district level.
- **NDVI Data:** Obtained using MODIS satellite imagery through Google Earth Engine.
- **Data Span:** 2015–2024 (10 years of crop price and monsoon trends).

A.2 Hyperparameters Used in Model Training

- **Random Forest:**
 - `n_estimators` = 200
 - `max_depth` = 15
 - `criterion` = "mae"
- **Support Vector Regression (SVR):**
 - `kernel` = "rbf"
 - `C` = 1000
 - `gamma` = "scale"
- **Gradient Boosting:**
 - `learning_rate` = 0.1
 - `n_estimators` = 300
 - `max_depth` = 4

Model	Accuracy (%)	MAE (INR)
Random Forest	94.7	365
Support Vector Regression	92.1	389
Gradient Boosting	95.3	353

Table A.1: Model accuracy and error metrics for onion and soybean price prediction

A.3 Model Performance Metrics

A.4 Tools and Technologies Used

- **Languages:** Python, JavaScript
- **Frontend:** React.js, Tailwind CSS
- **Backend:** Node.js, Express
- **Database:** PostgreSQL, MongoDB
- **Visualization:** Recharts, Matplotlib
- **ML Libraries:** scikit-learn, pandas, numpy
- **APIs:** NASA POWER, Google Earth Engine

BIBLIOGRAPHY

- [1] S. Gadgil and S. Gadgil, “The indian monsoon, gdp and agriculture,” *Economic and Political Weekly*, pp. 4887–4895, 2006.
- [2] A. Sarkar and A. Ghosh, “Monsoon variability and agricultural productivity in india,” *Climatic Change*, vol. 154, no. 3-4, pp. 423–438, 2019.
- [3] P. S. BIRTHAL, T. Khan, S. Mishra, and S Agarwal, “How sensitive is indian agriculture to rainfall variability?” *Indian Journal of Agricultural Economics*, vol. 70, no. 3, pp. 20–36, 2015.
- [4] D. K. Ray, J. S. Gerber, G. K. MacDonald, and P. C. West, “Climate variation explains a third of global crop yield variability,” *Nature Communications*, vol. 10, no. 1, pp. 1–9, 2019.
- [5] C. P. Timmer, “Managing price volatility: Approaches at the global, national, and household levels,” *Center for Global Development Working Paper*, no. 144, 2009.
- [6] R. Jain, H. R. Meena, and N. Kalra, “Deep learning for forecasting commodity prices: Evidence from indian markets,” *Agricultural Systems*, vol. 184, p. 102913, 2020. DOI: 10.1016/j.agsy.2020.102913.
- [7] A. Mahmud, S. Sinha, and P. Varma, “Price forecasting for agricultural commodities using lstm networks,” *Journal of Artificial Intelligence in Agriculture*, vol. 5, no. 2, pp. 101–112, 2025, Forthcoming.
- [8] A. A. Cariappa, K. R. Acharya, C. A. Adhav, R. Sendhil, and P. Ramasundaram, “Impact of covid-19 on indian agriculture: A review,” *Journal of Agribusiness in Developing and Emerging Economies*, vol. 10, no. 4, pp. 605–620, 2020. DOI: 10.1108/JADEE-06-2020-0114.
- [9] A. Kumar, M. N. Rao, and R. Patel, “Yield forecasting for rice in karnataka using machine learning models,” *Computers and Electronics in Agriculture*, vol. 207, p. 107575, 2024. DOI: 10.1016/j.compag.2023.107575.
- [10] A. Darekar and A. A. Reddy, “Price forecasting of agricultural commodities using arima model,” *Agricultural Economics Research Review*, vol. 31, no. 2, pp. 267–274, 2018.

- [11] N. D. Ghetiya, N. B. Chauhan, and A. G. Patel, “Comparative analysis of machine learning algorithms for crop yield prediction,” *International Journal of Advanced Computer Science and Applications*, vol. 15, no. 3, pp. 92–100, 2024. DOI: 10.14569/IJACSA.2024.0150313.
- [12] R. Ragunath and R. Rathipriya, “Cnn-lstm based hybrid model for forecasting agricultural prices,” *IEEE Access*, vol. 13, pp. 13 540–13 552, 2025, Forthcoming. DOI: 10.1109/ACCESS.2025.3289431.
- [13] A. Tripathi, P. Ghosh, and P. K. Joshi, “Gis-based suitability mapping for kharif crops in karnataka,” *Geocarto International*, vol. 36, no. 11, pp. 1240–1256, 2021. DOI: 10.1080/10106049.2019.1621133.
- [14] V. Henrich, C. Reddy, and G. S. Bhat, “Rainfall variability and trends in karnataka, india: Implications for agriculture,” *Climate Risk Management*, vol. 27, p. 100 204, 2020. DOI: 10.1016/j.crm.2020.100204.
- [15] R. Singh and R. Sindhu, “Development of ai-based agricultural advisory systems for indian farmers,” *Computers and Electronics in Agriculture*, vol. 210, p. 107 863, 2024. DOI: 10.1016/j.compag.2024.107863.
- [16] NITI Aayog, *Macro and fiscal landscape of the state of karnataka*, <https://www.niti.gov.in>, Working population: 45.8% in agriculture, forestry and fishing — Accessed July 2025, 2025.
- [17] KSRSAC, *Karnataka at a glance*, <https://kgis.ksrsac.in/kag/>, Data on rural employment — Accessed July 2025, 2023.
- [18] V. Prasanna et al., “Impact of monsoon rainfall on the total foodgrain yield over india,” *Journal of Earth System Science*, vol. 123, no. 5, pp. 1129–1145, 2014, Summer monsoon variations affect Kharif yield.
- [19] Reuters, *India poised for above-average monsoon, vital to \$4-trillion economy*, Monsoon provides 70% of agricultural water; nearly half farmland non-irrigated, 2025.
- [20] Government of Karnataka, *Karnataka: A \$1 trillion gdp vision*, <https://planning.karnataka.gov.in>, Highlights digital agriculture initiatives — Accessed July 2025, 2022.