#### Directory: https://ksurajsingh.github.io/media

Command: nuclei -u https://ksurajsingh.github.io/media

#### STDOUT:

```
[■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/media [■[96m"ht
   [■[92mwaf-detect ■[0m: ■[1;92mvarnish ■[0m] [■[94mhttp ■[0m] [■[34minfo ■[0m] https://ksurajsingh.github.
   [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m]
    [■[92mtls-version ■[0m] [■[94mssl■[0m] [■[34minfo ■[0m] ksurajsingh.github.io:443 [■[96m"tls13" ■[0m]
   [■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
   [■[92mhttp-missing-security-headers [0m: [1;92mx-content-type-options [0m] [■[94mhttp [0m] [■[34minf
   [■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0m
   [■[92mhttp-missing-security-headers [0m: [1;92mcross-origin-embedder-policy [0m] [ [94mhttp [0m] [ [ [94mhttp [0m] [ [94mhttp [0m] [ [94mhttp [0m] [ [94mhttp [0m] [ 94mhttp [0m] [ 94mht
   [■[92mhttp-missing-security-headers■[0m:■[1:92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34m
   [■[92mhttp-missing-security-headers [0m: 1:92mcontent-security-policy [0m] [■[94mhttp [0m] [■[34min
    [■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
   [■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
   [■[92mhttp-missing-security-headers [0m: [1;92mcross-origin-opener-policy [0m] [■[94mhttp [0m] [■[34
   [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[
   [■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0
   [■[92mcaa-fingerprint [0m] [■[94mdns [0m] [■[34minfo [0m] ksurajsingh.github.io [■[96m"sectigo.com" [0m] ksurajsingh.github.io
   [■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
   [■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"github.io"■
    [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: *.github
STDERR:
```

```
______/__ (_)
/___V/// ___//__V/
/__//__// ___// v3.4.7
```

#### ■■projectdiscovery.io

- [■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
- [■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)
- [■[34mlNF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)
- [III]93mWRNII[0m] Scan results upload to cloud is disabled.
- [■[34mINF■[0m] New templates added in latest release: 75
- [■[34mINF■[0m] Templates loaded for current scan: 8198
- [■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
- [■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution.
- [■[34mINF■[0m] Targets loaded for current scan: 1
- [■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
- [■[34mINF■[0m] Using Interactsh Server: oast.live
- [■[34mINF■[0m] Scan completed in 2m. 19 matches found.

#### Directory: https://ksurajsingh.github.io/futurediary

Command: nuclei -u https://ksurajsingh.github.io/futurediary

#### STDOUT:

```
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0n
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r
[■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[
[■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com"
[்■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
[■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"*.github.io
[■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: *.github
■■projectdiscovery.io
[■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
[■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)
[■[34mINF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)
[■[93mWRN■[0m] Scan results upload to cloud is disabled.
[■[34mINF■[0m] New templates added in latest release: 75
[■[34mINF■[0m] Templates loaded for current scan: 8198
[■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
[■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution.
[■[34mINF■[0m] Targets loaded for current scan: 1
[■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
```

# Directory: https://ksurajsingh.github.io/media/index

[■[34mINF■[0m] Using Interactsh Server: oast.site

Command: nuclei -u https://ksurajsingh.github.io/media/index

[■[34mINF■[0m] Scan completed in 2m. 19 matches found.

#### STDOUT:

STDERR:

[■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/media/index [■[ [■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github. [்■[92mtls-version■[0m] [➡[94mssl■[0m] [ਚ[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m] [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■ [■]92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■]94mhttp■[0m] [■]34minfo■[0n [■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r [■]92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■ [■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min [■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■]92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34 [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[ [■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com" [■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite [■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"\*.github.io [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"SAN: [\*.gith



# **■**projectdiscovery.io

- [■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
- [■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)
- [■[34mINF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)]
- [■[93mWRN■[0m] Scan results upload to cloud is disabled.
- [■[34mINF■[0m] New templates added in latest release: 75
- [■[34mINF■[0m] Templates loaded for current scan: 8198
- [■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
- [■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution. [■[34mINF■[0m] Targets loaded for current scan: 1
- [■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
- [■[34mINF■[0m] Using Interactsh Server: oast.pro
- [■[34mINF■[0m] Scan completed in 2m. 17 matches found.

# Directory: https://ksurajsingh.github.io/media/gifs

Command: nuclei -u https://ksurajsingh.github.io/media/gifs

# STDOUT:

- [■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github. [்■[92mtls-version■[0m] [ၨ■[94mssl■[0m] [்■[34minfo■[0m] ksurajsingh.github.io:443 [்■[96m"tls12 b] [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34mhttp]] [□[34mhttp]] [□[3 [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[ [■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0n [்■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r
- [்■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo曲[0m] [்■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■ [■[92mhttp-missing-security-headers■[0m:■[1;92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34m
- [■[92mhttp-missing-security-headers■[0m:■[1;92mcontent-security-policy■[0m] [■[94mhttp■[0m] [■[34mir [்■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■
- [■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min [■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com"
- [■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
- [■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"github.com [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: \*.github
- STDERR:



# projectdiscovery.io

- [■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
- [■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)
- [■]34mINF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)
- [III]93mWRNII[0m] Scan results upload to cloud is disabled.
- [■[34mINF■[0m] New templates added in latest release: 75 [■[34mINF■[0m] Templates loaded for current scan: 8198
- [■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
- [■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution.
- [■[34mINF■[0m] Targets loaded for current scan: 1 [■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
- [■[34mINF■[0m] Using Interactsh Server: oast.pro
- [■[34mINF■[0m] Scan completed in 2m. 18 matches found.

```
[■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/futurediary/fut
[■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.
[■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m]
[■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34m
[■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r
[■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[
[■[92mhttp-missing-security-headers■[0m:■[1;92mcontent-security-policy■[0m] [■[94mhttp■[0m] [■[34min
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0m
[■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com"
[■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
[■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"*.github.io
[■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: *.github
```

```
_____/__ (_)
/__V/// ___//_ V/
/////__// __// v3.4.7
```

■■projectdiscovery.io

```
[■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination) [■[34mlNF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m) [92mlatest■[0m) [93mWRN■[0m] Scan results upload to cloud is disabled. [■[34mlNF■[0m] New templates added in latest release: 75 [■[34mlNF■[0m] Templates loaded for current scan: 8198 [■[34mlNF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates [■[34mlNF■[0m] Loading 200 unsigned templates for scan. Use with caution. [■[34mlNF■[0m] Targets loaded for current scan: 1 [■[34mlNF■[0m] Templates clustered: 1765 (Reduced 1658 Requests) [■[34mlNF■[0m] Using Interactsh Server: oast.site [■[34mlNF■[0m] Scan completed in 2m. 19 matches found.
```

Directory: https://ksurajsingh.github.io/futurediary/trash

Command: nuclei -u https://ksurajsingh.github.io/futurediary/trash STDOUT:

```
[■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/futurediary/tra [■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io:443 [■[96m"tls12"■[0m] [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m] [■[92mtls-version■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0n] [■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[34minfo] [■[34mi
```

[■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"sectigo.com"■

Directory: https://ksurajsingh.github.io/futurediary/futurediary

[■[34mINF■[0m] Scan completed in 2m. 17 matches found.

[■[34mINF■[0m] Using Interactsh Server: oast.online

Command: nuclei -u https://ksurajsingh.github.io/futurediary/futurediary/STDOUT:

[■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github. [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m] [்■[92mtls-version■[0m] [்■[94mssl■[0m] [்■[34minfo■[0m] ksurajsingh.github.io:443 [i■[96m"tls13"■[0m] [■[92mhttp-missing-security-headers [0m: [1;92mx-content-type-options [0m] [■[94mhttp [0m] [■[34min [██[92mhttp-missing-security-headers█[0m:█[1;92mreferrer-policy█[0m] [█[94mhttp█[0m] [█[34minfo█[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34 [்■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-ŏptions■[0m] [■[94mhttp■[0m] [■[34minfo■[0n [■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r [■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [்■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■ [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[ [■[92mhttp-missing-security-headers■[0m:■[1;92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34m] [்■[92mhttp-missing-security-headers■[0m:■[1;92mcontent-security-policy■[0m] [i■[94mhttp■[0m] [i■[34min [III]92mhttp-missing-security-headersII]0m:III]1;92mpermissions-policyII[0m] [III]94mhttpII[0m] [III]34minfoII [■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com" [■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite [■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"\*.github.io [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: \*.github STDERR:



■■projectdiscovery.io

[■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
[■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m))

```
[■[34mINF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)]
[■[93mWRN■[0m] Scan results upload to cloud is disabled.
[■[34mINF■[0m] New templates added in latest release: 75
[■[34mINF■[0m] Templates loaded for current scan: 8198
[■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
[■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution.
[■[34mINF■[0m] Targets loaded for current scan: 1
[■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
[■[34mINF■[0m] Using Interactsh Server: oast.fun
[■[34mINF■[0m] Scan completed in 2m. 18 matches found.
```

### Directory: https://ksurajsingh.github.io/media/index/gifs

Command: nuclei -u https://ksurajsingh.github.io/media/index/gifs

```
STDOUT:
  [■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/media/index/gif
  [■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.
[■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m]
  [்■[92mtls-version■[0m] [்■[94mssl■[0m] [்■[34minfo■[0m] ksurajsinğh.ğithub.io:443 [்■[96m"tls13"■[0m]
  [■[92mhttp-missing-security-headers■[0m:■[1;92mcontent-security-policy■[0m] [■[94mhttp■[0m] [■[34mir
  [■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■
  [■]92mhttp-missing-security-headers■[0m:■]1;92mx-frame-options■[0m] [■]94mhttp■[0m] [■]34minfo■[0n
  [██[92mhttp-missing-security-headers█[0m:█[1;92mcross-origin-embedder-policy█[0m][█[94mhttp█[0m][█
  [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[
  [்■[92mhttp-missing-security-headers■[0m:■[1;92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34m
  [■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r
  [█] 92mhttp-missing-security-headers [0m: [1;92mreferrer-policy [0m] [E[94mhttp [0m] [E[34minfo [0m]
  [■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
  [■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"letsencrypt.o
  [■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
  [■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"github.io"■
  [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: *.github
```

\_\_\_\_\_/\_\_(\_) /\_\_V///\_\_\_//\_V/ /\_//\_\_/\_/\_/\_/\_/ /\_//\_\_\_/\_\_v3.4.7

### ■■projectdiscovery.io

STDERR:

```
[■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
[■[34mlNF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)
[■[34mlNF■[0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m)
■[93mWRN■[0m] Scan results upload to cloud is disabled.
[■[34mINF■[0m] New templates added in latest release: 75
[■[34mINF■[0m] Templates loaded for current scan: 8198
[■[34mINF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
[■[93mWRN■[0m] Loading 200 unsigned templates for scan. Use with caution.
[■[34mINF■[0m] Targets loaded for current scan: 1
[■[34mlNF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
[■[34mINF■[0m] Using Interactsh Server: oast.live
[■[34mINF■[0m] Scan completed in 2m. 19 matches found.
```

Directory: https://ksurajsingh.github.io/media/index/pics

Command: nuclei -u https://ksurajsingh.github.io/media/index/pics

STDOUT:

```
[■[92mmissing-sri■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.io/media/index/pic
[■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.
[■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m]
[■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0r
[■[92mhttp-missing-security-headers■[0m:■[1;92mclear-site-data■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-opener-policy■[0m] [■[94mhttp■[0m] [■[34
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-frame-options■[0m] [■[94mhttp■[0m] [■[34minfo■[0n
[■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m]
[■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[
[■[92mhttp-missing-security-headers■[0m:■[1;92mpermissions-policy■[0m] [■[94mhttp■[0m] [■[34minfo■
[■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34min
[்■[92mcaa-fingerprint■[0m] [■[94mdns■[0m] [■[34minfo■[0m] ksurajsingh.github.io [■[96m"digicert.com"
[■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite
[■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"*.githubus
[■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: *.github
■projectdiscovery.io
[■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
```

■ [31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination) [■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m) [0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m) [0m] Current nuclei-templates version: v10.2.5 (■[92mlatest■[0m) [0m] Scan results upload to cloud is disabled.

■[34mINF■[0m] New templates added in latest release: 75 [0m] [0m] Templates loaded for current scan: 8198 [0m] [0m] Templates loaded for current scan: 8198 [0m] [0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates [0m] [0m] [0m] Loading 200 unsigned templates for scan. Use with caution.

■[34mINF■[0m] Targets loaded for current scan: 1 [0m] [0m] Templates clustered: 1765 (Reduced 1658 Requests) [0m] [0m] Using Interactsh Server: oast.me [0m] Scan completed in 2m. 17 matches found.

Directory: https://ksurajsingh.github.io/futurediary/trash/trash

Command: nuclei -u https://ksurajsingh.github.io/futurediary/trash/trash STDOUT:

```
[■[92mwaf-detect■[0m:■[1;92mvarnish■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] https://ksurajsingh.github.ie]92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls12"■[0m] [■[92mtls-version■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"tls13"■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mreferrer-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-embedder-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[92mhttp-missing-security-headers■[0m:■[1;92mstrict-transport-security■[0m] [■[94mhttp■[0m] [■[34minfo■[92mhttp-missing-security-headers■[0m:■[1;92mx-content-type-options■[0m] [■[94mhttp■[0m] [■[34minfo■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mx-permitted-cross-domain-policies■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[94mhttp■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcross-origin-resource-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m:■[1;92mcontent-security-policy■[0m] [■[94mhttp■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m] [■[34minfo■[0m] [■[92mhttp-missing-security-headers■[0m] [■[92mhttp-missing-security-headers■[0m] [■[92mhttp-missing-security-headers■[0m] [■[92mhttp-missin
```

[■[92mssl-issuer■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"Sectigo Limite

[■[92mssl-dns-names■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"github.io"■ [■[92mwildcard-tls■[0m] [■[94mssl■[0m] [■[34minfo■[0m] ksurajsingh.github.io:443 [■[96m"CN: \*.github STDERR:



### **■**projectdiscovery.io

- [■[31mWRN■[0m] Found 2 templates with runtime error (use -validate flag for further examination)
- [■[34mINF■[0m] Current nuclei version: v3.4.7 (■[92mlatest■[0m)]
- i∎i34mINF∎i0mi Current nuclei-templates version: v10.2.5 (■i92mlatest■i0m)
- [III]93mWRNII[0m] Scan results upload to cloud is disabled.
- [III]34mINFII[0m] New templates added in latest release: 75
- [■[34mlNF■[0m] Templates loaded for current scan: 8198 [■[34mlNF■[0m] Executing 7998 signed templates from projectdiscovery/nuclei-templates
- [III]93mWRNII[0m] Loading 200 unsigned templates for scan. Use with caution.
- [■[34mINF■[0m] Targets loaded for current scan: 1
- [■[34mINF■[0m] Templates clustered: 1765 (Reduced 1658 Requests)
- [■[34mINF■[0m] Using Interactsh Server: oast.me
- [■[34mlNF■[0m] Scan completed in 2m. 18 matches found.