

List of steps to be performed to extract list of computer objects for patching and to create collection based on the same:

1. Below are steps for DSLAB domain:

2. Login into the jumphost for the domain (ORDPDSLWTS11.DSLAB.ad.adp.com)



3. Execute the script below to export the list of computer objects which are AD enabled are Windows server 2016 or above, it will export the desired output:



Below is the sample output file:


EnabledServers_Above2016.csv

EnabledServers_Above2016.csv


4. Then we open the below application on the same jumphost (ORDPDSLWTS11.DSLAB.ad.adp.com) and copy and paste the list of server names from the column “DNSHostName” of the above file into the ping options of the below application and click on “Start”:


PingInfoView.exe

PingInfoView.exe



Below is the expected output:





Note the results of servers that are apart from “Succeeded”, such as “Request Timeout”.

Host Name	IP Address	Reply IP Address	Succeed Count	Failed Count	Consecutive Failed Count	Max Consecutive Failed Count	Max Consecutive Failed Time	% Failed	Total Sent Pings	Last Ping Status	Last Ping Time	Last Ping TTL	Average Ping Time	Description	Last Succeed On	Last Failed On
c03darffc17.dslab.ad.adp.com	100.78.21.7	100.78.21.7	5	0				0%	5	Succeeded	3.291	121	7.098		6/22/2026 1:23:02 PM	
c03dargso351.dslab.ad.adp.com	100.78.21.19	100.78.21.19	5	0				0%	5	Succeeded	2.062	121	7.230		6/22/2026 1:23:02 PM	
c03dargso659.dslab.ad.adp.com	100.78.21.49		0	5	5	5	6/22/2026 1:23:02 PM	100.00%	5	Request Timeout						6/22/2026 1:23:02 I
c03dargso725.dslab.ad.adp.com	100.78.20.249	100.78.20.249	5	0				0%	5	Succeeded	2.267	121	6.536		6/22/2026 1:23:02 PM	
c03dargso780.dslab.ad.adp.com	100.78.20.132	100.78.20.132	5	0				0%	5	Succeeded	2.341	121	6.043		6/22/2026 1:23:02 PM	
c03dargso934.dslab.ad.adp.com	100.78.21.18	100.78.21.18	5	0				0%	5	Succeeded	3.002	121	7.367		6/22/2026 1:23:02 PM	
c03darrpa821.dslab.ad.adp.com	100.78.253.56		0	5	5	5	6/22/2026 1:23:02 PM	100.00%	5	Request Timeout						6/22/2026 1:23:02 I
c03dartlnd981.dslab.ad.adp.com	100.78.253.164	100.78.253.164	5	0				0%	5	Succeeded	3.143	121	5.886		6/22/2026 1:23:02 PM	
c03dfocvrsql71.dslab.ad.adp.com	100.78.253.25	100.78.253.25	5	0				0%	5	Succeeded	3.297	121	7.564		6/22/2026 1:23:02 PM	
c03dfoedgeinventory0063.dslab.ad.adp.com	100.78.253.214		0	5	5	5	6/22/2026 1:23:02 PM	100.00%	5	Request Timeout						6/22/2026 1:23:02 I
c03dfoeinv430.dslab.ad.adp.com	100.78.253.172	100.78.253.172	5	0				0%	5	Succeeded	3.352	121	6.950		6/22/2026 1:23:02 PM	
c03dfoeinv547.dslab.ad.adp.com	100.78.16.93	100.78.16.93	5	0				0%	5	Succeeded	3.715	121	7.400		6/22/2026 1:23:02 PM	
c03dfoeinv694.dslab.ad.adp.com	100.78.16.97	100.78.16.97	5	0				0%	5	Succeeded	3.797	121	8.590		6/22/2026 1:23:02 PM	
c03dfolotm665.dslab.ad.adp.com	100.78.16.79	100.78.16.79	5	0				0%	5	Succeeded	4.181	121	7.723		6/22/2026 1:23:02 PM	
c03dfoonee360.dslab.ad.adp.com	100.78.128.129	100.78.128.129	5	0				0%	5	Succeeded	2.734	123	6.201		6/22/2026 1:23:02 PM	
c03dfoonee967.dslab.ad.adp.com	100.78.128.130	100.78.128.130	5	0				0%	5	Succeeded	3.200	123	7.168		6/22/2026 1:23:02 PM	
c03dfosign260.dslab.ad.adp.com	100.78.253.136	100.78.253.136	5	0				0%	5	Succeeded	3.539	121	8.206		6/22/2026 1:23:02 PM	
C03DFOSIGN610.dslab.ad.adp.com	100.78.16.53	100.78.16.53	5	0				0%	5	Succeeded	4.264	121	7.650		6/22/2026 1:23:02 PM	
c03dfosign621.dslab.ad.adp.com	100.78.16.51	100.78.16.51	5	0				0%	5	Succeeded	4.934	121	7.954		6/22/2026 1:23:02 PM	
c03dfosign747.dslab.ad.adp.com	100.78.253.44	100.78.253.44	5	0				0%	5	Succeeded	6.751	121	7.669		6/22/2026 1:23:02 PM	
c03dfosign809.dslab.ad.adp.com	100.78.253.129	100.78.253.129	5	0				0%	5	Succeeded	6.339	121	7.946		6/22/2026 1:23:02 PM	


Validate if the server with “Request Timeout” is present on the Vcenter in the power on state or it is in the shutdown state or not present at all.

5. Then we need to execute the below script using Powershell:


C:\Temp\Pratik\PoshCAT\Start-PoshCAT.ps1 -> Right click -> Run with Powershell -> Run as admin “Yes” (Change the location of the file Start-PoshCAT.ps1 as per the actual one).

Create the file : EnabledServer_Above_2016.txt which are list of server names which we received from DNSHostName from the file “EnabledServers_Above2016.csv”

Click on browse and select the file C:\Temp\Pratik\EnabledServer_Above_2016.txt -> Expand “Other actions” -> Select “Get system Uptime”



Check the servers from the “C:\Temp\Pratik\PoshCAT\Reports\ Get System Uptime_xxx.csv” for servers with successful retrieval of uptime and “FailedComputers_Get System Uptime_xxx.csv” for failed retrieval of uptime:



6. Below two list of servers to be consolidated and considered for patching:

a. List of servers which are showing as succeeded in “PingInfo output sheet”

b. Compare the above list with the PingInfo output sheet and if we have any servers as “Request timeout” over there and we are able to successfully find the uptime for the same, consider the server in the list to be patched.

7. Below are the major production and non-production domains for which the same steps 1-6 are to be performed:

Production domains:

dswh.ds.adp.com

ds.ad.adp.com

icrm.corp (Elead production domain)

global.cdk.com

ad.networkphoneasp.com
autobahn.ad.cvr.ds.adp.com
FRESHBEGINNINGS.CORP
dsiserver.ds.adp.com

Non-production domains:
DEVQA.ELEAD.IO (Elead non-production domain)
DSLAB.ad.adp.com

8. Create a collection for respective dates on SCCM using the above list.

9. Deploying software updates to Device Collections:

https://confluence.cdk.com/display/GHS/SCCM%3A+Deploying+software+updates+to+Device+Collections

10. Check the SCCM client status of the servers using SCCM client compliance report.

11. Troubleshoot those servers whose SCCM client status is not showing as active on SCCM and fix them:

https://confluence.cdk.com/pages/viewpage.action?pageId=301545506