

Scan Report: <https://www.myces-fms.com/#/>

SentinelAI - Automated Security Assessment Platform

Target: <https://www.myces-fms.com/#/>

Date: 14 July 2026
Prepared by: Security Analyst
Scans Included: 1

Table of Contents

1. Executive Summary
2. Methodology
3. Findings Summary
4. Detailed Findings
5. Appendix

1. Executive Summary

This report presents the results of an automated security assessment conducted using SentinelAI. A total of 1 scan was performed against 1 unique target, yielding 73 findings. The overall risk rating for this assessment is: Critical.

Severity Breakdown

Severity	Count
Critical	10
High	11
Medium	24
Low	12
Info	16
Total	73

Key Statistics

Unique Assets Scanned: 29
Modules Executed: 22
Overall Risk Rating: **Critical**
Average AI Confidence: 91%

2. Methodology

This assessment was performed using SentinelAI, an automated security testing platform. It coordinates multiple scanning modules covering network, web application, and configuration security. Methodology follows OWASP Testing Guide v4.2 and NIST SP 800-115.


Modules Used

- **HTTP Headers Analysis** — Examines HTTP response headers for security misconfigurations including missing or misconfigured Content-Security-Policy (CSP), HTTP Strict-Transport-Security (HSTS), X-Frame-Options, X-Content-Type-Options, and Referrer-Policy headers.
- **SSL/TLS Analysis** — Performs TLS handshake analysis to evaluate certificate validity, protocol versions, and cipher suite strength.
- **Exposed Paths Discovery** — Probes for commonly exposed sensitive files and directories that should not be publicly accessible.
- **API Security Baseline** — Performs baseline API security validation by probing for exposed OpenAPI/Swagger documentation endpoints, GraphQL introspection availability, unsafe HTTP method exposure (TRACE/CONNECT), and weak authentication throttling indicators on login endpoints.
- **Client-Side Secrets Exposure** — Scans HTML and same-origin JavaScript assets for hardcoded credential patterns including private keys, cloud access keys, API keys, JWT tokens, and credential-like constants.

- **Port Scanning (Nmap)** — Uses Nmap to perform TCP SYN port scanning and service/version detection across the target host.
- **Vulnerability Scanning (Nuclei)** — Runs template-based vulnerability detection using ProjectDiscovery Nuclei.

3. Findings Summary

Severity Distribution



Findings by Asset

Asset	Count
https://www.mycs-fms.com/#/	45
https://www.mycs-fms.com/#/.env	1
https://www.mycs-fms.com/#/.git/HEAD	1
https://www.mycs-fms.com/#/.git/config	1
https://www.mycs-fms.com/#/robots.txt	1
https://www.mycs-fms.com/#/sitemap.xml	1
https://www.mycs-fms.com/#/.DS_Store	1
https://www.mycs-fms.com/#/.htaccess	1
https://www.mycs-fms.com/#/wp-login.php	1
https://www.mycs-fms.com/#/wp-admin/	1
https://www.mycs-fms.com/#/phpinfo.php	1
https://www.mycs-fms.com/#/server-status	1
https://www.mycs-fms.com/#/backup.zip	1
https://www.mycs-fms.com/#/backup.sql	1
https://www.mycs-fms.com/#/database.sql	1
https://www.mycs-fms.com/#/config.php	1
https://www.mycs-fms.com/#/web.config	1
https://www.mycs-fms.com/#/.well-known/security.txt	1
https://www.mycs-fms.com/#/crossdomain.xml	1
https://www.mycs-fms.com/#/admin/	1
https://www.mycs-fms.com/#/login	1
https://www.mycs-fms.com/#/openapi.json	1
https://www.mycs-fms.com/#/swagger.json	1
https://www.mycs-fms.com/#/swagger-ui	1
https://www.mycs-fms.com/#/v3/api-docs	1
https://www.mycs-fms.com/#/actuator/env	1
https://www.mycs-fms.com/#/actuator/heapdump	1

https://www.mycs-fms.com/#/.well-known/openid-configuration
https://www.mycs-fms.com/#/api/login

1

Findings by Module

Module	Count
Exposed Paths Check	20
External Tools (Kali)	16
Advanced Kali Tools	16
API Security Baseline	8
HTTP Headers Analysis	7
DNS Reconnaissance	2
Technology Detection	2
SSL/TLS Analysis	1
OWASP ZAP	1

Status Breakdown

Open: 73
In-progress: 0
Closed: 0

Understanding Severity Levels

Critical: Must fix immediately — can be actively exploited right now with high business impact
High: Fix urgently — significant security risk that could lead to data breach or system compromise
Medium: Fix soon — moderate risk that should be addressed in the next development cycle
Low: Fix when convenient — minor issue with limited direct security impact
Info: For awareness — informational finding that may assist in security hardening

Remediation Priority — Fix These First

The following findings should be addressed as the top priority due to their high exploitability and potential business impact:

- [Critical] Exposed Sensitive File: /.env
- [High] Exposed Sensitive File: /.git/HEAD
- [High] Exposed Sensitive File: /.git/config
- [Critical] Exposed Sensitive File: /backup.zip
- [Critical] Exposed Sensitive File: /backup.sql
- [Critical] Exposed Sensitive File: /database.sql
- [High] Exposed Sensitive File: /config.php
- [High] Exposed Sensitive File: /web.config
- [High] Spring Actuator Environment Endpoint Exposed
- [Critical] Spring Heap Dump Endpoint Exposed

Quick Wins — Easy Fixes

These issues are relatively straightforward to fix and will improve your overall security posture:

- **Missing HTTP Strict Transport Security (HSTS)** — Add the header: Strict-Transport-Security: max-age=31536000;
- **Missing Content-Security-Policy (CSP) Header** — Add a Content-Security-Policy header, e.g.: Content-Security
- **Missing X-Frame-Options Header** — Add the header: X-Frame-Options: DENY or SAMEORIGIN
- **Missing X-Content-Type-Options Header** — Add the header: X-Content-Type-Options: nosniff
- **Missing Referrer-Policy Header** — Add the header: Referrer-Policy: strict-origin-when-cross-or

- **Missing Permissions-Policy Header** — Add the header: Permissions-Policy: camera=(), microphone=()
- **Server Version Information Disclosure** — Remove or genericize the Server header to hide version information
- **Deprecated TLS Protocol Version: TLSv1.3** — Disable TLSv1.0, TLSv1.1, and SSLv3. Only allow TLSv1.2 and

4. Detailed Findings

4.1 Exposed Sensitive File: /.env

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#/.env>

Module: Exposed Paths Check

CWE: CWE-538

Description:

The path /.env (Environment configuration file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /.env

Remediation:

Restrict access to /.env by configuring the web server to deny requests, or remove the file if not needed.

4.2 Exposed Sensitive File: /backup.zip

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#/backup.zip>

Module: Exposed Paths Check

CWE: CWE-538

Description:

The path /backup.zip (Backup archive file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /backup.zip

Remediation:

Restrict access to /backup.zip by configuring the web server to deny requests, or remove the file if not needed.

4.3 Exposed Sensitive File: /backup.sql

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#!/backup.sql>

Module: Exposed Paths Check

CWE: CWE-538

Description:

The path /backup.sql (Database backup file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /backup.sql

Remediation:

Restrict access to /backup.sql by configuring the web server to deny requests, or remove the file if not needed.

4.4 Exposed Sensitive File: /database.sql

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#!/database.sql>

Module: Exposed Paths Check

CWE: CWE-538

Description:

The path /database.sql (Database dump file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /database.sql

Remediation:

Restrict access to /database.sql by configuring the web server to deny requests, or remove the file if not needed.

4.5 Spring Heap Dump Endpoint Exposed

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#!/actuator/heapdump>

Module: API Security Baseline

CWE: CWE-200

Description:

A heap dump endpoint is exposed, potentially leaking credentials, tokens, and sensitive in-memory data.

AI Analysis (90% confidence):

/actuator/heapdump returned HTTP 200

Remediation:

Disable heap dump endpoints in production and restrict management interface access.

4.6 SSLScan: SSLv2 enabled

Severity: Critical

CVSS: 9.8

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-326

CVE: CVE-2016-0800

Description:

SSLScan detected: SSLv2 enabled on [www.myces-fms.com](https://www.myces-fms.com/#/):443

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Disable weak protocols/ciphers. Use TLS 1.2+ with AES-GCM cipher suites.

4.7 Wapiti: SQL Injection

Severity: Critical

CVSS: 9.8

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE-89

Description:

Wapiti detected SQL Injection on <https://www.myces-fms.com/#/>.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Use parameterised queries. Apply WAF.

4.8 Wapiti: OS Command Injection

Severity: Critical

CVSS: 9.8

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE-78

Description:

Wapiti detected OS Command Injection on <https://www.myces-fms.com/#/>.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Never use unsanitised input in OS commands.

4.9 TestSSL: NULL cipher (no encryption)

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 312

Description:

TestSSL detected: NULL cipher (no encryption) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.10 TestSSL: NULL cipher (no encryption)

Severity: Critical

CVSS: 9.1

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 312

Description:

TestSSL detected: NULL cipher (no encryption) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.11 Exposed Sensitive File: /.git/HEAD

Severity: High

CVSS: 7.5

Asset: <https://www.myces-fms.com/#/./git/HEAD>

Module: Exposed Paths Check

CWE: CWE - 538

Description:

The path `/.git/HEAD` (Git repository metadata) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for `/.git/HEAD`

Remediation:

Restrict access to `/.git/HEAD` by configuring the web server to deny requests, or remove the file if not needed.

4.12 Exposed Sensitive File: /.git/config

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#!/.git/config>
Module: Exposed Paths Check
CWE: CWE-538

Description:

The path /.git/config (Git config file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /.git/config

Remediation:

Restrict access to /.git/config by configuring the web server to deny requests, or remove the file if not needed.

4.13 Exposed Sensitive File: /config.php

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#!/config.php>
Module: Exposed Paths Check
CWE: CWE-538

Description:

The path /config.php (PHP config file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /config.php

Remediation:

Restrict access to /config.php by configuring the web server to deny requests, or remove the file if not needed.

4.14 Exposed Sensitive File: /web.config

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#!/web.config>
Module: Exposed Paths Check
CWE: CWE-538

Description:

The path /web.config (IIS configuration file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /web.config

Remediation:

Restrict access to /web.config by configuring the web server to deny requests, or remove the file if not needed.

4.15 Spring Actuator Environment Endpoint Exposed

Severity: High
CVSS: 8.2
Asset: <https://www.myces-fms.com/#/actuator/env>
Module: API Security Baseline
CWE: CWE - 200

Description:

The /actuator/env endpoint is exposed and may leak runtime environment variables and secrets.

AI Analysis (90% confidence):

/actuator/env returned HTTP 200

Remediation:

Disable sensitive actuator endpoints or secure them with strong authentication.

4.16 SSLScan: SSLv3 enabled (POODLE)

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 310
CVE: CVE - 2014 - 3566

Description:

SSLScan detected: SSLv3 enabled (POODLE) on www.myces-fms.com:443

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Disable weak protocols/ciphers. Use TLS 1.2+ with AES-GCM cipher suites.

4.17 DNSRecon: DNS zone transfer (AXFR) possible on www.myces-fms.com

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#/>
Module: Advanced Kali Tools
CWE: CWE - 16

Description:

Zone transfer reveals all DNS records, exposing internal subdomains and IPs.

AI Analysis (95% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Restrict AXFR to authorised secondary name servers only.

4.18 Wapiti: Cross-Site Scripting

Severity: High
CVSS: 7.2
Asset: <https://www.myces-fms.com/#/>
Module: Advanced Kali Tools
CWE: CWE - 79

Description:

Wapiti detected Cross-Site Scripting on <https://www.myces-fms.com/#/>.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Output encoding. Strict CSP.

4.19 OWASP ZAP: high-risk alert(s) detected

Severity: High
CVSS: 8
Asset: <https://www.myces-fms.com/#/>
Module: Advanced Kali Tools
CWE: CWE - 16

Description:

OWASP ZAP quick scan reported actionable security alerts.

AI Analysis (84% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Review ZAP alerts in detail, fix root causes, and rerun scan to confirm remediation.

4.20 TestSSL: Weak ciphers (RC4/EXPORT)

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#/>
Module: Advanced Kali Tools
CWE: CWE - 327
CVE: CVE - 2013 - 2566

Description:

TestSSL detected: Weak ciphers (RC4/EXPORT) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.21 TestSSL: Weak ciphers (RC4/EXPORT)

Severity: High
CVSS: 7.5
Asset: <https://www.myces-fms.com/#/>
Module: Advanced Kali Tools
CWE: CWE - 327
CVE: CVE - 2013 - 2566

Description:

TestSSL detected: Weak ciphers (RC4/EXPORT) on [www.myces-fms.com](https://www.myces-fms.com/#/):443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.22 Missing HTTP Strict Transport Security (HSTS)

Severity: Medium
CVSS: 5.3
Asset: <https://www.myces-fms.com/#/>
Module: HTTP Headers Analysis
CWE: CWE - 523

Description:

The Strict-Transport-Security header is not set. This allows attackers to perform man-in-the-middle attacks by downgrading HTTPS to HTTP.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add the header: Strict-Transport-Security: max-age=31536000; includeSubDomains; preload

4.23 Missing Content-Security-Policy (CSP) Header

Severity: Medium
CVSS: 5.3
Asset: <https://www.myces-fms.com/#/>
Module: HTTP Headers Analysis
CWE: CWE - 1021

Description:

No Content-Security-Policy header found. This increases the risk of XSS, clickjacking, and other code injection attacks.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add a Content-Security-Policy header, e.g.: Content-Security-Policy: default-src 'self'; script-src 'self'

4.24 Missing X-Frame-Options Header

Severity: Medium

CVSS: 4.3

Asset: <https://www.myces-fms.com/#/>

Module: HTTP Headers Analysis

CWE: CWE-1021

Description:

The X-Frame-Options header is not set, making the site potentially vulnerable to clickjacking attacks.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add the header: X-Frame-Options: DENY or SAMEORIGIN

4.25 Deprecated TLS Protocol Version: TLSv1.3

Severity: Medium

CVSS: 5.9

Asset: <https://www.myces-fms.com/#/>

Module: SSL/TLS Analysis

CWE: CWE-326

CVE: CVE-2011-3389, CVE-2014-3566

Description:

The server negotiated TLSv1.3, which is deprecated and vulnerable to known attacks (BEAST, POODLE).

AI Analysis (95% confidence):

Negotiated protocol: TLSv1.3

Remediation:

Disable TLSv1.0, TLSv1.1, and SSLv3. Only allow TLSv1.2 and TLSv1.3.

4.26 Exposed Sensitive File: /.htaccess

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/> /.htaccess

Module: Exposed Paths Check

CWE: CWE-538

Description:

The path /.htaccess (Apache configuration file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /.htaccess

Remediation:

Restrict access to /.htaccess by configuring the web server to deny requests, or remove the file if not needed.

4.27 Exposed Sensitive File: /wp-login.php

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/wp-login.php>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The path /wp-login.php (WordPress login page) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /wp-login.php

Remediation:

Restrict access to /wp-login.php by configuring the web server to deny requests, or remove the file if not needed.

4.28 Exposed Sensitive File: /wp-admin/

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/wp-admin/>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The path /wp-admin/ (WordPress admin panel) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /wp-admin/

Remediation:

Restrict access to /wp-admin/ by configuring the web server to deny requests, or remove the file if not needed.

4.29 Exposed Sensitive File: /phpinfo.php

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/phpinfo.php>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The path /phpinfo.php (PHP information disclosure) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /phpinfo.php

Remediation:

Restrict access to /phpinfo.php by configuring the web server to deny requests, or remove the file if not needed.

4.30 Exposed Sensitive File: /server-status

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/server-status>

Module: Exposed Paths Check

CWE: CWE - 200

Description:

The path /server-status (Apache server-status page) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /server-status

Remediation:

Restrict access to /server-status by configuring the web server to deny requests, or remove the file if not needed.

4.31 Exposed Sensitive File: /admin/

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/admin/>

Module: Exposed Paths Check

CWE: CWE - 200

Description:

The path /admin/ (Admin panel) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /admin/

Remediation:

Restrict access to /admin/ by configuring the web server to deny requests, or remove the file if not needed.

4.32 Missing SPF Record

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: DNS Reconnaissance

CWE: CWE - 290

Description:

No SPF (Sender Policy Framework) TXT record found for www.myces-fms.com. Without SPF, attackers can spoof emails from this domain.

AI Analysis (90% confidence):

No TXT record starting with v=spf1 found

Remediation:

Add an SPF TXT record, e.g.: v=spf1 include:_spf.google.com ~all

4.33 Missing DMARC Record

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: DNS Reconnaissance

CWE: CWE - 290

Description:

No DMARC record found at `_dmarc.www.myces-fms.com`. DMARC helps prevent email spoofing by telling receiving servers how to handle unauthenticated emails.

AI Analysis (90% confidence):

No TXT record found at `_dmarc` subdomain

Remediation:

Add a DMARC TXT record at `_dmarc.yourdomain.com`, e.g.: `v=DMARC1; p=quarantine; rua=mailto:dmarc@yourdomain.com`

4.34 OpenAPI Specification Exposed

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/openapi.json>

Module: API Security Baseline

CWE: CWE - 200

Description:

The OpenAPI specification is publicly accessible. It may expose internal endpoints, request schemas, and authentication details to attackers.

AI Analysis (90% confidence):

`/openapi.json` returned HTTP 200

Remediation:

Restrict API documentation endpoints to authenticated users or trusted IP ranges.

4.35 Swagger Documentation Endpoint Exposed

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/swagger.json>

Module: API Security Baseline

CWE: CWE - 200

Description:

A Swagger API schema endpoint is publicly accessible and reveals API surface area to unauthenticated users.

AI Analysis (90% confidence):

`/swagger.json` returned HTTP 200

Remediation:

Protect Swagger endpoints with authentication or disable them in production.

4.36 Swagger UI Exposed in Production

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/swagger-ui>

Module: API Security Baseline

CWE: CWE - 200

Description:

An interactive Swagger UI endpoint is exposed. This can help attackers map and test API operations.

AI Analysis (90% confidence):

/swagger-ui returned HTTP 200

Remediation:

Disable interactive API documentation in production or place it behind authentication.

4.37 API Docs Endpoint Exposed

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/v3/api-docs>

Module: API Security Baseline

CWE: CWE - 200

Description:

An API documentation endpoint is publicly reachable and discloses endpoint inventory and schemas.

AI Analysis (90% confidence):

/v3/api-docs returned HTTP 200

Remediation:

Restrict API documentation to authenticated roles only.

4.38 SSLScan: TLS 1.0 enabled (deprecated)

Severity: Medium

CVSS: 5.9

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE - 326

CVE: CVE - 2011 - 3389

Description:

SSLScan detected: TLS 1.0 enabled (deprecated) on www.myces-fms.com:443

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Disable weak protocols/ciphers. Use TLS 1.2+ with AES-GCM cipher suites.

4.39 SSLScan: TLS 1.1 enabled (deprecated)

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE - 326

Description:

SSLScan detected: TLS 1.1 enabled (deprecated) on www.myces-fms.com:443

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Disable weak protocols/ciphers. Use TLS 1.2+ with AES-GCM cipher suites.

4.40 Wapiti: CRLF Injection

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 93

Description:

Wapiti detected CRLF Injection on <https://www.myces-fms.com/#/>.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Sanitise all user input in HTTP headers.

4.41 Wapiti: Open Redirect

Severity: Medium

CVSS: 5.4

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 601

Description:

Wapiti detected Open Redirect on <https://www.myces-fms.com/#/>.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Validate redirect targets against allowlist.

4.42 TestSSL: TLS 1.0 (deprecated)

Severity: Medium

CVSS: 5.9

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 326

Description:

TestSSL detected: TLS 1.0 (deprecated) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.43 TestSSL: TLS 1.1 (deprecated)

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 326

Description:

TestSSL detected: TLS 1.1 (deprecated) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.44 TestSSL: TLS 1.0 (deprecated)

Severity: Medium

CVSS: 5.9

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 326

Description:

TestSSL detected: TLS 1.0 (deprecated) on www.myces-fms.com:443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.45 TestSSL: TLS 1.1 (deprecated)

Severity: Medium

CVSS: 5.3

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE - 326

Description:

TestSSL detected: TLS 1.1 (deprecated) on [www.myces-fms.com](https://www.myces-fms.com/#/):443

AI Analysis (92% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Apply SSL/TLS hardening: disable weak protocols/ciphers, use TLS 1.2+, AES-GCM suites, enable HSTS.

4.46 Missing X-Content-Type-Options Header

Severity: Low

CVSS: 3.1

Asset: <https://www.myces-fms.com/#/>

Module: HTTP Headers Analysis

CWE: CWE - 16

Description:

The X-Content-Type-Options header is not set to "nosniff". Browsers may MIME-sniff the content, potentially leading to security issues.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add the header: X-Content-Type-Options: nosniff

4.47 Missing Referrer-Policy Header

Severity: Low

CVSS: 2.6

Asset: <https://www.myces-fms.com/#/>

Module: HTTP Headers Analysis

CWE: CWE - 200

Description:

No Referrer-Policy header set. The browser may leak sensitive URL information via the Referer header to third-party sites.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add the header: Referrer-Policy: strict-origin-when-cross-origin

4.48 Missing Permissions-Policy Header

Severity: Low
CVSS: 2.6
Asset: <https://www.myces-fms.com/#/>
Module: HTTP Headers Analysis
CWE: CWE - 16

Description:

No Permissions-Policy header set. Browser features like camera, microphone, and geolocation are not explicitly restricted.

AI Analysis (95% confidence):

Confirmed from HTTP response analysis

Remediation:

Add the header: Permissions-Policy: camera=(), microphone=(), geolocation=()

4.49 Server Version Information Disclosure

Severity: Low
CVSS: 2.6
Asset: <https://www.myces-fms.com/#/>
Module: HTTP Headers Analysis
CWE: CWE - 200

Description:

The Server header reveals: "Apache". This information helps attackers identify the server software and version.

AI Analysis (95% confidence):

Server header value: Apache

Remediation:

Remove or genericize the Server header to hide version information.

4.50 Exposed Sensitive File: /.DS_Store

Severity: Low
CVSS: 3.1
Asset: <https://www.myces-fms.com/#/> /.DS_Store
Module: Exposed Paths Check
CWE: CWE - 538

Description:

The path /.DS_Store (macOS directory listing file) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /.DS_Store

Remediation:

Restrict access to /.DS_Store by configuring the web server to deny requests, or remove the file if not needed.

4.51 Exposed Sensitive File: /crossdomain.xml

Severity: Low
CVSS: 3.1
Asset: <https://www.mycs-fms.com/#/crossdomain.xml>
Module: Exposed Paths Check
CWE: CWE - 942

Description:

The path /crossdomain.xml (Flash cross-domain policy) is accessible on the server (HTTP 200). This may expose sensitive information to attackers.

AI Analysis (97% confidence):

HTTP 200 returned for /crossdomain.xml

Remediation:

Restrict access to /crossdomain.xml by configuring the web server to deny requests, or remove the file if not needed.

4.52 Web Server Exposed: Apache HTTP Server

Severity: Low
CVSS: 2.6
Asset: <https://www.mycs-fms.com/#/>
Module: Technology Detection
CWE: CWE - 200

Description:

The server exposes that it uses Apache HTTP Server (Web Server) via HTTP headers. This helps attackers narrow down attack vectors.

AI Analysis (88% confidence):

Apache HTTP Server detected via: Header: server: Apache

Remediation:

Remove or genericize headers that reveal Apache HTTP Server usage.

4.53 No Apparent Rate Limiting on Authentication Endpoint

Severity: Low
CVSS: 3.7
Asset: <https://www.mycs-fms.com/#/api/login>
Module: API Security Baseline
CWE: CWE - 307

Description:

A burst of 8 rapid requests to a likely authentication endpoint did not trigger obvious rate limiting controls.

AI Analysis (90% confidence):

Probe endpoint / returned statuses: 200, 200, 200, 200, 200, 200, 200, 200

Remediation:

Implement request throttling and account lockout controls on authentication and sensitive API endpoints.

4.54 Nmap: SSH 22 publicly reachable

Severity: Low
CVSS: 3.7
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 284

Description:

Port 22/tcp is open and reachable from the internet.

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Restrict port 22 via firewall rules. Only allow trusted source IPs.

4.55 WhatWeb: Technology version(s) disclosed

Severity: Low
CVSS: 3.7
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 200

Description:

WhatWeb detected version disclosure: IP: 54.255.251.129

AI Analysis (80% confidence):

Derived from external tool output

Remediation:

Suppress version info in HTTP headers and error pages. Keep software updated.

4.56 Nmap: SSH 22 publicly reachable

Severity: Low
CVSS: 3.7
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 284

Description:

Port 22/tcp is open and reachable from the internet.

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Restrict port 22 via firewall rules. Only allow trusted source IPs.

4.57 Hydra: SSH port open on www.myces-fms.com — brute-force attempted

Severity: Low

CVSS: 3.7

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-307

Description:

SSH port 22 is reachable. No common credentials matched during limited spray test. Consider enforcing key-based authentication.

AI Analysis (80% confidence):

Derived from external tool output

Remediation:

Disable SSH password authentication. Use ssh keys. Enable fail2ban or similar brute-force protection.

4.58 Accessible: Robots exclusion file (info only)

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/robots.txt>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The file at /robots.txt is publicly accessible (HTTP 200). Robots exclusion file (info only).

AI Analysis (99% confidence):

HTTP 200 returned for /robots.txt

Remediation:

Review whether this file should be publicly accessible.

4.59 Accessible: Sitemap file (info only)

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/sitemap.xml>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The file at /sitemap.xml is publicly accessible (HTTP 200). Sitemap file (info only).

AI Analysis (99% confidence):

HTTP 200 returned for /sitemap.xml

Remediation:

Review whether this file should be publicly accessible.

4.60 Accessible: Security contact file (info only)

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#!/.well-known/security.txt>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The file at `/.well-known/security.txt` is publicly accessible (HTTP 200). Security contact file (info only).

AI Analysis (99% confidence):

HTTP 200 returned for `/.well-known/security.txt`

Remediation:

Review whether this file should be publicly accessible.

4.61 Accessible: Login page

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#!/login>

Module: Exposed Paths Check

CWE: CWE-200

Description:

The file at `/login` is publicly accessible (HTTP 200). Login page.

AI Analysis (99% confidence):

HTTP 200 returned for `/login`

Remediation:

Review whether this file should be publicly accessible.

4.62 Technology Stack Detected: Apache HTTP Server (Web Server)

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#!/>

Module: Technology Detection

CWE: CWE-200

Description:

1 technologies identified on <https://www.myces-fms.com/#!/>: Apache HTTP Server (Web Server). Knowing the technology stack helps attackers find version-specific vulnerabilities.

AI Analysis (88% confidence):

Detected 1 technologies from headers, HTML, and cookies

Remediation:

Remove or obfuscate technology identifiers: Server header, X-Powered-By header, HTML meta generator tags, and framework-specific cookies.

4.63 OIDC Discovery Endpoint Publicly Accessible

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/.well-known/openid-configuration>

Module: API Security Baseline

CWE: CWE-200

Description:

OIDC metadata endpoint is publicly reachable. This is often expected, but should be reviewed for unnecessary details.

AI Analysis (90% confidence):

[/.well-known/openid-configuration](#) returned HTTP 200

Remediation:

Review OIDC metadata exposure and ensure no non-standard sensitive extensions are returned.

4.64 Nmap: Port scan & service enumeration

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-200

Description:

Nmap identified open ports/services on www.myces-fms.com. Review each for unnecessary exposure.

AI Analysis (92% confidence):

Direct nmap scan result.

Remediation:

Close unneeded ports via firewall. Keep service versions patched.

4.65 Nikto: Web server scan completed

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-16

Description:

Nikto completed scan. No high-severity findings automatically parsed; review raw output.

AI Analysis (65% confidence):

Derived from external tool output

Remediation:

Review full nikto output for any flagged items.

4.66 WhatWeb: Technology stack fingerprinted

Severity: Info
CVSS: 0
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 200

Description:

WhatWeb identified the target tech stack.

AI Analysis (85% confidence):

Derived from external tool output

Remediation:

Remove or obfuscate technology identifiers: Server header, X-Powered-By, meta generators.

4.67 Dirb: 1 URL(s) found via directory brute-force

Severity: Info
CVSS: 0
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 548

Description:

Dirb discovered 1 accessible resources.

AI Analysis (80% confidence):

Derived from external tool output

Remediation:

Audit all discovered paths. Disable directory listing.

4.68 WAF Detected: by the generic detection

Severity: Info
CVSS: 0
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 16

Description:

wafw00f detected a WAF: by the generic detection. This may affect scan effectiveness.

AI Analysis (88% confidence):

Derived from external tool output

Remediation:

WAF is a positive security layer. Keep WAF rules updated. Fix underlying vulnerabilities.

4.69 WPScan: WordPress installation found

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-1035

Description:

WordPress CMS detected. WPScan assessed core, plugins, and themes.

AI Analysis (90% confidence):

Derived from external tool output

Remediation:

Keep WordPress/plugins/themes updated. Disable XML-RPC if unused. Use Wordfence.

4.70 DNSRecon: 1 DNS record(s) enumerated

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/>

Module: Advanced Kali Tools

CWE: CWE-200

Description:

DNS enumeration complete. 1 hosts found.

AI Analysis (85% confidence):

Output from specialised Kali Linux security tool.

Remediation:

Review public DNS records. Remove decommissioned services.

4.71 Nmap: Port scan & service enumeration

Severity: Info

CVSS: 0

Asset: <https://www.myces-fms.com/#/>

Module: External Tools (Kali)

CWE: CWE-200

Description:

Nmap identified open ports/services on www.myces-fms.com. Review each for unnecessary exposure.

AI Analysis (92% confidence):

Direct nmap scan result.

Remediation:

Close unneeded ports via firewall. Keep service versions patched.

4.72 Nikto: Web server scan completed

Severity: Info
CVSS: 0
Asset: <https://www.myces-fms.com/#/>
Module: External Tools (Kali)
CWE: CWE - 16

Description:

Nikto completed scan. No high-severity findings automatically parsed; review raw output.

AI Analysis (65% confidence):

Derived from external tool output

Remediation:

Review full nikto output for any flagged items.

4.73 OWASP ZAP: Baseline scan completed

Severity: Info
CVSS: 0
Asset: <https://www.myces-fms.com/#/>
Module: OWASP ZAP
CWE: CWE - 16

Description:

OWASP ZAP baseline scan completed. No significant findings auto-parsed; review raw output.

AI Analysis (65% confidence):

Derived from OWASP ZAP scan output

Remediation:

Review full ZAP output for any flagged items.

5. Appendix

A. Scan Details

Scan: <https://www.myces-fms.com/#/>

Scan ID: scan_041c770f-f97d-4858-b130-1347ea7dafd0
Template: Full
Status: Completed
Start Time: 14 Jul 2026, 05:11
End Time: 14 Jul 2026, 05:41
Duration: 00:30:04
Findings: 75

Modules:

- HTTP Headers Analysis: Completed
- SSL/TLS Analysis: Completed
- Exposed Paths Check: Completed
- DNS Reconnaissance: Completed
- CORS Misconfiguration: Completed
- Technology Detection: Completed
- Subdomain Enumeration: Completed
- Information Disclosure: Completed
- API Security Baseline: Completed

- Client-Side Secrets Exposure: Completed
- Kali Core Tools: Completed
- Nuclei Template Scanning: Completed
- Advanced Kali Tools: Failed
- Nmap Port & Service Scanner: Completed
- Nikto Web Server Scanner: Completed
- OWASP ZAP Baseline Scan: Completed
- SQLMap SQL Injection Scanner: Completed
- Gobuster Dir & DNS Brute-Force: Completed
- Hydra Credential Brute-Force: Completed
- Subfinder Passive Subdomain Enum: Completed
- testssl.sh TLS/SSL Analysis: Completed
- WhatWeb Tech Fingerprinting: Completed

B. Tool Information

Platform: SentinelAI - Automated Security Assessment Platform v0.1.0

PDF Engine: pdfkit for Node.js

Runtime: Node.js v24.18.0

Report Generated: 14 Jul 2026, 10:17

C. Disclaimer

This report reflects the security posture of the assessed target(s) at the time of testing. Security vulnerabilities may exist that were not identified during this assessment due to scope limitations, network conditions, or other factors. This report is intended for the authorised recipient only and should be treated as confidential. The findings and recommendations provided are based on automated analysis and should be validated by qualified security professionals before implementation. Neither the tool authors nor the assessor assume liability for actions taken based on this report.