
LAWRENCE MEMORIAL LIBRARY

BRISTOL ENERGY RESILIENCE PROJECTS

ARCHITECTURAL DRAWINGS
MARCH 19, 2026







PROJECT INFORMATION:
Governing Building Codes:
IBC applies to new construction
IEBC applies to existing structural requirements only
Vermont Adopted Codes and Standards
· National Fire Protection Association (NFPA) 101 Life Safety Code, 2015 Edition
-Chapter 13 Existing Assembly Occupancies
-Chapter 43 Building Rehabilitation
-Vermont Fire and Building Safety Code, 2015 Edition
· NFPA 1 Fire Code, 2015 Edition (Page 404)
-NFPA 220 for Construction type
· NFPA 70 National Electrical Code, 2017 Edition
-Vermont Electrical Safety Rules, 2017 Edition
· The International Building Code (IBC), 2015 Edition
· ICC International Plumbing Code, 2018 Edition
-Vermont Plumbing Rules, 2018 Edition
· Vermont Elevator Safety Rules, 2014
· 2010 Americans with Disabilities Act (ADA) Standards and Accessibility Guidelines
· Vermont Access Rules, 2012 Edition (2013 Amendment)
· 2020 Vermont Commercial Building Energy Standards
*Per State of Vermont Fire & Building Safety Code 2018: New Construction: IBC & NFPA 1 & 101 apply. All IBC Chapters apply except Chapters 8, 10, 11, 13, 27, 28, 29, 33, 34.
*When a conflict between codes is identified, NFPA applies for all categories, or where one code or standard has a requirement
and another code or standard does not have a requirement the code or standard with a requirement shall apply.

PROJECT DESCRIPTION

The Lawrence Memorial Library consists of an original c. 1912 building of wood framed construction, with clapboard siding on a masonry basement foundation. A c.1994 addition provided accessibility improvements at the rear, including a new stair and lift. The original roof is a hipped form with slate shingles, while the addition has a low slope membrane roof.

The proposed improvements are largely focused on energy efficiency and improvements to the envelope and mechanical systems. Various other improvements are included to improve access and long-term durability of the building.

BUILDING AREAS AND HEIGHT

Existing Building Area: 3,515 GSF (approx.) **(2 levels)**

USE AND OCCUPANCY CLASSIFICATION
B - Business

Building Addition Construction Type: 5B - non-sprinklered
Existing Building, No change of use, no change in occupancy.

TYPES OF CONSTRUCTION
IBC 2015, Chapter 6:
Per Table 601, Fire Resistance Ratings Requirements for building elements in a Type VB Building shall be:
Primary Structural Frame 0 hour
Bearing Walls - Exterior 0 hour
Bearing Walls - Interior 0 hour
Non-Bearing Walls + Partitions Interior - 0 hour
Floor Construction - 0 hour
Roof Construction - 0 hour

Note that under stair storage area requires 1 hour FRR.

ARCHITECTURAL DRAWINGS

NUMBER	NAME	CD ISSUE
A-0.0	COVER SHEET	
A-2.1	PROPOSED FLOOR PLANS	
A-2.2	PROPOSED FLOOR PLANS	
A-3.1	PROPOSED REFLECTED CEILING PLANS	
A-3.2	PROPOSED REFLECTED CEILING PLANS	
A-4.1	PROPOSED ELEVATIONS	
A-5.1	PROPOSED BUILDING SECTION	
A-7.1	ENLARGED INTERIOR PLAN AND ELEVATIONS	

VERMONT INTEGRATED
ARCHITECTURE, PC

ANDREA MURRAY, AIA, NCARB, LEED AP
andrea@vermontintegratedarchitecture.com

ASHAR NELSON, AIA, LEED AP
ashar@vermontintegratedarchitecture.com

MEGAN NEDZINSKI, AIA, NCARB, LEED AP, CPHC
megan@vermontintegratedarchitecture.com

P.O. Box 862
Middlebury, VT 05753
802.989.7249

TYPE OF CONSULTANT
First Last
Company
email address
000.000.0000

LICENSED ARCHITECT
JAMES ASHAR NELSON
NO. 2865
STATE OF VERMONT

DATE ISSUED: 3/19/26
Drawn: EO
Checked: NW

REVISIONS:

BRISTOL ENERGY RESILIENCE PROJECTS
LAWRENCE MEMORIAL LIBRARY

40 North St,
Bristol,
VT 05443

COVER SHEET

A-0.0