Practice Problem 8

Ian Chen

March 19, 2024

Problem 1 — You pass in a training example that has the disease, and get outputs from all of the nodes as follows:

$$A1 = 0.2$$
 $B1 = 0.7$ $C1 = 0.4$
 $A2 = 0.8$ $B2 = 0.5$ $C2 = 0.6$

Backpropagate the error to adjust the indicated weight (w), using a learning rate of 1. What is the new w after backpropagation?

Answer

```
\begin{split} I'll \ label \ each \ edge \ starting \ from \ top \ to \ bottom \ then \ left \ to \ right \ for \ clarity. \\ \frac{\partial E}{\partial w_3} &= \left(\frac{\partial E}{\partial Y'1} \cdot \frac{\partial Y'1}{\partial net_{C1}} \cdot \frac{\partial net_{C1}}{\partial B1} + \frac{\partial E}{\partial Y'2} \cdot \frac{\partial Y'2}{\partial net_{C2}} \cdot \frac{\partial net_{C2}}{\partial B1}\right) \cdot \frac{\partial B1}{\partial net_{B1}} \cdot \frac{\partial net_{B1}}{\partial w_3} \\ \frac{\partial E}{\partial Y'1} &= \left(Y'1 - Y'\right) \\ \frac{\partial Y'1}{\partial net_{C1}} &= Y'1(1 - Y'1) \\ \frac{\partial net_{C1}}{\partial B1} &= w_7 \\ \frac{\partial E}{\partial Y'2} &= \left(Y'2 - Y\right) \\ \frac{\partial Y'2}{\partial net_{C2}} &= Y'2(1 - Y'2) \\ \frac{\partial net_{C2}}{\partial B1} &= w_8 \\ \frac{\partial B1}{\partial met_{B1}} &= B1(1 - B1) \\ \frac{\partial net_{B1}}{\partial met_{B1}} &= A2 \\ \frac{\partial E}{\partial w_3} &= \left((0.4 - 0) \cdot 0.4(1 - 0.4) \cdot -0.4 + (0.6 - 1) \cdot 0.6(1 - 0.6) \cdot 0.7\right) \cdot 0.7(1 - 0.7) \cdot 0.2 = -0.0044352 \\ w_3^{new} &= w_3 - \alpha \frac{\partial E}{\partial w_3} \\ w_3^{new} &= 0.3 - 1 \times -0.0044352 = 0.3044352 \end{split}
```