```
Query OK, 1 row affected (0.036 sec)

MariaDB [hospital_veterinario]> INSERT INTO hospital (Nombre, Horario, Turno) values ('Juan', '14:00', 'Pm');

INSERT INTO hospital (Nombre, Horario, Turno) values ('Juan', '14:00', 'Pm')

Query OK, 1 row affected, 1 warning (0.037 sec)
```

```
MariaDB [hospital_veterinario]> INSERT INTO hospital (Nombre, Horario, Turno) values ('Citlali' ,'00:00', 'Am');

INSERT INTO hospital (Nombre, Horario, Turno) values ('Citlali' ,'00:00', 'Am')

Query OK, 1 row affected, 1 warning (0.037 sec)

MariaDB [hospital_veterinario]> show table hospital;

show table hospital

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'hospital' at line 1

MariaDB [hospital_veterinario]> Select * from hospital;

Select * from hospital

| Nombre | Horario | Turno |
| Miguel | 8 | NULL |
| NULL | Am |
| Juan | 14 | Pm |
| Citlali | 0 | Am |
| 4 rows in set (0.001 sec)

MariaDB [hospital_veterinario]>
```

```
MariaDB [(none)]> use hospital_veterinario;
Database changed
MariaDB (nospital_veterinario)> create table estetica(citasl varchar(20), Costos int(20), Horario int(20), Nombres varchar(20), Turno varchar(3), Id int(20)
));

create table estetica(citasl varchar(20), Costos int(20), Horario int(20), Nombres varchar(20), Turno varchar(3), Id int(20))

Query OK, 0 rows affected (0.115 sec)

MariaDB [hospital_veterinario]> create table mascotas(Perros int(20), Gatos int(20), Aves int(20), Otras int(20));

create table mascotas(Perros int(20), Gatos int(20), Aves int(20))

Query OK, 0 rows affected (0.048 sec)

MariaDB [hospital_veterinario]> create tableconsulta(Horario int(20), Dia varchar(20), Turno int(20), Id int(20), Mascota varchar(10));

create tableconsulta(Horario int(20), Dia varchar(20), Turno int(20), Id int(20), Mascota varchar(10))

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'tableconsulta(Horario int(20), Dia varchar(20), Turno int(20), Ma...' at line 1

MariaDB [hospital_veterinario]> create table consulta(Horario int(20), Dia varchar(20), Turno int(20), Turno int(20), Turno int(20), Turno int(20), Turno int(20), Turno int(20), Mascota varchar(10))

Query OK, 0 rows affected (0.009 sec)

MariaDB [hospital_veterinario]> create table urgencia(Nombre varchar(20), Horario int(20), Urgencia varchar(20), Turno int(20), Id varchar(10))

Query OK, 0 rows affected (0.002 sec)

MariaDB [hospital_veterinario]> show tables;
```

```
show tables
  consulta
estetica
hospital
 mascotas
urgencia
5 rows in set (0.002 sec)
 "ariaDB [hospital_veterinario]> create table Venta_de_alimento(Precios int(20), Ventas int(20), Id int(20), Animales varchar(20), Comidas varchar(10));
create table Venta_de_alimento(Precios int(20), Ventas int(20), Id int(20), Animales varchar(20), Comidas varchar(10))
Ouerv OK. 0 rows affected (0.044 sec)
MariaDB [hospital_veterinario] > create table Venta_de_accesorios(Precios int(20), Ventas int(20), Accesorios varchar(20), Inventario int(20), Id int(10));
create table Venta_de_accesorios(Precios int(20), Ventas int(20), Accesorios varchar(20), Inventario int(20), Id int(10))
Query OK, 0 rows affected (0.079 sec)
MariaDB [hospital_veterinario]> show tables;
show tables
 Tables_in_hospital_veterinario
| consulta
| estetica
| hospital
  Tables_in_hospital_veterinario
  consulta
  consulta
estetica
hospital
mascotas
urgencia
venta_de_accesorios
venta_de_alimento
  rows in set (0.002 sec)
                                                                                                                                                          MariaDB [hospital_veterinario]>|
```

```
MariaDB [hospital_veterinario]> select * from consulta;
select * from consulta
| Horario | Dia
                  | Turno | Id
                                 | Mascota |
                    173 |
       9 | martes |
                               0 | perro
1 row in set (0.000 sec)
MariaDB [hospital_veterinario]> select * from estetica;
select * from estetica
| citas1 | Costos | Horario | Nombres | Turno | Id
            100
                         8 | panfilo | 172
                                             | 12345 |
| lunes |
1 row in set (0.001 sec)
MariaDB [hospital_veterinario]> select * from hospital;
select * from hospital
```

```
| Nombre | Horario | Turno | |
| Miguel | 8 | NULL | Am |
| Juan | 14 | Pm |
| Cittali | 0 | Am |
| 4 rows in set (0.000 sec)

| MariaDB [hospital_veterinario] > select * from mascotas;
| Select * from mascotas |
| Perros | Gatos | Aves | Otras |
| 3 | 5 | 6 | 2 |
| 1 row in set (0.000 sec)

| MariaDB [hospital_veterinario] > select * from urgencia;
| select * from urgencia |
| Select * from urgencia |
| Nombre | Horario | Urgencia | Turno | Id |
```

Nombre		+   Urgencia			+ 				
martin	9	   fractura	182	jol	i				
1 row in s		+ sec)	+		+				
MariaDB [h	nospital_ve	eterinario]>	• select	* from	venta_de_a	accesorios			
select * f	rom venta	_de_accesori	los						
		<b>.</b>							
•	Ventas	Accesorios	Inven	tario	Id	i			
	. 3	collares	i	5	19191919	i			
1 row in s									
MariaDB [h		eterinario]>	select :	* from	venta_de_a	alimento;			
select * f	rom venta	_de_alimento	)						
+	+	+		+	+				
		Id   +							
		12121212							
1 row in s	set (0.000	sec)							