

Lab 2

```
1. //DO NOT MODIFY THIS SECTION
2. #include <iostream>
3. using namespace std;
4.
5. int main()
6. {
7.     double palletWeightItself, palletWithLoad;
8.     //ADD YOUR CODE FROM HERE
9.     // Ask user for base pallet weight
10.    cout << "Base weight of pallet? ";
11.    cin >> palletWeightItself;
12.
13.    // Ask user for loaded pallet weight
14.    cout << "Loaded pallet weight? ";
15.    cin >> palletWithLoad;
16.
17.    /* Calculate number of widgets based
18.       on loaded weight */
19.    const double WIDGET_WEIGHT = 12.5;
20.    double numberOfWidgets = (palletWithLoad - palletWeightItself) / WIDGET_WEIGHT;
21.    cout << "Number of widgets: " << numberOfWidgets << endl;
22.
23.    return 0;
24.
25. }
```

```
1. //DO NOT MODIFY THIS SECTION
2. #include <iostream>
3. using namespace std;
4. int main()
5. {
6.     int bagCapacity=30, servings=10, servingCalories=150;
7.     int nCookies, consumedCalories;
8.     //ADD YOUR CODE FROM HERE
9.
10.    // Get number of cookies from user
11.    cout << "How many cookies consumed? ";
12.    cin >> nCookies;
13.
14.    // Each serving is 3 cookies
15.    int caloriesPerCookie = servingCalories / (bagCapacity / servings);
16.    consumedCalories = caloriesPerCookie * nCookies;
17.
18.    cout << "Consumed calories: " << consumedCalories << endl;
19.    return 0;
20.
21. }
```

```

G+ Q3.cpp > main()
1  #include <iostream>
2  using namespace std;
3
4  int main () {
5      double palletWeightItself, palletWithLoad;
6
7      // Ask user for base pallet weight
8      cout << "Base weight of pallet? ";
9      cin >> palletWeightItself;
10
11     // Ask user for loaded pallet weight
12     cout << "Loaded pallet weight? ";
13     cin >> palletWithLoad;
14
15     /* Calculate number of widgets based
16     on loaded weight */
17     const double WIDGET_WEIGHT = 12.5;
18     double numberOfWidgets = (palletWithLoad - palletWeightItself) / WIDGET_WEIGHT;
19     cout << "Number of widgets: " << numberOfWidgets << endl;
20
21     return 0;
22 }

```

```

G+ Q4.cpp > main()
1  #include <iostream>
2  using namespace std;
3
4  int main() {
5      int bagCapacity = 30, servings = 10, servingCalories = 150;
6      int nCookies, consumedCalories;
7
8      // Get number of cookies from user
9      cout << "How many cookies consumed? ";
10     cin >> nCookies;
11
12     // Each serving is 3 cookies
13     int caloriesPerCookie = servingCalories / (bagCapacity / servings);
14     consumedCalories = caloriesPerCookie * nCookies;
15
16     cout << "Consumed calories: " << consumedCalories << endl;
17     return 0;
18 }

```

```
Base weight of pallet? 250  
Loaded pallet weight? 600  
Number of widgets: 28  
PS C:\Users\ianfe\OneDrive\College\Year 2\Semester 2\C++ (Lab)\Lab 02>
```

```
How many cookies consumed? 5  
Consumed calories: 250  
PS C:\Users\ianfe\OneDrive\College\Year
```