



Physical Config **Services** Desktop Programming Attributes**SERVICES**

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

Interface: **FastEthernet0** Service ☐ On ☒ Off

Pool Name:

Default Gateway:

DNS Server:

Start IP Address:

Subnet Mask:

Maximum Number of Users:

TFTP Server:

WLC Address:

Add

Save

Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.142....	255.255....	200	0.0.0.0	0.0.0.0

PCU

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static

IPv4 Address 169.254.188.236

Subnet Mask 255.255.0.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::2E0:8FFF:FEE3:BCEC

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

