

# UEFI & EDK II TRAINING

**EDK II BUILD SPECIFICATION FILES** 

tianocore.org



#### LESSON OBJECTIVE



Explain the Build components and build text files DSC, DEC, & FDF



# EDK II BUILD TEXT FILES




#### **EDK II File Extensions**

- Located on tianocore.org project edk2

.DSC .DEC .INF .FDF	<ul> <li>Platform Description</li> <li>Package Declaration</li> <li>Module Definition define a componen</li> <li>Flash Description</li> </ul>	
.VFR .UNI .c & .h	<ul> <li>Visual Forms Representation for User interface</li> <li>Unicode String text files w/ ease of localization</li> <li>Source code files</li> </ul>	Source
.FD .FV	- Final Flash Device Image - Firmware Volume File	Output



#### **Build Description File Types**





#### Package Declaration File (DEC)

```
Oeclare
Syntax:
  <DECfile> ::= <Defines>
             Include
             [<LibraryClass>]
              [<Guids>]
              [<Protocols>]
             [<Ppis>]
             [<Pcd>]
             [<UserExtensions>]
```



#### **Example DEC File**

```
[Defines]
 DEC SPECIFICATION
                                 = 0 \times 00010005
 PACKAGE NAME
                                 = OvmfPkg
 PACKAGE GUID
                                 = 2daf5f34-50e5-4b9d-b8e3-5562334d87e5
 PACKAGE VERSION
                                 = 0.1
[Includes]
 Include
[LibraryClasses]
     @libraryclass Loads and boots a Linux kernel image
 LoadLinuxLib Include/Library/LoadLinuxLib.h
[Guids]
 gUefiOvmfPkgTokenSpaceGuid
                                      = \{0x93bb96af, 0xb9f2, 0x4eb8, \{0x94, 0x62, 0xe0, 0xba, 0x74, 0x56, 0x42, 0x36\}\}
                                      = \{0xd3b46f3b, 0xd441, 0x1244, \{0x9a, 0x12, 0x0, 0x12, 0x27, 0x3f, 0xc1, 0x4d\}\}
 gEfiXenInfoGuid
[Protocols]
 gVirtioDeviceProtocolGuid
                                      = \{0xfa920010, 0x6785, 0x4941, \{0xb6, 0xec, 0x49, 0x8c, 0x57, 0x9f, 0x16, 0x0a\}\}
                                      = {0x3d3ca290, 0xb9a5, 0x11e3, {0xb7, 0x5d, 0xb8, 0xac, 0x6f, 0x7d, 0x65, 0xe6}}
 gXenBusProtocolGuid
[PcdsFixedAtBuild]
 gUefiOvmfPkgTokenSpaceGuid.PcdOvmfPeiMemFvBase | 0x0 | UINT32 | 0
 gUefiOvmfPkgTokenSpaceGuid.PcdOvmfPeiMemFvSize | 0x0 | UINT32 | 1
```

Link to Gitpitch 7



#### **Example: Dec File Details**

#### EmulatorPkg.dec.md#dec-file-for-emulatorpkg

Link: List of List of Defines, Package Name, GUILD, Version ...

**Link**: The Include section

**Link**: Library classes section

**Link**: Protocols Section

Link: GUIDs section

Link: PCDs Section

**Link**: Patchable PCDs Section



#### Platform Description File (DSC)

```
Description
Syntax:
DSCfile ::= [<Header>]
          <Defines>
          [<SkuIds>]
          [<Libraries>]
          [<LibraryClasses>]
          [<Pcds>]
          [<Components>]
          [<UserExtensions>]
```



#### Platform Description File (DSC)

#### DSC file is the recipe for creating a package

Definitions for the package build

**EDK libraries (for EDK Components)** 

**EDK II Library Class Instance Mappings (for EDK II Modules)** 

**EDK II PCD Entry Settings** 



#### **Example: DSC File**

```
[Defines]
 PLATFORM NAME
                                = Ovmf
 PLATFORM_GUID
                                = 5a9e7754-d81b-49ea-85ad-69eaa7b1539b
 PLATFORM_VERSION
                                = 0.1
 DSC_SPECIFICATION
                                = 0 \times 00010005
 OUTPUT DIRECTORY
                                = Build/OvmfX64
 SUPPORTED_ARCHITECTURES
                                = X64
                                = NOOPT | DEBUG | RELEASE
 BUILD TARGETS
 SKUID_IDENTIFIER
                                = DEFAULT
 FLASH DEFINITION
                                = OvmfPkg/OvmfPkgX64.fdf
 #
 # Defines for default states. These can be changed on the command line.
 # -D FLAG=VALUE
[BuildOptions.common.EDKII.DXE_RUNTIME_DRIVER]
 GCC:*_*_*_*_DLINK_FLAGS = -z common-page-size=0x1000
 XCODE:*_*_*_DLINK_FLAGS =
[LibraryClasses]
 PcdLib MdePkg/Library/BasePcdLibNull/BasePcdLibNull.inf
 TimerLib OvmfPkg/Library/AcpiTimerLib/BaseAcpiTimerLib.inf
```

Link to Gitpitch www.tianocore.org



#### **Example: DSc File Details**

#### EmulatorPkg.dsc.md#dsc-file-for-emulatorpkg

**Link**: List of Defines

Link: Define Switches to determine some configurations

**Link**: Library Classes – Global

Link: Library Classes for UEFI Boot phases

Link: PCDs Section, changing the default

Link: Dynamic PCDs Section

Link: Components Section

Link: Build Options Section

**Link**: Adding More

12



#### Flash Description File(FDF)

```
Flash Layout
Syntax:
   FDFfile ::= [<Header>]
      [<Defines>]
      <FD>
      <FV>
      [<Capsule>]
      [<VTF>]
      [<Rules>]
      [<OptionRom>]
      [<UserExtensions>]
```

13



## Flash Description File(FDF)


## Describes information about flash parts

Used to create firmware images, Option ROM images or bootable images

Rules for combining binaries (Firmware Image) built from a DSC file



# FLASH DEVICE CONFIGURATION COMMON LAYOUT FILE (.FDF)





#### **Example: FDF File**

```
[Defines]
!include OvmfPkg.fdf.inc
# Build the variable store and the firmware code as one unified flash device
# image.
[FD.OVMF]
BaseAddress = $(FW_BASE_ADDRESS)
             = $(FW_SIZE)
Size
ErasePolarity = 1
BlockSize
             = $(BLOCK SIZE)
             = $(FW_BLOCKS)
NumBlocks
$(VARS_SIZE)|$(FVMAIN_SIZE)
FV = FVMAIN_COMPACT
$(SECFV_OFFSET)|$(SECFV_SIZE)
FV = SECFV
```

Link to Gitpitch www.tianocore.org



#### **Example: Dec File Details**

#### EmulatorPkg.fdf.md#fdf-file-for-the-emulatorpkg

Link: FD Section

<u>Link</u>: Firmware Volume – FvRecovery

**Link**: Begin Firmware Layout Regions

**Link**: Declaring each Firmware Volumes

**Link**: Apriori Section

Link: Example: #include of fdf file

Link: Rules Section

**Link**: FDF For Whiskey Lake Up Xtreme

Link: Flash Map of Up Xtreme



## Summary

Explain the Build components and build text files DSC, DEC, & FDF

18







#### Return to Main Training Page



Return to Training Table of contents for next presentation link





#### **ACKNOWLEDGEMENTS**

Redistribution and use in source (original document form) and 'compiled' forms (converted to PDF, epub, HTML and other formats) with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code (original document form) must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified.

Redistributions in compiled form (transformed to other DTDs, converted to PDF, epub, HTML and other formats) must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS DOCUMENTATION IS PROVIDED BY TIANOCORE PROJECT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL TIANOCORE PROJECT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2021, Intel Corporation. All rights reserved.