tianocore

UEFI & EDK II Training

Platform Build Lab Up Xtreme- Linux

tianocore.org

Copy and Paste see Lab Guide.md

PLATFORM BUILD LABS

- Download Minplatform Using Git from tianocore.org
- Build a EDK II Platform using Up Xtreme Aaeon board

tianocore

DOWNLOAD MINPLATFORM

Use Git to download EDK II and MinPlatform

EDK II Platform – Up Xtreme by Aaeon



8th Generation Intel® Core™
U-Series processors
(Formerly Whiskey Lake)



[UP Board products]
[Up Shop]

Linux setup for Up Xtreme Lab

ubuntu

Lab Setup Requirements – Ubuntu 16.04

```
bash$ sudo apt-get install build-essential uuid-dev iasl git gcc-5 nasm
bash$ sudo apt-get install screen
bash$ sudo apt-get install gcab
```

Clear Linux* Project

Lab Setup Requirements – Clear Linux* Project

```
bash$ sudo swupd bundle-add devpkg-util-linux
bash$ sudo swupd bundle-add devpkg-gcab
```

Open Terminal Prompt.

Cd to the Workspace and create the Up Xtreme build directory “UpX”

```
bash$ cd ~/src
bash$ mkdir UpX
bash$ cd UpX
```

Download the source for Edk II, MinPlatform and FSP

From a terminal prompt at `~/src/Upx` , do the following:

- Edk2 For SHA to checkout see Lab Guide.md

```
$ git clone --recursive https://github.com/tianocore/edk2
```

- Edk2-platforms

```
$ git clone https://github.com/tianocore/edk2-platforms.git
```

- Edk2-non-osi

```
$ git clone https://github.com/tianocore/edk2-non-osi.git
```

- FSP

```
$ git clone https://github.com/IntelFsp/FSP.git
```

Takes about 6 minutes

Set PROXYS FIRST

```
$ git config --global https.proxy=proxy.hf.intel.com:911
$ git config --global http.proxy=proxy.hf.intel.com:911
```

Download MinPlatform Lab Material

Download the PlatformBuildLab_MinPlatform_FW.zip from :  github.com PlatformBuildLab2_FW.zip

OR

Use **`git clone`** to download the PlatformBuildLab_MinPlatform_FW

```
C:/> git clone https://github.com/tianocore-training/PlatformBuildLab_MinPlatform_FW.git
```

Directory PlatformBuildLab_MinPlatform_FW will be created

```
/FW
 /MinPlatformBuild
      - UpX_Lab                    - Lab Material
       . . .
```

BUILD UP XTREME

Where to get Open Source Up Xtreme

How to Download & Build: Open Source MinPlatform Readme.md



MinPlatform Open Board Tree Structure

```
edk2/ https://github.com/tianocore/edk2
 . . .
edk2-platforms/ https://github.com/tianocore/edk2-platforms
  Platform/
       Intel/
            BoardModulePkg
            WhiskeylakeOpenBoardPkg
               UpXtreme
            MinPlatformPkg
  Silicon/
       Intel/
            CoffeelakeSiliconPkg
            . . .
  Features/Intel
              AdvancedFeaturePkg
edk2-non-osi/ https://github.com/tianocore/edk2-non-osi
   Silicon/
       Intel/
            CoffeelakeSiliconBinPkg
FSP/   https://github.com/IntelFsp/FSP
       CoffeelakeFspBinPkg
```

Invoke the `build_bios.py` from here

Platform DSC & FDF here

Build Environment

Open a Terminal Command Prompt

```
bash$ cd ~/src/UpX/edk2
bash$ source edksetup.sh
bash$ cd ..
bash$ cd edk2-platforms/Platform/Intel
```

Check if Python okay (may also need to set PYTHON_HOME)

```
bash$  python --version
Python 3.8.2
```

Check for available MinPlatform Boards

```
bash$ python build_bios.py -l
```



Invoke the Build

Invoke the Python Build script for Up Xtreme

```
$> python build_bios.py -p UpXtreme  -t GCC5
```



Takes about 16 minutes

Note example screen shots are from windows but same information would be on the terminal screen for Linux

Platform Build Scripts

Platform Config

Many Platforms have a bash, bat or Python script file to pre or post process the EDK II build process

For MinPlatform platform specific config
Build processing:
`Build_config.cfg` – Lists directories required for the build and build settings

Link to Up Xtreme Build_config.cfg

Examine Build Parameters

```
Python build_bios.py -p UpXtreme

. . .
Calling build -n 0 --log=Build.log --report-file=BuildReport.log
```
and from `UpX\conf\target.txt`

TARGET	= DEBUG	Build Mode
TARGET_ARCH	= IA32 X64	CPU Architecture
TOOL_CHAIN_TAG	= GCC5	VS Tool Chain
ACTIVE_PLATFORM	= ... /WhiskylakeOpenBoardPkg/ UpXtreme/OpenBoardPkg.dsc	Platform DSC file
Report file created (via python script)	= BuildReport.log	PCDs, Libs, etc.

Platform Build and PCD Parameters

Platform Parameters

Many Platform Parameters are defined in a top .DSC file that controls PCD and build switches

For Up Xtreme : `edk2-platforms/Platform/Intel/WhiskeylakeOpenBoardPkg/UpXtreme OpenBoardPkgPcd.dsc and OpenBoardPkgBuildOption.dsc`

Example:

```
# Define Build Options both for EDK and EDKII drivers.

  DEFINE DSC_S3_BUILD_OPTIONS =
  DEFINE DSC_CSM_BUILD_OPTIONS =

!if gSiPkgTokenSpaceGuid.PcdAcpiEnable == TRUE
  DEFINE DSC_ACPI_BUILD_OPTIONS = -DACPI_SUPPORT=1
!else
  DEFINE DSC_ACPI_BUILD_OPTIONS =
!endif

  DEFINE BIOS_GUARD_BUILD_OPTIONS =
  DEFINE OVERCLOCKING_BUILD_OPTION =
```

Build Process for RELEASE Target

Invoke the Python Build script for Up Xtreme

```
bash$ python build_bios.py -p UpXtreme -r -t GCC5
```

Takes about 16 minutes







Note example screen shots are from windows but same information would be on the terminal screen for Linux

DEBUG & RELEASE Differences

Slower boot because the time it takes to display debug info

Larger image because of debug code & embedded info

Uses the serial port for debug string output

Contains detailed debug strings that show
the boot process and various ASSERT/TRACE errors

Make a Change

Directory: `~/MinPlatformBuildLab_FW/FW/MinPlatformBuildLab/UpX_Lab`

Copy `Logo.bmp` to `~/src/UpX/edk2/MdeModulePkg/Logo`

Or create a .BMP with your favorite Paint application

See . . . `WhiskeylakeOpenBoardPkg/UpXtreme/OpenBoardPkg.fdf` line 285

Build with new logo

Invoke the Python Build script for Up Xtreme

```
$> python build_bios.py -p UpXtreme -t GCC5
```

Takes about 2 minutes



Note example screen shots are from windows but same information would be on the terminal screen for Linux

Build Process Completed

Locate the build .fd images

```
uefi@clr-0::~/src/UpX/edk2platforms/platform/Intel

##############
# FIT Table: #
##############
FIT Pointer Offset: 0x40
FIT Table Address:  0xffff6b80
====== ================ ====== ======== ============= ==== ======== (====== ==== ====== ==== ======)
Index:      Address      Size  Version       Type      C_V  Checksum (Index  Data Width  Bit  Offset)
====== ================ ====== ======== ============= ==== ======== (====== ==== ====== ==== ======)
 00:   2020205f5449465f 000004   0100   00-'_FIT_   '   01     e8
 01:   00000000ffe50060 000000   0100   01-MICROCODE    00     00
 02:   00000000ffe69460 000000   0100   01-MICROCODE    00     00
 03:   00000000ffe82860 000000   0100   01-MICROCODE    00     00
====== ================ ====== ======== ============= ==== ======== (====== ==== ====== ==== ======)
Index:      Address      Size  Version       Type      C_V  Checksum (Index  Data Width  Bit  Offset)
====== ================ ====== ======== ============= ==== ======== (====== ==== ====== ==== ======)
Done
Fd file can be found at ~/src/UpX/Build/WhiskeylakeOpenBoardPkg/UpXtreme/DEBUG_GCC5/FV/UPXTREME.fd

uefi@clr-0~/src/UpX/edk2platforms/platform/Intel $
```

The script displays the location of the final .fd files

tianocore

SUMMARY

- Download Minplatform Using Git Bash
- Build a EDK II Platform using Up Xtreme Aaeon board

tianocore

Questions?

Return to Main Training Page

Return to Training Table of contents for next presentation link

tianocore

ACKNOWLEDGEMENTS