Using static keyword

https://csci-1301.github.io/about#authors

January 17, 2023 (03:24:22 PM)

Contents

1 Static Classes – Warm-Up **1**
1.1 Static Calculator 2

2 Static Members in a Non-static Class **2**

This lab serves multiple goals:

- To teach you how a static class differ from a non-static one,
- To illustrate the usefulness of static classes,
- To teach you how a non-static class can manipulate static fields.

1 Static Classes – Warm-Up

One use case for static classes is creating utility classes (or "helper classes") that contain related and frequently-used methods; making those methods easily callable anywhere in the program. Some examples of static classes in C# are the `Math` and `Console` classes.

Pay attention to how these classes are used:

- A `Console` object is never instantiated before use,
- The `WriteLine` method is called referring to the *name of the class* (not an object identifier):

  ```
  Console.WriteLine("calling a static method");
  ```

  Question: Using your IDE, check what happens if you do the following:

  ```
  Console test = new Console();
  ```

Solution:

Indeed, it is *not possible* to instantiate an object when a class is declared `static`. Further, if a class is declared static, all its members (attributes, methods, constructors, etc.) must also be declared `static`.

1.1 Static Calculator

In your IDE create a new project. Then add a new class file called Calculator.cs

In Calculator.cs:

1. Declare a `static` class and name it `Calculator`.
2. Add 5 `public` methods to the `Calculator` class. Each method takes 2 arguments `x` and `y` of type `double`:
   a) `Add` method that returns the result of `x + y`.
   b) `Subtract` method that returns the result of `x - y`.
   c) `Multiply` method that returns the result of `x * y`.
   d) `Divide` method that returns the result of `x / y`.
   e) `Modulo` method that returns the result of `x % y`.

After implementing `Calculator`,

1. Open the file that contains the program's `Main` method
2. Paste the following code inside `Main` method:

   ```
   double x = 10d, y = 2d;

   Console.WriteLine($"{x} + {y} = {Calculator.Add(x, y)}");
   Console.WriteLine($"{x} - {y} = {Calculator.Subtract(x, y)}");
   Console.WriteLine($"{x} * {y} = {Calculator.Multiply(x, y)}");
   Console.WriteLine($"{x} / {y} = {Calculator.Divide(x, y)}");
   Console.WriteLine($"{x} % {y} = {Calculator.Modulo(x, y)}");
   ```

   Again, notice how

   - no instance of `Calculator` is created before use, and
   - each `Calculator` method is called referring to the *name of the class*.

3. Execute the program

   - If your implementation of `Calculator` class matches the instructions, you will see meaningful output after executing the program.
   - Otherwise review the instructions again and retrace your implementation steps to resolve any issues.

2 Static Members in a Non-static Class

A non-static class can contain both static and non-static class members.

Download, extract and study this project[1] implementation but *do not* execute it. After reading through the implementation, answer the questions below.

1. How many non-static attributes does the `Student` class have?
2. How many static attributes does the `Student` class have?
3. How many non-static methods does the `Student` class have?
4. How many static methods does the `Student` class have?
5. What is the output of each of the following lines in "Program.cs":

[1] labs/Static/Student.zip

a) `Console.WriteLine(alice);`
b) `Student.DisplayStudentCount(); // first time`
c) `Console.WriteLine(bob);`
d) `Student.DisplayStudentCount(); // second time`

6. If the `studentCount` attribute was *not* `static`, what would be the output of:

   a) `Student.DisplayStudentCount(); // first time`
   b) `Student.DisplayStudentCount(); // second time`

7. When a class contains both static and non-static members, is it possible to refer to non-static members inside a static method? For example, if we try to refer to the `name` attribute inside `DisplayStudentCount`, will it work? Why or why not?

Check your answers by creating a matching program in your IDE and executing it.

To check the last question, in Student.cs, uncomment the following line and verify its behavior matches your answer:

```
// Console.WriteLine(name);
```