Synthetic acquisition review fixture — no real admission

Engineering tests only. Neither this actor nor this registry is release evidence.

Export synthetic JSON

Reviewed acquisition guidance

Ask program operations and scheduling stewards for aggregate staffed usable capacity and available appointment or navigation slots by site/service and week or month within the current planning horizon. If FHIR R4 4.0.1 is available locally, Slot and Schedule may describe scheduling intervals and resource availability. Free slots are not staffed capacity, FTE, unique participants, catchment or wait-time metrics. Confirm staffing, workload units, shared resources, reserve blocks, overbooking, service coverage and vendor support locally; use an aggregate HR/roster summary only if FTE is needed. Exclude patient and employee identities and apply local small-cell review. No resource guarantees these program metrics or their availability.

> **Aggregate steward-approved summaries and counts only. No individual-level intervals, raw dates, identifiers, patient or employee records enter this app.**

Ask the local steward
Program operations/provider network scheduling steward; HR/roster steward for staffed capacity and FTE

Minimum necessary output
Aggregate site/service weekly or monthly capacity/slot counts over the current planning horizon; aggregate FTE only when needed, with no patient or staff identities

Local preparation only
Operations steward reconciles schedules, staffing, closures and program eligibility locally; this app receives no records.

▼ **Required information, mapping limits and provenance**

Required information

- Staffed usable program capacity and available slots for the modeled pathway/service
- Site/service, catchment geography, wait-time definition, staffing FTE and capacity window
- Local deduplication of shared/multi-participant slots, cancellations, reserve blocks and unit conversion

Existing request fields

staffed program capacity
Local definition; no generic FHIR mapping. Operations/roster definition and workload conversion required; Slot is not staffed usable capacity.

available appointment or navigation slots
Slot.status; Slot.start; Slot.end; Slot.schedule. Availability intervals only; reconcile closures, reserves, shared resources, overlapping slots, multi-participant slots and overbooking locally.

specialty/service type
Slot.serviceType; Slot.specialty. Optional 0..* local service/specialty typing; confirm meaningful coverage.

catchment geography
Local definition; no generic FHIR mapping. Locally defined program catchment; Schedule.actor is not a catchment or eligible denominator.

wait time
Local definition; no generic FHIR mapping. Derived from locally linked milestone definitions, censoring and missingness; not supplied by free slots.

staffing FTE
Local definition; no generic FHIR mapping. Aggregate HR/roster input only if needed; no patient or employee records.

capacity time window
Schedule.planningHorizon. Scheduler booking-acceptance coverage only; intersect with requested current planning horizon. Does not assert program staffing coverage or a reusable scheduling template.

Mapping limits

- A free Slot is a scheduled availability interval, not staffed usable capacity or a count of unique people.
- Schedule/Slot do not by themselves supply staffing FTE, catchment geography, observed wait time or derived pilot program metrics.
- Available appointments cannot be converted to participants without a locally confirmed service/workload definition.

Confirm locally

- Vendor/version and actual scheduler availability; optional service typing and schedule coverage
- Staffed versus bookable capacity, FTE source and locally valid units
- Privacy/feasibility review of aggregate release and small cells

Privacy and feasibility

- No identifiers, individual records, exact patient dates, EHR/payer APIs, uploads or data egress.
- Steward performs any necessary linkage locally under existing authority; this hint requests aggregate/de-identified outputs only.
- Month/quarter/site/service strata require local small-cell and re-identification review, including differencing and rare combinations; coarsen or suppress if needed.
- No numerical small-cell threshold is invented here. No output is collected by this app.

Versioned primary specifications

- FHIR R4 4.0.1: Slot.status, Slot.start, Slot.end, Slot.schedule, Slot.serviceType, Slot.specialty
  Retrieved 2026-10-11T00:56:26Z; source SHA-256 479cf45cf458c6450a60dd70c4c809bbd30491ef815bee927c439f94e54e367b. Specification generated 2019-11-01; HTTP last-modified is separate retrieval metadata.
- FHIR R4 4.0.1: Schedule.actor, Schedule.planningHorizon
  Retrieved 2026-10-11T00:56:26Z; source SHA-256 4bc8e6a14e3b329f47f778f0163f2572b8cb63accbe44758326d766aa36f0e01. Specification generated 2019-11-01; HTTP last-modified is separate retrieval metadata.

Review: SYNTHETIC TEST ACTOR — NO REAL APPROVAL, 2000-01-01T00:00:00Z; code 00000000000000000000000000000000000000000.

Hint / registry
ACQ26-CAPACITY-01 v2 · SYNTHETIC-TEST-REGISTRY TEST-1

registry sha256
f47f0433b8a4e59ff606deb5ed5a385ee22ab5be9d2b40be5d35eab59af3bfa7

policy sha256
2c4370d84f6024157a3f645c6b2c8da3d0691a254dc9407226d81d1abb94e64f

source index sha256
0c607a5ef437b40bbdc599a8a74dbcb887f1f369fef4ca0506f782dd20af53ce

review sha256
aa2e44af0eb24c233f5df4f72495e01319ec49c8817bd27d06f6306c7648f52a

request fingerprint
8f62c36bf831bf5abdd4cf7ab903b313f345504d5546c3ce6dcc6cdb11f13bbc

Reviewed acquisition guidance

Ask the local referral/navigation and scheduling stewards how recognition, referral issuance, appointment creation, planned occurrence and completed encounters are recorded. If FHIR R4 4.0.1 is available locally, ServiceRequest, Appointment and Encounter may describe some order, scheduling and encounter milestones. Order activation is not recognition; appointment creation is not booking acceptance; a planned appointment is not a completed encounter. Confirm local definitions, optional links, missingness, history and vendor support. Request only aggregate or de-identified interval summaries and episode counts within the current planning horizon, with locally approved small-cell handling. Keep identifiable records and raw dates with the steward. These summaries do not establish intervention effects.

> **Aggregate steward-approved summaries and counts only. No individual-level intervals, raw dates, identifiers, patient or employee records enter this app.**

Ask the local steward
Local referral/navigation program and health-system scheduling/encounter stewards; payer care management only if its local milestones are confirmed

Minimum necessary output
De-identified interval summaries and counts of eligible/completed/open/cancelled episodes, by service/site and month or quarter within the current planning horizon; locally approved small-cell handling

Local preparation only
Local steward may need episode linkage and dates; do not transfer patient identifiers or raw date-level records to this app.

▼ **Required information, mapping limits and provenance**

Required information

- Locally defined qualifying/recognition milestone; not supplied by a generic order timestamp
- Referral issuance milestone and service type
- Scheduled event milestone, actual completed encounter milestone and cancellation/no-show status
- Definitions of episode linkage, open episodes, missing dates, rescheduling and time zone

Existing request fields

recognition or qualifying milestone date
Local definition; no generic FHIR mapping. Local clinical/program definition required; no generic FHIR recognition timestamp.

referral date
ServiceRequest.authoredOn; ServiceRequest.status. Actionable order date only if local steward confirms equivalence to referral issuance. Does not identify symptom recognition or receipt/triage.

scheduled appointment date
Appointment.start; Appointment.created; Appointment.status. start is planned occurrence. created is initial appointment creation, not the time a booking was accepted or a status history. Keep these milestones distinct.

completed appointment date
Encounter.period; Encounter.status; Encounter.appointment; Appointment.basedOn. Encounter start/end plus locally confirmed finished/completed definition. Optional 0..* links need local episode deduplication; appointment status alone is not proof of completed encounter.

cancellation or no-show indicator
Appointment.status. Locally reconcile cancellation/no-show history and multiple appointments; entered-in-error must be excluded.

specialty/service type
ServiceRequest.code; ServiceRequest.performerType. Optional requested service/desired role, not necessarily the performed service; verify local codes and coverage.

Mapping limits

- ServiceRequest.authoredOn is when a request became actionable, not recognition/onset.
- Appointment.start is planned event time; created is initial creation, not guaranteed booking transition history.
- Encounter.period is start/end; a finished status and local completion definition are needed.
- Appointment.basedOn and Encounter.appointment are optional links, not guaranteed usable episode joins.
- Intervals do not establish causal workflow effects or justify alternative_window_months calibration.

Confirm locally

- EHR/vendor FHIR version, enabled elements/profiles, history availability and linkage coverage
- Local recognition/referral/booking/completion definitions and service inclusion/exclusions
- Steward-approved summary release, censoring and missingness treatment

Privacy and feasibility

- No identifiers, individual records, exact patient dates, EHR/payer APIs, uploads or data egress.
- Steward performs any necessary linkage locally under existing authority; this hint requests aggregate/de-identified outputs only.
- Month/quarter/site/service strata require local small-cell and re-identification review, including differencing and rare combinations; coarsen or suppress if needed.
- No numerical small-cell threshold is invented here. No output is collected by this app.

Versioned primary specifications

- FHIR R4 4.0.1: ServiceRequest.authoredOn, ServiceRequest.status, ServiceRequest.code, ServiceRequest.performerType
  Retrieved 2026-10-11T00:56:26Z; source SHA-256 334f8b561cfa4bbb5ba4f281c9667e892a79577604adbdab2258d8c83b9d506a. Specification generated 2019-11-01; HTTP last-modified is separate retrieval metadata.
- FHIR R4 4.0.1: Appointment.start, Appointment.created, Appointment.status, Appointment.basedOn
  Retrieved 2026-10-11T00:56:26Z; source SHA-256 7bb761298bcb366d28fea8141f73e49b2500f0841708531e529478a8c66cb2a6. Specification generated 2019-11-01; HTTP last-modified is separate retrieval metadata.
- FHIR R4 4.0.1: Encounter.period, Encounter.status, Encounter.appointment
  Retrieved 2026-10-11T00:56:26Z; source SHA-256 31c80e1c6536fd1c35ffd68c161c1e4ef683492ce4f546b98df90601d198d278. Specification generated 2019-11-01; HTTP last-modified is separate retrieval metadata.

Review: SYNTHETIC TEST ACTOR — NO REAL APPROVAL, 2000-01-01T00:00:00Z; code 0000000000000000000000000000000000000000.

Hint / registry
ACQ26-TIMING-01 v2 · SYNTHETIC-TEST-REGISTRY TEST-1

registry sha256
f47f0433b8a4e59ff606deb5ed5a385ee22ab5be9d2b40be5d35eab59af3bfa7

policy sha256
2c4370d84f6024157a3f645c6b2c8da3d0691a254dc9407226d81d1abb94e64f

source index sha256
0c607a5ef437b40bbdc599a8a74dbcb887f1f369fef4ca0506f782dd20af53ce

review sha256
aa2e44af0eb24c233f5df4f72495e01319ec49c8817bd27d06f6306c7648f52a

request fingerprint
8f22957f657188fe138fc2ff26fe2fabd5b277128aef59205c1c327a655a113d

Invalid optional reference — test only

Optional acquisition guidance withheld. Its reference, release identity or current context could not be verified. Refresh the request or guidance when applicable; valid base requests remain usable.

Stale request binding — test only

Optional acquisition guidance withheld. Its reference, release identity or current context could not be verified. Refresh the request or guidance when applicable; valid base requests remain usable.