segue os prints do terminal referente a atividade 3

```
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git init
Reinitialized existing Git repository in C:/Users/ian.santana_onfly/aula-git/aula-git-github/.git/
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        atividade 3/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git add .
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   atividade 3/arq.js

PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   atividade 3/arq.js

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   atividade 3/arq.js

PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git add .
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git commit -m "Primeiro commit do projeto: ler dois inteiros informados pelo usuário."
[main ce026fc] Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
 1 file changed, 7 insertions(+)
 create mode 100644 atividade 3/arq.js
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
```

```
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
  On branch main
  Your branch is ahead of 'origin/main' by 1 commit.
    (use "git push" to publish your local commits)

  Changes not staged for commit:
    (use "git add <file>..." to update what will be committed)
    (use "git restore <file>..." to discard changes in working directory)
          modified:   atividade 3/arq.js

  no changes added to commit (use "git add" and/or "git commit -a")
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git commit -m "Simulação de um erro: executar um 'commit' sem executar um 'add' antes, a
>> 'staging' area está vazia."
  On branch main
  Your branch is ahead of 'origin/main' by 1 commit.
    (use "git push" to publish your local commits)

  Changes not staged for commit:
    (use "git add <file>..." to update what will be committed)
    (use "git restore <file>..." to discard changes in working directory)
          modified:   atividade 3/arq.js

  no changes added to commit (use "git add" and/or "git commit -a")
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git add .
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github>
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git add  .
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
  On branch main
  Your branch is ahead of 'origin/main' by 1 commit.
    (use "git push" to publish your local commits)

  Changes to be committed:
    (use "git restore --staged <file>..." to unstage)
          modified:   atividade 3/arq.js

● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git commit -m "Segundo commit do projeto: somar os dois inteiros informados pelo usuário."
  [main 95ea046] Segundo commit do projeto: somar os dois inteiros informados pelo usuário.
   1 file changed, 2 insertions(+), 1 deletion(-)
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
  On branch main
  Your branch is ahead of 'origin/main' by 2 commits.
    (use "git push" to publish your local commits)

  nothing to commit, working tree clean
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git log
  commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8 (HEAD -> main)
  Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  Date:   Thu Oct 2 19:38:57 2025 -0300

      Segundo commit do projeto: somar os dois inteiros informados pelo usuário.
```

```
      Segundo commit do projeto: somar os dois inteiros informados pelo usuário.

  commit ce026fc05b8ad78d93c293337124e62d8d7fb1bb
  Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  Date:   Thu Oct 2 19:35:35 2025 -0300

      Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
  Date:   Thu Oct 2 19:38:57 2025 -0300

      Segundo commit do projeto: somar os dois inteiros informados pelo usuário.

  commit ce026fc05b8ad78d93c293337124e62d8d7fb1bb
  Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  Date:   Thu Oct 2 19:35:35 2025 -0300
  Finishing logfile... (interrupt to abort)
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git log --author="Ian Pedro Barbosa"
  commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8 (HEAD -> main)
  Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  Date:   Thu Oct 2 19:38:57 2025 -0300

      Segundo commit do projeto: somar os dois inteiros informados pelo usuário.

  commit ce026fc05b8ad78d93c293337124e62d8d7fb1bb
  Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git log --graph
  * commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8 (HEAD -> main)
  | Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  | Date:   Thu Oct 2 19:38:57 2025 -0300
  |
  |
  |     Segundo commit do projeto: somar os dois inteiros informados pelo usuário.
  |
  |
  * commit ce026fc05b8ad78d93c293337124e62d8d7fb1bb
  | Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git shortlog
  Ian Pedro Barbosa (3):
        Primeiro commit do projeto: classe Java Teste vazia.
        Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
        Segundo commit do projeto: somar os dois inteiros informados pelo usuário.

  Ian Pedro Barbosa de Santana (3):
        Initial commit
        alteração pedida no exercício 4 2
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git shortlog -s
        3  Ian Pedro Barbosa
        3  Ian Pedro Barbosa de Santana
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git shortlog -sn
        3  Ian Pedro Barbosa
        3  Ian Pedro Barbosa de Santana
  PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
```

```
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git commit -m "Terceiro commit do projeto: apresentar o resultado da soma dos dois
>> números."
[main a870653] Terceiro commit do projeto: apresentar o resultado da soma dos dois números.
 2 files changed, 36 insertions(+)
 create mode 100644 "ley\357\200\242"
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git log
commit a8706537db5c389c69a029b2c51b6591aab90daf (HEAD -> main)
Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
Date:   Thu Oct 2 19:45:36 2025 -0300

    Terceiro commit do projeto: apresentar o resultado da soma dos dois
    números.

commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git show 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8
commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8
Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
Date:   Thu Oct 2 19:38:57 2025 -0300

    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.

diff --git a/atividade 3/arq.js b/atividade 3/arq.js
index ab93d9c..892d989 100644
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git log
commit a8706537db5c389c69a029b2c51b6591aab90daf (HEAD -> main)
Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
Date:   Thu Oct 2 19:45:36 2025 -0300

    Terceiro commit do projeto: apresentar o resultado da soma dos dois
    números.

commit 95ea046b84e3c0be4ee835fc8ff3452f5c2028f8
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git show a8706537db5c389c69a029b2c51b6591aab90daf
commit a8706537db5c389c69a029b2c51b6591aab90daf (HEAD -> main)
Author: Ian Pedro Barbosa <ian.santana@onfly.com.br>
Date:   Thu Oct 2 19:45:36 2025 -0300

    Terceiro commit do projeto: apresentar o resultado da soma dos dois
    números.

diff --git a/atividade 3/arq.js b/atividade 3/arq.js
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git diff
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git remote add origin https://github.com/Ianzinn/aulaGitGitHub.git
error: remote origin already exists.
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git remote
```

```
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git remote
origin
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git remote --v
origin  https://github.com/Ianzinn/aula-git-github.git (fetch)
origin  https://github.com/Ianzinn/aula-git-github.git (push)
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git push -u origin master
error: src refspec master does not match any
error: failed to push some refs to 'https://github.com/Ianzinn/aula-git-github.git'
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git fetch origin
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 8 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (8/8), 2.02 KiB | 53.00 KiB/s, done.
From https://github.com/Ianzinn/aula-git-github
   a870653..5d0c170  main       -> origin/main
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is behind 'origin/main' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git pull
Updating a870653..5d0c170
Fast-forward
 atividade 3/arq.css |  3 +++
 atividade 3/arq.js  | 16 ++++++++--------
 2 files changed, 11 insertions(+), 8 deletions(-)
 create mode 100644 atividade 3/arq.css
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git pull origin
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 1.00 KiB | 51.00 KiB/s, done.
From https://github.com/Ianzinn/aula-git-github
   5d0c170..20aeacb  main       -> origin/main
Updating 5d0c170..20aeacb
Fast-forward
 atividade 3/arq.css | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
● PS C:\Users\ian.santana_onfly\aula-git\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.
```