



RANDOX IT

API Integration – Nexus STES AUTH

Title	API Integration – Nexus STES AUTH
Revision	REV 1.0
Stakeholders	Randox IT
Date	17 April 2024



Documentation Scope

The purpose of this document is to detail the authorisation credentials for accessing the testing environments for Nexus Test Order Portal.



Nexus Test Order Portal API Auth

Use the below authorisation credentials to get a valid bearer token.

Auth Endpoint:

https://randoxclinicbooking.b2clogin.com/randoxclinicbooking.onmicrosoft.com/B2C_1_apim_ropc_signin1/oauth2/v2.0/token

Client Id:

791f0001-20d7-4771-b4ab-359b4b9efd21

Scope:

<https://randoxclinicbooking.onmicrosoft.com/gptestorderportal-external-api/User.Read.All>

Username:

This will be the username created within the Developer Portal.

Password:

This will be the password created within the Developer Portal.

Postman Example:

POST https://randoxclinicbooking.b2clogin.com/randoxclinicbooking.onmicrosoft.com/B2C_1_apim_ropc_signin1/oauth2/v2.0/token

Params Authorization Headers (8) Body Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

Key	Value
☒ grant_type	password
☒ client_id	791f0001-20d7-4771-b4ab-359b4b9efd21
☒ scope	https://randoxclinicbooking.onmicrosoft.com/gptestorderportal-external-api/User.Read.All
☒ username	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
☒ password	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

GP Test Order Portal Endpoints

For all endpoints, the base URL will be as follows:

<https://stes-gpto-appapi-001-apim.azure-api.net/api/>


Example – Get Biological Sex:

<https://stes-gpto-appapi-001-apim.azure-api.net/api/BiologicalSex/GetBiologicalSex>

Authorisation will be the bearer token and in the header section include the following key:

Ocp-Apim-Subscription-Key

The value of this key can be found within your developer portal:



GP Test Portal / Get Biological Sex

GET /BiologicalSex/GetBiologicalSex

Authorization ^

Authorization server: GP Authorization

Authorization flow: authorization_code

Subscription key: Primary: Product GP Test Ord.

Parameters ^

+ Add parameter

Headers ^

Cache-Control: no-cache

Ocp-Apim-Subscr.

Authorization:

Postman Example:

