SheetDrop

Spreadsheet tables into Figma Slides, styled to match your deck. The complete guide.

VERSION 8

What SheetDrop does

You get a spreadsheet from a client. You need it in the deck, on brand, today. SheetDrop reads the table, reads your deck, and builds the table on the slide to match. You check it in the preview, press Insert, done.

Reads your deck

Fonts, text colour, accent, borders and text size are detected from the slide and the deck around it. No template setup.


Fits the slide

Finds the free space between title and footer, solves the font size to fit, and splits tall tables across slides.

Stays editable

The result is plain Figma frames and text. Edit any cell, colour or line the normal way.

The window at a glance




Left: source, target slide, preview or grid editor, insert. Right: the five settings tabs. Everything on the right updates the preview live.

Area	What it is for
Source tabs	Load an Excel/CSV file, or paste a range copied from Google Sheets or Excel.
Table / Target slide / Start row	Which table from the file, which slide it goes on, which row to start reading from.
Preview / Grid editor	Preview shows the real slide with the table drawn on it. Grid editor is where you reshape the data.
Columns · Rows & data · Colours · Fonts · Layout	Every control, grouped. Hover any control for about a second to get a short explanation.
Insert table	Builds it on the slide. `Ctrl` + `Enter` does the same.

First table in 60 seconds

Open a Figma Slides deck, run SheetDrop from Plugins, and follow along.

1. **Load the data.** Click `Choose File` and pick the .xlsx or .csv. Or open the `Google Sheets / Paste` tab, select the range in Sheets or Excel, copy, and paste it in the box.
2. **Pick the table.** If the file has several sheets, or several blocks separated by blank rows, each one is listed under **Table**.
3. **Pick the slide.** Click the slide in Figma; the **Target slide** dropdown follows you. Or choose it from the list.
4. **Look at the preview.** The dashed box is the free area SheetDrop found. The line under the preview tells you the font size it chose and whether it fits.
5. **Insert.** Click `Insert table`. Figma jumps to the slide with the table selected.




Source, table, slide and start row.

> **Start row.** If the sheet has a title or notes above the real table, set Start row to the row where the header actually is. Everything above it is dropped.

> **Not happy?** Click `Undo insert` in the header to remove what you just inserted, adjust, insert again. Or leave it: inserting the same table on the same slide again replaces the previous one.

The grid editor

Switch to `Grid editor` above the preview. This is your table as a spreadsheet. What you do here is what gets inserted.



The grid toolbar.

Selecting

- Click a cell. Drag or `Shift`+click to select a block.
- Click a row number or column letter to select the whole line.
- Arrow keys move the selection, `Shift`+arrows extend it.

Editing

- Double-click a cell (or press `Enter`) to edit its text. `Enter` saves, `Esc` cancels.
- `Delete` clears the selected cells.
- `Ctrl`+`Z` undoes the last grid change, as many times as you like.

Merging

- Select any rectangle of cells and click `Merge`. Across, down, or a block.
- `Unmerge` splits any merged cell in the selection.
- Merges that already exist in the Excel file are imported automatically.

Headers

- **Header rows**: how many top rows are headers. Use 2 or 3 for grouped headers like Q1 over Jan, Feb, Mar.
- **Header cols**: how many left columns are row labels (side headers). The Columns tab has the same number plus a **Hdr** tick per column, so any column can be a side header, not only the leftmost.
- `Promote to header`: makes the selected row the header and removes everything above it. This is how you drop a useless original header.

#	A	B	C	D	E	F	G
1	Channel	Q1			Q2		
2		Jan	Feb	Mar	Apr	May	Jun
3	Paid social						
4	LinkedIn	12,400	15,900	18,200	21,050	19,800	24,310
5	Meta	9,100	8,700	11,250	10,900	12,400	13,050
6	Reddit	2,300	-410	1,900	2,750	3,100	2,980

Two header rows with Q1 and Q2 merged across their months, Channel merged down, section rows, a total row and a footnote.

Grid editor, continued

Row types

SheetDrop guesses row types: a row with one filled cell is a **section** label, a row starting with Total or Average is a **total**, a last row starting with * or Source: is a **footnote**. The guess can be wrong. Select rows and use the `Row type…` dropdown or right-click to force Body, Section, Total, Footnote, or back to Auto.

Rows and columns


- `+ Row ↑` `+ Row ↓` `+ Col ←` `+ Col →` insert blank lines next to the selection.
- `Del rows` removes rows. `Del cols` hides columns (same as unticking them in Columns; nothing is lost).
- `Row ↑` `Row ↓` move the selected rows.
- `Transpose` (Columns tab) swaps rows and columns.

Totals

`+ Totals row` appends a row that sums every numeric column, keeping currency symbols, decimals and percent signs from the data.

Indent


Right-click, Indent + or Indent −. Sub-rows get indented in the first column. Leading spaces in the source are picked up automatically.



Right-click any cell for the full action list.

Cell style

Select any cells, click `Cell style` (or right-click, Cell style…). Fill, text colour, bold and an outline, applied to those cells only. Use it to flag a number, highlight a target, or mark cells the client asked about. **Clear cell style** removes it.



Cell style popover; the highlighted Q2 cells on row 8 carry a fill and an outline.


Export

`Export CSV` downloads the table as you have shaped it, useful after hand edits.

> Hover a row in the grid and the same row lights up in the preview. Switch tabs freely; nothing is lost.

Columns tab


One line per column. The top line applies a setting to every column at once.



Control	What it does
▲ ▼	Reorder columns.
In	Include or hide the column.
Hdr	Make this column a side header (row labels). Any column, not only the first. **Side hdr cols** above ticks the first N for you.
Header (rename)	Type a new header. Leaves the source untouched.
Width	**auto** sizes to content. **px** is a fixed width on the slide. **%** is a share of the table width. Set the number in the box next to it.
Align	auto puts numbers right and text left. Or force left, centre, right.
B	Bold every cell in the column.
Wrap	Long text wraps onto extra lines instead of widening the column. def follows the global Wrap setting above the table.
Type	Force the column to be treated as numeric or text (affects alignment and totals).
Heat	Heatmap: cells tinted from light to the accent colour by value. Great for KPI grids.
Fmt	Number format for this column only: as is, 1,234, 1.2K, fixed decimals, integer. Overrides the global setting in Rows & data.
Fill / Text	Background and text colour for the column's data cells. The × on the top line clears them all.


Side header style decides how side header columns look: bold, or filled like the header row. **Max col width %** caps how wide an auto column can grow when wrapping is on.

Rows & data tab



Control	What it does
Exclude rows	Grid row numbers to drop, e.g. `3,5-7`.
Hide rows containing	Comma-separated words. Any row containing one of them is hidden.
Empty cells become	What to show in blank cells. Leave blank to keep them empty.
N/A-like values become	What to show instead of N/A, null, none and so on. The list of tokens is editable next to it.
Numbers / Decimals	Global number format: as is, thousands separators, K/M/B abbreviation, fixed decimals.
Header case	As is, UPPER, or Title Case for header text.
Vertical align	Where text sits inside a cell when the row is taller than the text.
Row height × / Header height ×	Multipliers. 1.3 makes rows 30% taller.
Rows per slide	0 is automatic. Otherwise force this many data rows per slide when splitting.
Indent sub-rows	Honour indentation from the grid or from leading spaces.
Detect section / total / footnote rows	Turn the automatic row-type guesses on or off. Manual row types in the grid always win.
Negatives in red	Numbers starting with - or (use the deck's red.

Colours, Fonts, Layout




Colours

Mode: Auto reads the deck. Filled gives a solid header bar. Outlined gives coloured header text with rules and plain cells, the look most corporate templates use.

Accent, Text, Border are pre-filled with what was detected. Touch one and **Use my colours** switches on.


Row colours: add rules. Specific rows, every Nth row, rows containing a word, first or last data row, each with a colour. If a cell has both a row colour and a column colour, **Priority** decides which shows.



Fonts

Body and header font from every font installed in your Figma, with the deck's own fonts listed first. Deck default means "whatever the slide uses".

Cap to deck body size keeps the table no larger than the deck's body text, so it never shouts. Untick it to let Max font apply.




Layout

Position inside the free area, margin, corner radius, zebra rows, row and column lines, outer border, fill width. **Split across slides** continues a tall table on cloned slides with the header rows repeated. **Title above table** adds a caption that moves with the table.

Amend, batch, defaults

Amend a table you inserted before



1. Click the table on the slide in Figma (any cell will do). The box above the preview lists it and the Amend button pulses.
2. Click `Amend`. The data, grid edits, columns, colours and every setting come back exactly as they were.
3. Change what you need. To refresh the data, load the client's new file: if the column count matches, your column setup is kept, and changed cells are outlined in the preview.
4. Click `Insert table`. It replaces the old one in place. **Keep position** holds it where you dragged it; **Keep original look** reuses the colours and fonts from the first insert even if the deck changed.

All tables → slides

When a file contains several tables, this button puts each one on its own slide, cloning the target slide for each. Titles come from the table names unless you set one.

Save as this deck's defaults

Stores the current settings inside the Figma file. Everyone who opens that deck gets the same look without touching anything. `Clear deck defaults` removes them.

Full-screen preview

Click the preview or the ⤢ button. Scroll to zoom, drag to pan, `+` `-` `0` for zoom in, out and fit. `Esc` closes.

Shortcuts, tips, troubleshooting

Shortcuts

Keys	Action
Ctrl + Enter	Insert table
Ctrl + Z	Undo grid edit
Arrows / Shift +arrows	Move / extend selection in the grid
Enter / Esc	Edit cell / cancel
Delete	Clear selected cells
Right-click	Grid actions menu
Esc	Close full-screen or menus

Good habits

- Paste beats upload for Google Sheets: select, copy, paste. Works for private sheets too.
- Set header rows and merges first, then widths and colours.
- Save deck defaults once per client deck.
- The stat pill in the header counts your inserts. Milestones bring rain. So does clicking the logo five times, or Ctrl + Shift + R.

If something looks off

Symptom	Fix
Target slide list is empty	Open a Figma Slides deck. In a Design file, add a top-level frame to use as the slide, then click ↻.
Table too small	Fewer columns (hide some), wrap long text, or untick Cap to deck body size.
"Taller than free area"	Turn on Split across slides, or raise Rows per slide.
Wrong colours detected	Colours tab: pick Mode, adjust the pickers, tick Use my colours.
Section rows detected wrongly	Rows & data: untick Detect section rows, or set row types by hand in the grid.
Preview fonts look different	The preview uses fonts on your Mac; the inserted table always uses the exact Figma font.
Licence screen	Enter the key you were given. It is stored on your Mac. Click Licence in the header to change it.


> Sound can be switched off with the ♪ button in the header.

Styles & templates new in v8

One look per row type, saved once, used by everyone on the deck. Plus copy and paste of looks, and named templates for rows, columns and cells.

Row types

Header, Sub-header 1 to 4, Body, Total, Footnote. The **Styles** tab has one line per type: fill, text colour, size (relative to the table font so auto-fit still works, or an exact px), font and weight, and an outline with colour, thickness and sides (all, bottom only, top only). Blank means "inherit the deck look", so a v7 table looks exactly the same until you set something.




Styles tab. Save style set → Deck writes it into the Figma file for everyone; → Personal keeps it on this computer.

Assigning a type in the Grid editor

1. Select whole rows and pick a type from `Style…` (or right-click → Style). The rows take that type.
2. Select part of a row and the type goes on those **cells only**, marked with a small badge.
3. `Copy style…` copies the look of a cell, its row or its column. Select the target and `Paste style`. Content never moves, only the look.


Templates & deck defaults



Rows 3 and 6 are Sub-header 2; three cells on row 4 are typed Total. The toolbar holds Style, Copy style, Paste style, Save template and Apply template.

Templates

Save template… stores the selected row, column or cell under a name, to the **Deck** (inside the Figma file, shared with anyone who opens it) or to **Personal** (this computer only, not your Figma account). Apply template… puts it on the current selection; column and row templates match columns by header name first, then by position. Lists and delete buttons live in the Styles tab, where a saved **style set** can be loaded back with one click.



The preview and the inserted table use the same styles: red header with a bottom rule, blue sub-headers, tinted total.

> **Save as this deck's defaults** now stores everything: row-type styles, per-column fills, text colours, widths and formats, cell styles and row types. Opening the plugin on that deck and loading the same sheet brings all of it back; a different sheet gets the column settings matched by header name.