SheetDrop

Spreadsheet tables into Figma Slides, styled to match your deck. The complete guide.

VERSION 9

What SheetDrop does

You get a spreadsheet from a client. You need it in the deck, on brand, today. SheetDrop reads the table, reads your deck, and builds the table on the slide to match. You check it in the preview, press Insert, done.

Reads your deck

Fonts, text colour, accent, borders and text size are detected from the slide and the deck around it. No template setup.


Fits the slide

Finds the free space between title and footer, solves the font size to fit, splits tall tables across slides.

Stays editable

The result is plain Figma frames and text. Edit any cell, colour or line the normal way.

The window at a glance



Left: source, target slide, preview or grid editor, insert. Right: six settings tabs. Everything updates the preview live.

Area	What it is for
Source tabs	Load an Excel/CSV file, or paste a range copied from Google Sheets or Excel.
Table · Target slide · Start row	Which table from the file, which slide it goes on, which row holds the headers. Start row is found for you.
Preview · Grid editor	Preview shows the real slide with the table drawn on it. Grid editor is where you reshape the data and set its look.
Columns · Rows · Colours · Fonts · Layout · Styles	Every control, grouped. Hover any control for about a second to get a short explanation.
Insert table	Builds it on the slide. Ctrl + Enter does the same.

First table in 60 seconds

Open a Figma Slides deck, run SheetDrop from Plugins, and follow along.

1. **Load the data.** Click `Choose File` and pick the .xlsx or .csv. Or open `Google Sheets / Paste`, select the range in Sheets or Excel, copy, and paste it in the box.
2. **Let it find the header.** Notes or titles above the real table are skipped automatically; **Start row** shows which row was taken as the header. Change it if it guessed wrong.
3. **Pick the slide.** Click the slide in Figma; the **Target slide** dropdown follows you.
4. **Look at the preview.** The dashed box is the free area SheetDrop found. The line under the preview tells you the font size it chose and whether it fits. Section rows, totals and footnotes are detected and styled.
5. **Insert.** Click `Insert table`. Figma jumps to the slide with the table selected.




Preview on the real slide. Header, section rows, totals and the footnote are already styled from the deck.

> **Not happy?** `Undo insert` in the header removes what you just inserted. Or just insert again: the same table on the same slide replaces the previous one.


The grid editor: structure

Reshape the data before it goes on the slide. The top row of the toolbar is structure only.



Merge · Unmerge | Header rows · Side header cols | insert and delete rows and columns, move rows | Promote to header · Totals row | Undo · Export CSV.


Action	What it does
Merge / Unmerge	Select any rectangle of cells and merge them into one. Excel merges are imported.
Header rows	How many top rows are headers. 2 or 3 for grouped headers; they repeat when a table splits across slides.
Side header cols	How many left columns are row labels (bold, or styled like the header, see Columns).
+ Row / + Col / Delete rows / Hide columns	Edit the shape. Hidden columns can be ticked back in Columns.
Move ↑ ↓	Move the selected rows.
Promote to header	The selected row becomes the header; rows above it are removed.
+ Totals row	Appends a Total row that sums every numeric column.
Edit a cell	Double-click, Enter or F2. Esc cancels.



Click a cell, drag or shift-click to select. Click a row or column head to select the whole line.

The grid editor: look


The second row of the toolbar is everything about how the selection looks. The chip on the left always tells you what is selected and which style it carries.



Chip · Apply style · Edit look · Copy look of cell / row / column · Paste look · Save as template · Use template.

Apply a style


Select rows or cells, click `Apply style`, pick one. Whole rows take it as a row style. Part of a row takes it as a cell style, marked with a small bar on the left edge. The list shows the eight row types first, then your own styles, then **Automatic** to clear.



Row 2 selected, the Apply style list open. Each entry shows its fill.

Edit look

A one-off change to just these cells: fill, text colour, bold, outline. Changes apply as you move the controls. Want it reusable? Click `Save as new style` in the same form.




Copy a look, templates, right-click

Copy look, paste look

Select a cell and press **cell**, **row** or **column** next to "Copy look of". Select the target and press `Paste look`. Only the look moves, never the content. A row look carries the row style, indent and every cell look; a column look carries the column settings and every cell look.

Save as template

Stores the selected row, column or cell under a name. Pick **Deck library** (saved in this Figma file, everyone who opens it gets it) or **My library** (this computer only). `Use template` puts a saved one on the selection. Row and column templates match columns by header name first, then by position, so they survive a reordered sheet.




#	A	B	C	D	E
1	**Channel**	**Jan-26**	**Feb-26**	**Mar-26**	**Apr-26**
2	**Impressions**				
3	G Search	120	130	140	155
4	Linkedin	90	95	110	118
5	Reddit	40	42	47	51
6	**Total**	**250**	**267**	**297**	**324**
7	**Clicks**				
8	G Search	12	14	15	17
9	Linkedin	9	10	12	13
10	**Total**	**21**	**24**	**27**	**30**
11	** Source: internal analytics, Oct 2026*				

The name strip. Row / Column / Cell is pre-selected from what you have selected. Enter saves, Esc cancels.


Right-click

Everything in the toolbar is also on the right-click menu, same names. Apply style, Copy look, Rows and Columns open as submenus so the menu stays short.



Styles: define a look once

A style is a reusable look: fill, text colour, bold, font, weight, size, outline. The Styles tab shows them as cards with a live swatch so you see what you will get.




Eight built-in row types, then your own. Apply to selection puts the style on whatever is selected in the grid.

Row type	Used for
Header	The header rows (Header rows in the grid).
Sub-header 1 to 4	Section rows. A row with one filled cell is detected as Sub-header 1; use 2 to 4 for deeper levels.
Body	Every normal data row.
Total	Rows starting with Total, Sum, Average, Subtotal, Net (detected) or any row you choose.
Footnote	A last row starting with * or Source:, drawn under the table.

> **Blank means inherit.** A row type with nothing set keeps the deck look SheetDrop detected. Set only what you want to change, the rest follows the deck.

Edit a style



Your own styles, rules, library

New style


1. + New style : type a name, Create, then edit the form. Your styles are based on Body unless you change "Based on"; unset fields inherit from that row type.
2. New style from selection : select a cell in the grid first. Its current look becomes the new style and the cell now uses it.
3. Rename and delete live on the card. Deleting a style sends cells that used it back to automatic.

Automatic rules

Give rows a style by what they contain or where they are: rows containing "Total" → Total, every 2nd data row → Zebra, grid rows 3,5-7 → Highlight, first data row, last row. Rules never touch header rows and never override a style you applied by hand.

Library

Deck library is saved in this Figma file: everyone who opens the deck sees the same style sets and templates. **My library** is on this computer only, not your Figma account. Save all styles to deck stores every style and rule as a named set; Load brings it back.



Columns and Rows


Columns



One line per column: include, side header, rename, width (auto / px / %), align, bold, wrap, type, heatmap, number format, fill, text colour, and a Style for the whole column. The bulk row applies to all.


Control	What it does
Width	auto fits content, px fixes it, % is a share of the table width. Max col width % caps auto columns when wrapping.
Type	Force numeric (right-aligned) or text.
Heat	Heatmap: cells tinted from light to accent by value.
Fmt	Number format for this column only (1,234 · 1.2K · fixed · integer).
Style	A cell style for every body cell in the column. Row and cell styles win over it.
Transpose	Swap rows and columns.

Rows




Colours, Fonts, Layout

Colours




Mode (auto from deck, filled header, outlined), and three overrides: accent, text, border. Tick "Use my colours" or the detected ones stay.

Fonts



Body and header font from the fonts installed in Figma, deck fonts listed first. Max and min font, padding, cap to the deck body size.

Layout




Position, margin, corner radius, zebra, row and column lines, outer border, fill width, split across slides, lock, replace previous insert, title above the table.

> **Save as this deck's defaults** (under the preview) stores all of this, plus your styles, rules, column settings, cell looks and row types, inside the Figma file. Everyone who opens SheetDrop on that deck starts from them. Load the same sheet again and everything comes back; a different sheet gets the column settings matched by header name.

Amend, batch, split

Amend

Every inserted table stores its data, grid edits, styles and settings inside the Figma node. Select the table in Figma (or pick it from the list) and click `Amend` : the panel restores exactly. Change anything, then Insert replaces it in place. **Keep position** leaves it where you put it. Client sent v2? Amend, load the new file, Insert: if the column count matches, the column setup is kept and changed cells are outlined in the preview.



Tables already on this slide, with Amend and Keep position.

All tables → slides

Every table in the file (each sheet, each block separated by blank rows) goes on its own slide, cloned from the target slide, with the same settings and styles.

Split across slides

A table taller than the free area continues on cloned slides with the header rows repeated. Rows per slide can be forced in the Rows tab. The line under the preview tells you how many slides it will take.

Full-screen preview

Click the preview or ⤢ to open it full screen: scroll to zoom, drag to pan, `0` fits, `Esc` closes.

Shortcuts, licence, troubleshooting

Shortcuts

Keys	Action
Ctrl + Enter	Insert table
Ctrl + Z	Undo grid edit, including style changes
Arrows / Shift +arrows	Move / extend selection
Enter / F2	Edit cell
Delete	Clear selected cells
Right-click	Grid actions menu
Enter / Esc in a name strip	Save / cancel

Licence

SheetDrop asks for a licence key the first time it opens on a computer and remembers it. The key is checked online each time the plugin opens and keeps working offline for 7 days. **Licence** in the header shows who it is licensed to.

If something looks off

Symptom	Fix
Target slide list is empty	Open a Figma Slides deck. In a Design file, top-level frames act as slides. Click ↻.
Wrong row is the header	Change Start row, or select the real header row in the grid and Promote to header.
Table too small	Fewer columns, wrap long text, or untick Cap to deck body size.
Wrong colours	Colours tab: pick Mode, adjust the pickers, tick Use my colours.
A style did nothing	Blank fields inherit the deck look. Set the field you want. Check the chip: a cell style wins over a row style, which wins over a column style.
Styles missing on a colleague's Mac	Save all styles to **deck**, not My library. The deck library travels with the file.
Fonts look different	The preview uses fonts on your Mac; the inserted table uses the exact Figma font.

> Milestones: 1, 10, 25, 50, 100 tables make it rain. Sound can be switched off with ♪ in the header.