

labZ.com



Automatic Autoclave TRA-602

Description :

Automatic Autoclave TRA-602 is a microprocessor-controlled tabletop electronic device with fully automatic,

pre-programmed sterilization cycles and an LCD screen that displays continuous cycle information. It has a 16 L capacity, a maximum temperature of 134 °C, and a pressure of 210 MPa. It has an electro-polished stainless steel chamber and door. A simple user interface is very easy to use.

Specification

Capacity	16 L
Sterilization Room Size	Ø230×360
Maximum Pressure	210 MPa
Maximum Temperature	134 °C
Maximum Timer	0 to 55 min
Heating Power	2000 W
Number Of Trays	3
Power Supply	220V 50Hz /110V60Hz
Dimension	445×400×690 mm
Weight	45 kg

Features

Tabletop autoclaves that are full auto and have pre-programmed sterilization cycles

- a The chamber and entrance are made of stainless steel and have an electro-polish finish**
- a Control system with high precision for perfect sterilization results**
- a The built-in independent steam generator ensures that there is always steam accessible for faster cycles**
- a The user interface is very friendly and can operate very easily**
- a The LCD screen constantly provides data about the cycle**
- a The open-type water tank is very simple to fill and clean**
- a Microprocessor-controlled electronic autoclave that is fully automated**
- a It is a thermal autoclave with a non-vacuum working method**
- a Each operating status and program could be displayed as an icon on the LCD screen**

Application

Work in for the dental and Applies for both use the power of steam to kill bacteria, spores, and germs resistant to boiling water and powerful detergents

Labbuyers product Generated on:
catalog 30/11/2024

Location: 777 Providence Hwy, Walpole,
MA 02081, USA

Email: Info@lab-buyers.com

Website: www.lab-Buyers.com

Phone: +1 840 657 1199