

Halden Distribution Ltd. — Disaster Recovery Plan

Field	Value
Plan ID	DRP-001
Version	0.9 (draft)
Owner	IT Lead
Approver	Managing Director — signature pending
Applies to	All Halden systems and sites
Tested	No — no drill has been run yet. Last drill: <i>(none)</i>
Printed copy held off-site	<i>(to be confirmed and recorded)</i>

Status: this plan is untested. The recovery time objectives in this document are **targets**. No drill has been run, so no achieved recovery time exists. Actual results will be recorded in `p08-dr-drill-report.md` after a timed drill. Halden Distribution Ltd. is fictional; this is a home-lab portfolio document.

1. Purpose and scope

This plan describes how Halden restores its critical services after a major failure or a deliberate attack, who decides what, in what order systems are recovered, and how the outcome is measured against the agreed objectives.

2. Roles

Role	Responsibility	Named person
Disaster declared by	Confirms a disaster and authorises the recovery effort	Managing Director with IT Lead
Incident Lead	Runs the recovery, owns the clock, makes the calls	IT Lead
Recovery Operator	Performs restores, checks results	Systems
Business Liaison	Confirms each department's systems work before "all clear"	Department head (or deputy)
Communications	Updates staff and customers	MD or Office Manager

In a small company one person may hold more than one role. Write down who actually holds each role before the drill, not during the incident.

3. Contact steps

1. **Call the IT Lead** (primary) — or the deputy if unreachable within 15 minutes.
2. **Call the Managing Director** — decides on business impact, spend and communications.

- 3. **Call department heads** — to confirm priorities and to verify their systems after recovery.
- 4. **Call vendors only if needed** — off-site storage provider, ISP, hardware support. Keep vendor contacts in the printed copy; do not rely on a system being up to look them up.

1. **Record the time of every call.** The clock starts at the declaration, not at the first fix.

Contact numbers are deliberately **not** in this repository. The filled contact list is kept in the printed off-site copy of this plan and in the IT Lead's records.

4. Declaration criteria

Declare a disaster when any of the following is true:

- Two or more Tier 0/1 systems are unavailable, or a Tier 0/1 system is expected to be down beyond its

recovery objective.

- A domain controller is lost and the surviving controller cannot serve the business alone.
- The integrity of the backups themselves is in doubt.
- A ransomware or destructive attack has affected production systems.

Do not wait for certainty. Declaring and standing down costs little; declaring late costs a lot.

5. Recovery order and dependencies

Systems are recovered in dependency order: identity first, then files, then applications, then support.

0. Declare disaster, start incident response, preserve evidence, isolate the network
1. Clean infrastructure: hypervisor, then the firewall (config from source control)
2. Backup server health check; choose a restore point BEFORE the compromise
3. Restore DC01 in the sandbox, verify, then promote → confirm DNS and DHCP
4. Reset the compromised credentials (including krbtgt twice) and rotate privileged passwords
5. Restore FS01 → verify Finance and Sales share access
6. Restore LNX01 (order system) → verify with a Sales user
7. Restore OPS01 (service desk, monitoring) and SIEM01 (security monitoring)
8. Re-image workstations from the standard build → users return to work
9. Hand back to the business; run the lessons-learned review

6. Decision points

Decision	Default position	Decided by
Restore in place, or rebuild from scratch?	Rebuild anything that was compromised; restore for plain hardware failure	Incident Lead
Which restore point?	The newest copy older than the first suspicious event	Incident Lead with the security timeline

Decision	Default position	Decided by
Bring a restored domain controller straight into production?	No — verify and scan it in the sandbox first	Incident Lead
Accept data loss, or wait for an older copy?	Compare actual loss against the agreed objective; the business decides	MD with the Business Liaison
Tell customers now, or after recovery?	Now, if the outage will exceed the agreed objective	MD

7. Recovery objectives (targets)

Tier	Systems	Recovery time target	Data loss target
0	DC01/DC02, FW01 config	2 hours	24 hours
1	FS01, LNX01	4 hours	1 hour
2	OPS01, SIEM01	24 hours	24 hours
3	Workstations	3 days (re-image)	not applicable

Full detail and the sign-off table are in `p08-service-levels.md`. These are targets until a drill measures them.

8. Key resources needed

Resource	Location	Notes
Backup server credentials	owner password manager	not domain credentials
Backup encryption key	password manager and sealed copy with the offline media	losing it means losing the backups
An offline backup copy	stored off-site	the copy no attacker can reach
Firewall and server configuration	source control, plus the offline copy	used to rebuild clean
This plan	printed, off-site	the wiki may be unavailable
Vendor contacts	printed, off-site	do not depend on a system being up

9. Communications

Audience	What to say	Who
Staff	Is it a full or partial outage; whether to work from paper; when to expect an update	Communications
Customers / key suppliers	Only if the outage affects delivery; agreed wording, no technical detail	MD

Audience	What to say	Who
Insurer / legal	After containment, with the evidence pack and the timeline	MD with the IT Lead

Do not speculate about cause or blame during an incident. Give facts and next update times.

10. Testing and maintenance

- A **full recovery drill** is run at least twice a year and after any major change.
- The drill is timed with a stopwatch, and the results are recorded against the targets above.
- **Everything that breaks during a drill becomes an action with an owner and a date.**
- This plan is updated whenever a drill, incident or change shows it to be wrong.

11. Related documents

- Runbook (step-by-step): `../docs/runbooks/dr-drill-full-recovery.md`
- Ransomware and immutability: `../docs/runbooks/ransomware-immutability.md`
- Backup policy: `p08-backup-policy.md`
- Service levels: `p08-service-levels.md`
- Drill report: `p08-dr-drill-report.md`

Approval

Role	Name	Signature	Date
Plan owner (IT Lead)	Muhammad Ibrahim Akmal		
Approver (Managing Director)			

Unsigned and untested. This is a home-lab artifact for a fictional company.