

Halden Distribution Ltd. — Service levels: recovery objectives agreed with the business

Field	Value
Document ID	SLA-REC-001
Version	0.9 (draft for approval)
Owner	IT Lead
Approver	Managing Director — signature pending
Date agreed	<i>(on approval)</i>
Review date	12 months after approval, or after any drill

These are targets, not results. No recovery has been measured yet. Every "objective" figure below is what the business has asked for; the achieved figures are recorded only after a timed drill and appear in `p08-dr-drill-report.md`. Halden Distribution Ltd. is fictional; the targets are part of a home-lab portfolio project.

1. Definitions

Term	Plain meaning
Recovery Time Objective (RTO)	How long a system may be down before the business is seriously hurt
Recovery Point Objective (RPO)	How much data we may lose, expressed in time ("the last hour of work")
Maximum Tolerable Downtime (MTD)	The absolute limit beyond which the impact is unacceptable; the RTO must sit inside it

2. Agreed objectives by tier

Tier	Systems	RTO	RPO	MTD	Backup frequency	Retention
0 — Foundation	DC01/DC02 (AD, DNS, DHCP), FW01 config	2 hours	24 hours	1 day	Daily VM + daily system state	30 daily, 12 monthly
1 — Critical	FS01 Finance/Sales, LNX01 order system + database	4 hours	1 hour	2 days	Hourly file + nightly VM	24 hourly, 14 daily, 8 weekly, 12 monthly
2 — Important	OPS01 (GLPI/BookStack), SIEM01 (Wazuh)	24 hours	24 hours	5 days	Nightly	14 daily, 8 weekly
3 — Deferrable	Workstations (no local data by policy)	3 days	Not applicable (re-imaged)	10 days	Re-image from standard build	—

3. The cost/risk trade-off the business is accepting

Choice	Cost implication	Effect
RPO of 1 hour for Tier 1	Hourly backups: more storage, more load, more monitoring	At most one hour of file and order data is lost
RPO of 24 hours for Tier 0	Daily backups	Up to a day of directory changes, mostly recovered from the second controller
30-day immutable retention	Storage that cannot be reclaimed early	An attacker cannot destroy the last month of recovery points
Off-site, encrypted copy	A recurring storage cost for the off-site location	A fire, theft or flood does not destroy every copy

Tighter objectives cost more. The tiers above are the balance the business has accepted; they can be changed, but only deliberately and with the cost understood.

4. What IT commits to

1. Backing up every in-scope system at the frequency above, and monitoring that it happened.
2. Keeping at least one copy that **cannot be deleted** within its retention period.
3. **Testing restores every week** and reporting the result.
4. Running a **full recovery drill** at least twice a year and reporting the measured times.
5. Telling the business **honestly** when a target was missed, and what will change as a result.

5. What the business commits to

1. **Signing off** these objectives and reviewing them annually.
2. Storing work in the managed location (network shares), not on a local desktop, so it is covered.
3. Reporting suspected data loss promptly rather than attempting recovery alone.

6. Measurement and reporting

Measure	Source	Frequency	Reported to
Restore test success rate	automated weekly restore test	Monthly	Management (P10 monthly report)
Recovery time vs target	timed recovery drill	Twice yearly	Management
Data loss vs target	timed recovery drill	Twice yearly	Management
Backup job failures	backup monitoring	Daily (operational) / Monthly (summary)	IT operations / Management

7. Measured performance

Measure	Target	Latest measured	Date measured
Restore test success rate	<i>(to be set after the first drill)</i>	not measured	—
Recovery time — Tier 0	2 hours	not measured	—
Recovery time — Tier 1	4 hours	not measured	—
Data loss — Tier 1	1 hour	not measured	—

This table is deliberately empty. It will be filled from real drill output, and it will show misses as well as successes.

Approval

Role	Name	Signature	Date
IT Lead	Muhammad Ibrahim Akmal		
Managing Director (business owner)			
Finance (cost acceptance)			

Unsigned draft for the fictional company Halden Distribution Ltd.