

Prompt used to create the background effect on the Contact page:

Create a video for my pizza restaurant website. It should show basil, mozzarella, and pizza ingredient 8 being sprinkled. This will be used as the background of one of my pages. use #17181c as the background color.

AI Generated code:

```
const cv = document.getElementById('c');
const cx = cv.getContext('2d');
let W, H;

function resize(){
  W = cv.width = window.innerWidth;
  H = cv.height = window.innerHeight;
}
resize();
window.addEventListener('resize', resize);

// 1. BASIL LEAF - organic teardrop with veins
function drawBasil(cx, x, y, a, s){
  cx.save();
  cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

  const g = cx.createRadialGradient(-3,-8,1,0,0,18);
  g.addColorStop(0,'#5aaa3a');
  g.addColorStop(0.5,'#3d8c28');
  g.addColorStop(1,'#2a6118');
  cx.beginPath();
  cx.moveTo(0,16);
  cx.bezierCurveTo(12,8, 16,-4, 6,-14);
  cx.bezierCurveTo(2,-18, -2,-18, -6,-14);
  cx.bezierCurveTo(-16,-4, -12,8, 0,16);
  cx.fillStyle=g; cx.fill();

  // midrib
  cx.beginPath(); cx.moveTo(0,16); cx.lineTo(0,-16);
  cx.strokeStyle='rgba(30,70,10,0.55)'; cx.lineWidth=0.8; cx.stroke();
  // veins
```

```

    for(let i=-1;i<=1;i+=2){
        cx.beginPath(); cx.moveTo(0,4); cx.lineTo(i*9,-3);
        cx.moveTo(0,-3); cx.lineTo(i*8,-10);
        cx.strokeStyle='rgba(30,70,10,0.35)'; cx.lineWidth=0.5; cx.stroke();
    }
    cx.restore();
}

// 2. MOZZARELLA CHUNK - irregular white blob
function drawMozzarella(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

    const g = cx.createRadialGradient(-4,-5,1,0,0,16);
    g.addColorStop(0,'#ffffff8');
    g.addColorStop(0.5,'#f2ede0');
    g.addColorStop(1,'#ddd5c0');

    cx.beginPath();
    cx.moveTo(0,-14);
    cx.bezierCurveTo(10,-14, 16,-8, 15,0);
    cx.bezierCurveTo(16,9, 10,14, 2,15);
    cx.bezierCurveTo(-6,16, -15,10, -14,2);
    cx.bezierCurveTo(-16,-7, -10,-14, 0,-14);
    cx.fillStyle=g; cx.fill();

    // subtle surface texture lines
    cx.strokeStyle='rgba(180,170,155,0.4)'; cx.lineWidth=0.7;
    cx.beginPath(); cx.moveTo(-6,-6); cx.bezierCurveTo(-2,-3,4,-3,8,-6);
cx.stroke();
    cx.beginPath(); cx.moveTo(-8,2); cx.bezierCurveTo(-2,5,5,5,9,2);
cx.stroke();
    cx.restore();
}

// 3. TOMATO SLICE - red circle with seed pockets
function drawTomato(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

```

```

cx.beginPath(); cx.arc(0,0,15,0,Math.PI*2);
cx.fillStyle='#c82020'; cx.fill();
cx.strokeStyle='#8b1010'; cx.lineWidth=1.2; cx.stroke();

const g = cx.createRadialGradient(0,0,1,0,0,14);
g.addColorStop(0,'rgba(230,80,60,0.8)');
g.addColorStop(1,'rgba(180,30,20,0.3)');
cx.beginPath(); cx.arc(0,0,14,0,Math.PI*2);
cx.fillStyle=g; cx.fill();

cx.strokeStyle='rgba(100,10,5,0.45)'; cx.lineWidth=0.7;
for(let i=0;i<3;i++){
    const ang=i*(Math.PI*2/3);
    cx.beginPath(); cx.moveTo(0,0);
cx.lineTo(Math.cos(ang)*14,Math.sin(ang)*14); cx.stroke();
}
for(let i=0;i<6;i++){
    const ang=i*(Math.PI*2/6)+0.3; const r=7;
    cx.save(); cx.translate(Math.cos(ang)*r, Math.sin(ang)*r);
cx.rotate(ang);
    cx.beginPath(); cx.ellipse(0,0,2.5,1.2,0,0,Math.PI*2);
    cx.fillStyle='rgba(255,230,150,0.85)'; cx.fill(); cx.restore();
}
cx.restore();
}

// 4. PEPPERONI - cured meat disc with fat spots
function drawPepperoni(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

    const g = cx.createRadialGradient(-3,-3,1,0,0,15);
    g.addColorStop(0,'#c43020'); g.addColorStop(0.6,'#a02018');
g.addColorStop(1,'#6e140e');
    cx.beginPath(); cx.arc(0,0,14,0,Math.PI*2); cx.fillStyle=g; cx.fill();
    cx.strokeStyle='#4a0c08'; cx.lineWidth=0.8; cx.stroke();

    const spots=[[-5,-4,2.2],[
4,-6,1.6],[-2,5,1.8],[6,3,1.4],[-7,3,1.2],[2,-1,1.0]];
    for(const [sx,sy,sr] of spots){

```

```

        cx.beginPath(); cx.arc(sx,sy,sr,0,Math.PI*2);
        cx.fillStyle='rgba(255,220,160,0.7)'; cx.fill();
    }
    cx.beginPath(); cx.arc(0,0,13,Math.PI*1.1,Math.PI*1.6);
    cx.strokeStyle='rgba(255,180,120,0.25)'; cx.lineWidth=2; cx.stroke();
    cx.restore();
}

// 5. MUSHROOM - top-down slice view
function drawMushroom(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

    const g = cx.createRadialGradient(-3,-5,1,0,0,15);
    g.addColorStop(0,'#c8a87a'); g.addColorStop(0.6,'#a0845a');
    g.addColorStop(1,'#6e5a3a');
    cx.beginPath(); cx.ellipse(0,-3,13,10,0,0,Math.PI*2); cx.fillStyle=g;
    cx.fill();

    cx.strokeStyle='rgba(80,55,30,0.45)'; cx.lineWidth=0.6;
    for(let i=0;i<8;i++){
        const ang=i*(Math.PI/4);
        cx.beginPath(); cx.moveTo(0,-3);
        cx.lineTo(Math.cos(ang)*11+0,Math.sin(ang)*8-3); cx.stroke();
    }
    cx.beginPath(); cx.ellipse(0,6,4,6,0,0,Math.PI*2);
    cx.fillStyle='#b8967a'; cx.fill();
    cx.strokeStyle='rgba(80,50,30,0.3)'; cx.lineWidth=0.5; cx.stroke();
    cx.restore();
}

// 6. BLACK OLIVE - ring slice
function drawOlive(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

    cx.beginPath(); cx.ellipse(0,0,12,9,0,0,Math.PI*2);
    cx.fillStyle='#1e1a14'; cx.fill();
    cx.strokeStyle='#3a3222'; cx.lineWidth=0.8; cx.stroke();

```

```

    cx.beginPath(); cx.ellipse(0,0,5,4,0,0,Math.PI*2);
    cx.fillStyle='#17181c'; cx.fill();

    cx.beginPath(); cx.ellipse(0,0,11,8,-0.2,Math.PI*1.05,Math.PI*1.45);
    cx.strokeStyle='rgba(120,100,70,0.4)'; cx.lineWidth=2; cx.stroke();
    cx.restore();
}

// 7. BELL PEPPER STRIP - curved colorful strip
function drawPepper(cx, x, y, a, s, hue){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

    const colors={
        red: {fill:'#e83030', hi:'#ff7070', shadow:'#901010'},
        yellow:{fill:'#e8c020', hi:'#ffe060', shadow:'#907010'},
        green: {fill:'#30a830', hi:'#70e070', shadow:'#105010'},
    };
    const c = colors[hue]||colors.red;

    cx.beginPath();
    cx.moveTo(-12,-5);
    cx.bezierCurveTo(-8,-12, 8,-12, 12,-5);
    cx.bezierCurveTo(14,0, 14,6, 10,9);
    cx.bezierCurveTo(6,10, -6,10, -10,9);
    cx.bezierCurveTo(-14,6, -14,0, -12,-5);
    cx.fillStyle=c.fill; cx.fill();
    cx.strokeStyle=c.shadow; cx.lineWidth=0.7; cx.stroke();

    cx.beginPath();
    cx.moveTo(-7,-8); cx.bezierCurveTo(-2,-11, 4,-11, 8,-8);
    cx.strokeStyle=c.hi; cx.lineWidth=1.5;
    cx.globalAlpha=0.5; cx.stroke();
    cx.restore();
}

// 8. OREGANO FLAKE - tiny irregular green/brown speck
function drawOregano(cx, x, y, a, s){
    cx.save();
    cx.translate(x,y); cx.rotate(a); cx.scale(s,s);

```

```

    cx.beginPath();
    cx.moveTo(0,-4);
    cx.bezierCurveTo(3,-3,4,0,3,3);
    cx.bezierCurveTo(1,5,-3,4,-3,2);
    cx.bezierCurveTo(-5,-1,-3,-4,0,-4);
    cx.fillStyle=Math.random()<0.5?'#5a7a30':'#7a6030';
    cx.fill();
    cx.restore();
}

const TYPES =
['basil','mozzarella','tomato','pepperoni','mushroom','olive','pepper','oregano'];
const PEPPER_HUES = ['red','yellow','green'];

const COUNTS = {
  basil:12, mozzarella:10, tomato:9, pepperoni:10,
  mushroom:9, olive:10, pepper:12, oregano:35,
};

function randRange(a,b){ return a + Math.random()*(b-a); }

function mkParticle(type, fromTop=false){
  const scaleMap = {
    basil:randRange(0.7,1.3), mozzarella:randRange(0.8,1.4),
    tomato:randRange(0.55,0.9), pepperoni:randRange(0.55,0.85),
    mushroom:randRange(0.6,1.0), olive:randRange(0.55,0.9),
    pepper:randRange(0.55,0.9), oregano:randRange(0.5,1.0),
  };
  return {
    type,
    x: randRange(-30, W+30),
    y: fromTop ? randRange(-120,-20) : randRange(-H*1.2,-20),
    scale: scaleMap[type],
    angle: randRange(0, Math.PI*2),
    spin: randRange(-0.022, 0.022),
    vy: randRange(0.7, 2.0),
    vx: randRange(-0.5, 0.5),
    sway: randRange(0, Math.PI*2),
    swayAmp: randRange(0.2, 0.9),
  };
}

```

```

    swayFreq: randRange(0.008, 0.022),
    alpha: randRange(0.72, 1.0),
    pepperHue: PEPPER_HUES[Math.floor(Math.random()*3)],
  };
}

const particles = [];
for(const type of TYPES){
  const count = COUNTS[type];
  for(let i=0;i<count;i++) particles.push(mkParticle(type));
}

function drawParticle(p){
  cx.save();
  cx.globalAlpha = p.alpha;
  switch(p.type){
    case 'basil':      drawBasil(cx, p.x, p.y, p.angle, p.scale); break;
    case 'mozzarella': drawMozzarella(cx, p.x, p.y, p.angle, p.scale);
break;
    case 'tomato':      drawTomato(cx, p.x, p.y, p.angle, p.scale); break;
    case 'pepperoni':   drawPepperoni(cx, p.x, p.y, p.angle, p.scale);
break;
    case 'mushroom':    drawMushroom(cx, p.x, p.y, p.angle, p.scale);
break;
    case 'olive':       drawOlive(cx, p.x, p.y, p.angle, p.scale); break;
    case 'pepper':      drawPepper(cx, p.x, p.y, p.angle, p.scale,
p.pepperHue); break;
    case 'oregano':     drawOregano(cx, p.x, p.y, p.angle, p.scale); break;
  }
  cx.restore();
}

function drawBackground(){
  cx.fillStyle = '#17181c';
  cx.fillRect(0,0,W,H);

  const bloom = cx.createRadialGradient(W*0.5, H*0.42, 0, W*0.5, H*0.42,
Math.max(W,H)*0.55);
  bloom.addColorStop(0, 'rgba(180,90,20,0.07)');
  bloom.addColorStop(1, 'rgba(0,0,0,0)');

```

```
cx.fillStyle = bloom;
cx.fillRect(0,0,W,H);
}

const scaleEdge = { basil:22, mozzarella:22, tomato:18, pepperoni:18,
                    mushroom:18, olive:16, pepper:18, oregano:8 };

function tick(){
  drawBackground();

  for(const p of particles){
    p.sway += p.swayFreq;
    p.x     += p.vx + Math.sin(p.sway)*p.swayAmp;
    p.y     += p.vy;
    p.angle += p.spin;

    const edge = (scaleEdge[p.type]||18) * p.scale + 10;
    if(p.y > H + edge){
      const fresh = mkParticle(p.type, true);
      fresh.x = randRange(-30, W+30);
      Object.assign(p, fresh);
    }
    if(p.x < -80) p.x = W+80;
    if(p.x > W+80) p.x = -80;

    drawParticle(p);
  }

  requestAnimationFrame(tick);
}
tick();
```