

1. CATEGORY API

1.1 Create Category (Success)

Method : POST

URL : http://localhost:8080/api/categories

Request Body:

```
{
  "name": "Books"
}
```

Evidence: Successful Category Creation (201 Created)

The screenshot displays the Postman interface for a successful API call. The top bar shows the workspace name 'Ibrahim Alrahbi's Workspace' and various utility buttons. The left sidebar contains a 'COLLECTIONS' panel with 'My Collection' expanded, showing a 'POST Post data' item. The main area shows the request details for 'POST http://localhost:8080/api/categories'. The request body is a JSON object: `{ "name": "Books" }`. The response tab is selected, showing a status of '201 Created' with a response time of '103 ms' and a size of '193 B'. The response body is a JSON object: `{ "id": 12, "name": "Books" }`. The bottom status bar includes 'Connect Git', 'Console', 'Terminal', and 'Globals Vault Tools'.

Evidence: Empty Name Validation Error (400 Bad Request)

Inventory & Order Management API - Test Report

The screenshot displays a REST client interface within a workspace named 'Ibrahim Alrahbi's Workspace'. The active collection is 'My Collection' with a sub-collection 'Post data'. A POST request is configured to the endpoint 'http://localhost:8080/api/categories'. The request body is set to 'raw' and contains an empty JSON object:

```
{}
```

. The response status is '400 Bad Request' with a response time of 13 ms and a size of 298 B. The response body is shown in JSON format, indicating a validation failure:

```
{  "timestamp": "2026-06-23T11:11:14.5346217",  "status": 400,  "error": "Bad Request",  "message": "Validation failed",  "details": [    {      "name": "Category name is required"    }  ]}
```

. The left sidebar shows 'COLLECTIONS' with 'My Collection' and 'Post data'. The bottom status bar includes 'Connect Git', 'Console', 'Terminal', and various utility icons.

POST Post data

My Collection > Post data

POST http://localhost:8080/api/categories

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": ""
3 }
```

Body Cookies Headers 4 Test Results 0/1 400 Bad Request • 13 ms • 298 B Save Response

{ } JSON Preview Debug with AI

```
1 {
2   "timestamp": "2026-06-23T11:11:14.5346217",
3   "status": 400,
4   "error": "Bad Request",
5   "message": "Validation failed",
6   "details": [
7     "name: Category name is required"
8   ]
9 }
```

> ENVIRONMENTS

> SPECS

No items in this panel

+ Create

> FLOWS

Connect Git Console Terminal 0 0

Globals Vault Tools

2. PRODUCT API

2.1 Create Product (Success)

Method : POST

URL : http://localhost:8080/api/products

Request Body:

```
{  
  "name": "Pen",  
  "price": 5.50,  
  "stockQuantity": 100,  
  "categoryId": 10  
}
```

Evidence: Successful Product Creation (201 Created)

Inventory & Order Management API - Test Report

The screenshot displays a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:8080/api/products
- Request Body (JSON):**

```
{  "name": "Pen",  "price": 5.50,  "stockQuantity": 100,  "categoryId": 10}
```
- Response:** 201 Created, 24 ms, 261 B. The response body is a JSON object:

```
{  "id": 9,  "name": "Pen",  "price": 5.50,  "stockQuantity": 100,  "category": {    "id": 10,    "name": "Gadgets"  }}
```

2.2 Create Product with Negative Price (Validation Error)

Method : POST

URL : http://localhost:8080/api/products

Request Body:

```
{  "name": "Bad Product",  "price": -10.00,  "stockQuantity": 5,  "categoryId": 10}
```

Evidence: Negative Price Validation Error (400 Bad Request)

Inventory & Order Management API - Test Report

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:8080/api/products
- Request Body (raw):**

```
{
  "name": "Bad Product",
  "price": -10.00,
  "stockQuantity": 5,
  "categoryId": {{VALID_CATEGORY_ID}}
}
```
- Response:** 400 Bad Request (5 ms, 378 B)
- Response Body (JSON):**

```
{
  "timestamp": "2026-06-23T07:12:45.474+00:00",
  "status": 400,
  "error": "Bad Request",
  "message": "JSON parse error: Cannot deserialize value of type `java.lang.Long` from Object value (token `JsonToken.START_OBJECT`)",
  "path": "/api/products"
}
```

2.3 Create Product with Negative Stock (Validation Error)

Method : POST

URL : http://localhost:8080/api/products

Request Body:

```
{
  "name": "Bad Product",
  "price": 10.00,
  "stockQuantity": -5,
  "categoryId": 11
}
```

Evidence: Negative Stock Validation Error (400 Bad Request)

Inventory & Order Management API - Test Report

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:8080/api/products
- Request Body (JSON):**

```
{  "name": "Bad Product",  "price": 10.00,  "stockQuantity": -5,  "categoryId": 11}
```
- Response Status:** 400 Bad Request
- Response Body (JSON):**

```
{  "timestamp": "2026-06-23T11:13:24.6822955",  "status": 400,  "error": "Bad Request",  "message": "Validation failed",  "details": [    "stockQuantity: Stock quantity cannot be negative"  ]}
```

2.4 Create Product with Invalid Category (404 Error)

Method : POST

URL : http://localhost:8080/api/products

Request Body:

```
{  "name": "Orphan Product",  "price": 10.00,  "stockQuantity": 5,  "categoryId": 9999}
```

Evidence: Invalid Category ID (404 Not Found)

Inventory & Order Management API - Test Report

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes navigation icons, a workspace name "Ibrahim Alrahbi's Workspace", and buttons for "Invite", "Upgrade", and "No environment".
- Left Sidebar:** Contains a "COLLECTIONS" section with "My Collection" and "POST Post data".
- Main Panel:**
 - Request Tab:** Shows a POST request to `http://localhost:8080/api/products`. The body is raw JSON:

```
{
  "name": "Orphan Product",
  "price": 10.00,
  "stockQuantity": 5,
  "categoryId": 9999
}
```
 - Response Tab:** Shows a 404 Not Found response. The body is JSON:

```
{
  "timestamp": "2026-06-23T11:13:53.5845779",
  "status": 404,
  "error": "Not Found",
  "message": "Category not found with id: 9999",
  "details": null
}
```
- Bottom Bar:** Includes "Connect Git", "Console", "Terminal", and status indicators.

3. CUSTOMER API

3.1 Create Customer (Success)

Method : POST

URL : http://localhost:8080/api/customers

Request Body:

```
{
  "name": "Test User",
  "email": "unique@test.com"
}
```

Evidence: Successful Customer Creation (201 Created)

The screenshot displays the Postman interface for a REST client. The top bar shows the workspace name 'Ibrahim Alrahbi's Workspace' and various utility buttons like 'Invite', 'Upgrade', and 'Share'. The left sidebar contains a 'COLLECTIONS' panel with 'My Collection' expanded, showing a 'POST Post data' item. The main area is divided into tabs: 'Docs', 'Params', 'Authorization', 'Headers', 'Body', 'Scripts', and 'Settings'. The 'Body' tab is active, showing a raw JSON request body:

```
{
  "name": "Test User",
  "email": "unique@test.com"
}
```

. The 'Send' button is visible. Below the request, the 'Test Results' tab shows a successful response with a status of '201 Created', a response time of '28 ms', and a response size of '223 B'. The response body is displayed in JSON format:

```
{
  "id": 10,
  "name": "Test User",
  "email": "unique@test.com"
}
```

. The bottom status bar includes 'Connect Git', 'Console', 'Terminal', and 'Globals'.

3.2 Create Customer with Invalid Email (Validation Error)

Method : POST

URL : http://localhost:8080/api/customers

Request Body:

```
{
  "name": "Bad User",
  "email": "not-an-email"
}
```

Evidence: Invalid Email Validation Error (400 Bad Request)

The screenshot displays a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:8080/api/customers
- Request Body (JSON):**

```
{
  "name": "Bad User",
  "email": "not-an-email"
}
```
- Response Status:** 400 Bad Request
- Response Time:** 7 ms
- Response Size:** 293 B
- Response Body (JSON):**

```
{
  "timestamp": "2026-06-23T11:14:49.8669168",
  "status": 400,
  "error": "Bad Request",
  "message": "Validation failed",
  "details": [
    {
      "email": "Email must be valid"
    }
  ]
}
```

3.3 Create Customer with Duplicate Email (Database Error)

Method : POST

Inventory & Order Management API - Test Report

URL : <http://localhost:8080/api/customers>

Request Body:

```
{
  "name": "Duplicate User",
  "email": "unique@test.com"
}
```

Evidence: Duplicate Email Constraint Violation (500 Internal Server Error)

The screenshot displays the Postman interface for a POST request to `http://localhost:8080/api/customers`. The request body is a JSON object: `{ "name": "Duplicate User", "email": "unique@test.com" }`. The response is a 500 Internal Server Error with the following JSON body:

```
{
  "timestamp": "2026-06-23T07:15:50.600+00:00",
  "status": 500,
  "error": "Internal Server Error",
  "message": "could not execute statement [ORA-00001: unique constraint (INVENTORY.UK_RFBVKRFFAMFQL7CJMEN8V976V) violated\n [insert into customers (email,name,id) values (?,?,?); SQL [insert into customers (email,name,id) values (?,?,?); constraint [INVENTORY.UK_RFBVKRFFAMFQL7CJMEN8V976V]",
  "path": "/api/customers"
}
```

The left sidebar shows the 'COLLECTIONS' panel with 'My Collection' expanded, containing the 'POST Post data' collection. The bottom status bar indicates 'Connect Git', 'Console', 'Terminal', and '0' errors.

4. ORDER ITEMS API

4.1 Add Item with Quantity 0 (Validation Error)

Method : POST

URL : http://localhost:8080/api/orders/13/items

Request Body:

```
{
  "productId": 8,
  "quantity": 0
}
```

Evidence: Zero Quantity Validation Error (400 Bad Request)

The screenshot displays the Postman interface for a POST request to the URL `http://localhost:8080/api/orders/13/items`. The request body is a JSON object: `{ "productId": 8, "quantity": 0 }`. The response is a **400 Bad Request** with a status of 400, a message of "Validation failed", and details indicating that the quantity must be greater than 0.

Request Details:

- Method: POST
- URL: `http://localhost:8080/api/orders/13/items`
- Body:

```
{
  "productId": 8,
  "quantity": 0
}
```

Response Details:

- Status: 400 Bad Request
- Timestamp: 2026-06-23T11:17:29.6721954
- Error: Bad Request
- Message: Validation failed
- Details:

```
[
  "quantity: Quantity must be greater than 0"
]
```

4.2 Add Item to Non-Existing Order (404 Error)

Method : POST

URL : <http://localhost:8080/api/orders/9999/items>

Request Body:

```
{
  "productId": 8,
  "quantity": 1
}
```

Evidence: Non-Existing Order (404 Not Found)

The screenshot shows the Postman interface with a POST request to `http://localhost:8080/api/orders/9999/items`. The request body is a JSON object: `{ "productId": 8, "quantity": 1 }`. The response is a 404 Not Found error with the following JSON body:

```
{
  "timestamp": "2026-06-23T11:18:15.8866214",
  "status": 404,
  "error": "Not Found",
  "message": "Order not found with id: 9999",
  "details": null
}
```

The interface also shows the left sidebar with 'COLLECTIONS' and 'ENVIRONMENTS' sections, and the bottom status bar with 'Connect Git', 'Console', 'Terminal', and 'Globals' tabs.

5. STOCK ADJUSTMENT API

5.1 Reduce Stock Below Zero (Business Rule Error)

Method : POST

URL : http://localhost:8080/api/products/8/stock-adjustment

Request Body:

```
{
  "quantity": -5
}
```

Evidence: Stock Adjustment Conflict (409 Conflict)

The screenshot displays the Postman interface for a POST request to the URL `http://localhost:8080/api/products/8/stock-adjustment`. The request body is a JSON object: `{ "quantity": -5 }`. The response is a **409 Conflict** status, indicating a business rule error where the stock cannot be reduced below zero. The response body is as follows:

```
{
  "timestamp": "2026-06-23T11:19:16.7289428",
  "status": 409,
  "error": "Conflict",
  "message": "Cannot adjust stock. Current stock: 0, Adjustment: -5, Result would be: -5",
  "details": null
}
```

The interface also shows the left sidebar with 'COLLECTIONS' and 'ENVIRONMENTS' sections, and the bottom status bar with 'Connect Git', 'Console', 'Terminal', and 'Globals' tabs.

6. ORDER CONFIRMATION

6.1 Confirm Empty Order (Business Rule Error)

Method : POST

URL : http://localhost:8080/api/orders/8/confirm

Request Body: None

Evidence: Empty Order Confirmation Conflict (409 Conflict)

The screenshot shows the Postman interface for a POST request to `http://localhost:8080/api/orders/8/confirm`. The request body is empty. The response is a `409 Conflict` with a status of `409`, an error message of `"Cannot confirm an empty order"`, and a timestamp of `"2026-06-23T11:20:51.4021103"`. The response body is displayed in JSON format.

```
{
  "timestamp": "2026-06-23T11:20:51.4021103",
  "status": 409,
  "error": "Conflict",
  "message": "Cannot confirm an empty order",
  "details": null
}
```

7. LOW-STOCK REPORT API

7.1 Get Products Below Threshold

Method : GET

URL : <http://localhost:8080/api/products/low-stock?threshold=5>

Evidence: Low Stock Products Retrieved (200 OK)

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** <http://localhost:8080/api/products/low-stock?threshold=5>
- Status:** 200 OK
- Response Time:** 14 ms
- Response Size:** 540 B
- Response Format:** JSON
- Response Body:**

```
1
{
  "id": 8,
  "name": "Gadgets",
  "price": 300,
  "stockQuantity": 3,
  "category": {
    "id": 8,
    "name": "Gadgets"
  }
},
{
  "id": 7,
  "name": "Tablet",
  "price": 300,
  "stockQuantity": 3,
  "category": {
    "id": 10,
    "name": "Gadgets"
  }
},
{
  "id": 3,
  "name": "Phone",
  "price": 500,
  "stockQuantity": 1,
  "category": {
    "id": 1,
    "name": "Electronics"
  }
},
{
  "id": 4,
  "name": "Phone",
  "price": 500,
  "stockQuantity": 0,
  "category": {
    "id": 6,
    "name": "Electronics"
  }
}
```

7.2 Missing Threshold Parameter

Method : GET

URL : <http://localhost:8080/api/products/low-stock>

Evidence: Low Stock Report with Default Threshold (200 OK)

Inventory & Order Management API - Test Report

⌵

←

→

🏠

👤 Ibrahim Alrahbi's Workspace

🔍

🔄

Invite

Upgrade

🔔

⚙️

🌐

—

□

✕

📦

📄

🕒

📁

⌵

COLLECTIONS

My Collection

POST Post data

GET Post data

+

No environment

⌵

⌵

My Collection > Post data

Save

Share

GET

http://localhost:8080/api/products/low-stock?threshold=0

Send

Docs

Params

Authorization

Headers 6

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

1

Body

Cookies

Headers 5

Test Results 1/1

200 OK

9 ms

166 B

Save Response

{ } JSON

Preview

Visualize

1

[]

> ENVIRONMENTS

> SPECS

No items in this panel

+ Create

> FLOWS

Connect Git

Console

Terminal

0

0

Globals

Vault

Tools

🔍

📄

📁

📦