

Inventory & Order Management - Workflow Evidence

1. Create Category

The screenshot displays the Postman application interface. The top bar shows the workspace name 'Ibrahim Alrahbi's Workspace' and navigation icons. The left sidebar contains a 'COLLECTIONS' panel with 'My Collection' expanded, showing a 'POST Post data' item. The main workspace is divided into two sections: the top section for request building and the bottom section for response viewing.

Request Section:

- Method: **POST**
- URL: `http://localhost:8080/api/categories`
- Body Type: **raw** (selected), **JSON** (selected)
- Body Content:

```
1 {"name": "Gadgets"}
```

Response Section:

- Status: **201 Created** (green)
- Time: 25 ms
- Size: 195 B
- Body Type: **JSON** (selected)
- Body Content:

```
1 {  
2   "id": 10,  
3   "name": "Gadgets"  
4 }
```

Bottom Panel:

- Buttons: 'Fix body fields & rerun', 'Add tests for quantity', 'Set up environment + reuse vars'.
- AI Assistant: A text input field with the prompt 'Describe what you need. Press @ for context, / for Skills.' and an 'Auto' dropdown menu.
- Footer: 'Connect Git', 'Console', 'Terminal', and status indicators.

Inventory & Order Management - Workflow Evidence

2. Create New Product

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The main panel shows a POST request to the endpoint `http://localhost:8080/api/products`. The request body is a JSON object: `{ "name": "Tablet", "price": 300.00, "stockQuantity": 5, "categoryId": 10 }`. The response status is `201 Created` with a response time of 14 ms and a body size of 264 B. The response body is a JSON object: `{ "id": 7, "name": "Tablet", "price": 300.00, "stockQuantity": 5, "category": { "id": 10, "name": "Gadgets" } }`. The left sidebar shows a collection named "Post data" under "My Collection". The bottom status bar includes "Connect Git", "Console", "Terminal", and "0" errors. The right sidebar contains a "New Chat" section with a prompt: "Describe what you need. Press @ for context, / for Skills." and a "Fix body fields & rerun" button.

Workspace: Ibrahim Alrahbi's Workspace

POST Post data

My Collection > Post data

POST `http://localhost:8080/api/products` Send

Body `raw` JSON Schema Beautify

```
1 { "name": "Tablet", "price": 300.00,
  "stockQuantity": 5, "categoryId": 10 }
```

Body `JSON` 201 Created • 14 ms • 264 B

```
1 {
2   "id": 7,
3   "name": "Tablet",
4   "price": 300.00,
5   "stockQuantity": 5,
6   "category": {
7     "id": 10,
8     "name": "Gadgets"
9   }
10 }
```

Fix body fields & rerun

Add tests for quantity

Set up environment + reuse vars

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Console Terminal 0 0

Globals Vault Tools

Inventory & Order Management - Workflow Evidence

3. Create Customer

The screenshot displays the Postman application interface. The top bar shows the workspace name 'Ibrahim Alrahbi's Workspace' and navigation icons. The left sidebar contains a 'COLLECTIONS' panel with 'My Collection' expanded, showing a 'POST Post data' item. The main workspace is divided into two sections. The top section shows the request configuration: a 'POST' method to the URL 'http://localhost:8080/api/customers'. The request body is set to 'JSON' and contains a single line of JSON: `{ "name": "Salim", "email": "Salim123@test.com" }`. The bottom section shows the response: a status of '201 Created', a response time of '13 ms', and a body of '220 B'. The response body is displayed in a pretty-printed JSON format:

```
1 {
2   "id": 8,
3   "name": "Salim",
4   "email": "Salim123@test.com"
5 }
```

 The bottom status bar includes icons for 'Connect Git', 'Console', 'Terminal', and a '0' indicator. The right sidebar features a 'New Chat' section with an 'AI' icon and a 'Describe what you need. Press @ for context, / for Skills.' prompt, along with a 'Fix body fields & rerun' button and a 'Set up environment + reuse vars' button.

POST Post data

My Collection > Post data

POST http://localhost:8080/api/customers

Send

Body

raw JSON

```
1 {"name": "Salim", "email": "Salim123@test.com"}
```

Body

201 Created • 13 ms • 220 B

```
1 {
2   "id": 8,
3   "name": "Salim",
4   "email": "Salim123@test.com"
5 }
```

ENVIRONMENTS

SPECS

No items in this panel

+ Create

FLOWs

Connect Git Console Terminal 0 0

Fix body fields & rerun

Add tests for quantity

Set up environment + reuse vars

Describe what you need. Press @ for context, / for Skills.

Auto

Globals Vault Tools

Inventory & Order Management - Workflow Evidence

4. Create Draft Order

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The left sidebar shows a "COLLECTIONS" panel with "My Collection" containing a "POST Post data" item. The main area is configured for a POST request to the URL "http://localhost:8080/api/customers/8/o...". The request body is set to "JSON" and is currently empty. Below the request area, the response is shown as "201 Created" with a status of "51 ms" and a size of "349 B". The response body is a JSON object representing a draft order.

```
{
  "id": 12,
  "customer": {
    "id": 8,
    "name": "Salim",
    "email": "Salim123@test.com"
  },
  "status": "DRAFT",
  "totalAmount": null,
  "createdAt": "2026-06-23T09:41:55.2498751",
  "confirmedAt": null,
  "items": []
}
```

The bottom of the interface includes a "New Chat" panel on the right and a footer with "Connect Git", "Console", "Terminal", and "Globals Vault Tools".

Inventory & Order Management - Workflow Evidence

5. Add Item to Order

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes navigation icons, the workspace name "Ibrahim Alrahbi's Workspace", search, and buttons for "Invite" and "Upgrade".
- Left Panel:** Shows a "COLLECTIONS" sidebar with "My Collection" containing a "POST Post data" item.
- Main Panel:**
 - Request Section:** Method "POST", URL "http://localhost:8080/api/orders/12/items", and a "Send" button.
 - Body Section:** Set to "JSON" format with the payload:

```
1 {"productId": 7, "quantity": 2}
```
 - Response Section:** Shows a "201 Created" status with a response time of 25 ms and a body size of 518 B. The JSON response is:

```
1 {
2   "id": 5,
3   "order": {
4     "id": 12,
5     "customer": {
6       "id": 8,
7       "name": "Salim",
8       "email": "Salim123@test.com"
9     },
10    "status": "DRAFT",
11    "totalAmount": null,
12    "createdAt": "2026-06-23T09:41:55.249875",
13    "confirmedAt": null
14  },
15  "product": {
16    "id": 7,
17    "name": "Tablet",
18    "price": 300,
19    "stockQuantity": 5,
20    "category": {
21      "id": 10,
22      "name": "Gadgets"
23    }
24  },
25  "quantity": 2,

```

- Right Panel:** Features a "New Chat" section with an AI assistant prompt: "Describe what you need. Press @ for context, / for Skills." and buttons for "Fix body fields & rerun", "Add tests for quantity", and "Set up environment + reuse vars".
- Bottom Bar:** Contains tabs for "Connect Git", "Console", and "Terminal", along with status indicators.

Inventory & Order Management - Workflow Evidence

6. Confirm Order

The screenshot displays the Postman interface for a REST client. The top bar shows the workspace name "Ibrahim Alrahbi's Workspace" and navigation icons. The left sidebar contains a "COLLECTIONS" panel with "My Collection" expanded, showing a "POST Post data" item. The main area is divided into two sections: the top section shows the request configuration, and the bottom section shows the response.

Request Configuration:

- Method: POST
- URL: `http://localhost:8080/api/orders/12/conf...`
- Body: raw (JSON)
- Buttons: Save, Share, Send

Response:

Status: 200 OK, 19 ms, 541 B

```
{
  "id": 12,
  "customer": {
    "id": 8,
    "name": "Salim",
    "email": "Salim123@test.com"
  },
  "status": "CONFIRMED",
  "totalAmount": 600,
  "createdAt": "2026-06-23T09:41:55.249875",
  "confirmedAt": "2026-06-23T09:45:38.807222",
  "items": [
    {
      "id": 5,
      "product": {
        "id": 7,
        "name": "Tablet",
        "price": 300,
        "stockQuantity": 3,
        "category": {
          "id": 10,
          "name": "Gadgets"
        }
      },
      "quantity": 2,
      "unitPriceAtConfirmation": 300,
      "lineTotal": 600
    }
  ]
}
```

Right Sidebar:

- Buttons: Fix body fields & rerun, Add tests for quantity, Set up environment + reuse vars
- AI Chat: Describe what you need. Press @ for context, / for Skills.
- Auto button

Bottom Bar:

- Connect Git, Console, Terminal, 0 errors, 0 warnings
- Globals, Vault, Tools

Inventory & Order Management - Workflow Evidence

7. Order Confirmed Status

The screenshot displays the Postman interface for a REST client. The workspace is named "Ibrahim Alrahbi's Workspace". The left sidebar shows a collection named "My Collection" with a single item, "POST Post data". The main panel shows the details of this request:

- Method:** POST
- URL:** `http://localhost:8080/api/orders/13/confirm`
- Body:** raw (JSON)
- Schema:** Beautify

The request body is a JSON object representing an order confirmation:

```
1 {
2   "id": 13,
3   "customer": {
4     "id": 9,
5     "name": "Ali",
6     "email": "ali1313@test.com"
7   },
8   "status": "CONFIRMED",
9   "totalAmount": 600,
10  "createdAt": "2026-06-23T10:00:10.609575",
11  "confirmedAt": "2026-06-23T10:02:29.0257272",
12  "items": [
13    {
14      "id": 6,
15      "product": {
16        "id": 8,
17        "name": "Tablet",
18        "price": 300,
19        "stockQuantity": 3,
20        "category": {
21          "id": 11,
22          "name": "Gameing"
23        }
24      },
25      "quantity": 2,
26      "unitPriceAtConfirmation": 300,
27      "lineTotal": 600
28    }
29  ]
30 }
```

The response status is **200 OK** with a response time of 17 ms and a body size of 538 B. The response body is also shown in JSON format, matching the request body structure.

On the right side, there is a "New Chat" panel with a "Fix body fields & rerun" button, an "Add tests for quantity" button, and a "Set up environment + reuse vars" button. Below these is a text input field with the placeholder "Describe what you need. Press @ for context, / for Skills." and an "Auto" dropdown menu.

The bottom status bar shows "Connect Git", "Console", "Terminal", and "0 0 0". The bottom right corner has "Globals", "Vault", "Tools", and several icons.

Inventory & Order Management - Workflow Evidence

8. Mark Order as DELIVERED

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The main area shows a POST request to the endpoint `http://localhost:8080/api/orders/12/status...` with a body of `{"status": "DELIVERED"}`. The response is a 200 OK status, received in 21 ms with a body size of 540 B. The response body is a JSON object detailing the order information.

Request:

```
POST http://localhost:8080/api/orders/12/status...
Body: {"status": "DELIVERED"}
```

Response:

```
{
  "id": 12,
  "customer": {
    "id": 8,
    "name": "Salim",
    "email": "Salim123@test.com"
  },
  "status": "DELIVERED",
  "totalAmount": 600,
  "createdAt": "2026-06-23T09:41:55.249875",
  "confirmedAt": "2026-06-23T09:45:38.807222",
  "items": [
    {
      "id": 5,
      "product": {
        "id": 7,
        "name": "Tablet",
        "price": 300,
        "stockQuantity": 3,
        "category": {
          "id": 10,
          "name": "Gadgets"
        }
      },
      "quantity": 2,
      "unitPriceAtConfirmation": 300,
      "lineTotal": 600
    }
  ]
}
```

The interface includes a sidebar with "COLLECTIONS" (My Collection, POST Post data), "ENVIRONMENTS", "SPECS", and "FLOWS". The bottom status bar shows "Connect Git", "Console", "Terminal", and "0 0". A right sidebar contains a "New Chat" section and a "Fix body fields & rerun" button.

Inventory & Order Management - Workflow Evidence

9. Mark Order as SHIPPED

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The main panel shows a POST request to the endpoint `http://localhost:8080/api/orders/12/status` with a JSON body: `{ "status": "SHIPPED" }`. The request was successful, returning a `200 OK` status with a response time of 21 ms and a body size of 538 B. The response body is a JSON object containing order details:

```
{
  "id": 12,
  "customer": {
    "id": 8,
    "name": "Salim",
    "email": "Salim123@test.com"
  },
  "status": "SHIPPED",
  "totalAmount": 600,
  "createdAt": "2026-06-23T09:41:55.249875",
  "confirmedAt": "2026-06-23T09:45:38.807222",
  "items": [
    {
      "id": 5,
      "product": {
        "id": 7,
        "name": "Tablet",
        "price": 300,
        "stockQuantity": 3,
        "category": {
          "id": 10,
          "name": "Gadgets"
        }
      },
      "quantity": 2,
      "unitPriceAtConfirmation": 300,
      "lineTotal": 600
    }
  ]
}
```

The left sidebar shows the "COLLECTIONS" panel with "My Collection" containing the "POST Post data" item. The bottom status bar indicates "Connect Git", "Console", "Terminal", and "0 0 0". The right sidebar features a "New Chat" button and a chat interface with a prompt: "Describe what you need. Press @ for context, / for Skills." and an "Auto" dropdown.

Inventory & Order Management - Workflow Evidence

10. Attempt SHIPPED on Unconfirmed Order (Conflict)

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The left sidebar shows a "COLLECTIONS" panel with "My Collection" containing a "POST Post data" item. The main area is configured for a POST request to "http://localhost:8080/api/orders/14/status" with a JSON body: `{ "status": "SHIPPED" }`. The response, labeled "409 Conflict", is shown in JSON format:

```
{  "timestamp": "2026-06-23T10:12:13.8204305",  "status": 409,  "error": "Conflict",  "message": "Invalid status transition from DRAFT to SHIPPED",  "details": null}
```

. The bottom status bar includes "Connect Git", "Console", "Terminal", and "0 0". On the right, a "New Chat" panel is visible with a "Verify request against 200 response" button and a text input field.

Workspace: Ibrahim Alrahbi's Workspace

POST Post data

My Collection > Post data

POST http://localhost:8080/api/orders/14/status

Body (JSON):

```
1 { "status": "SHIPPED" }
```

Response: 409 Conflict (9 ms, 320 B)

JSON:

```
1 { 2   "timestamp": "2026-06-23T10:12:13.8204305", 3   "status": 409, 4   "error": "Conflict", 5   "message": "Invalid status transition from DRAFT to SHIPPED", 6   "details": null 7 }
```

ENVIRONMENTS

SPECS

No items in this panel

+ Create

Flows

Connect Git Console Terminal 0 0

Verify request against 200 response

Harden the stock-adjustment tests

Run a small quantity matrix

Describe what you need. Press @ for context, / for Skills.

Auto

Inventory & Order Management - Workflow Evidence

11. Cancel Confirmed Order

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The left sidebar shows a "COLLECTIONS" panel with "My Collection" containing a "POST Post data" item. The main area is titled "POST Post data" and shows a request to "http://localhost:8080/api/orders/12/stati...". The request body is a JSON object: `{ "status": "CANCELLED" }`. The response is a "409 Conflict" with a status of 409, a message "Invalid status transition from DELIVERED to CANCELLED", and a timestamp of "2026-06-23T09:49:10.7797212". The response body is a JSON object: `{ "timestamp": "2026-06-23T09:49:10.7797212", "status": 409, "error": "Conflict", "message": "Invalid status transition from DELIVERED to CANCELLED", "details": null }`. The bottom status bar shows "Connect Git", "Console", "Terminal", and "0 0 0".

POST Post data

My Collection > Post data

POST http://localhost:8080/api/orders/12/stati... Send

Body raw JSON Schema Beautify

```
1 { "status": "CANCELLED" }
```

Body 409 Conflict 14 ms 326 B e.g. ...

```
1 {
2   "timestamp": "2026-06-23T09:49:10.7797212",
3   "status": 409,
4   "error": "Conflict",
5   "message": "Invalid status transition from
6             DELIVERED to CANCELLED",
7   "details": null
}
```

Fix body fields & rerun

Add tests for quantity

Set up environment + reuse vars

Describe what you need. Press @ for context, / for Skills.

Auto

Globals Vault Tools

Inventory & Order Management - Workflow Evidence

12. Cancel Confirmed Order Result

The screenshot displays the Postman interface for a REST client. The workspace is titled "Ibrahim Alrahbi's Workspace". On the left sidebar, under "COLLECTIONS", there is a collection named "My Collection" containing a request named "POST Post data". The main panel shows the details of this request:

- Method:** POST
- URL:** `http://localhost:8080/api/orders/13/status`
- Body:** JSON (raw view shows `{ "status": "CANCELLED" }`)
- Schema:** Beautify

The response is displayed below the request, showing a status of **200 OK** with a response time of 36 ms and a body size of 537 B. The response body is a JSON object:

```
{
  "id": 13,
  "customer": {
    "id": 9,
    "name": "Ali",
    "email": "ali1313@test.com"
  },
  "status": "CANCELLED",
  "totalAmount": 600,
  "createdAt": "2026-06-23T10:00:10.609575",
  "confirmedAt": "2026-06-23T10:02:29.025727",
  "items": [
    {
      "id": 6,
      "product": {
        "id": 8,
        "name": "Tablet",
        "price": 300,
        "stockQuantity": 5,
        "category": {
          "id": 11,
          "name": "Gameing"
        }
      },
      "quantity": 2,
      "unitPriceAtConfirmation": 300,
      "lineTotal": 600
    }
  ]
}
```

On the right side of the interface, there is a "New Chat" section with a "Fix body fields & rerun" button, an "Add tests for quantity" button, and a "Set up environment + reuse vars" button. Below these buttons is a text input field with the placeholder "Describe what you need. Press @ for context, / for Skills." and an "Auto" dropdown menu.

Inventory & Order Management - Workflow Evidence

13. Verify Stock After Cancellation

The screenshot displays a REST client interface within a workspace named "Ibrahim Alrahbi's Workspace". The interface is divided into several panels:

- Left Panel:** Contains a sidebar with "COLLECTIONS" (My Collection, POST Post data) and "ENVIRONMENTS" (No items in this panel, + Create).
- Top Panel:** Shows the request method "POST" and the URL "http://localhost:8080/api/products/8/stock-i...". A "Send" button is visible.
- Body Panel:** Displays the request body in JSON format:

```
1 {"quantity": 0}
```

.
- Response Panel:** Shows the response status "200 OK" with a response time of "14 ms" and a size of "256 B". The response body is a JSON object:

```
{  "id": 8,  "name": "Tablet",  "price": 300,  "stockQuantity": 5,  "category": {    "id": 11,    "name": "Gameing"  }}
```

.
- Right Panel:** Includes a "New Chat" section and a "Fix body fields & rerun" button.

The bottom status bar shows "Connect Git", "Console", "Terminal", and "0 0".

