



**Cairo University – Faculty of Engineering**  
**Credit Hours System – Junior**  
**MTHS114 – Numerical Analysis**  
**Fall 2024**



**A Report on the Suitability of Gaussian Elimination,  
LU Decomposition, Jacobi and Gauss-Seidel  
Methods for Large Systems**

**Submitted To:**

Prof. Dr Amani El gammal  
Eng. Shaimaa Ebid

Mathematicians		
	Name	ID
1	Ibrahim Mohamed Ibrahim El Desouky	1220114
2	Omar Mohamed Omar El Sawy	1220098
3	Seif Eldin Motaz Ahmed	1210242
4	Youssef Sayed Bedier Ahmed	1210338
5	AbdulRahman Mahmoud Ibrahim	4230179

## Table of Contents

1. Introduction .....	1
2. Direct Methods.....	2
a. Gaussian Elimination .....	2
b. LU decomposition .....	3
3. Iterative Methods .....	4
a. Jacobi Method.....	4
b. Gauss-Seidel Method.....	5
4. Discussion .....	6
1. Direct Methods: .....	6
2. Iterative Methods:.....	6
3. Suitability for Large Systems:.....	6
5. Conclusion .....	8

## Table of Figures

Figure 1 Which method to use?? .....	1
Figure 2 Gaussian Elimination .....	2
Figure 3 LU Decomposition .....	3
Figure 4 Jacobi Method .....	4
Figure 5 Gauss-Seidel Method.....	5
Figure 6 Table of Comparison .....	7
Figure 7 Iterative Vs Direct.....	8

## 1. Introduction

Solving systems of linear equations is a fundamental task in various scientific and engineering applications. Factors like the size of the matrix, computational resources, accuracy, and convergence properties influence the choice of method for solving such systems. In this report, we evaluate and compare the suitability of two direct methods (Gaussian Elimination and LU Decomposition) and two iterative methods (Jacobi and Gauss-Seidel) for solving large systems of linear equations.

### Which method to use for solving large systems of linear equations?




Figure 1 Which method to use??

## 2. Direct Methods

### a. Gaussian Elimination

Gaussian Elimination transforms a given system of equations into an upper triangular form, which is then solved using back substitution. While this method is straightforward and guarantees a solution for non-singular matrices, its computational **cost grows significantly** with the size of the system.

- **Complexity:**  $O(N^3)$  ; where N is the size of the matrix.
- **Suitability for Large Systems:**
  - *Gaussian Elimination* is computationally expensive for large systems due to its cubic time complexity.
  - Requires significant memory to store intermediate results, making it less suitable for systems with large n.
  - Not well-suited for sparse matrices as it introduces additional non-zero elements during elimination.




Figure 2 Gaussian Elimination

## b. LU decomposition

*LU Decomposition* decomposes the coefficient matrix  $A$  into two matrices  $L$  (lower triangular) and  $U$  (upper triangular). Once decomposed, solving multiple systems with the same  $A$  becomes efficient, as forward and backward substitution has linear complexity.

- **Complexity:** Decomposition:  $O(N^3)$  ; where  $N$  is the size of the matrix.
- **Suitability for Large Systems:**
  - LU Decomposition is more efficient than Gaussian Elimination for multiple right hand sides  $bb$ , as the decomposition is computed only once.
  - However, like Gaussian Elimination, it suffers from high computational and memory requirements for large dense matrices.
  - Works better for sparse systems when combined with pivoting strategies.




Figure 3 LU Decomposition

### 3. Iterative Methods

#### a. Jacobi Method

The *Jacobi method* is an iterative approach that approximates the solution of  $Ax=b$  by iteratively refining an initial guess. It assumes the coefficient matrix is diagonally dominant or symmetric positive definite for **guaranteed convergence**.

- **Complexity:** Depends on the number of iterations  $k$  and the cost per iteration  $O(N^2)$ . for sparse matrices, this cost can be much lower. where  $N$  is the size of the matrix.
- **Suitability for Large Systems:**
  - Scales are better than direct methods for large sparse matrices due to lower memory requirements.
  - Convergence can be slow for ill-conditioned matrices, and divergence is possible if the matrix is not diagonally dominant.
  - Effective for problems where high precision is not required, or an approximate solution suffices.




Figure 4 Jacobi Method



## b. Gauss-Seidel Method

The *Gauss-Seidel* method is an improved iterative method that updates each variable as soon as it is computed, leading to faster convergence compared to the Jacobi method. Like Jacobi, the coefficient matrix must be diagonally dominant or symmetric positive definite.

- **Complexity:** Similar to Jacobi,  $O(k \cdot n^2)$  for dense matrices, but faster in practice due to in-place updates.
- **Suitability for Large Systems:**
  - More efficient than Jacobi for large systems due to its faster convergence.
  - Works well for sparse matrices as it exploits sparsity to reduce computation.
  - Shares the same limitations as Jacobi in terms of convergence for poorly conditioned matrices.




Figure 5 Gauss-Seidel Method

## 4. Discussion

### 1. Direct Methods:

- Gaussian Elimination and LU Decomposition are reliable and accurate but computationally expensive, especially for large dense systems.
- LU Decomposition is preferred over Gaussian Elimination when solving multiple systems with the same coefficient matrix, as it reduces redundant computations.

### 2. Iterative Methods:

- Iterative methods (Jacobi and Gauss-Seidel) are generally more efficient for large systems, especially when the coefficient matrix is sparse.
- They have significantly lower memory requirements and can handle very large systems that would be infeasible for direct methods.

### 3. Suitability for Large Systems:

- Iterative methods are more suitable for large systems due to their scalability and ability to exploit sparsity.
- Among iterative methods, Gauss-Seidel typically outperforms Jacobi in terms of convergence speed, making it the better choice for large problems.

<b>Criterion</b>	<b>Gaussian Elimination</b>	<b>LU Decomposition</b>	<b>Jacobi</b>	<b>Gauss-Seidel</b>
<b>Memory Usage</b>	High	High	Low	Low
<b>Suitability for Large Data</b>	Poor	Moderate	Good	Very Good
<b>Convergence Guarantee</b>	Always (If matrix is non-singular)	Always (If matrix is non-singular)	Matrix - Dependent	Matrix – Dependent
<b>Efficiency for Sparse Matrices</b>	Poor	Moderate	Excellent	Excellent
<b>Computational Complexity</b>	$O(N^3)$	$O(N^3)$	$O(N^2)$	$O(N^2)$

*Figure 6 Table of Comparison*

## 5. Conclusion

For large systems of linear equations, iterative methods like Jacobi and Gauss-Seidel are generally more suitable due to their lower computational and memory requirements. They excel in handling sparse matrices, which are common in practical applications such as finite element analysis and network simulations. Among the direct methods, LU Decomposition is more efficient than Gaussian Elimination for problems with multiple right-hand sides but remains less practical for very large systems. The choice of method ultimately depends on the matrix properties, system size, and desired accuracy.

Choose the most suitable method for solving large systems of linear equations.



### Iterative Methods

Efficient for large, sparse matrices



### Direct Methods

Effective for smaller, dense matrices

*Figure 7 Iterative Vs Direct*