```
<!DOCTYPE html>
<html>
<head>
<title>My Webpage</title>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body> <header>
<h1>Welcome to My Webpage</h1>
</header>
<nav> <ul>    <li><a href="Home.html">Home</a></li>
<li><a href="About.html">About</a></li>
<li><a href="Contact.html">Contact</a></li>
</ul> </nav>
<main> <section>
<h2>About Me</h2>
<p>Hello, my name is Harry. I am a web developer and designer.</p>
<button>Learn More</button> </section>
<section> <h2>My Skills</h2>
<p>I have skills in HTML, CSS, JavaScript, and more.</p></section>
</main>
<footer> <p>&copy; 2025 My Webpage</p> </footer>
</body>
</html>
```

CSS Code 1:

```
body{
 font-family: Arial;  background-color: #f2f2f2;}
```

```css
header { background-color: #333; color: #fff; padding: 20px; text-align: center; border-bottom: 5px solid #555; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);}


main { display: flex; flex-direction: column; align-items: center; padding: 20px;}

section { background-color: #fff; padding: 20px; margin-bottom: 20px; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); border-radius: 10px;}

button { background-color: #333; color: #fff; padding: 10px 20px; border: none; border-radius: 5px; cursor: pointer; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); }

button: hover { background-color: #555;}
```

CSS Code 2:

```css
body { background-color: #fff; background-image: linear-gradient(to bottom, #fff, #f7f7f7);}

section { background-color: #fff; padding: 20px; margin-bottom: 20px; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); border-radius: 10px;}

button { background-color: #2196F3; color: #fff; padding: 10px 20px; cursor: pointer; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); }

button: hover { background-color: #1976D2; box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);

}
```
 CSS Code 3:

```css
body { font-family: Montserrat;}

header, footer { background-color: #333; color: #fff; padding: 20px; text-align: center; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);}

header h1 { font-size: 24px;}

main { display: flex; flex-direction: column; align-items: center; padding: 20px; }

section { background-color: #fff; padding: 20px; margin-bottom: 20px; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); border-radius: 10px; }

button { background-color: #333; color: #fff; padding: 10px 20px; border: none; border-radius: 5px; cursor: pointer; box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);}

button:hover { background-color: #555; box-shadow: 0 0 10px rgba(0, 0, 0, 0.2); }
```