| Area | Endpoint | Method | ID | Short Title | Pre-conditions | Steps | Expected Status Code | Actual Status Code | Verdict | Defect | Reason of Bug | Comment (edge case) | Bug |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Auth | /_internal/health | GET | e8aaa88 | 01-Health-Check | | Send GET request to the health check endpoints | 200-OK | 200-OK | Pass | No | | | |
| Auth | /_internal/health | GET | 23ebc4 | 02-Get Session ID | No condition | Send GET request to retrieve a session ID | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 8ca8d5 | 03-Register Customer 1 | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | a79bfb | 04-Login Customer 1 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Customer 1's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 28b78c | 05-Register Customer 2 | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | d6148b | 06-Login Customer 2 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Customer 2's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 011ee8 | 07-Register Customer 3 | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | 520b49 | 08-Login Customer 3 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Customer 3's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 1d58f0 | 09-Register Customer 4 | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | 70dc72 | 10-Login Customer 4 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Customer 4's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | bbd2a0 | 11-Register Customer 5 | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | e1f1e0 | 12-Login Customer 5 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Customer 5's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 1402b9 | 13-Register Rider 1 | -role:rider<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | 84c49 | 14-Login Rider 1 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Rider 1's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | 508685 | 15-Register Rider 2 | -role:rider<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | f4ccd8 | 16-Login Rider 2 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Rider 2's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/register | POST | b10b33 | 17-Register Restaurant owner 1 | -role:restaurant<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | 833dfe | 18-Login Restaurant owner 1 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Restaurant owner 1's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /restaurants | POST | 6b53cb | 19-Create Restaurant_1 | -no missing token<br>-role:restaurant<br>-no missing name or address | Send create-restaurant request with valid name and address using owner 1's token | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/register | POST | 427872 | 20-Register Restaurant owner 2 | -role:restaurant<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | 8a064a | 21-Login Restaurant owner 2 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Restaurant owner 2's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /restaurants | POST | 9375bb | 22-Create Restaurant_2 | -no missing token<br>-role:restaurant<br>-no missing name or address | Send create-restaurant request with valid name and address using owner 2's token | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/register | POST | f02f2d | 23-Register Restaurant owner 3 | -role:restaurant<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | ec5be5 | 24-Login Restaurant owner 3 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Restaurant owner 3's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /restaurants | POST | 7950bd | 25-Create Restaurant_3 | -no missing token<br>-role:restaurant<br>-no missing name or address | Send create-restaurant request with valid name and address using owner 3's token | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/register | POST | 519717 | 26-Register Restaurant owner 4 | -role:restaurant<br>-no duplicate email<br>-no missing field<br>-no duplicate email<br>password char atleast 6 | Send registration request with valid name, email, password (≥ 6 chars), role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | c2dd71 | 27-Login Restaurant owner 4 | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with Restaurant owner 4's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /restaurants | POST | 7f8253 | 28-Create Restaurant_4 | -no missing token<br>-role:restaurant<br>-no missing name or address | Send create-restaurant request with valid name and address using owner 4's token | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/register | POST | 2a0645 | 29-Register a new valid user | -role:customer<br>-no duplicate email<br>-no missing field<br>-no duplicate email -<br>password char atleast 6 | Send registration request with valid name, email, password, role=customer | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/register | POST | c41298 | 30-Register a new user-missing 'name' field | -no missing field | Send registration request without name field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | c6389a | 31-Register a new user-missing 'email' field | -no missing field | Send registration request without email field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | c1ba2e | 32-Register a new user-missing 'password' field | -no missing field | Send registration request without password field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 67e2ba | 33-Register a new user-missing 'role' field | -no missing field | Send registration request without role field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | d58e6b | 34-Register a new user-missing 'name+email' field | -no missing field | Send registration request without name and email fields | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | e82c51 | 35-Register a new user-missing 'role+password' field | -no missing field | Send registration request without role and password fields | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 0739a7 | 36-Register a new user-missing 'name+role+email+password' field | -no missing field | Send registration request with an empty body (no name, email, password, role) | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 997a98 | 37-Register a new user-invalid role | -role:customer,rider,restaurant | Send registration request with role=admin | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 697579 | 38-Register a new user-Duplicate Email(customer) | -no duplicate email | Send registration request using an already-registered customer email | 409-Conflict | 409-Conflict | Pass | No | | | |
| Auth | /auth/register | POST | fb73f8 | 39-Register a new user-Duplicate Email(rider) | -no duplicate email | Send registration request using an already-registered rider email | 409-Conflict | 409-Conflict | Pass | No | | | |
| Auth | /auth/register | POST | a829f9 | 40-Register a new user-password char 5 | -password char atleast 6 | Send registration request with a 5-character password | 400-BAD Request | 201-created | Fail | Yes | Password < 6 chars accepted (201) instead of rejected (400) — min-length validation not enforced at the 5- | | Major Bug |
| Auth | /auth/register | POST | 5eb6f7 | 41-Register a new user-password char 4 | -password char atleast 6 | Send registration request with a 4-character password | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 48b20f | 42-Register a new user-password char 3 | -password char atleast 6 | Send registration request with a 3-character password | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | d400d0 | 43-Register a new user-password char 2 | -password char atleast 6 | Send registration request with a 2-character password | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | 7855fc | 44-Register a new user-password char 1 | -password char atleast 6 | Send registration request with a 1-character password | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/register | POST | e79dc3 | 45-Register a new user-password char 0/empty | -password char atleast 6 | Send registration request with an empty-string password | 400-BAD Request | 400-BAD Request | Fail | Yes | Empty password hits the "required fields" branch, not the "min length" branch. Status code correct (400) | | Minor Bug |
| Auth | /auth/login | POST | 2ada47 | 46-Valid/Successful Login | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Auth | /auth/login | POST | 3652db | 47-Login-missing email | -no missing email or password | Send login request without email field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/login | POST | 97b6a5 | 48-Login-missing password | -no missing email or password | Send login request without password field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Auth | /auth/login | POST | ca78dc | 49-Login - Email not found(Never-registered email) | -no invalid email | Send login request using an email that was never registered | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Auth | /auth/login | POST | f03ebc | 50-Login - Email not found(Uppercase registered email) | -no invalid email | Send login request using a registered email converted to uppercase | 401-Unauthorized | 401-Unauthorized | Pass | No | | edge case for bonus | |
| Auth | /auth/login | POST | e80efd | 51-Login - Email not found(Malformed email format) | -no invalid email | Send login request using a malformed email format | 401-Unauthorized | 401-Unauthorized | Pass | No | | edge case for bonus | |
| Auth | /auth/login | POST | 9d89f6 | 52-Login - Email not found(Whitespace around registered | -no invalid email | Send login request using a registered email padded with surrounding whitespace | 401-Unauthorized | 401-Unauthorized | Pass | No | | edge case for bonus | |

| Area | Endpoint | Method | ID | Short Title | Pre-conditions | Steps | Expected Status Code | Actual Status Code | Verdict | Defect | Reason of Bug | Comment (edge case) | Bug |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Auth | /auth/login | POST | 44ba62 | 53-Login -Totally Wrong password | -no wrong password | Send login request with a completely incorrect password | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Auth | /auth/login | POST | 68a211 | 54-Login-Case-sensitivity in password | -no wrong password | Send login request with the correct password in different letter case | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Auth | /auth/login | POST | 3f01d9 | 55-Login-Cross-account password | -no wrong password | Send login request using a valid password taken from another account | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Auth | /auth/login | POST | 3b1374 | 56-Login-Injection-style password for security check | -no wrong password | Send login request with a SQL-injection-style string as password | 401-Unauthorized | 401-Unauthorized | Pass | No | | important edge case for bonus | |
| Restaurants | /restaurants | GET | 96ce1a | 01 - List Restaurants - Success | -Not miss any token<br>-No Invalid list query params | Send GET request to list restaurants with a valid token | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?sort_by=desc | GET | 8bbc011 | 02 - List - sort_by=desc | sort_by=valid query param value | Send GET request with sort_by=desc | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?sort_by=asc | GET | 1cf39d | 03- List - sort_by=asc | sort_by=valid query param value | Send GET request with sort_by=asc | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?filter_l | GET | ea8bee | 04- List - filter_field=isOpen&filter_value=true | filter_field & filter_value=valid query param value | Send GET request with filter_field=isOpen&filter_value=true | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?filter_l | GET | 3f9fd8 | 05-List-filter_field=name&filter_value=Restaurant 1 - 20260830112750269 | filter_field & filter_value=valid query param value | Send GET request with filter_field=name&filter_value=<name> | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | | GET | b2d0ba | 06-List-filter_field=address&filter_value=Test Address 3 - 20260830112750269 | filter_field & filter_value=valid query param value | Send GET request with filter_field=address&filter_value=<address> | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?filter_field=id&filter_value=31d74e5f-294c-4d69-8dd0-1d3863664 1c8 | GET | a781d7 | 07-List-filter_field=id&filter_value=<uuid> | filter_field & filter_value=valid query param value | Send GET request with filter_field=id&filter_value=<uuid> | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?filter_field=ownerId&filter_value={{filter_owner_id_1 ast}} | GET | 534d2ef | 08-List-filter_field=owner_id&filter_value=<owner_id> | filter_field & filter_value=valid query param value | Send GET request with filter_field=ownerId&filter_value=<owner_id> | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants?filter_field=createdAt&filter_value={{filter_createdat_1 ast}} | GET | b7619b | 09-List-filter_field=createdAt&filter_value={{SOME_TIMESTAMP}} | filter_field & filter_value=valid query param value | Send GET request with filter_field=createdAt&filter_value=<timestamp> copied from an existing restaurant | 200-OK restaurant returned | 200-OK empty array | Fail | Yes | filter_field=createdAt returns an empty array even with an exact, valid timestamp copied from an existing restaurant. Tested with both raw and URL-encoded values — same | edge case for bonus | Medium Bug |
| Restaurants | /restaurants?filter_field=password&filter_value=x | GET | 0f45a7 | 10-List-Invalid filter_field (negative case) | filter_field & filter_value=valid query param value | Send GET request with filter_field=password | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants?name=restaurant&sort_by=asc&filter_field=isOpen&filter_value=true | GET | 7d7eed | 11-List - name+sort_by+filter_field+filter_value combo | | Send GET request combining sort_by, filter_field, and filter_value | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | GET | 35edf2 | 12-List Restaurants - No Token | no missing token | Send GET request to list restaurants without an Authorization token | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Restaurants | /restaurants?sort_by=sideways | GET | 5a29f7 | 13-List Restaurants - Invalid sort_by | Invalid list query params-sort_by | Send GET request with sort_by=sideways | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants?sort_by= | GET | a366899 | 14-List Restaurants - sort_by=Empty | Invalid list query params-sort_by=empty | Send GET request with sort_by= (empty value) | 400-BAD Request | 200-OK | Fail | Yes | sort_by= (empty) should return 400 per docs (only asc/desc allowed), but API returns 200 and silently defaults to name-ascending sort instead of rejecting it. | edge case for bonus | Medium Bug |
| Restaurants | /restaurants?sort_by=123 | GET | d939b74 | 15-List Restaurants - sort_by=Numeric | Invalid list query params-sort_by=numeric | Send GET request with sort_by=123 | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants?sort_by=asc,desc | GET | e4528d | 16-List Restaurants - sort_by=asc,desc | Invalid list query params-sort_by=comma separated 2 values | Send GET request with sort_by=asc,desc | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants?sort_by=asc&sort_by=desc | GET | e95079c | 17-List Restaurants - sort_by=asc&sort_by=desc | Invalid list query params-sort_by=duplicate params | Send GET request with duplicate params sort_by=asc&sort_by=desc | 400-BAD Request | 200-OK | Fail | Yes | Sending duplicate sort_by params should return 400 (invalid) or be handled deterministically. API returns 200 instead, silently ignoring duplicate params without clear/documented precedence — | | Low-Medium Bug |
| Restaurants | /restaurants?sort_by=ASC | GET | e743d8 | 18-List Restaurants - sort_by=ASC/DESC | Invalid list query params-sort_by=uppercase | Send GET request with sort_by=ASC | 400-BAD Request | 200-OK | Fail | Yes | Docs specify only lowercase "asc"/"desc" as valid sort_by values. sort_by=ASC should return 400 but API returns 200 and sorts correctly - undocumented case-insensitive | edge case for bonus | Low-Medium Bug |
| Restaurants | /restaurants | GET | 680b4d | 19-List Restaurants - baseline sanity (no sort_by at all) | -Invalid list query params-no sort_by | Send GET request without any sort_by param | 200-OK(not 400-Bad Request) | 200-OK | Pass | No | | edge case for bonus | |
| Restaurants | /restaurants/{{restaurant0_3_id}} | GET | 6f8b39 | 20-Get Restaurant By Id | -no missing token<br>- no Restaurant not found response | Send GET request using a valid, existing restaurant id | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants/{{resta | GET | fd4f76 | 21-Get Restaurant By Id - No Token | -no missing token | Send GET request for a restaurant without an Authorization token | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Restaurants | /restaurants/00000000-0000-0000-0000-000000000000 | GET | fed2fe | 22-Get Restaurant By Id - Restaurant Not Found (Random UUID) | -Restaurant not found response | Send GET request using a well-formed random UUID that does not exist | 404-Not Found | 404-Not Found | Pass | No | | | |
| Restaurants | /restaurants/12345 | GET | b55813 | 23-Get Restaurant By Id - Restaurant Not Found (Malformed/non-UUID id) | -Restaurant not found response | Send GET request using a malformed, non-UUID id | 404-Not Found | 500-Internal Server Error | Fail | Yes | Confirmed defect (already known) — malformed id returns 500 instead of expected 404/400. Backend lacks input validation on the id path parameter, likely passing it | | Major Bug |
| Restaurants | /restaurants/{{restaurant_owner0_3_user_id}} | GET | 9.00E+05 | 24-Get Restaurant By Id - Restaurant Not Found(Valid UUID belonging to a different entity) | -Restaurant not found response | Send GET request using a valid UUID that belongs to a different entity type | 404-Not Found | 404-Not Found | Pass | No | | | |
| Restaurants | /restaurants/{{restaurant0_4_id_upper}} | GET | e9646b | 25-Get Restaurant By Id - Restaurant Not Found(Case Sensitivity) | -Restaurant not found response | Send GET request using an existing restaurant's UUID converted to uppercase | 404-Not Found | 200-OK | Fail | Yes | Existing restaurant's UUID uppercased returns 200 instead of 400. UUID comparison should be case-sensitive per spec, but backend does exact case-insensitive matching. | edge case for bonus | Medium Bug |
| Restaurants | /restaurants/12345 | GET | f26fa01 | 26-Get Restaurant By Id - Restaurant Not Found (Numeric-only id) | -no Restaurant not found response | Send GET request using a numeric-only id | 404-Not Found | 500-Internal Server Error | Fail | Yes | Numeric-only, non-UUID-format id causes 500 instead of 404/400 — missing input-validation root cause | edge case for bonus | Major Bug |
| Restaurants | /restaurants/' OR '1'='1 | GET | ae81e7 | 27-Get Restaurant By Id - Restaurant Not Found (Injection-style id) | -Restaurant not found response | Send GET request using ' OR '1'='1 as the id | 404-Not Found | 500-Internal Server Error | Fail | Yes | SQL-injection-style id (' OR '1'='1) causes 500 instead of 404/400. No data leak or bypass observed (positive finding), but the crash itself is a defect. | edge case for bonus | Major Bug |
| Restaurants | /restaurants/ | GET | 0cacf2 | 28-Get Restaurant By Id - Trailing slash routes to list endpoint | No condition | Send GET request to /restaurants/ (trailing slash, no id) | 200-OK | 200-OK | Pass | No | | important extra case(edge case) | |
| Auth | /auth/register | POST | b6562622 | 29-Register a new Restaurant owner | -role:restaurant<br>-no duplicate email<br>-no missing field<br>-no duplicate email<br>-password char atleast 6 | Send registration request with valid name, email, password, role=restaurant | 201-created | 201-created | Pass | No | | | |
| Auth | /auth/login | POST | d74578 | 30-Login new Restaurant owner | -no missing email or password<br>-no invalid email<br>-no wrong password | Send login request with the new owner's correct email and password | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | POST | 58c636 | 31-Create a new Restaurant | -no missing token<br>-role:restaurant<br>-no missing name or address | Send create-restaurant request with valid name and address using the owner's token | 201-created | 201-created | Pass | No | | | |

| Area | Endpoint | Method | ID | Short Title | Pre-conditions | Steps | Expected Status Code | Actual Status Code | Verdict | Defect | Reason of Bug | Comment (edge case) | Bug |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Restaurants | /restaurants | POST | b381a2 | 32-Create Restaurant - No Token | -no missing token | Send create-restaurant request without an Authorization token | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Restaurants | /restaurants | POST | 6b8fe2 | 33-Create Restaurant - Wrong Role | -role:restaurant | Send create-restaurant request using a token with a non-restaurant role | 403-Forbidden | 403-Forbidden | Pass | No | | | |
| Restaurants | /restaurants | POST | 1caffc16 | 34-Create Restaurant - Missing Name | -no missing name or address | Send create-restaurant request without name field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants | POST | 530ef8 | 35-Create Restaurant - Missing Address | -no missing name or address | Send create-restaurant request without address field | 400-BAD Request | 400-BAD Request | Pass | No | | | |
| Restaurants | /restaurants | PATCH | e5bd49 | 36-Update Restaurant-name,address&status | Restaurant exists, owner token | Send update request changing name, address, and status together | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | PATCH | 87f6fa6 | 37-Update Restaurant-only name | Restaurant exists, owner token | Send update request changing only name | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | PATCH | 22da49 | 38-Update Restaurant-only address | Restaurant exists, owner token | Send update request changing only address | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | PATCH | f4bd2 | 39-Update Restaurant-only status | Restaurant restaurant0_4 currently open | Send update request changing only status to close restaurant0_4 | 200-OK | 200-OK | Pass | No | | | |
| Restaurants | /restaurants | PATCH | fec3f | 40-Update Restaurant - No Token | No token supplied | Send update request without an Authorization token | 401-Unauthorized | 401-Unauthorized | Pass | No | | | |
| Restaurants | /restaurants | PATCH | 5.32E+11 | 41-Update Restaurant - Not Found(Random uuid) | Restaurant does not exist | Send update request using a well-formed random UUID that does not exist | 404-Not Found | 404-Not Found | Pass | No | | | |
| Restaurants | /restaurants/12345 | PATCH | 5bf8b62b-14a9-459b-928a-cf4dacaebe60 | 42-Update Restaurant - Not Found(Malformed/non uuid)) | Restaurant does not exist | Send update request using a malformed id ("12345") | 404-Not Found | 500-Internal Server Error | Fail | Yes | Malformed, non-UUID id (e.g. "12345") in PATCH causes 500 instead of expected 404/400 — same missing id-validation | | Major Bug |
| Restaurants | /restaurants | PATCH | 6815c9bf-ca7f-43fb-aac3-c2c945c1ebbc | 43-Update Restaurant - Not Found(Valid UUID belonging to a different entity) | Restaurant does not exist | Send update request using a UUID belonging to another entity type | 404-Not Found | 404-Not Found | Pass | No | | | |
| Restaurants | /restaurants | PATCH | 9c894eae-303f-4dd7-bd92-4b40bad48f2a | 44-Update Restaurant - Forbidden Non-Owner1 | Non-Owner 1Token belongs to a different restaurant owner | Send update request on new_restaurant using restaurant_owner0_3's token | 403-Forbidden | 200-OK | Fail | Yes | Using restaurant_owner0_3_token, tried to access/modify new_restaurant (owned by a different user). Expected 403, got 200 — update succeeded. Ownership check is not enforced. | | Critical Bug |
| Restaurants | /restaurants | PATCH | 35153d36-eccf-436d-9de6-5008dc34306b | 45-Update Restaurant - Forbidden Non-Owner2 | Non-Owner 2Token belongs to a different restaurant owner | Send update request on restaurant_4 using restaurant_owner0_2's token | 403-Forbidden | 200-OK | Fail | Yes | Using restaurant_owner0_2_token, tried to access/modify restaurant_4 (owned by a different user). Expected 403, got 200 — update succeeded. Confirms the | | Critical Bug |