

```
Microsoft Windows [versão 10.0.19045.5679]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\Icaro>git --version
git version 2.49.0.windows.1

C:\Users\Icaro>git config --global user.name "Icaro Wanzeler"


C:\Users\Icaro>git config --global user.email "icarowanzeler16@gmail.com"

C:\Users\Icaro>git config --global core.editor "code"


C:\Users\Icaro>git config user.name
Icaro Wanzeler

C:\Users\Icaro>git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http-backend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.email=icarowanzeler16@gmail.com
user.name=Icaro Wanzeler
safe.directory=C:/
core.editor=code
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
remote.origin.url=https://github.com/IcaroLW/portfolio.git
remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
```


print 1 – configuração do git



Print 2 – login na conta



Print 3 – git status



print 4 – criação do repositório copiado do github


```
Windows PowerShell
PS C:\Users\Icaro\Desktop\repositorio\template-Java> git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'teste/.gitignore', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Icaro\Desktop\repositorio\template-Java> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  modified:   .gitignore
  new file:   teste/.classpath
  new file:   teste/.gitignore
  new file:   teste/.project
  new file:   teste/.settings/org.eclipse.core.resources.prefs
  new file:   teste/.settings/org.eclipse.jdt.core.prefs
  new file:   teste/src/teste/Teste.java


PS C:\Users\Icaro\Desktop\repositorio\template-Java> git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
[main 6ebdf8c] Primeiro commit do projeto: classe Java Teste vazia.
7 files changed, 52 insertions(+)
create mode 100644 teste/.classpath
create mode 100644 teste/.gitignore
create mode 100644 teste/.project
create mode 100644 teste/.settings/org.eclipse.core.resources.prefs
create mode 100644 teste/.settings/org.eclipse.jdt.core.prefs
create mode 100644 teste/src/teste/Teste.java
PS C:\Users\Icaro\Desktop\repositorio\template-Java> git push
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 16 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (13/13), 1.53 KiB | 523.00 KiB/s, done.
Total 13 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/IcaroLW/template-Java.git
79c4800..6ebdf8c  main -> main
PS C:\Users\Icaro\Desktop\repositorio\template-Java> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\Icaro\Desktop\repositorio\template-Java> |
```

Print 5 – testes com commit



Print 6 – alteração feita no editor do github, aplicada na IDE



Print 7 – segunda alteração feita no github, alterada na IDE

Nome: Ícaro de Lima Wanzeler

RA: 4231925716