

References

[1]A. Gualandi, D. Faranda, C. Marone, M. Cocco, and G. Mengaldo, “Deterministic and stochastic chaos characterize laboratory earthquakes,” *Earth and Planetary Science Letters*, vol. 604, p. 117995, Feb. 2023, doi: 10.1016/j.epsl.2023.117995.

[2]A. Gualandi, J.-P. Avouac, S. Michel, and D. Faranda, “The predictable chaos of slow earthquakes,” *Sci. Adv.*, vol. 6, no. 27, p. eaaz5548, Jul. 2020, doi: 10.1126/sciadv.aaz5548.

[3]T. Yasuda et al., “Quantum reservoir computing with repeated measurements on superconducting devices,” 2023, arXiv. doi: 10.48550/ARXIV.2310.06706.

[4]F. Hu et al., “Tackling Sampling Noise in Physical Systems for Machine Learning Applications: Fundamental Limits and Eigentasks,” *Phys. Rev. X*, vol. 13, no. 4, p. 041020, Oct. 2023, doi: 10.1103/PhysRevX.13.041020.

[5]O. Ahmed, F. Tennie, and L. Magri, “Optimal training of finitely sampled quantum reservoir computers for forecasting of chaotic dynamics,” *Quantum Mach. Intell.*, vol. 7, no. 1, p. 31, Feb. 2025, doi: 10.1007/s42484-025-00261-9.

[6]O. Ahmed, F. Tennie, and L. Magri, “Prediction of chaotic dynamics and extreme events: A recurrence-free quantum reservoir computing approach,” *Phys. Rev. Research*, vol. 6, no. 4, p. 043082, Nov. 2024, doi: 10.1103/PhysRevResearch.6.043082.

[7]R. A. Bindschadler, M. A. King, R. B. Alley, S. Anandakrishnan, and L. Padman, “Tidally Controlled Stick-Slip Discharge of a West Antarctic Ice,” *Science*, vol. 301, no. 5636, pp. 1087–1089, Aug. 2003, doi: 10.1126/science.1087231.

[8]“Compute resources | IBM Quantum Platform.” Accessed: Jun. 07, 2026. [Online]. Available: <https://quantum.cloud.ibm.com/computers>

[9]D. C. McKay, I. Hincks, E. J. Pritchett, M. Carroll, L. C. G. Govia, and S. T. Merkel, “Benchmarking Quantum Processor Performance at Scale,” Nov. 10, 2023, arXiv: arXiv:2311.05933. doi: 10.48550/arXiv.2311.05933.

[10]P. Pfeffer, F. Heyder, and J. Schumacher, "Hybrid quantum-classical reservoir computing of thermal convection flow," arXiv.org. Accessed: Jun. 06, 2026. [Online]. Available: <https://arxiv.org/abs/2204.13951v2>

[11]M. C. Caro et al., "Generalization in quantum machine learning from few training data," Nat Commun, vol. 13, no. 1, p. 4919, Aug. 2022, doi: 10.1038/s41467-022-32550-3.

[12]V. Jain and R. Maulik, "Higher order quantum reservoir computing for non-intrusive reduced-order models," arXiv.org. Accessed: Jun. 06, 2026. [Online]. Available: <https://arxiv.org/abs/2407.21602v1>

[13]Y. Hou et al., "High-Accuracy Temporal Prediction via Experimental Quantum Reservoir Computing in Correlated Spins," arXiv.org. Accessed: Jun. 06, 2026. [Online]. Available: <https://arxiv.org/abs/2508.12383v2>

[14]D. Fry, A. Deshmukh, S. Y.-C. Chen, V. Rastunkov, and V. Markov, "Optimizing quantum noise-induced reservoir computing for nonlinear and chaotic time series prediction," Sci Rep, vol. 13, no. 1, p. 19326, Nov. 2023, doi: 10.1038/s41598-023-45015-4.

[15]U. Singh, A. Z. Goldberg, C. Simon, and K. Heshami, "Recurrent Quantum Feature Maps for Reservoir Computing," 2026, arXiv. doi: 10.48550/ARXIV.2604.03469.

[16]U. Singh, A. Z. Goldberg, C. Simon, and K. Heshami, "Recurrent Quantum Feature Maps for Reservoir Computing," 2026, arXiv. doi: 10.48550/ARXIV.2604.03469.

[17]A. Miessen, D. J. Egger, I. Tavernelli, and G. Mazzola, "Benchmarking digital quantum simulations above hundreds of qubits using quantum critical dynamics," Jul. 10, 2024, arXiv: arXiv:2404.08053. doi: 10.48550/arXiv.2404.08053.

[18]M. R. Hassan and N. Kaabouch, "A Physics-Informed Neuro-Fuzzy Framework for Quantum Error Attribution," 2026, arXiv. doi: 10.48550/ARXIV.2602.21253.

[19]A. Bouland, B. Fefferman, Z. Landau, and Y. Liu, "Noise and the frontier of quantum supremacy," Jun. 09, 2021, arXiv: arXiv:2102.01738. doi: 10.48550/arXiv.2102.01738.

[20]A. Deshpande, P. Niroula, O. Shtanko, A. V. Gorshkov, B. Fefferman, and M. J. Gullans, “Tight Bounds on the Convergence of Noisy Random Circuits to the Uniform Distribution,” PRX Quantum, vol. 3, no. 4, p. 040329, Dec. 2022, doi: 10.1103/PRXQuantum.3.040329.

[21]L. Innocenti, S. Lorenzo, I. Palmisano, A. Ferraro, M. Paternostro, and G. M. Palma, “Potential and limitations of quantum extreme learning machines,” Commun Phys, vol. 6, no. 1, p. 118, May 2023, doi: 10.1038/s42005-023-01233-w.

[22]R. Martínez-Peña, G. L. Giorgi, J. Nokkala, M. C. Soriano, and R. Zambrini, “Dynamical Phase Transitions in Quantum Reservoir Computing,” Phys. Rev. Lett., vol. 127, no. 10, p. 100502, Aug. 2021, doi: 10.1103/PhysRevLett.127.100502.

[23]P. Mujal et al., “Opportunities in Quantum Reservoir Computing and Extreme Learning Machines,” Adv Quantum Tech, vol. 4, no. 8, p. 2100027, Aug. 2021, doi: 10.1002/qute.202100027.

[24]Q. H. Tran and K. Nakajima, “Higher-Order Quantum Reservoir Computing,” Oct. 20, 2020, arXiv: arXiv:2006.08999. doi: 10.48550/arXiv.2006.08999.

[25]R. Martínez-Peña, G. L. Giorgi, J. Nokkala, M. C. Soriano, and R. Zambrini, “Dynamical Phase Transitions in Quantum Reservoir Computing,” Phys. Rev. Lett., vol. 127, no. 10, p. 100502, Aug. 2021, doi: 10.1103/PhysRevLett.127.100502.

[26]K. Nakajima, K. Fujii, M. Negoro, K. Mitarai, and M. Kitagawa, “Boosting Computational Power through Spatial Multiplexing in Quantum Reservoir Computing,” Phys. Rev. Applied, vol. 11, no. 3, p. 034021, Mar. 2019, doi: 10.1103/PhysRevApplied.11.034021.

[27]K. Fujii and K. Nakajima, “Harnessing Disordered-Ensemble Quantum Dynamics for Machine Learning,” Phys. Rev. Applied, vol. 8, no. 2, p. 024030, Aug. 2017, doi: 10.1103/PhysRevApplied.8.024030.

[28]“Fall-2025-Booklet-with-Abstracts-1-2.pdf.”

[29]P. Branco, L. Torgo, and R. P. Ribeiro, “Pre-processing approaches for imbalanced distributions in regression,” *Neurocomputing*, vol. 343, pp. 76–99, May 2019, doi: 10.1016/j.neucom.2018.11.100.

[30]M. J. Pratt, J. P. Winberry, D. A. Wiens, S. Anandakrishnan, and R. B. Alley, “Seismic and geodetic evidence for grounding-line control of Whillans Ice Stream stick-slip events,” *JGR Earth Surface*, vol. 119, no. 2, pp. 333–348, Feb. 2014, doi: 10.1002/2013JF002842.

[31]H.-Y. Huang et al., “Power of data in quantum machine learning,” *Nat Commun*, vol. 12, no. 1, p. 2631, May 2021, doi: 10.1038/s41467-021-22539-9.

[32]S. Lundberg and S.-I. Lee, “A Unified Approach to Interpreting Model Predictions,” Nov. 25, 2017, arXiv: arXiv:1705.07874. doi: 10.48550/arXiv.1705.07874.

[33]L. Prokhorenkova, G. Gusev, A. Vorobev, A. V. Dorogush, and A. Gulin, “CatBoost: unbiased boosting with categorical features,” Jan. 20, 2019, arXiv: arXiv:1706.09516. doi: 10.48550/arXiv.1706.09516.

[34]N. O. and A. A. US Department of Commerce, “What are spring and neap tides?” Accessed: Apr. 11, 2026. [Online]. Available: <https://oceanservice.noaa.gov/facts/springtide.html>

[35]A. Ciceri et al., “Enhanced fill probability estimates in institutional algorithmic bond trading using statistical learning algorithms with quantum computers,” Sep. 22, 2025, arXiv: arXiv:2509.17715. doi: 10.48550/arXiv.2509.17715.

[36]W. Hamhoum, S. Cherkaoui, J.-F. Laprade, O. Ahmed, and S. Wang, “Multivariate Time Series Forecasting with Gate-Based Quantum Reservoir Computing on NISQ Hardware,” Oct. 15, 2025, arXiv: arXiv:2510.13634. doi: 10.48550/arXiv.2510.13634.

[37]L. Domingo, G. Carlo, and F. Borondo, “Taking advantage of noise in quantum reservoir computing,” *Sci Rep*, vol. 13, no. 1, p. 8790, May 2023, doi: 10.1038/s41598-023-35461-5.

[38]A. Sannia, G. L. Giorgi, and R. Zambrini, “Exponential concentration and symmetries in Quantum Reservoir Computing,” May 20, 2025, arXiv: arXiv:2505.10062. doi: 10.48550/arXiv.2505.10062.

[39]A. Kutvonen, K. Fujii, and T. Sagawa, “Optimizing a quantum reservoir computer for time series prediction,” *Sci Rep*, vol. 10, no. 1, p. 14687, Sep. 2020, doi: 10.1038/s41598-020-71673-9.

[40]K. Fujii and K. Nakajima, “Harnessing Disordered-Ensemble Quantum Dynamics for Machine Learning,” *Phys. Rev. Applied*, vol. 8, no. 2, p. 024030, Aug. 2017, doi: 10.1103/PhysRevApplied.8.024030.

[41]J. Cunningham and J. Zhuang, “Investigating and mitigating barren plateaus in variational quantum circuits: a survey,” *Quantum Inf Process*, vol. 24, no. 2, p. 48, Jan. 2025, doi: 10.1007/s11128-025-04665-1.

[42]M. Larocca et al., “Barren Plateaus in Variational Quantum Computing,” May 08, 2025, arXiv: arXiv:2405.00781. doi: 10.48550/arXiv.2405.00781.

[43]J. R. McClean, S. Boixo, V. N. Smelyanskiy, R. Babbush, and H. Neven, “Barren plateaus in quantum neural network training landscapes,” *Nat Commun*, vol. 9, no. 1, p. 4812, Nov. 2018, doi: 10.1038/s41467-018-07090-4.

[44]A. Pérez-Salinas, A. Cervera-Lierta, E. Gil-Fuster, and J. I. Latorre, “Data re-uploading for a universal quantum classifier,” *Quantum*, vol. 4, p. 226, Feb. 2020, doi: 10.22331/q-2020-02-06-226.

[45]V. Havlíček et al., “Supervised learning with quantum-enhanced feature spaces,” *Nature*, vol. 567, no. 7747, pp. 209–212, Mar. 2019, doi: 10.1038/s41586-019-0980-2.

[46]M. Schuld and N. Killoran, “Quantum Machine Learning in Feature Hilbert Spaces,” *Phys. Rev. Lett.*, vol. 122, no. 4, p. 040504, Feb. 2019, doi: 10.1103/PhysRevLett.122.040504.

[47]S. Hochreiter and J. Schmidhuber, “Long Short-Term Memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, Nov. 1997, doi: 10.1162/neco.1997.9.8.1735.

[48]Z. Li, T. Lu, K. Yu, and J. Wang, "Interpolation of GNSS Position Time Series Using GBDT, XGBoost, and RF Machine Learning Algorithms and Models Error Analysis," *Remote Sensing*, vol. 15, no. 18, p. 4374, Sep. 2023, doi: 10.3390/rs15184374.

[49]C. Hourcade, K. Juhel, and Q. Bletery, "PEGSGraph: A Graph Neural Network for Fast Earthquake Characterization Based on Prompt ElastoGravity Signals," *Journal of Geophysical Research: Machine Learning and Computation*, vol. 2, no. 1, p. e2024JH000360, Mar. 2025, doi: 10.1029/2024JH000360.

[50]R. Norisugi, Y. Kaneko, and B. Rouet-Leduc, "Machine learning predicts meter-scale laboratory earthquakes," *Nat Commun*, vol. 16, no. 1, p. 9593, Oct. 2025, doi: 10.1038/s41467-025-64542-4.

[51]K. Dascher-Cousineau, O. Shchur, E. E. Brodsky, and S. Günnemann, "Using Deep Learning for Flexible and Scalable Earthquake Forecasting," *Geophysical Research Letters*, vol. 50, no. 17, p. e2023GL103909, Sep. 2023, doi: 10.1029/2023GL103909.

[52]T. Chen and C. Guestrin, "XGBoost: A Scalable Tree Boosting System," in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, San Francisco California USA: ACM, Aug. 2016, pp. 785–794. doi: 10.1145/2939672.2939785.

[53]R. B. Latto, R. J. Turner, A. M. Reading, and J. P. Winberry, "Towards the systematic reconnaissance of seismic signals from glaciers and ice sheets – Part 1: Event detection for cryoseismology," *The Cryosphere*, vol. 18, no. 4, pp. 2061–2079, Apr. 2024, doi: 10.5194/tc-18-2061-2024.

[54]R. Shwartz-Ziv and A. Armon, "Tabular data: Deep learning is not all you need," *Information Fusion*, vol. 81, pp. 84–90, May 2022, doi: 10.1016/j.inffus.2021.11.011.

[55]S. Tulaczyk, W. B. Kamb, and H. F. Engelhardt, "Basal mechanics of Ice Stream B, west Antarctica: 2. Undrained plastic bed model," *J. Geophys. Res.*, vol. 105, no. B1, pp. 483–494, Jan. 2000, doi: 10.1029/1999JB900328.

[56]J. P. Winberry, S. Anandakrishnan, R. B. Alley, D. A. Wiens, and M. J. Pratt, "Tidal pacing, skipped slips and the slowdown of Whillans Ice Stream, Antarctica," *Journal of Glaciology*, vol. 60, no. 222, pp. 795–807, Jan. 2014, doi: 10.3189/2014JoG14J038.

[57]J. Paul Winberry, S. Anandakrishnan, D. A. Wiens, and R. B. Alley, "Nucleation and seismic tremor associated with the glacial earthquakes of Whillans Ice Stream, Antarctica," *Geophysical Research Letters*, vol. 40, no. 2, pp. 312–315, Jan. 2013, doi: 10.1002/grl.50130.

[58]J. P. Winberry, S. Anandakrishnan, D. A. Wiens, R. B. Alley, and K. Christianson, "Dynamics of stick–slip motion, Whillans Ice Stream, Antarctica," *Earth and Planetary Science Letters*, vol. 305, no. 3, pp. 283–289, May 2011, doi: 10.1016/j.epsl.2011.02.052.

[59]B. P. Lipovsky and E. M. Dunham, "Slow-slip events on the Whillans Ice Plain, Antarctica, described using rate-and-state friction as an ice stream sliding law," *JGR Earth Surface*, vol. 122, no. 4, pp. 973–1003, Apr. 2017, doi: 10.1002/2016JF004183.

[60]J. P. Winberry, S. Anandakrishnan, R. B. Alley, R. A. Bindschadler, and M. A. King, "Basal mechanics of ice streams: Insights from the stick-slip motion of Whillans Ice Stream, West Antarctica," *J. Geophys. Res.*, vol. 114, no. F1, p. 2008JF001035, Mar. 2009, doi: 10.1029/2008JF001035.

[61]D. A. Wiens, S. Anandakrishnan, J. P. Winberry, and M. A. King, "Simultaneous teleseismic and geodetic observations of the stick–slip motion of an Antarctic ice stream," *Nature*, vol. 453, no. 7196, pp. 770–774, Jun. 2008, doi: 10.1038/nature06990.

[62]R. A. Bindschadler, P. L. Vornberger, M. A. King, and L. Padman, "Tidally driven stick–slip motion in the mouth of Whillans Ice Stream, Antarctica," *Annals of Glaciology*, vol. 36, pp. 263–272, Jan. 2003, doi: 10.3189/172756403781816284.

[63]Z. S. Katz, M. R. Siegfried, and L. Padman, "Slip-Event Timing and Ice Velocity Vary at Long-Period Ocean Tidal Frequencies at Whillans Ice Plain, West Antarctica," *JGR Earth Surface*, vol. 131, no. 1, p. e2025JF008770, Jan. 2026, doi: 10.1029/2025JF008770.

[64]J. L. Bamber, D. G. Vaughan, and I. Joughin, "Widespread Complex Flow in the Interior of the Antarctic Ice Sheet," *Science*, vol. 287, no. 5456, pp. 1248–1250, Feb. 2000, doi: 10.1126/science.287.5456.1248.

[65]I. Joughin et al., “Continued deceleration of Whillans Ice Stream, West Antarctica,” *Geophysical Research Letters*, vol. 32, no. 22, p. 2005GL024319, Nov. 2005, doi: 10.1029/2005GL024319.

[66]G. Guerin, A. Mordret, D. Rivet, B. P. Lipovsky, and B. M. Minchew, “Frictional Origin of Slip Events of the Whillans Ice Stream, Antarctica,” *Geophysical Research Letters*, vol. 48, no. 11, p. e2021GL092950, Jun. 2021, doi: 10.1029/2021GL092950.

[67]J. L. Bamber, R. E. M. Riva, B. L. A. Vermeersen, and A. M. LeBrocq, “Reassessment of the Potential Sea-Level Rise from a Collapse of the West Antarctic Ice Sheet,” *Science*, vol. 324, no. 5929, pp. 901–903, May 2009, doi: 10.1126/science.1169335.