Openclaw

Kelompok 9

- 5025241026 - VERY ARDIANSYAH
- 5025241112 - DAFA KUMARA SAHASIKA
- 5025241163 - MAULANA IKHSAN
- 5025241268 - RAYMOND JULIUS PARDOSI

Deskripsi Software

OpenClaw is a self-hosted gateway that connects chat apps like Discord, Google Chat, iMessage, Matrix, Microsoft Teams, Signal, Slack, Telegram, WhatsApp, Zalo, and more via channel plugins to AI coding agents. Run a single Gateway process on your own machine (or a server), and it becomes the bridge between messaging apps and an always-available AI assistant.

It is for developers, power users, and teams who want an AI assistant they can message from anywhere without giving up control of their data or relying on a hosted service. The same gateway runs as a personal assistant on one laptop or as a shared team deployment configuration is the only difference.

Roles

Single-Operator Trust model

FULL GATEWAY AUTHORITY

An authenticated user has control over the agent core, configuration files (openclaw.json), environment variables, credentials/API keys, and connected workspace sessions.

SYSTEM & SHELL ACCESS

By default, the user has full access to host commands, file reading/writing, and script execution matching the permissions of the underlying OS user account running the OpenClaw service.

NODE & EXTENSION CONTROL

Pairing external nodes or installing plugins grants operator-level execution access across connected local or remote devices.

MULTI-USER MODE

Multi-user mode lets several trusted people operate the same OpenClaw agent. It adds session ownership, participant history, live presence, and owner filtering so a team can tell who started work, who is responsible for it now, and who has been involved.

MULTI-TENANT HOSTING

Hosting users or organizations that do not share a trust boundary therefore means running a separate complete OpenClaw instance for each tenant.

Thank You

Rekayasa Kebutuhan (T)