


The screenshot shows the VS Code editor with the 'App.css' file open. The editor content is empty. The bottom status bar shows the file explorer with 'App.css', 'index.css', 'main.jsx', and 'App.jsx' selected. The 'App.css' file is active, and the editor shows a code completion suggestion for 'Generate code'.

```
src > App.css
1 | Generate code (Ctrl+I), or select a Language (Ctrl+K M). Start typing to dismiss or don't show this again.
```



Paso 3: Código de App.jsx y MetricCard.jsx (uso de JSDoc y Props).

App.jsx

```
import MetricCard from '../components/MetricCard';

function App() {
  // Datos estructurados para pasar mediante props (Paso 3)
  const reportData = [
    { id: 1, label: "Usuarios Activos", value: "1,250" },
    { id: 2, label: "Tasa de Rebote", value: "12.5%" },
    { id: 3, label: "Ventas Mensuales", value: "$4,300" }
  ];

  return (
    <main style={{ padding: '40px', fontFamily: 'sans-serif' }}>
      <h1>Dashboard</h1>

      <div style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(200px, 1fr))',
        gap: '20px'
      }}>
        {reportData.map(item => (
          <MetricCard key={item.id} title={item.label}>
            {/* Composición mediante children */}
            <span>{item.value}</span>
          </MetricCard>
        ))}
      </div>
    </main>
  );
}

export default App;
```

MetricCard.jsx

```
import styles from '../styles/MetricCard.module.css';

/**
 * Componente de tarjeta para mostrar métricas.
 *
 * @param {Object} props
 * @param {string} props.title - El título de la métrica.
 * @param {string|number} props.value - El valor principal a mostrar.
 * @param {React.ReactNode} props.children - Elementos anidados (ej. un
icono o un badge de estado).
 */
const MetricCard = ({ title, value, children }) => {
  return (
    <div className="card-container"> {/* Luego le aplicaremos CSS Modules
*/}
      <h3>{title}</h3>
      <p>{value}</p>
      <div className="card-extra">
        {children}
      </div>
    </div>
  );
};

export default MetricCard;
```

Paso 4: Estrategias de estilo

Metric.module.css


```
.card {
  border: 1px solid #ddd;
  border-radius: 10px;
  padding: 20px;
  background: #ffffff;
  box-shadow: 0 4px 6px rgba(0,0,0,0.1);
}

.title {
  margin-top: 0;
  color: #333;
  font-size: 1.1rem;
}

.content {
  font-size: 2rem;
  font-weight: bold;
```

```
color: #007bff;
}
```

Resultado:



Github: [Ichimaru465/DW-react](https://github.com/Ichimaru465/DW-react)