

[Jump to content](#)



Main menu

Main menu

move to sidebar

hide

Navigation

- [Main page](#)
- [Contents](#)
- [Current events](#)
- [Random article](#)
- [About Wikipedia](#)
- [Contact us](#)
- [Donate](#)

Contribute

- [Help](#)
- [Learn to edit](#)
- [Community portal](#)
- [Recent changes](#)
- [Upload file](#)

Languages

Language links are at the top of the page across from the title.

[Wikipedia The Free Encyclopedia](#)

[Search](#)

Search

- [Create account](#)
- [Log in](#)

☐ Personal tools

- [Create account](#)
- [Log in](#)

Pages for logged out editors [learn more](#)

- [Contributions](#)
- [Talk](#)

## Contents

move to sidebar

hide

- [\(Top\)](#)
- [1 History](#)
- [2 Technical details](#)
  - Toggle Technical details subsection
  - [2.1 PostScript language](#)
- [3 File format](#)
- [4 Imaging model](#)
  - Toggle Imaging model subsection
  - [4.1 Vector graphics](#)
  - [4.2 Raster images](#)
  - [4.3 Text](#)
  -

#### [4.4 Transparency](#)

- [5 Additional features](#)

Toggle Additional features subsection

- [5.1 Logical structure and accessibility](#)
- [5.2 Optional Content Groups \(layers\)](#)
- [5.3 Encryption and signatures](#)
- [5.4 File attachments](#)
- [5.5 Metadata](#)
- [5.6 Accessibility](#)
- [5.7 Multimedia](#)
- [5.8 Forms](#)

- [6 Licensing](#)

- [7 Security](#)

Toggle Security subsection

- [7.1 Changes to content](#)
- [7.2 Malware vulnerability](#)

- [8 Software](#)

Toggle Software subsection

- [8.1 Viewers and editors](#)
- [8.2 Printing](#)
- [8.3 Native display model](#)

- [8.4 Annotation](#)

- [9 Alternatives](#)
- [10 See also](#)
- [11 References](#)
- [12 Further reading](#)
- [13 External links](#)

☐ Toggle the table of contents

## PDF

☐ 89 languages

- [Afrikaans](#)
- [Alemannisch](#)
- [Asturianu](#)
- [Azərbaycanca](#)
- [Bn-lm-g](#)
- [Q](#)
- [Boarisch](#)
- [Bosanski](#)
- [Catal](#)
- [etina](#)
- [Cymraeg](#)
- [Dansk](#)
- [Deutsch](#)
- [Eesti](#)
-

- [Español](#)
- [Esperanto](#)
- [Euskara](#)
- [Faroese](#)
- [French](#)
- [Galego](#)
- [Hrvatski](#)
- [Ido](#)
- [Bahasa Indonesia](#)
- [Islandska](#)
- [Italiano](#)
- [Jawa](#)
- [Kikinyarwanda](#)
- [Kurdî](#)
- [Latina](#)
- [Latvian](#)
- [Lëtzebuergesch](#)
- [Lietuvių](#)
- [Lombard](#)
- [Magyar](#)
- [Bahasa Melayu](#)
- [Nederlands](#)
- [Napulitano](#)
- [Norsk bokmål](#)
- [Norsk nynorsk](#)
- [Occitan](#)
- [O'zbekcha /](#)
- [Polski](#)
- [Portugus](#)
- [Română](#)
- [Runa Simi](#)
- [Simple English](#)
- [Slovenina](#)
- [Slovenina](#)
- [/ srpski](#)
- [Srpskohrvatski /](#)

- [Suomi](#)
- [Svenska](#)
- [Tarandne](#)
- [Trke](#)
- [Vneto](#)
- [Ting Vit](#)
- [Yorb](#)
- 

[Edit links](#)

- [Article](#)
- [Talk](#)

☐ English

- [Read](#)
- [Edit](#)
- [View history](#)

☐ Tools

Tools

move to sidebar

hide

Actions

- [Read](#)
- [Edit](#)
- [View history](#)

General

- [What links here](#)
- [Related changes](#)
- [Upload file](#)
- [Special pages](#)
- [Permanent link](#)

- [Page information](#)
- [Cite this page](#)
- [Get shortened URL](#)
- [Wikidata item](#)

Print/export

- [Download as PDF](#)
- [Printable version](#)

In other projects

- [Wikimedia Commons](#)

From Wikipedia, the free encyclopedia

*For other uses, see [PDF \(disambiguation\)](#).*

Portable Document Format

Adobe PDF icon

**Filename extension**

.pdf

application/pdf, <sup>[1]</sup>

**Internet media type**

application/x-pdf

application/x-bzpdf

application-gzpdf

**Type code**

PDF <sup>[1]</sup> (including a single trailing space)

**Uniform Type Identifier (UTI)**

com.adobe.pdf

**Magic number**

%PDF

**Developed by**

[Adobe Inc.](#) (19912008)

[ISO](#) (2008)

**Initial release**

June 15, 1993 ; 30 years ago

<b><u>Latest release</u></b>	2.0
<b><u>Extended to</u></b>	<a href="#">PDF/A</a> , <a href="#">PDF/E</a> , <a href="#">PDF/UA</a> , <a href="#">PDF/VT</a> , <a href="#">PDF/X</a>
<b><u>Standard</u></b>	ISO 32000-2
<b><u>Open format</u> ?</b>	Yes
<b><u>Website</u></b>	<a href="https://iso.org/standard/75839.html">iso.org/standard/75839.html</a>

**Portable Document Format ( PDF )**, standardized as **ISO 32000**, is a [file format](#) developed by [Adobe](#) in 1992 to present [documents](#), including text formatting and images, in a manner independent of [application software](#), [hardware](#), and [operating systems](#). <sup>[2]</sup> <sup>[3]</sup> Based on the [PostScript](#) language, each PDF file encapsulates a complete description of a fixed-layout flat document, including the text, [fonts](#), [vector graphics](#), [raster images](#) and other information needed to display it. PDF has its roots in "The Camelot Project" initiated by Adobe co-founder [John Warnock](#) in 1991. <sup>[4]</sup> PDF was standardized as ISO 32000 in 2008. <sup>[5]</sup> The last edition as ISO 32000-2:2020 was published in December 2020.

PDF files may contain a variety of content besides flat text and graphics including logical structuring elements, interactive elements such as annotations and form-fields, layers, [rich media](#) (including video content), three-dimensional objects using [U3D](#) or [PRC](#), and various other [data formats](#). The PDF specification also provides for encryption and [digital signatures](#), file attachments, and [metadata](#) to enable [workflows](#) requiring these features.

## History [ [edit](#) ]

*Main article: [History of PDF](#)*

[Adobe Systems](#) made the PDF specification available free of charge in 1993. In the early years PDF was popular mainly in [desktop publishing](#) workflows, and competed with several other formats, including [DjVu](#), [Envoy](#), Common Ground Digital Paper, Farallon Replica and even Adobe's own PostScript format.

PDF was a [proprietary format](#) controlled by Adobe until it was released as an [open standard](#) on July 1, 2008, and published by the [International Organization for Standardization](#) as ISO 32000-1:2008, <sup>[6]</sup> <sup>[7]</sup> at which time control of the specification passed to an ISO Committee of volunteer industry experts. In 2008, Adobe published a Public Patent License to ISO 32000-1 granting [royalty-free](#) rights for all patents owned by Adobe necessary to make, use, sell, and distribute PDF-compliant implementations. <sup>[8]</sup>

PDF 1.7, the sixth edition of the PDF specification that became ISO 32000-1, includes some proprietary technologies defined only by Adobe, such as [Adobe XML Forms Architecture](#) (XFA) and [JavaScript](#) extension for Acrobat, which are referenced by ISO 32000-1 as [normative](#) and indispensable



for the full implementation of the ISO 32000-1 specification. <sup>[9]</sup> These proprietary technologies are not standardized, and their specification is published only on Adobe's website. <sup>[10]</sup> <sup>[11]</sup> <sup>[12]</sup> Many of them are not supported by popular third-party implementations of PDF.

ISO's published ISO 32000-2 in 2017, available for purchase, replacing the free specification provided by Adobe. <sup>[13]</sup> In December 2020, the second edition of PDF 2.0, ISO 32000-2:2020, was published, with clarifications, corrections, and critical updates to normative references <sup>[14]</sup> (ISO 32000-2 does not include any proprietary technologies as normative references). <sup>[15]</sup> In April 2023 the PDF Association made ISO 32000-2 available for download free of charge. <sup>[13]</sup>

## Technical details [ [edit](#) ]

A PDF file is often a combination of [vector graphics](#) , text, and [bitmap graphics](#) . The basic types of content in a PDF are:

- Typeset text stored as content streams (i.e., not encoded in [plain text](#) );
- Vector graphics for illustrations and designs that consist of shapes and lines;
- Raster graphics for photographs and other types of images
- Multimedia objects in the document.

In later PDF revisions, a PDF document can also support links (inside document or web page), forms, JavaScript (initially available as a plugin for Acrobat 3.0), or any other types of embedded contents that can be handled using plug-ins.

PDF combines three technologies:

- An equivalent subset of the PostScript page description programming language but in declarative form, for generating the layout and graphics.
- A [font-embedding](#) /replacement system to allow fonts to travel with the documents.
- A structured storage system to bundle these elements and any associated content into a single file, with [data compression](#) where appropriate.

## PostScript language [ [edit](#) ]

[PostScript](#) is a [page description language](#) run in an [interpreter](#) to generate an image. It can handle graphics and has standard features of [programming languages](#) such as `if` statements and `loop` commands. PDF is largely based on PostScript, but simplified to remove flow control features like those of PostScript, while graphics commands equivalent to `lineto` remain.

Historically, the PostScript-like PDF code is generated from a source PostScript file. The graphics commands that are output by the PostScript code are collected and [tokenized](#) . [ [clarification needed](#) ] Any files, graphics, or fonts to which the document refers also are collected. Then, everything is compressed into a single file. Therefore, the entire PostScript world (fonts, layout, measurements) remains intact. [ [citation needed](#) ]

As a document format, PDF has several advantages over PostScript:

- PDF contains tokenized and interpreted results of the PostScript source code, for direct correspondence between changes to items in the PDF page description and changes to the resulting page appearance.
- Since version 1.4 PDF supports [transparent graphics](#) ; PostScript does not.
- PostScript is an [interpreted programming language](#) with an implicit global state, so instructions accompanying the description of one page can affect the appearance of any following page; consequently all preceding pages in a PostScript document must be processed to determine the correct appearance of a given page, unless the optional PostScript [Document Structuring Conventions](#) have been carefully compiled and included. In contrast, each page in a PDF document is unaffected by the others, so it is possible to jump quickly to any page of a long document.

PDF since v1.6 supports embedding of interactive 3D documents: 3D drawings can be embedded using [U3D](#) or [PRC](#) and various other data formats. [\[16\]](#) [\[17\]](#) [\[18\]](#)

## File format [ [edit](#) ]

A PDF file is organized using [ASCII](#) characters, except for certain elements that may have binary content. The file starts with a header containing a [magic number](#) (as a readable string) and the version of the format, for example %PDF-1.7. The format is a subset of a COS ("Carousel" Object Structure) format. [\[19\]](#) A COS tree file consists primarily of *objects* , of which there are nine types: [\[15\]](#)

- [Boolean](#) values, representing *true* or *false*
- [Real numbers](#)
- [Integers](#)
- [Strings](#) , enclosed within parentheses ( ( . . . ) ) or represented as hexadecimal within single angle brackets ( < . . . > ). Strings may contain 8-bit characters.
- Names, starting with a forward slash ( / )
- [Arrays](#) , ordered collections of objects enclosed within square brackets ( [ . . . ] )
- [Dictionaries](#) , collections of objects indexed by names enclosed within double angle brackets ( << . . . >> )
- [Streams](#) , usually containing large amounts of optionally compressed binary data, preceded by a dictionary and enclosed between the `stream` and `endstream` keywords.

- The [null](#) object

Comments using 8-bit characters prefixed with the percent sign ( % ) may be inserted.

Objects may be either *direct* (embedded in another object) or *indirect*. Indirect objects are numbered with an *object number* and a *generation number* and defined between the `obj` and `endobj` keywords if residing in the document root. Beginning with PDF version 1.5, indirect objects (except other streams) may also be located in special streams known as *object streams* (marked `/Type /ObjStm`). This technique enables non-stream objects to have standard stream filters applied to them, reduces the size of files that have large numbers of small indirect objects and is especially useful for *Tagged PDF*. Object streams do not support specifying an object's *generation number* (other than 0).

An index table, also called the cross-reference table, is located near the end of the file and gives the byte offset of each indirect object from the start of the file. <sup>[20]</sup> This design allows for efficient [random access](#) to the objects in the file, and also allows for small changes to be made without rewriting the entire file ( *incremental update* ). Before PDF version 1.5, the table would always be in a special ASCII format, be marked with the `xref` keyword, and follow the main body composed of indirect objects. Version 1.5 introduced optional *cross-reference streams*, which have the form of a standard stream object, possibly with filters applied. Such a stream may be used instead of the ASCII cross-reference table and contains the offsets and other information in binary format. The format is flexible in that it allows for integer width specification (using the `/W` array), so that for example, a document not exceeding 64 [KiB](#) in size may dedicate only 2 bytes for object offsets.

At the end of a PDF file is a footer containing

- The `startxref` keyword followed by an offset to the start of the cross-reference table (starting with the `xref` keyword) or the cross-reference stream object, followed by
- The `%%EOF` [end-of-file](#) marker.

If a cross-reference stream is not being used, the footer is preceded by the `trailer` keyword followed by a dictionary containing information that would otherwise be contained in the cross-reference stream object's dictionary:

- A reference to the root object of the tree structure, also known as the *catalog* ( `/Root` )
- The count of indirect objects in the cross-reference table ( `/Size` )
- Other optional information

Within each page, there are one or multiple content streams that describe the text, vector and images being drawn on the page. The content stream is [stack-based](#), similar to PostScript. <sup>[21]</sup>

The maximum size of an Acrobat PDF page, superimposed on a map of Europe.

There are two layouts to the PDF files: non-linearized (not "optimized") and linearized ("optimized"). Non-linearized PDF files can be smaller than their linear counterparts, though they are slower to access because portions of the data required to assemble pages of the document are scattered throughout the PDF file. Linearized PDF files (also called "optimized" or "web optimized" PDF files) are constructed in a manner that enables them to be read in a Web browser plugin without waiting for the entire file to download, since all objects required for the first page to display are optimally organized at the start of the file. <sup>[22]</sup> PDF files may be optimized using [Adobe Acrobat](#) software or [QPDF](#) .

Page dimensions are not limited by the format itself. However, Adobe Acrobat imposes a limit of 15 million by 15 million inches, or 225 trillion in <sup>2</sup> (145,161 km <sup>2</sup> ). <sup>[2]</sup>

## Imaging model [ [edit](#) ]

The basic design of how [graphics](#) are represented in PDF is very similar to that of PostScript, except for the use of transparency, which was added in PDF 1.4.

PDF graphics use a [device-independent Cartesian coordinate system](#) to describe the surface of a page. A PDF page description can use a [matrix](#) to [scale](#) , [rotate](#) , or [skew](#) graphical elements. A key concept in PDF is that of the *graphics state* , which is a collection of graphical parameters that may be changed, saved, and restored by a *page description* . PDF has (as of version 2.0) 25 graphics state properties, of which some of the most important are:

- The *current transformation matrix* (CTM), which determines the coordinate system
- The [clipping path](#)
- The [color space](#)
- The [alpha constant](#) , which is a key component of transparency
- [Black point compensation](#) control (introduced in PDF 2.0)

## Vector graphics [ [edit](#) ]

As in PostScript, vector graphics in PDF are constructed with *paths* . Paths are usually composed of lines and cubic [Bzier curves](#) , but can also be constructed from the outlines of text. Unlike PostScript, PDF does not allow a single path to mix text outlines with lines and curves. Paths can be stroked, filled, fill then stroked, or used for [clipping](#) . Strokes and fills can use any color set in the graphics state, including *patterns* . PDF supports several types of patterns. The simplest is the *tiling pattern* in which a piece of artwork is specified to be drawn repeatedly. This may be a *colored tiling pattern* , with the colors specified in the pattern object, or an *uncolored tiling pattern* , which defers color specification to the time the pattern is drawn. Beginning with PDF 1.3 there is also a *shading pattern* , which draws continuously varying colors. There are seven types of shading patterns of which the simplest are the *axial shading* (Type 2) and *radial shading* (Type 3).

## Raster images [ [edit](#) ]

[Raster images](#) in PDF (called *Image XObjects* ) are represented by dictionaries with an associated stream. The dictionary describes the properties of the image, and the stream contains the image data. (Less commonly, small raster images may be embedded directly in a page description as an *inline image* .) Images are typically *filtered* for compression purposes. Image filters supported in PDF include the following general-purpose filters:

- *ASCII85Decode* , a filter used to put the stream into 7-bit ASCII,
- *ASCIIHexDecode* , similar to ASCII85Decode but less compact,
- *FlateDecode* , a commonly used filter based on the [deflate](#) algorithm defined in [RFC 1951](#) (deflate is also used in the [gzip](#) , [PNG](#) , and [zip](#) file formats among others); introduced in PDF 1.2; it can use one of two groups of predictor functions for more compact zlib/deflate compression: *Predictor 2* from the [TIFF](#) 6.0 specification and predictors (filters) from the [PNG](#) specification ( [RFC 2083](#) ),
- *LZWDecode* , a filter based on [LZW](#) Compression; it can use one of two groups of predictor functions for more compact LZW compression: *Predictor 2* from the TIFF 6.0 specification and predictors (filters) from the PNG specification,
- *RunLengthDecode* , a simple compression method for streams with repetitive data using the [run-length encoding](#) algorithm and the image-specific filters,
- *DCTDecode* , a [lossy](#) filter based on the [JPEG](#) standard,
- *CCITTFaxDecode* , a lossless [bi-level](#) (black/white) filter based on the Group 3 or [Group 4 CCITT](#) (ITU-T) [fax](#) compression standard defined in ITU-T [T.4](#) and T.6,
- *JBIG2Decode* , a lossy or [lossless](#) bi-level (black/white) filter based on the [JBIG2](#) standard, introduced in PDF 1.4, and
- *JPXDecode* , a lossy or lossless filter based on the [JPEG 2000](#) standard, introduced in PDF 1.5.

Normally all image content in a PDF is embedded in the file. But PDF allows image data to be stored in external files by the use of *external streams* or *Alternate Images* . Standardized subsets of PDF, including [PDF/A](#) and [PDF/X](#) , prohibit these features.

## Text [ [edit](#) ]

Text in PDF is represented by *text elements* in page content streams. A text element specifies that *characters* should be drawn at certain positions. The characters are specified using the *encoding* of a selected *font resource* .

A font object in PDF is a description of a digital [typeface](#) . It may either describe the characteristics of a typeface, or it may include an embedded *font file* . The latter case is called an *embedded font* while the former is called an *unembedded font* . The font files that may be embedded are based on widely used standard digital font formats: [Type 1](#) (and its compressed variant CFF), [TrueType](#) , and (beginning with PDF 1.6) [OpenType](#) . Additionally PDF supports the Type 3 variant in which the components of the font are described by PDF graphic operators.

Fourteen typefaces, known as the *standard 14 fonts* , have a special significance in PDF documents:

- [Times](#) (v3) (in regular, italic, bold, and bold italic)
- [Courier](#) (in regular, oblique, bold and bold oblique)
- [Helvetica](#) (v3) (in regular, oblique, bold and bold oblique)
- [Symbol](#)
- [Zapf Dingbats](#)

These fonts are sometimes called the *base fourteen fonts* . <sup>[23]</sup> These fonts, or suitable substitute fonts with the same metrics, should be available in most PDF readers, but they are not *guaranteed* to be available in the reader, and may only display correctly if the system has them installed. <sup>[24]</sup> Fonts may be substituted if they are not embedded in a PDF.

Within text strings, characters are shown using *character codes* (integers) that map to glyphs in the current font using an *encoding* . There are several predefined encodings, including *WinAnsi* , *MacRoman* , and many encodings for East Asian languages and a font can have its own built-in encoding. (Although the WinAnsi and MacRoman encodings are derived from the historical properties of the [Windows](#) and [Macintosh](#) operating systems, fonts using these encodings work equally well on any platform.) PDF can specify a predefined encoding to use, the font's built-in encoding or provide a lookup table of differences to a predefined or built-in encoding (not recommended with TrueType fonts). <sup>[2]</sup> The encoding mechanisms in PDF were designed for Type 1 fonts, and the rules for applying them to TrueType fonts are complex.

For large fonts or fonts with non-standard glyphs, the special encodings *Identity-H* (for horizontal writing) and *Identity-V* (for vertical) are used. With such fonts, it is necessary to provide a *ToUnicode* table if semantic information about the characters is to be preserved.

A text document which is [scanned](#) to PDF without the text being recognised by [optical character recognition](#) (OCR) is an image, with no fonts or text properties.

## Transparency [ [edit](#) ]

The original imaging model of PDF was *opaque*, similar to PostScript, where each object drawn on the page completely replaced anything previously marked in the same location. In PDF 1.4 the imaging model was extended to allow transparency. When transparency is used, new objects interact with previously marked objects to produce blending effects. The addition of transparency to PDF was done by means of new extensions that were designed to be ignored in products written to PDF 1.3 and earlier specifications. As a result, files that use a small amount of transparency might be viewed acceptably by older viewers, but files making extensive use of transparency could be viewed incorrectly by an older viewer.

The transparency extensions are based on the key concepts of *transparency groups* , *blending modes* , *shape* , and *alpha* . The model is closely aligned with the features of [Adobe Illustrator](#) version 9. The [blend modes](#) were based on those used by [Adobe Photoshop](#) at the time. When the PDF 1.4 specification was published, the formulas for calculating blend modes were kept secret by Adobe. They have since been published. [\[25\]](#)

The concept of a transparency group in PDF specification is independent of existing notions of "group" or "layer" in applications such as Adobe Illustrator. Those groupings reflect logical relationships among objects that are meaningful when editing those objects, but they are not part of the imaging model.

## Additional features [ [edit](#) ]

### Logical structure and accessibility [ [edit](#) ]

A "tagged" PDF (see clause 14.8 in ISO 32000) includes document structure and semantics information to enable reliable text extraction and [accessibility](#) . Technically speaking, tagged PDF is a stylized use of the format that builds on the logical structure framework introduced in PDF 1.3. Tagged PDF defines a set of standard structure types and attributes that allow page content (text, graphics, and images) to be extracted and reused for other purposes. [\[26\]](#)

Tagged PDF is not required in situations where a PDF file is intended only for print. Since the feature is optional, and since the rules for Tagged PDF were relatively vague in ISO 32000-1, support for tagged PDF among consuming devices, including [assistive technology](#) (AT), is uneven as of 2021. [\[27\]](#) ISO 32000-2, however, includes an improved discussion of tagged PDF which is anticipated to facilitate further adoption.

An ISO-standardized subset of PDF specifically targeted at accessibility, [PDF/UA](#) , was first published in 2012.

### Optional Content Groups (layers) [ [edit](#) ]

With the introduction of PDF version 1.5 (2003) came the concept of Layers. Layers, more formally known as Optional Content Groups (OCGs), refer to sections of content in a PDF document that can be selectively viewed or hidden by document authors or viewers. This capability is useful in CAD drawings, layered artwork, maps, multi-language documents, etc.

Basically, it consists of an Optional Content Properties Dictionary added to the document root. This dictionary contains an array of Optional Content Groups (OCGs), each describing a set of information and each of which may be individually displayed or suppressed, plus a set of Optional Content Configuration Dictionaries, which give the status (Displayed or Suppressed) of the given OCGs.



## Encryption and signatures [ [edit](#) ]

A PDF file may be [encrypted](#) , for security, in which case a password is needed to view or edit the contents. PDF 2.0 defines 256-bit AES encryption as the standard for PDF 2.0 files. The PDF Reference also defines ways that third parties can define their own encryption systems for PDF.

PDF files may be digitally signed, to provide secure authentication; complete details on implementing digital signatures in PDF are provided in ISO 32000-2.

PDF files may also contain embedded [DRM](#) restrictions that provide further controls that limit copying, editing, or printing. These restrictions depend on the reader software to obey them, so the security they provide is limited.

The standard security provided by PDF consists of two different methods and two different passwords: a *user password* , which encrypts the file and prevents opening, and an *owner password* , which specifies operations that should be restricted even when the document is decrypted, which can include modifying, printing, or copying text and graphics out of the document, or adding or modifying text notes and [AcroForm](#) fields. The user password encrypts the file, while the owner password does not, instead relying on client software to respect these restrictions. An owner password can easily be removed by software, including some free online services. [\[28\]](#) Thus, the use restrictions that a document author places on a PDF document are not secure, and cannot be assured once the file is distributed; this warning is displayed when applying such restrictions using Adobe Acrobat software to create or edit PDF files.

Even without removing the password, most freeware or open source PDF readers ignore the permission "protections" and allow the user to print or make copy of excerpts of the text as if the document were not limited by password protection. [\[29\]](#) [\[30\]](#) [\[31\]](#)

Beginning with PDF 1.5, Usage rights (UR) signatures are used to enable additional interactive features that are not available by default in a particular PDF viewer application. The signature is used to validate that the permissions have been granted by a [bona fide](#) granting authority. For example, it can be used to allow a user: [\[32\]](#)

- To save the PDF document along with a modified form or annotation data
- Import form data files in FDF, XFDF, and text (CSV/TSV) formats
- Export form data files in FDF and XFDF formats
- Submit form data
- [Instantiate](#) new pages from named page templates
- Apply a [digital signature](#) to existing digital signature form field
- Create, delete, modify, copy, import, and export annotations



For example, Adobe Systems grants permissions to enable additional features in Adobe Reader, using [public-key cryptography](#) . Adobe Reader verifies that the signature uses a [certificate](#) from an Adobe-authorized certificate authority. Any PDF application can use this same mechanism for its own purposes. <sup>[32]</sup>

Under specific circumstances including non- [patched](#) systems of the receiver, the information the receiver of a [digital signed](#) document sees can be manipulated by the sender after the document has been signed by the signer. <sup>[33]</sup>

[PAdES](#) ( *PDF Advanced Electronic Signatures* ) is a set of restrictions and extensions to PDF and ISO 32000-1 <sup>[34]</sup> making it suitable for [advanced electronic signatures](#) . This is published by [ETSI](#) as TS 102 778. <sup>[35]</sup>

## **File attachments [ [edit](#) ]**

PDF files can have file attachments which processors may access and open or save to a local filesystem. <sup>[36]</sup>

## **Metadata [ [edit](#) ]**

PDF files can contain two types of metadata. <sup>[2]</sup> The first is the Document Information Dictionary, a set of key/value fields such as author, title, subject, creation and update dates. This is optional and is referenced from an `Info` key in the trailer of the file. A small set of fields is defined and can be extended with additional text values if required. This method is deprecated in PDF 2.0.

In PDF 1.4, support was added for Metadata Streams, using the [Extensible Metadata Platform](#) (XMP) to add XML standards-based extensible metadata as used in other file formats. PDF 2.0 allows metadata to be attached to any object in the document, such as information about embedded illustrations, fonts, and images, as well as the whole document (attaching to the document catalog), using an extensible schema.

PDF documents can also contain display settings, including the page display layout and zoom level in a Viewer Preferences object. Adobe Reader uses these settings to override the user's default settings when opening the document. <sup>[37]</sup> The free Adobe Reader cannot remove these settings.

## **Accessibility [ [edit](#) ]**

PDF files can be created specifically to be accessible to people with disabilities. <sup>[38] [39] [40] [41] [42]</sup> PDF file formats in use as of 2014 can include tags, text equivalents, captions, audio descriptions, and more. Some software can automatically produce [tagged PDFs](#) , but this feature is not always enabled by default. <sup>[43] [44]</sup> Leading [screen readers](#) , including [JAWS](#) , [Window-Eyes](#) , Hal, and [Kurzweil 1000 and 3000](#) can read tagged PDFs. <sup>[45]</sup>

[46] Moreover, tagged PDFs can be re-flowed and magnified for readers with visual impairments. Adding tags to older PDFs and those that are generated from scanned documents can present some challenges.

One of the significant challenges with PDF accessibility is that PDF documents have three distinct views, which, depending on the document's creation, can be inconsistent with each other. The three views are (i) the physical view, (ii) the tags view, and (iii) the content view. The physical view is displayed and printed (what most people consider a PDF document). The tags view is what screen readers and other assistive technologies use to deliver high-quality navigation and reading experience to users with disabilities. The content view is based on the physical order of objects within the PDF's content stream and may be displayed by software that does not fully support the tags' view, such as the Reflow feature in Adobe's Reader.

[PDF/UA](#) , the International Standard for accessible PDF based on ISO 32000-1 was first published as ISO 142891 in 2012 and establishes normative language for accessible PDF technology.

## Multimedia [ [edit](#) ]

*Rich Media PDF* is a PDF file including interactive content that can be embedded or linked within the file. It can contain images, audio, video content, or buttons. For example, if the interactive PDF is a digital catalog for an E-commerce business, products can be listed on the PDF pages and can be added with images and links to the website and buttons to order directly from the document.

## Forms [ [edit](#) ]

*Interactive Forms* is a mechanism to add forms to the PDF file format. PDF currently supports two different methods for integrating data and PDF forms. Both formats today coexist in the PDF specification: [\[32\]](#) [\[47\]](#) [\[48\]](#) [\[49\]](#)

- AcroForms (also known as Acrobat forms), was introduced in the PDF 1.2 format specification and included in all later PDF specifications.
- [XML Forms Architecture](#) (XFA) forms, introduced in the PDF 1.5 format specification. Adobe XFA Forms are not compatible with AcroForms. [\[50\]](#) XFA was deprecated from PDF with PDF 2.0.

AcroForms were introduced in the PDF 1.2 format. AcroForms permit the uses of objects ( *e.g.* [text boxes](#) , [Radio buttons](#) , *etc.* ) and some code ( *e.g.* JavaScript). Alongside the standard PDF action types, interactive forms (AcroForms) support submitting, resetting, and importing data. The "submit" action transmits the names and values of selected interactive form fields to a specified uniform resource locator (URL). Interactive form field names and values may be submitted in any of the following formats, (depending on the settings of the action's ExportFormat, SubmitPDF, and XFDF flags): [\[32\]](#)

HTML Form format

HTML 4.01 Specification since PDF 1.5; HTML 2.0 since 1.2

Forms Data Format (FDF)

based on PDF, uses the same syntax and has essentially the same file structure, but is much simpler than PDF since the body of an FDF document consists of only one required object. Forms Data Format is defined in the PDF specification (since PDF 1.2). The Forms Data Format can be used when submitting form data to a server, receiving the response, and incorporating it into the interactive form. It can also be used to export form data to stand-alone files that can be imported back into the corresponding PDF interactive form. FDF was originally defined in 1996 as part of ISO 32000-2:2017. [ [citation needed](#) ]

XML Forms Data Format (XFDF)

(external XML Forms Data Format Specification, Version 2.0; supported since PDF 1.5; it replaced the "XML" form submission format defined in PDF 1.4) the XML version of Forms Data Format, but the XFDF implements only a subset of FDF containing forms and annotations. Some entries in the FDF dictionary do not have XFDF equivalents such as the Status, Encoding, JavaScript, Page's keys, EmbeddedFDFs, Differences, and Target. In addition, XFDF does not allow the spawning, or addition, of new pages based on the given data; as can be done when using an FDF file. The XFDF specification is referenced (but not included) in PDF 1.5 specification (and in later versions). It is described separately in *XML Forms Data Format Specification* . [51] The PDF 1.4 specification allowed form submissions in XML format, but this was replaced by submissions in XFDF format in the PDF 1.5 specification. XFDF conforms to the XML standard. XFDF can be used in the same way as FDF; e.g., form data is submitted to a server, modifications are made, then sent back and the new form data is imported in an interactive form. It can also be used to export form data to stand-alone files that can be imported back into the corresponding PDF interactive form. As of August 2019, XFDF 3.0 is an ISO/IEC standard under the formal name *ISO 19444-1:2019 - Document management XML Forms Data Format Part 1: Use of ISO 32000-2 (XFDF 3.0)* . [52] This standard is a normative reference of ISO 32000-2.

PDF

The entire document can be submitted rather than individual fields and values, as was defined in PDF 1.4.

AcroForms can keep form field values in external stand-alone files containing key-value pairs. The external files may use Forms Data Format (FDF) and XML Forms Data Format (XFDF) files. [53] [51] [54] The usage rights (UR) signatures define rights for import form data files in FDF, XFDF, and text ( [CSV](#) / [TSV](#) ) formats, and export form data files in FDF and XFDF formats. [32]

In PDF 1.5, Adobe Systems introduced a proprietary format for forms; [Adobe XML Forms Architecture](#) (XFA). Adobe XFA Forms are not compatible with ISO 32000's AcroForms feature, and most PDF processors do not handle XFA content. The XFA specification is referenced from ISO 32000-1/PDF 1.7 as an external proprietary specification and was entirely deprecated from PDF with ISO 32000-2 (PDF 2.0).

## Licensing [ [edit](#) ]

Anyone may create applications that can read and write PDF files without having to pay royalties to Adobe Systems; Adobe holds patents to PDF, but licenses them for royalty-free use in developing software complying with its PDF specification. [\[55\]](#)

## Security [ [edit](#) ]

*See also:* [Adobe Acrobat Security](#)

## Changes to content [ [edit](#) ]

In November 2019, researchers from [Ruhr University Bochum](#) and Hackmanit GmbH published attacks on digitally signed PDFs. [\[56\]](#) They showed how to change the visible content in a signed PDF without invalidating the signature in 21 of 22 desktop PDF viewers and 6 of 8 online validation services by abusing implementation flaws. At the same conference, they additionally showed how to exfiltrate the plaintext of encrypted content in PDFs. [\[57\]](#) In 2021, they showed new so-called *shadow attacks* on PDFs that abuse the flexibility of features provided in the specification. [\[58\]](#) An overview of security issues in PDFs regarding [denial of service](#) , [information disclosure](#) , [data manipulation](#) , and [arbitrary code execution](#) attacks was presented by Jens Miller. [\[59\]](#) [\[60\]](#)

## Malware vulnerability [ [edit](#) ]

PDF files can be infected with viruses, Trojans, and other malware. They can have hidden JavaScript code that might exploit vulnerabilities in a PDF, hidden objects executed when the file that hides them is opened, and, less commonly, a malicious PDF can launch malware. [\[61\]](#)

PDF attachments carrying viruses were first discovered in 2001. The virus, named *OUTLOOK.PDFWorm* or *Peachy* , uses [Microsoft Outlook](#) to send itself as an attached Adobe PDF file. It was activated with Adobe Acrobat, but not with Acrobat Reader. [\[62\]](#)

From time to time, new vulnerabilities are discovered in various versions of Adobe Reader, [\[63\]](#) prompting the company to issue security fixes. Other PDF readers are also susceptible. One aggravating factor is that a PDF reader can be configured to start automatically if a web page has an embedded PDF file, providing a vector for attack. If a malicious web page contains an infected PDF file that takes advantage of a vulnerability in the PDF reader, the system may be compromised even if the browser is secure. Some of these vulnerabilities are a result of the PDF standard allowing PDF documents to be scripted with JavaScript. Disabling JavaScript execution in the PDF reader can help mitigate such future exploits, although it does not protect against exploits in other parts of the PDF viewing software. Security experts say that JavaScript is not essential for a PDF reader and that

the security benefit that comes from disabling JavaScript outweighs any compatibility issues caused. <sup>[64]</sup> One way of avoiding PDF file exploits is to have a local or web service convert files to another format before viewing.

On March 30, 2010, security researcher Didier Stevens reported an Adobe Reader and Foxit Reader exploit that runs a malicious executable if the user allows it to launch when asked. <sup>[65]</sup>

## Software [ [edit](#) ]

*For a more comprehensive list, see [List of PDF software](#) .*

### Viewers and editors [ [edit](#) ]

Many PDF viewers are provided free of charge from a variety of sources. Programs to manipulate and edit PDF files are available, usually for purchase.

There are many software options for creating PDFs, including the PDF printing capabilities built into [macOS](#) , [iOS](#) , <sup>[66]</sup> and most [Linux](#) distributions. Much document processing software including [LibreOffice](#) , [Microsoft Office 2007](#) (if updated to [SP2](#) ) and later, <sup>[67]</sup> [WordPerfect 9](#), and [Scribus](#) can export documents in PDF format. There are many PDF print drivers for Microsoft Windows, the [pdfTeX](#) typesetting system, the [DocBook](#) PDF tools, applications developed around [Ghostscript](#) and [Adobe Acrobat](#) itself as well as [Adobe InDesign](#) , [Adobe FrameMaker](#) , Adobe Illustrator, Adobe Photoshop, that allow a "PDF printer" to be set up, which when selected sends output to a PDF file instead of a physical printer. [Google](#) 's online office suite [Google Docs](#) allows uploading and saving to PDF. Some web apps offer free PDF editing and annotation tools.

The [Free Software Foundation](#) were "developing a free, high-quality and fully functional set of libraries and programs that implement the PDF file format and associated technologies to the ISO 32000 standard", as one of their [high priority projects](#) . <sup>[68]</sup> <sup>[69]</sup> In 2011, however, the GNU PDF project was removed from the list of "high priority projects" due to the maturation of the [Poppler library](#) , <sup>[70]</sup> which has enjoyed wider use in applications such as [Evince](#) with the [GNOME](#) desktop environment. Poppler is based on [Xpdf](#) <sup>[71]</sup> <sup>[72]</sup> code base. There are also commercial development libraries available as listed in [List of PDF software](#) .

The [Apache PDFBox](#) project of the [Apache Software Foundation](#) is an open source Java library, licensed under the [Apache License](#) , for working with PDF documents. <sup>[73]</sup>

## Printing [ [edit](#) ]

[Raster image processors](#) (RIPs) are used to convert PDF files into a [raster format](#) suitable for imaging onto paper and other media in printers, digital production presses and [prepress](#) in a process known as [rasterization](#) . RIPs capable of processing PDF directly include the Adobe PDF Print Engine <sup>[74]</sup> from Adobe Systems and Jaws <sup>[75]</sup> and the [Harlequin RIP](#) from [Global Graphics](#) .

In 1993, the Jaws raster image processor from Global Graphics became the first shipping prepress RIP that interpreted PDF natively without conversion to another format. The company released an upgrade to their Harlequin RIP with the same capability in 1997. <sup>[76]</sup>

[Agfa-Gevaert](#) introduced and shipped Apogee, the first prepress workflow system based on PDF, in 1997.

Many commercial offset printers have accepted the submission of press-ready PDF files as a print source, specifically the PDF/X-1a subset and variations of the same. <sup>[77]</sup> The submission of press-ready PDF files is a replacement for the problematic need for receiving collected native working files.

In 2006, PDF was widely accepted as the standard print job format at the [Open Source Development Labs](#) Printing Summit. It is supported as a print job format by the [Common Unix Printing System](#) and desktop application projects such as GNOME, [KDE](#) , [Firefox](#) , [Thunderbird](#) , LibreOffice and [OpenOffice](#) have switched to emit print jobs in PDF. <sup>[78]</sup>

Some desktop printers also support direct PDF printing, which can interpret PDF data without external help.

## Native display model [ [edit](#) ]

This section **does not** [cite any sources](#) . Please help [improve this section](#) by [adding citations to reliable sources](#) . Unsourced material may be challenged and [removed](#) . ( *November 2023* ) ( [Learn how and when to remove this template message](#) )

PDF was selected as the "native" [metafile](#) format for Mac OS X, replacing the [PICT](#) format of the earlier [classic Mac OS](#) . The imaging model of the [Quartz](#) graphics layer is based on the model common to [Display PostScript](#) and PDF, leading to the nickname *Display PDF* . The Preview application can display PDF files, as can version 2.0 and later of the [Safari](#) web browser. System-level support for PDF allows Mac OS X applications to create PDF documents automatically, provided they support the OS-standard printing architecture. The files are then exported in PDF 1.3 format according to the file header. When taking a screenshot under Mac OS X versions 10.0 through 10.3, the image was also captured as a PDF; later versions save screen captures as a PNG file, though this behavior can be set back to PDF if desired.

## Annotation [ [edit](#) ]

This section **does not** [cite any sources](#) . Please help [improve this section](#) by [adding citations to reliable sources](#) . Unsourced material may be challenged and [removed](#) . ( *November 2023* ) ( [Learn how and when to remove this template message](#) )

*See also:* [Comparison of note-taking software](#)

Adobe Acrobat is one example of proprietary software that allows the user to annotate, highlight, and add notes to already created PDF files. One UNIX application available as [free software](#) (under the [GNU General Public License](#) ) is [PDFedit](#) . The freeware [Foxit Reader](#) , available for Microsoft Windows, macOS and Linux, allows annotating documents. Tracker Software's [PDF-XChange Viewer](#) allows annotations and markups without restrictions in its [freeware](#) alternative. [Apple](#) 's macOS's integrated PDF viewer, Preview, does also enable annotations as does the open-source software [Skim](#) , with the latter supporting interaction with [LaTeX](#) , SyncTeX, and PDFSync and integration with [BibDesk](#) reference management software. Freeware [Qiqqa](#) can create an annotation report that summarizes all the annotations and notes one has made across their library of PDFs. The Text Verification Tool exports differences in documents as annotations and markups.

There are also [web annotation](#) systems that support annotation in pdf and other document formats. In cases where PDFs are expected to have all of the functionality of paper documents, ink annotation is required.

## Alternatives [ [edit](#) ]

*Main article:* [Open XML Paper Specification Comparison with PDF](#)

*See also:* [EPUB](#)

The [Open XML Paper Specification](#) is a competing format used both as a page description language and as the native print spooler format for Microsoft Windows since [Windows Vista](#) .

[Mixed Object: Document Content Architecture](#) is a competing format. MO:DCA-P is a part of [Advanced Function Presentation](#) .

## See also [ [edit](#) ]

- [Web page](#)
- [XSL Formatting Objects](#)
- [Page margin](#)
- [PDF portfolio](#)



## References [ [edit](#) ]

1. ^ [a b](#) Hardy, M.; Masinter, L.; Markovic, D.; Johnson, D.; Bailey, M. (March 2017). *The application/pdf Media Type* . IETF . doi : [10.17487/RFC8118](#) . RFC [8118](#) .
2. ^ [a b c d](#) Adobe Systems Incorporated (November 2006). ["PDF Reference"](#) (PDF) . 1.7 (6th ed.). Archived from [the original](#) (PDF) on October 1, 2008 . Retrieved January 12, 2023 .
3. ^ Warnock, J. (October 14, 2004) [Original date 5 May 1995]. ["The Camelot Project"](#) (PDF) . [Archived](#) (PDF) from the original on July 18, 2011.
4. ^ ["What is a PDF? Portable Document Format | Adobe Acrobat DC"](#) . Adobe Systems Inc. [Archived](#) from the original on January 30, 2023 . Retrieved January 12, 2023 .
5. ^ ["ISO 32000-1:2008"](#) (PDF) . Archived from [the original](#) (PDF) on July 26, 2018.
6. ^ ["ISO 32000-1:2008 Document management Portable document format Part 1: PDF 1.7"](#) . ISO. July 1, 2008. [Archived](#) from the original on December 6, 2010 . Retrieved February 21, 2010 .
7. ^ Orion, Egan (December 5, 2007). ["PDF 1.7 is approved as ISO 32000"](#) . *The Inquirer* . Archived from [the original](#) on December 13, 2007 . Retrieved December 5, 2007 .
8. ^ ["Public Patent License, ISO 32000-1: 2008 PDF 1.7"](#) (PDF) . Adobe Systems Inc. 2008. [Archived](#) (PDF) from the original on June 18, 2009 . Retrieved January 12, 2023 .
9. ^ ["Guide for the procurement of standards-based ICT Elements of Good Practice, Against lock-in: building open ICT systems by making better use of standards in public procurement"](#) . European Commission. June 25, 2013. [Archived](#) from the original on September 19, 2020 . Retrieved January 12, 2023 . "Example: ISO/IEC 29500, ISO/IEC 26300 and ISO 32000 for document formats reference information that is not accessible by all parties (references to proprietary technology and brand names, incomplete scope or dead web links)."
10. ^ ["ISO/TC 171/SC 2/WG 8 N 603 Meeting Report"](#) (PDF) . *Edit me* . June 27, 2011. Archived from [the original](#) (PDF) on November 26, 2012 – via Archive. "XFA is not to be ISO standard just yet. The Committee urges Adobe Systems to submit the XFA Specification, XML Forms Architecture (XFA), to ISO for standardization The Committee is concerned about the stability of the XFA specification Part 2 will reference XFA 3.1"
11. ^ ["Embedding and publishing interactive, 3-dimensional, scientific figures in Portable Document Format \(PDF\) files"](#) . *PLOS ONE* . **8** (9). 2013. doi : [10.1371/journal.pone.0069446.s001](#) . "the implementation of the U3D standard was not complete and proprietary extensions were used."
12. ^ Leonard Rosenthol (2012). ["PDF and Standards"](#) (PDF) . Adobe Systems. Archived from [the original](#) (PDF) on September 2, 2013 . Retrieved October 20, 2013 – via Parleys.
13. ^ [a b](#) ["Announcing no-cost access to the latest PDF standard: ISO 32000-2 \(PDF 2.0\)"](#) (Press release). PDF Association. June 16, 2023 [Updated; originally published 5 April 2023].
14. ^ ["ISO 32000-2:2020 is now available"](#) . PDFA. December 14, 2020. [Archived](#) from the original on December 4, 2022 . Retrieved February 3, 2021 .
15. ^ [a b](#) ["ISO 32000-2 Document management Portable document format Part 2: PDF 2.0"](#) . ISO. January 5, 2021. [Archived](#) from the original on January 28, 2021 . Retrieved February 3, 2021 .
16. ^ ["3D supported formats"](#) . Adobe Systems Inc. July 14, 2009. Archived from [the original](#) on February 12, 2010 . Retrieved February 21, 2010 .
17. ^ ["Supported file formats in Acrobat and Reader"](#) . Adobe Systems Inc. November 11, 2022. [Archived](#) from the original on December 21, 2022 . Retrieved January 12, 2023 .
18. ^ ["JavaScript for Acrobat 3D | Adobe Acrobat Developer Center"](#) . Adobe Systems Inc. Archived from [the original](#) on November 12, 2009 . Retrieved January 12, 2023 .



19. <sup>^</sup> [Pravetz, Jim. "In Defense of COS, or Why I Love JSON and Hate XML" . jimpravetz.com . Archived from the original on May 2, 2014.](#)
20. <sup>^</sup> [Adobe Systems, PDF Reference, pp. 3940.](#)
21. <sup>^</sup> [PikePdf documentation. "Working with content streams" . Archived from the original on July 5, 2022 . Retrieved May 8, 2022 .](#)
22. <sup>^</sup> ["Adobe Developer Connection: PDF Reference and Adobe Extensions to the PDF Specification" . Adobe Systems Inc. Archived from \[the original\]\(#\) on November 15, 2006 . Retrieved December 13, 2010 .](#)
23. <sup>^</sup> [Howard, Jacci. "Desktop Publishing: Base 14 Fonts Definition" . About.com Tech . Archived from \[the original\]\(#\) on June 14, 2016.](#)
24. <sup>^</sup> [Merz, Thomas \(June 2003\). "The PDF Font Aquarium" \(PDF\) . Archived from the original on July 18, 2011.](#)
25. <sup>^</sup> ["PDF Blend Modes Addendum" \(PDF\) . Archived from \[the original\]\(#\) \(PDF\) on October 14, 2011 . Retrieved January 12, 2023 .](#)
26. <sup>^</sup> [Johnson, Duff \(April 22, 2004\). "What is Tagged PDF?" . Archived from the original on August 7, 2004.](#)
27. <sup>^</sup> ["Is PDF accessible?" . DO-IT - Disabilities, Opportunities, Internetworking, and Technology . University of Washington. October 4, 2022. Archived from the original on February 10, 2023 . Retrieved January 12, 2023 .](#)
28. <sup>^</sup> ["FreeMyPDF.com Removes passwords from viewable PDFs" . freemypdf.com . Archived from the original on February 20, 2021 . Retrieved June 23, 2009 .](#)
29. <sup>^</sup> [Kirk, Jeremy \(December 4, 2008\). "Adobe admits new PDF password protection is weaker" . Macworld . IDG Communications Inc. Archived from the original on January 17, 2017 . Retrieved September 14, 2016 .](#)
30. <sup>^</sup> [Guignard, Bryan. "How secure is PDF" \(PDF\) . Carnegie Mellon University. Archived from \[the original\]\(#\) \(PDF\) on October 24, 2005.](#)
31. <sup>^</sup> [Merz, Thomas \(November 2001\). \*PDF Security Overview: Strengths and Weaknesses\* \(PDF\) . PDF 2001 conference. Scottsdale/Arizona. Archived from the original on October 11, 2010.](#)
32. <sup>^</sup> [\*\*a b c d e\*\* Adobe Systems Inc. \(July 1, 2008\). "Document Management Portable Document Format Part 1: PDF 1.7, First Edition" \(PDF\) . Archived from \[the original\]\(#\) \(PDF\) on December 3, 2008 . Retrieved January 12, 2023 .](#)
33. <sup>^</sup> ["PDF Insecurity Website" . pdf-insecurity.org . Archived from the original on March 26, 2023 . Retrieved January 12, 2023 .](#)
34. <sup>^</sup> ["ISO 32000-1:2008 Document management -- Portable document format -- Part 1: PDF 1.7" . International Organization for Standardization ISO. Archived from the original on February 10, 2017 . Retrieved March 22, 2016 .](#)
35. <sup>^</sup> ["ETSI TS 102 778-1 - Electronic Signatures and Infrastructures \(ESI\); PDF Advanced Electronic Signature Profiles; Part 1: PAdES Overview - a framework document for PAdES" \(PDF\) . 1.1.1. European Telecommunications Standards Institute ETSI. July 2009. Archived \(PDF\) from the original on March 8, 2023 . Retrieved January 12, 2023 .](#)
36. <sup>^</sup> ["Links and attachments in PDFs" . Archived from the original on April 23, 2021 . Retrieved April 23, 2021 .](#)
37. <sup>^</sup> ["Getting Familiar with Adobe Reader > Understanding Preferences" . Adobe Press . Pearson. September 2, 2005. Archived from the original on October 23, 2012 . Retrieved January 12, 2023 .](#)
38. <sup>^</sup> ["PDF Accessibility" . WebAIM. Archived from the original on January 12, 2023 . Retrieved January 12, 2023 .](#)
39. <sup>^</sup> [Clark, Joe \(August 22, 2005\). "Facts and Opinions About PDF Accessibility" . Archived from the original on January 24, 2013 . Retrieved January 12, 2023 .](#)
40. <sup>^</sup> ["Accessibility and PDF documents" . Web Accessibility Center . The Ohio State University. Archived from \[the original\]\(#\) on April 27, 2010 . Retrieved January 12, 2023 .](#)
41. <sup>^</sup> ["PDF Accessibility Standards" . 1.2. BBC. Archived from \[the original\]\(#\) on May 29, 2010 . Retrieved January 12, 2023 .](#)
42. <sup>^</sup> ["PDF Accessibility" \(PDF\) . California State University. 2009. Archived from \[the original\]\(#\) \(PDF\) on May 27, 2010 . Retrieved January 12, 2023 .](#)
43. <sup>^</sup> ["LibreOffice Help Export as PDF" . Archived from the original on January 12, 2023 . Retrieved January 12, 2023 .](#)
44. <sup>^</sup> [Z., Andrew \(January 11, 2008\). "Exporting PDF/A for long-term archiving" . Archived from the original on February 24, 2021 . Retrieved September 22, 2012 .](#)

45. <sup>^</sup> [Biersdorfer, J.D. \(April 10, 2009\). "Tip of the Week: Adobe Reader's 'Read Aloud' Feature" . \*The New York Times\* . \[Archived\]\(#\) from the original on November 22, 2020 . Retrieved January 12, 2023 .](#)
46. <sup>^</sup> ["Accessing PDF documents with assistive technology: A screen reader user's guide" \(PDF\) . Adobe Systems Inc. Archived from \[the original\]\(#\) \(PDF\) on July 28, 2008 . Retrieved January 12, 2023 .](#)
47. <sup>^</sup> ["Gnu PDF PDF Knowledge Forms Data Format" . Archived from \[the original\]\(#\) on January 1, 2013 . Retrieved January 12, 2023 .](#)
48. <sup>^</sup> ["About PDF forms" . Adobe Systems Inc. Archived from \[the original\]\(#\) on April 29, 2011 . Retrieved February 19, 2010 .](#)
49. <sup>^</sup> [Demling, Peter \(July 1, 2008\). "Convert XFA Form to AcroForm?" . \[Archived\]\(#\) from the original on January 12, 2023 . Retrieved January 12, 2023 .](#)
50. <sup>^</sup> ["Migrating from Adobe Acrobat forms to XML forms" . Archived from \[the original\]\(#\) on October 6, 2010 . Retrieved January 12, 2023 .](#)
51. <sup>^</sup> [<sup>a</sup> <sup>b</sup> "XML Forms Data Format Specification, version 2" \(PDF\) . September 2007. Archived from \[the original\]\(#\) \(PDF\) on July 30, 2018 . Retrieved February 19, 2010 .](#)
52. <sup>^</sup> ["ISO 19444-1:2019\(en\)" . The International Organization for Standardization. \[Archived\]\(#\) from the original on June 17, 2016 . Retrieved December 3, 2020 .](#)
53. <sup>^</sup> [Adobe Systems Incorporated \(September 20, 2022\). "Using Acrobat forms and form data on the web" . \[Archived\]\(#\) from the original on January 12, 2023 . Retrieved January 12, 2023 .](#)
54. <sup>^</sup> ["PDF Data Exchange Specification" \(PDF\) . February 8, 2007. Archived from \[the original\]\(#\) \(PDF\) on December 3, 2008 . Retrieved January 12, 2023 .](#)
55. <sup>^</sup> ["Developer Resources" . Adobe Systems Inc. Archived from \[the original\]\(#\) on February 27, 2016.](#)
56. <sup>^</sup> [Mladenov, Vladislav; Mainka, Christian; Meyer Zu Selhausen, Karsten; Grothe, Martin; Schwenk, Jrg \(November 6, 2019\). "1 Trillion Dollar Refund: How to Spoof PDF Signatures". \*Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security\* . CCS '19. ACM Digital Library, ACM SIGSAC Conference on Computer and Communications Security. pp. 114. doi : \[10.1145/3319535.3339812\]\(#\) . ISBN \[9781450367479\]\(#\) . S2CID \[199367545\]\(#\) . \[Archived\]\(#\) from the original on April 26, 2021 . Retrieved April 6, 2021 .](#)
57. <sup>^</sup> [Miller, Jens; Ising, Fabian; Mladenov, Vladislav; Mainka, Christian; Schinzel, Sebastian; Schwenk, Jrg \(November 6, 2019\). "Practical Decryption exfiltration: Breaking PDF Encryption". \*Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security\* . CCS '19. ACM Digital Library, ACM SIGSAC Conference on Computer and Communications Security. pp. 1529. doi : \[10.1145/3319535.3354214\]\(#\) . ISBN \[9781450367479\]\(#\) . S2CID \[207959243\]\(#\) . \[Archived\]\(#\) from the original on April 26, 2021 . Retrieved April 6, 2021 .](#)
58. <sup>^</sup> ["Shadow Attacks: Hiding and Replacing Content in Signed PDFs" . Internet Society, The Network and Distributed System Security Symposium. \[Archived\]\(#\) from the original on April 21, 2021 . Retrieved April 6, 2021 .](#)
59. <sup>^</sup> ["Processing Dangerous Paths On Security and Privacy of the Portable Document Format" . Internet Society, The Network and Distributed System Security Symposium. \[Archived\]\(#\) from the original on April 21, 2021 . Retrieved April 6, 2021 .](#)
60. <sup>^</sup> ["Portable Document Flaws 101" . Blackhat. \[Archived\]\(#\) from the original on April 9, 2021 . Retrieved April 6, 2021 .](#)
61. <sup>^</sup> ["Can PDFs have viruses? Keep your files safe" . Adobe . Retrieved October 3, 2023 .](#)
62. <sup>^</sup> [Adobe Forums, \[Announcement: PDF Attachment Virus "Peachy"\]\(#\) \[Archived\]\(#\) September 4, 2015, at the \[Wayback Machine\]\(#\) , August 15, 2001.](#)
63. <sup>^</sup> ["Security bulletins and advisories" . Adobe Systems Inc. January 10, 2023. \[Archived\]\(#\) from the original on April 6, 2010 . Retrieved January 12, 2023 .](#)
64. <sup>^</sup> [Gibson, Steve; Laporte, Leo \(March 12, 2009\). "Steve Gibson SecurityNow Podcast" . \[Archived\]\(#\) from the original on May 8, 2020 . Retrieved January 11, 2011 .](#)
65. <sup>^</sup> ["Malicious PDFs Execute Code Without a Vulnerability" . PCMag . Archived from \[the original\]\(#\) on April 4, 2010.](#)
66. <sup>^</sup> [Pathak, Khamosh \(October 7, 2017\). "How to Create a PDF from Web Page on iPhone and iPad in iOS 11" . iJunkie . \[Archived\]\(#\) from the original on January 12, 2023 . Retrieved January 12, 2023 .](#)
67. <sup>^</sup> ["Description of 2007 Microsoft Office Suite Service Pack 2 \(SP2\)" . Microsoft . Archived from \[the original\]\(#\) on April 29, 2009 . Retrieved January 12, 2023 .](#)
68. <sup>^</sup> [On 2014-04-02, a note dated February 10, 2009 referred to \[Current FSF High Priority Free Software Projects\]\(#\) \[Archived\]\(#\) August 10, 2007, at the \[Wayback Machine\]\(#\) as a source. Content of the latter page, however, changes over time.](#)

69. [^ "Goals and Motivations"](#) . [gnupdf.org](#) . GNUpdf. November 28, 2007. [Archived](#) from the original on July 4, 2014 . Retrieved April 2, 2014 .
70. [^](#) Lee, Matt (October 6, 2011). ["GNU PDF project leaves FSF High Priority Projects list; mission complete!"](#) . [fsf.org](#) . Free Software Foundation. [Archived](#) from the original on December 28, 2014.
71. [^](#) ["Poppler Homepage"](#) . [Archived](#) from the original on January 8, 2015 . Retrieved January 12, 2023 . "Poppler is a PDF rendering library based on the xpdf-3.0 code base."
72. [^](#) ["Xpdf License"](#) . [Archived](#) from the original on April 14, 2013 . Retrieved January 12, 2023 . "Xpdf is licensed under the GNU General Public License (GPL), version 2 or 3."
73. [^](#) ["The Apache PDFBox project- Apache PDFBox 3.0.0 released"](#) . August 17, 2023. [Archived](#) from the original on January 7, 2023. Updated for new releases.
74. [^](#) ["Adobe PDF Print Engine"](#) . Adobe Systems Inc. [Archived](#) from the original on August 22, 2013 . Retrieved August 20, 2014 .
75. [^](#) ["Jaws 3.0 PDF and PostScript RIP SDK"](#) . [globalgraphics.com](#) . Archived from [the original](#) on March 5, 2016 . Retrieved November 26, 2010 .
76. [^](#) ["Harlequin MultiRIP"](#) . Archived from [the original](#) on February 9, 2014 . Retrieved March 2, 2014 .
77. [^](#) ["Press-Ready PDF Files"](#) . Archived from the original on February 5, 2009 . Retrieved January 12, 2023 . "For anyone interested in having their graphic project commercially printed directly from digital files or PDFs."
78. [^](#) ["PDF as Standard Print Job Format"](#) . *The Linux Foundation* . [Linux Foundation](#) . October 23, 2009. Archived from [the original](#) on November 14, 2009 . Retrieved January 12, 2023 .

## Further reading [ [edit](#) ]

- Hardy, M. R. B.; Brailsford, D. F. (2002). "Mapping and displaying structural transformations between XML and PDF". [Proceedings of the 2002 ACM symposium on Document engineering DocEng '02](#) (PDF) . Proceedings of the 2002 ACM symposium on Document engineering. pp. 95102. doi : [10.1145/585058.585077](#) . ISBN 1-58113-594-7 . S2CID 9371237 . [ [relevant?](#) ]
- PDF 2.0 ["ISO 32000-2:2020\(en\), Document management Portable document format Part 2: PDF 2.0"](#) . *International Organization for Standardization* . Retrieved December 16, 2020 .
- PDF 2.0 ["ISO 32000-2:2017\(en\), Document management Portable document format Part 2: PDF 2.0"](#) . *International Organization for Standardization* . August 3, 2017 . Retrieved January 31, 2019 .
- [PDF 1.7 \(ISO 32000-1:2008\)](#)
- [PDF 1.7](#) and [errata to 1.7](#) at the [Wayback Machine](#) (archived March 6, 2022)
- [PDF 1.6](#) ( ISBN 0-321-30474-8 ) and [errata to 1.6](#) at the [Wayback Machine](#) (archived March 6, 2022)
- [PDF 1.5](#) and [errata to 1.5](#) at the [Wayback Machine](#) (archived December 22, 2021)
- [PDF 1.4](#) ( ISBN 0-201-75839-3 ) and [errata to 1.4](#) at the [Wayback Machine](#) (archived March 6, 2022)
- [PDF 1.3](#) ( ISBN 0-201-61588-6 ) and [errata to 1.3](#) at the [Wayback Machine](#) (archived March 6, 2022)
- [PDF 1.2](#)
- [PDF 1.0](#) ( ISBN 0-201-62628-4 )

## External links [ [edit](#) ]

Wikimedia Commons has media related to [\*Portable Document Format\*](#) .

- [PDF Association](#) The PDF Association is the industry association for software developers producing or processing PDF files.
  - [PDF Specification Index](#) at the PDF Association
- [Adobe PDF 101: Summary of PDF](#) at the [Wayback Machine](#) (archived 2010-10-07)
- [Adobe: PostScript vs. PDF](#) at the [Wayback Machine](#) (archived 2016-04-13) Official introductory comparison of PS, EPS vs. PDF.
- [PDF Standards....transitioning the PDF specification from a de facto standard to a de jure standard](#) at the [Wayback Machine](#) (archived 2011-04-24) Information about PDF/E and PDF/UA specification for accessible documents file format
- [PDF/A-1 ISO standard](#) published by the [International Organization for Standardization](#) (with corrigenda)
- [PDF Reference and Adobe Extensions to the PDF Specification](#) at the [Wayback Machine](#) (archived 2021-01-16)
- [Portable Document Format: An Introduction for Programmers](#) Introduction to PDF vs. PostScript and PDF internals (up to v1.3)
- [The Camelot Paper](#) at the [Wayback Machine](#) (archived 2019-04-22) the paper in which John Warnock outlined the project that created PDF
- [Everything you wanted to know about PDF but was afraid to ask](#) at the [Wayback Machine](#) (archived 2016-01-18) [recording of a talk by Leonard Rosenthol](#) (45 mins) ( [Adobe Systems](#) ) at TUG 2007

<span><span></span></span> <a href="#">VT</a>	<b><a href="#">Graphics file formats</a></b>
<span><span></span></span> <a href="#">E</a>	
<b><a href="#">Raster</a></b>	<a href="#">ANI</a> <a href="#">ANIM</a> <a href="#">APNG</a> <a href="#">ART</a> <a href="#">AVIF</a> <a href="#">BMP</a> <a href="#">BPG</a> <a href="#">BSAVE</a> <a href="#">CAL</a> <a href="#">CIN</a> <a href="#">CPC</a> <a href="#">CPT</a> <a href="#">DDS</a> <a href="#">DPX</a> <a href="#">ECW</a> <a href="#">EXR</a> <a href="#">FITS</a> <a href="#">FLIC</a> <a href="#">FLIF</a> <a href="#">FPX</a> <a href="#">GIF</a> <a href="#">HDRi</a> <a href="#">HEVC</a> <a href="#">ICER</a> <a href="#">ICNS</a> <a href="#">ICO</a> / <a href="#">CUR</a> <a href="#">ICS</a> <a href="#">ILBM</a> <a href="#">JBIG</a> <a href="#">JBIG2</a> <a href="#">JNG</a> <a href="#">JPEG</a> <a href="#">JPEG-LS</a> <a href="#">JPEG 2000</a> <a href="#">JPEG XL</a> <a href="#">JPEG XR</a> <a href="#">JPEG XS</a> <a href="#">JPEG XT</a> ( <a href="#">JPEG-HDR</a> ) <a href="#">KRA</a> <a href="#">MNG</a> <a href="#">MIFF</a> <a href="#">NRRD</a> <a href="#">ORA</a> <a href="#">PAM</a> <a href="#">PBM</a> / <a href="#">PGM</a> / <a href="#">PPM</a> / <a href="#">PNM</a> <a href="#">PCX</a> <a href="#">PGF</a> <a href="#">PICTor</a> <a href="#">PNG</a> <a href="#">PSD</a> / <a href="#">PSB</a> <a href="#">PSP</a> <a href="#">QOI</a> <a href="#">QTVR</a> <a href="#">RAS</a> <a href="#">RGBE</a> ( <a href="#">Logluv TIFF</a> ) <a href="#">SGI</a> <a href="#">TGA</a> <a href="#">TIFF</a> ( <a href="#">TIFF/EP</a> <a href="#">TIFF/IT</a> ) <a href="#">UFO</a> / <a href="#">UFP</a> <a href="#">WBMP</a> <a href="#">WebP</a> <a href="#">XBM</a> <a href="#">XCF</a> <a href="#">XPM</a> <a href="#">XWD</a>
<b><a href="#">Raw</a></b>	<a href="#">CIFF</a> <a href="#">DNG</a>
<b><a href="#">Vector</a></b>	<a href="#">AI</a> <a href="#">CDR</a> <a href="#">CGM</a> <a href="#">DXF</a> <a href="#">EVA</a> <a href="#">EMF</a> <a href="#">EMF+</a> <a href="#">Gerber</a> <a href="#">HVIF</a> <a href="#">IGES</a> <a href="#">PGML</a> <a href="#">SVG</a> <a href="#">VML</a> <a href="#">WMF</a> <a href="#">Xar</a>
<b><a href="#">Compound</a></b>	<a href="#">CDF</a> <a href="#">DjVu</a> <a href="#">EPS</a> <a href="#">PDF</a> <a href="#">PICT</a> <a href="#">PS</a> <a href="#">SWF</a> <a href="#">XAML</a>
<b><a href="#">Metadata</a></b>	<a href="#">Exchangeable image file format (Exif)</a> <a href="#">International Press Telecommunications Council</a> <a href="#">Photo metadata</a> <a href="#">Extensible Metadata Platform (XMP)</a> <a href="#">GIF Metadata</a> <a href="#">Steganography</a>
	<b><a href="#">Category Comparison</a></b>

<div><div><div>VT</div><div>E</div></div><div>Multi-purpose <a href="#">office document file formats</a></div></div>	
Editable document formats	<a href="#">Compound Document Format</a> <a href="#">Microsoft Office XML formats</a> <a href="#">MO:DCA</a> <a href="#">Office Open XML</a> <a href="#">Open Document Architecture</a> <a href="#">OpenDoc</a> <a href="#">OpenDocument</a> <a href="#">OpenOffice.org XML</a> <a href="#">Revisable-Form Text</a> <a href="#">Rich Text Format</a> <a href="#">Uniform Office Format</a> <a href="#">Word document</a>
Fixed document formats	<a href="#">DjVu</a> <a href="#">Envoy</a> <a href="#">Open XML Paper Specification</a> <a href="#">Portable Document Format</a>
Related topics	<a href="#">Character encoding</a> ( <a href="#">ASCII</a> <a href="#">Unicode</a> ) <a href="#">TeX</a>

<div><div><div>VT</div><div>E</div></div><div><a href="#">ISO standards</a> by standard number</div></div>	
List of <a href="#">ISO standards</a> <a href="#">ISO romanizations</a> <a href="#">IEC standards</a>	
19999	<a href="#">1</a> <a href="#">2</a> <a href="#">3</a> <a href="#">4</a> <a href="#">6</a> <a href="#">7</a> <a href="#">9</a> <a href="#">16</a> <a href="#">17</a> <a href="#">31</a> ( <a href="#">-0</a> <a href="#">-1</a> <a href="#">-3</a> <a href="#">-4</a> <a href="#">-5</a> <a href="#">-6</a> <a href="#">-7</a> <a href="#">-8</a> <a href="#">-9</a> <a href="#">-10</a> <a href="#">-11</a> <a href="#">-12</a> <a href="#">-13</a> ) <a href="#">68-1</a> <a href="#">128</a> <a href="#">216</a> <a href="#">217</a> <a href="#">226</a> <a href="#">228</a> <a href="#">233</a> <a href="#">259</a> <a href="#">261</a> <a href="#">262</a> <a href="#">302</a> <a href="#">306</a> <a href="#">361</a> <a href="#">500</a> <a href="#">518</a> <a href="#">519</a> <a href="#">639</a> ( <a href="#">-1</a> <a href="#">-2</a> <a href="#">-3</a> <a href="#">-5</a> <a href="#">-6</a> ) <a href="#">646</a> <a href="#">657</a> <a href="#">668</a> <a href="#">690</a> <a href="#">704</a> <a href="#">732</a> <a href="#">764</a> <a href="#">838</a> <a href="#">843</a> <a href="#">860</a> <a href="#">898</a> <a href="#">965</a> <a href="#">999</a> <a href="#">1000</a> <a href="#">1004</a> <a href="#">1007</a> <a href="#">1073-1</a> <a href="#">1073-2</a> <a href="#">1155</a> <a href="#">1413</a> <a href="#">1538</a> <a href="#">1629</a> <a href="#">1745</a> <a href="#">1989</a> <a href="#">2014</a> <a href="#">2015</a> <a href="#">2022</a> <a href="#">2033</a> <a href="#">2047</a> <a href="#">2108</a> <a href="#">2145</a> <a href="#">2146</a> <a href="#">2240</a> <a href="#">2281</a> <a href="#">2533</a> <a href="#">2709</a> <a href="#">2711</a> <a href="#">2720</a> <a href="#">2788</a> <a href="#">2848</a> <a href="#">2852</a> <a href="#">3029</a> <a href="#">3103</a> <a href="#">3166</a> ( <a href="#">-1</a> <a href="#">-2</a> <a href="#">-3</a> ) <a href="#">3297</a> <a href="#">3307</a> <a href="#">3601</a> <a href="#">3602</a> <a href="#">3864</a> <a href="#">3901</a> <a href="#">3950</a> <a href="#">3977</a> <a href="#">4031</a> <a href="#">4157</a> <a href="#">4165</a> <a href="#">4217</a> <a href="#">4909</a> <a href="#">5218</a> <a href="#">5426</a> <a href="#">5427</a> <a href="#">5428</a> <a href="#">5725</a> <a href="#">5775</a> <a href="#">5776</a> <a href="#">5800</a> <a href="#">5807</a> <a href="#">5964</a> <a href="#">6166</a> <a href="#">6344</a> <a href="#">6346</a> <a href="#">6373</a> <a href="#">6385</a> <a href="#">6425</a> <a href="#">6429</a> <a href="#">6438</a> <a href="#">6523</a> <a href="#">6709</a> <a href="#">6943</a> <a href="#">7001</a> <a href="#">7002</a> <a href="#">7010</a> <a href="#">7027</a> <a href="#">7064</a> <a href="#">7098</a> <a href="#">7185</a> <a href="#">7200</a> <a href="#">7498</a> ( <a href="#">-1</a> ) <a href="#">7637</a> <a href="#">7736</a> <a href="#">7810</a> <a href="#">7811</a> <a href="#">7812</a> <a href="#">7813</a> <a href="#">7816</a> <a href="#">7942</a> <a href="#">8000</a> <a href="#">8093</a> <a href="#">8178</a> <a href="#">8217</a> <a href="#">8373</a> <a href="#">8501-1</a> <a href="#">8571</a> <a href="#">8583</a> <a href="#">8601</a> <a href="#">8613</a> <a href="#">8632</a> <a href="#">8651</a> <a href="#">8652</a> <a href="#">8691</a> <a href="#">8805/8806</a> <a href="#">8807</a> <a href="#">8820-5</a> <a href="#">8859</a> ( <a href="#">-1</a> <a href="#">-2</a> <a href="#">-3</a> <a href="#">-4</a> <a href="#">-5</a> <a href="#">-6</a> <a href="#">-7</a> <a href="#">-8</a> <a href="#">-8-I</a> <a href="#">-9</a> <a href="#">-10</a> <a href="#">-11</a> <a href="#">-12</a> <a href="#">-13</a> <a href="#">-14</a> <a href="#">-15</a> <a href="#">-16</a> ) <a href="#">8879</a> <a href="#">9000/9001</a> <a href="#">9036</a> <a href="#">9075</a> <a href="#">9126</a> <a href="#">9141</a> <a href="#">9227</a> <a href="#">9241</a> <a href="#">9293</a> <a href="#">9314</a> <a href="#">9362</a> <a href="#">9407</a> <a href="#">9496</a> <a href="#">9506</a> <a href="#">9529</a> <a href="#">9564</a> <a href="#">9592/9593</a> <a href="#">9594</a> <a href="#">9660</a> <a href="#">9797-1</a> <a href="#">9897</a> <a href="#">9899</a> <a href="#">9945</a> <a href="#">9984</a> <a href="#">9985</a> <a href="#">9995</a>
1000019999	<a href="#">10006</a> <a href="#">10007</a> <a href="#">10116</a> <a href="#">10118-3</a> <a href="#">10160</a> <a href="#">10161</a> <a href="#">10165</a> <a href="#">10179</a> <a href="#">10206</a> <a href="#">10218</a> <a href="#">10279</a> <a href="#">10303</a> ( <a href="#">-11</a> <a href="#">-21</a> <a href="#">-22</a> <a href="#">-28</a> <a href="#">-238</a> ) <a href="#">10383</a> <a href="#">10585</a> <a href="#">10589</a> <a href="#">10628</a> <a href="#">10646</a> <a href="#">10664</a> <a href="#">10746</a> <a href="#">10861</a> <a href="#">10957</a> <a href="#">10962</a> <a href="#">10967</a> <a href="#">11073</a> <a href="#">11170</a> <a href="#">11179</a> <a href="#">11404</a> <a href="#">11544</a> <a href="#">11783</a> <a href="#">11784</a> <a href="#">11785</a> <a href="#">11801</a> <a href="#">11889</a> <a href="#">11898</a> <a href="#">11940</a> ( <a href="#">-2</a> ) <a href="#">11941</a> <a href="#">11941</a> (TR) <a href="#">11992</a> <a href="#">12006</a> <a href="#">12052</a> <a href="#">12182</a> <a href="#">12207</a> <a href="#">12234-2</a> <a href="#">12620</a> <a href="#">13211</a> ( <a href="#">-1</a> <a href="#">-2</a> ) <a href="#">13216</a> <a href="#">13250</a> <a href="#">13399</a> <a href="#">13406-2</a> <a href="#">13450</a> <a href="#">13485</a> <a href="#">13490</a> <a href="#">13567</a> <a href="#">13568</a> <a href="#">13584</a> <a href="#">13616</a> <a href="#">13816</a> <a href="#">14000</a> <a href="#">14031</a> <a href="#">14224</a> <a href="#">14289</a> <a href="#">14396</a> <a href="#">14443</a> <a href="#">14496</a> ( <a href="#">-2</a> <a href="#">-3</a> <a href="#">-6</a> <a href="#">-10</a> <a href="#">-11</a> <a href="#">-12</a> <a href="#">-14</a> <a href="#">-17</a> <a href="#">-20</a> ) <a href="#">14617</a> <a href="#">14644</a> <a href="#">14649</a> <a href="#">14651</a> <a href="#">14698</a> <a href="#">14764</a> <a href="#">14882</a> <a href="#">14971</a> <a href="#">15022</a> <a href="#">15189</a> <a href="#">15288</a> <a href="#">15291</a> <a href="#">15292</a> <a href="#">15398</a> <a href="#">15408</a> <a href="#">15444</a> ( <a href="#">-3</a> <a href="#">-9</a> ) <a href="#">15445</a> <a href="#">15438</a> <a href="#">15504</a> <a href="#">15511</a> <a href="#">15686</a> <a href="#">15693</a> <a href="#">15706</a> ( <a href="#">-2</a> ) <a href="#">15707</a> <a href="#">15897</a> <a href="#">15919</a> <a href="#">15924</a> <a href="#">15926</a> <a href="#">15926</a> WIP <a href="#">15930</a> <a href="#">16023</a> <a href="#">16262</a> <a href="#">16355-1</a> <a href="#">16485</a> <a href="#">16612-2</a> <a href="#">16750</a> <a href="#">16949</a> (TS) <a href="#">17024</a> <a href="#">17025</a> <a href="#">17100</a> <a href="#">17203</a> <a href="#">17369</a> <a href="#">17442</a> <a href="#">17506</a> <a href="#">17799</a> <a href="#">18004</a> <a href="#">18014</a> <a href="#">18181</a> <a href="#">18245</a> <a href="#">18629</a> <a href="#">18916</a> <a href="#">19005</a> <a href="#">19011</a> <a href="#">19092</a> ( <a href="#">-1</a> <a href="#">-2</a> ) <a href="#">19114</a> <a href="#">19115</a> <a href="#">19125</a> <a href="#">19136</a> <a href="#">19407</a> <a href="#">19439</a> <a href="#">19500</a> <a href="#">19501</a> <a href="#">19502</a> <a href="#">19503</a> <a href="#">19505</a> <a href="#">19506</a> <a href="#">19507</a> <a href="#">19508</a> <a href="#">19509</a> <a href="#">19510</a> <a href="#">19600</a> <a href="#">19752</a> <a href="#">19757</a> <a href="#">19770</a> <a href="#">19775-1</a> <a href="#">19794-5</a> <a href="#">19831</a>
2000029999	

	<a href="#">20000</a> <a href="#">20022</a> <a href="#">20121</a> <a href="#">20400</a> <a href="#">20802</a> <a href="#">21000</a> <a href="#">21047</a> <a href="#">21122</a> <a href="#">21500</a> <a href="#">21827</a> <a href="#">22000</a> <a href="#">22275</a> <a href="#">22300</a> <a href="#">22395</a> <a href="#">22537</a> <a href="#">23000</a> <a href="#">23090-3</a> <a href="#">23270</a> <a href="#">23271</a> <a href="#">23360</a> <a href="#">24517</a> <a href="#">24613</a> <a href="#">24617</a> <a href="#">24707</a> <a href="#">25178</a> <a href="#">25964</a> <a href="#">26000</a> <a href="#">26262</a> <a href="#">26300</a> <a href="#">26324</a> <a href="#">27000</a> <a href="#">series</a> <a href="#">27000</a> <a href="#">27001</a> <a href="#">27002</a> <a href="#">27005</a> <a href="#">27006</a> <a href="#">27729</a> <a href="#">28000</a> <a href="#">29110</a> <a href="#">29148</a> <a href="#">29199-2</a> <a href="#">29500</a>	
<b>30000+</b>	<a href="#">30170</a> <a href="#">31000</a> <a href="#">32000</a> <a href="#">37001</a> <a href="#">38500</a> <a href="#">40500</a> <a href="#">42010</a> <a href="#">45001</a> <a href="#">50001</a> <a href="#">55000</a> <a href="#">56000</a> <a href="#">80000</a>	
<div>Category</div>		
<div>VT<div>E</div><div>Ebooks</div></div>		
<b>Formats</b>	<a href="#">ePub</a> <a href="#">FictionBook</a> <a href="#">CBR/CBZ</a> <a href="#">Kindle File Format</a> <a href="#">Mobipocket</a> <a href="#">PDF</a> <a href="#">Plain text</a> <a href="#">IBA</a>	
<b>Reading</b>	<b>Devices</b>	<a href="#">Amazon Kindle</a> <a href="#">Barnes &amp; Noble Nook</a> <a href="#">Bookeen</a> <a href="#">Elonex ebook</a> <a href="#">enTourage eDGe</a> <a href="#">Hanlin eReader</a> <a href="#">iPad</a> <a href="#">iRiver</a> <a href="#">Story Kobo eReader</a> <a href="#">Onyx Boox</a> <a href="#">Plastic Logic Reader</a> <a href="#">PocketBook eReader</a> <a href="#">Rocket eBook</a> <a href="#">SoftBook</a> <a href="#">Smartphones</a> <a href="#">Tablets</a>
	<b>Software</b>	<a href="#">Adobe Acrobat</a> <a href="#">Adobe Digital Editions</a> <a href="#">Aldiko</a> <a href="#">Apple Books</a> (iBooks) <a href="#">Aquafadas</a> <a href="#">Blio</a> <a href="#">Bluefire Reader</a> <a href="#">Calibre</a> <a href="#">FBReader</a> <a href="#">Foliate</a> <a href="#">Google Play Books</a> <a href="#">Kindle app</a> <a href="#">Kitabu</a> <a href="#">Kobo</a> <a href="#">Lector</a> <a href="#">Lektz</a> <a href="#">Lucifox</a> <a href="#">Microsoft Reader</a> <a href="#">MuPDF</a> <a href="#">Okular</a> <a href="#">OverDrive Media Console</a> <a href="#">Snapplify</a> <a href="#">STDU Viewer</a> <a href="#">Sumatra PDF</a>
<b>Editing</b>	<a href="#">ABBY FineReader</a> <a href="#">AbiWord</a> <a href="#">Adobe InDesign</a> <a href="#">Adobe RoboHelp</a> <a href="#">Aquafadas</a> <a href="#">Atlantis Word Processor</a> <a href="#">Booktype</a> <a href="#">Calibre</a> <a href="#">Calligra Author</a> <a href="#">Collabora Online</a> <a href="#">eXeLearning</a> <a href="#">Help &amp; Manual</a> <a href="#">HelpNDoc</a> <a href="#">iBooks Author</a> <a href="#">iStudio Publisher</a> <a href="#">LaTeX</a> <a href="#">LibreOffice</a> <a href="#">MadCap Flare</a> <a href="#">Oxygen XML Editor</a> <a href="#">PagePlus</a> <a href="#">Pages</a> <a href="#">QuarkXPress</a> <a href="#">Scrivener</a> <a href="#">Sigil</a> <a href="#">Writer2epub</a>	
<b>Vendors</b>	<b>Commercial</b>	<a href="#">Apple Books Store</a> <a href="#">Amazon Kindle Store</a> <a href="#">Baen Free Library</a> <a href="#">Barnes &amp; Noble</a> <a href="#">Booktrack</a> <a href="#">BookWalker</a> <a href="#">Feedbooks</a> <a href="#">Google</a> ( <a href="#">Google Play</a> <a href="#">Google Books</a> ) <a href="#">Jarir.com</a> <a href="#">Kobo Bookstore</a> <a href="#">Sony Reader Store</a> <a href="#">Smashwords</a>
	<b>Noncommercial</b>	<a href="#">Aozora Bunko</a> <a href="#">Faded Page</a> <a href="#">HathiTrust</a> <a href="#">Internet Archive</a> <a href="#">Project Gutenberg</a> ( <a href="#">Australia</a> <a href="#">Canada</a> ) <a href="#">Standard Ebooks</a> <a href="#">Wikisource</a>
<b>Related</b>	<a href="#">Academic journal publishing reform</a> <a href="#">Books</a> <a href="#">Braille e-book</a> <a href="#">Comparison of ebook readers</a> <a href="#">Comparison of iOS ebook reader software</a> <a href="#">Comparison of Android ebook reader software</a> <a href="#">E-book lending</a> <a href="#">Electronic publishing</a> <a href="#">iBooks Author Conference</a> <a href="#">International Digital Publishing Forum</a> <a href="#">Kindle single</a> <a href="#">OPDS</a> <a href="#">Reflowable document</a> <a href="#">Self-publishing</a> <a href="#">Semantic publishing</a>	
<div>Authority control databases : National <a href="#">Edit this at Wikidata</a> <a href="#">Germany</a> <a href="#">Israel</a> <a href="#">United States</a> <a href="#">Czech Republic</a></div>		

Typical e-book reader

Retrieved from " <https://en.wikipedia.org/w/index.php?title=PDF&oldid=1189025457> "



### Categories :

- [Computer-related introductions in 1993](#)
- [Adobe Inc.](#)
- [Digital press](#)
- [Electronic documents](#)
- [Graphics file formats](#)
- [ISO standards](#)
- [Office document file formats](#)
- [Open formats](#)
- [Page description languages](#)
- [Vector graphics](#)
- [PDF software](#)

### Hidden categories:

- [CS1 maint: unfit URL](#)
- [Webarchive template wayback links](#)
- [Articles with short description](#)
- [Short description is different from Wikidata](#)
- [Use American English from January 2023](#)
- [All Wikipedia articles written in American English](#)
- [Use mdy dates from January 2023](#)
- [Wikipedia articles needing clarification from August 2021](#)
- [All articles with unsourced statements](#)
- [Articles with unsourced statements from August 2021](#)
- [Articles containing potentially dated statements from 2014](#)
- [All articles containing potentially dated statements](#)
- [Articles with unsourced statements from December 2020](#)
- [Articles needing additional references from November 2023](#)
- [All articles needing additional references](#)
- [All articles that may have off-topic sections](#)
- [Wikipedia articles that may have off-topic sections from May 2022](#)
- [Commons category link is on Wikidata](#)
- [Articles with GND identifiers](#)
- [Articles with J9U identifiers](#)

- [Articles with LCCN identifiers](#)
- [Articles with NKC identifiers](#)
- This page was last edited on 9 December 2023, at 05:36 (UTC) .
- Text is available under the [Creative Commons Attribution-ShareAlike License 4.0](#) ; additional terms may apply. By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#) . Wikipedia is a registered trademark of the [Wikimedia Foundation, Inc.](#) , a non-profit organization.
- [Privacy policy](#)
- [About Wikipedia](#)
- [Disclaimers](#)
- [Contact Wikipedia](#)
- [Code of Conduct](#)
- [Developers](#)
- [Statistics](#)
- [Cookie statement](#)
- [Mobile view](#)
- [Wikimedia Foundation](#)
- [Powered by MediaWiki](#)
- Toggle limited content width