

Document Title:	000	Intogration	Cuidalina	Dooumont
Document Little.	550	integration	Guideline	Document

Document Security Level: Public No. Documents: Version.: Page: PP24176 2.0 23 of 75

## 2.3.1 Endpoint

Table 4: Endpoint List

Endpoint Name	Description	Example URL: MyDigital ID SSO DNS host
Authorization Endpoint	Used to obtain an authorization code or implicit access token via user	https:// <mydigital dns="" host="" id="" sso=""> /auth/realms/{realm}/protocol/openidconnect/auth</mydigital>
Token Endpoint	authentication  Used to exchange authorization codes, refresh tokens, or client credentials for access tokens	https:// <mydigital dns="" host="" id="" sso=""> /auth/realms/{realm}/protocol/openidconnect/token</mydigital>
Userinfo Endpoint	Returns claims (user profile information) about the authenticated user.	https:// <mydigital dns="" host="" id="" sso=""> /auth/realms/{realm}/protocol/openidconnect/userinfo</mydigital>
Logout Endpoint		https:// <mydigital dns="" host="" id="" sso=""> /auth/realms/{realm}/protocol/openidconnect/logout</mydigital>
JWKS Endpoint	Provides the public keys used to verify JSON Web Tokens (JWTs)	https:// <mydigital dns="" host="" id="" sso=""> /auth/realms/{realm}/protocol/openidconnect/certs</mydigital>