

LAPORAN PRAKTIKUM

PEMROGRAMAN BERORIENTASI OBJEK LANJUT

2023



Prepared By:

Nama : Muhammad iddar rajab


Kelas : R1

Nim : 210511028

```

1. heirarchical 1
2. # Nama      : muhammad iddar rajab
3. # NIM       : 210511028
4. # Kelas    : R1
5. # Matkul   : Pemrograman Berorientasi Objek 2
6.
7. class Employee:
8.
9.     def __init__(self, name, salary):
10.         self.name = name
11.         self.salary = salary
12.
13.     def display_info(self):
14.         print("Name:", self.name)
15.         print("Salary:", self.salary)
16.
17. class Manager(Employee):
18.
19.     def __init__(self, name, salary, department):
20.         super().__init__(name, salary)
21.         self.department = department
22.
23.     def display_info(self):
24.
25.         super().display_info()
26.         print("Department:", self.department)
27.
28. class Engineer(Employee):
29.
30.     def __init__(self, name, salary, skill):
31.         super().__init__(name, salary)
32.         self.skill = skill
33.
34.     def display_info(self):
35.         super().display_info()
36.         print("Skill:", self.skill)
37.
38. employee1 = Employee("John Doe", 5000)
39. manager1 = Manager("Jane Smith", 7000, "Marketing")
40. engineer1 = Engineer("Bob Johnson", 6000, "Python")
41.
42. employee1.display_info() # Output: Name: John Doe, Salary: 5000
43. manager1.display_info() # Output: Name: Jane Smith, Salary: 7000,
    Department: Marketing
44. engineer1.display_info() # Output: Name: Bob Johnson, Salary: 6000,
    Skill: Python

```



2. heirarchical 2

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Vehicle:
```

```
    def __init__(self, brand, model):
        self.brand = brand
        self.model = model


    def info(self):
        print(f"This is a {self.brand} {self.model}")
```

```
class Car(Vehicle):
```

```
    def __init__(self, brand, model, num_of_doors):
        super().__init__(brand, model)
        self.num_of_doors = num_of_doors

    def info(self):
        super().info()
        print(f"It has {self.num_of_doors} doors")
```

```
my_car = Car("Toyota", "Corolla", 4)
my_car.info() # Output: This is a Toyota Corolla. It has 4 doors.
```



3. hybrid 1

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Animal:
```

```
    def __init__(self, name):
        self.name = name
```

```
    def speak(self):
        pass
```

```
class Mammal(Animal):
```

```
    def __init__(self, name):
        super().__init__(name)
```

```
    def give_birth(self):
        pass
```

```
class Dog(Mammal):
```

```
    def __init__(self, name, breed):
        super().__init__(name)
        self.breed = breed
```

```
def speak(self):  
    return "Woof"
```

```
class Cat(Mammal):
```


```
    def __init__(self, name, breed):  
        super().__init__(name)  
        self.breed = breed
```

```
    def speak(self):  
        return "Meow"
```

```
class Poodle(Dog):
```

```
    def __init__(self, name, breed, size):  
        super().__init__(name, breed)  
        self.size = size
```

```
my_dog = Poodle("Max", "Poodle", "Small")  
print(my_dog.name)  
print(my_dog.breed)  
print(my_dog.size)  
print(my_dog.speak())
```



4. hybrid 2

```
# Nama : muhammad iddar rajab
```

```
# NIM      : 210511028
# Kelas    : R1
# Matkul   : Pemrograman Berorientasi Objek 2
```

```
class Vehicle:
```

```
    def __init__(self, name):
        self.name = name

    def start(self):
        print("Starting", self.name)
```

```
class Engine:
```


```
    def __init__(self, fuel_type):
        self.fuel_type = fuel_type

    def fuel(self):
        print("Using", self.fuel_type, "as fuel")
```

```
class Car(Vehicle, Engine):
```

```
    def __init__(self, name, fuel_type):
        Vehicle.__init__(self, name)
        Engine.__init__(self, fuel_type)
```

```
my_car = Car("Sedan", "Petrol")
my_car.start()
my_car.fuel()
```



5. multilevel 1

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Vehicle:
```

```
    def __init__(self, name):
        self.name = name

    def start(self):
        print("Starting", self.name)
```

```
class Car(Vehicle):
```

```
    def __init__(self, name, color):
        Vehicle.__init__(self, name)
        self.color = color

    def drive(self):
        print("Driving", self.name, "in", self.color, "color")
```

```
class Sedan(Car):
```

```
    def __init__(self, name, color, brand):
        Car.__init__(self, name, color)
```


```

        self.brand = brand

    def model(self):
        print("This", self.name, "is a", self.brand, "model")

my_sedan = Sedan("Civic", "Black", "Honda")
my_sedan.start()
my_sedan.drive()
my_sedan.model()

```



6. multilevel 2

```

# Nama    : muhammad iddar rajab
# NIM     : 210511028
# Kelas   : R1
# Matkul  : Pemrograman Berorientasi Objek 2

```

```
class Animal:
```

```

    def __init__(self, name):
        self.name = name

    def eat(self):
        print(self.name, "is eating")

```

```
class Dog(Animal):
```

```

    def __init__(self, name, breed):

```



```
Animal.__init__(self, name)
self.breed = breed
```


```
def bark(self):
    print(self.name, "is barking")
```

```
class Pug(Dog):
```

```
    def __init__(self, name, breed, age):
        Dog.__init__(self, name, breed)
        self.age = age
```

```
    def sleep(self):
        print(self.name, "is", self.age, "years old and sleeping")
```

```
my_pug = Pug("Buddy", "Pug", 3)
my_pug.eat()
my_pug.bark()
my_pug.sleep()
```



7. multiple 1

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Person:
```

```
    def __init__(self, name, age):  
        self.name = name  
        self.age = age
```

```
    def show_info(self):  
        print("Name:", self.name)  
        print("Age:", self.age)
```

```
class Employee:
```

```
    def __init__(self, salary, job_title):  
        self.salary = salary  
        self.job_title = job_title
```


```
    def show_info(self):  
        print("Salary:", self.salary)  
        print("Job Title:", self.job_title)
```

```
class Manager(Person, Employee):
```

```
    def __init__(self, name, age, salary, job_title, department):  
        Person.__init__(self, name, age)  
        Employee.__init__(self, salary, job_title)  
        self.department = department
```

```
    def show_info(self):  
        Person.show_info(self)  
        Employee.show_info(self)  
        print("Department:", self.department)
```

```
my_manager = Manager("John Doe", 30, 5000, "Manager", "IT")  
my_manager.show_info()
```



8. multiple 2

```

# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2

```

```
class Shape:
```

```

    def __init__(self, color):
        self.color = color

```

```
class Fillable:
```

```

    def __init__(self, is_filled):
        self.is_filled = is_filled

```

```
class Square(Shape, Fillable):
```

```


    def __init__(self, side_length, color, is_filled):
        Shape.__init__(self, color)
        Fillable.__init__(self, is_filled)
        self.side_length = side_length

```

```
    def area(self):
```

```
return self.side_length ** 2
```

```
my_square = Square(5, "red", True)
print("Side Length:", my_square.side_length)
print("Color:", my_square.color)
print("Filled:", my_square.is_filled)
print("Area:", my_square.area())
```



9. single 1

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Animal:
```

```
    def __init__(self, name):
        self.name = name
```

```
    def speak(self):
        print("")
```


```
class Dog(Animal):
```

```
    def __init__(self, name, breed):
```

```
Animal.__init__(self, name)
self.breed = breed
```

```
def speak(self):
    print("Woof!")
```

```
my_dog = Dog("Fido", "Labrador")
print("Name:", my_dog.name)
print("Breed:", my_dog.breed)
my_dog.speak()
```



10. single 2

```
# Nama : muhammad iddar rajab
# NIM : 210511028
# Kelas : R1
# Matkul : Pemrograman Berorientasi Objek 2
```

```
class Vehicle:
```

```
    def __init__(self, color):
        self.color = color
```

```
    def start(self):
        print("Starting vehicle...")
```

```

class Car(Vehicle):

    def __init__(self, color, make, model):
        Vehicle.__init__(self, color)
        self.make = make
        self.model = model

    def start(self):
        Vehicle.start(self)
        print("Starting car...")

    def stop(self):
        print("Stopping car...")

my_car = Car("blue", "Toyota", "Corolla")
print("Color:", my_car.color)
print("Make:", my_car.make)
print("Model:", my_car.model)
my_car.start()
my_car.stop()

```

The screenshot shows the Visual Studio Code interface with a file explorer on the left, a code editor in the center, and a terminal at the bottom. The code editor displays a Python script named 'Single2.py' with the following content:

```

1 # Nama : muhammad iddar rajab
2 # NIM : 210511028
3 # Kelas : R1
4 # Matkul : Pemrograman Berorientasi Objek 2
5
6
7 class Vehicle:
8
9     def __init__(self, color):
10         self.color = color
11
12     def start(self):
13         print("Starting vehicle...")
14
15
16 class Car(Vehicle):
17
18     def __init__(self, color, make, model):

```

The terminal at the bottom shows the output of the script execution:

```

PS D:\iddar\Pertemuan 2\Praktikum-2> & C:\Users\zidan\AppData\Local\Programs\Python\Python311\python.exe "d:/iddar/Pertemuan 2/Praktikum-2/Single2.py"
Color: blue
Make: Toyota
Model: Corolla
Starting vehicle...
Starting car...
Stopping car...
PS D:\iddar\Pertemuan 2\Praktikum-2>

```