

Identity Masterclass


The magical mystery tour



**DUTCH MICROSOFT
ENTRA COMMUNITY**

Join our community!

aka.ms/dmec



Microsoft



SOFTWARE
CENTRAL

Capgemini 

infor cer 

DELL
Technologies


nerdio




INTERSTELLAR



kpn
Partner Network



INSPIRE

Identity Master Class Team

-  Pim Jacobs
-  Jan Bakker
-  Raymond Comvalius
-  Sander Berkouwer
-  Stephan van Rooij
-  Michel van Vliet
-  Stefan van der Wiele




Agenda


- 08:30 User Lifecycle Management & ID Governance
- 10:00 ☕ *Snacks/coffee*
- 10:15 Phishing resistant/Passkeys (of course) & Conditional Access
- 11:45 🍽️ *Lunch*
- 12:45 Apps & Agents
- 14:15 ☕ *Snacks/coffee*
- 14:30 Backup/Recovery & Tenant Governance
Zero Trust Assessment & Maester
- 16:00 🍷 *Drinks*



User Lifecycle Management

Onboarding example





No static sync interval

Each API endpoint is unique

Use Provisioning Logs

Custom security attribute support

Use (new) Graph Permissions

Cloud sync for provisioning in Active Directory

^ View technical information

Activity ID:
9011c339-e8ab-4289-8cc0-dc9182261c68

Job ID:
API2AD.ad7aaf9de4784d3f99aace450535d9cc.09eca8...

Provisioning API Endpoint:
<https://graph.microsoft.com/beta/servicePrincipals/9c...>

☐ NonInteractiveUserSignInLogs

☐ ServicePrincipalSignInLogs

☐ ManagedIdentitySignInLogs

☒ ProvisioningLogs

Admin consent User consent

Search permissions

API Name	Claim value	Permission
Microsoft Graph		
Microsoft Graph	SynchronizationData-User.Upload	Upload user data to the identity syn...
Microsoft Graph	AuditLog.Read.All	Read all audit log data

```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\WINDOWS\system32> Set-AADCloudSyncPermissions -PermissionType UserGroupCreateDelete -EACredential $credential
```


Attribute Mapping

Save Discard

Name
Provision API urn:ietf:params:scim:schemas:extension:enterprise:2.0:Users

Enabled
☒ Yes ☐ No

Source Object
urn:ietf:params:scim:schemas:extension:enterprise:2.0:User

Source Object Scope
Department equals 'IT'

Target Object
<http://schemas.microsoft.com/2006/11/ResourceManagement/ADSCIM/DynamicElement>

Target Object Actions

- ☒ Create
- ☒ Update
- ☒ Delete

Source Object Scope

Scoping Filter Group

Department equals 'IT'

+ Add new filter group

If multiple scoping filters are present, they are evaluated using "OR" logic.

Add Scoping Filter

Define which users are in scope for provisioning. Only objects that meet the criteria below will be synchronized.

Source attribute	Operator	Clause value
urn:ietf:params:scim:schemas:extension:enterprise:2.0:User:department	EQUALS	IT

Scoping Filter Title *

Department equals 'IT'

If multiple scoping clauses are present, they are evaluated using "AND" logic.

... > [SecMeetup HR API-driven provisioning to on-premises Active Directory | Provisioning](#) > [SecMeetup HR API-driven provisioning to on-premises Active Directory | Provisioning](#)

Edit Attribute List ...

Attribute Mappings

Attribute mappings define how attributes are synchronized between API and On Premises Active Directory

On Premises Active Directory Attribute	API Attribute	Match
employeeID	externalid	1
cn	displayName	
accountDisabled	Switch([active], "False", "False", "True", "True", "False")	
sAMAccountName	Replace([userName], "{<Suffix>@()}", "Suffix", "", ,)	
co	addresses[type eq "work"].country	
company	urn:ietf:params:scim:schemas:extension:enterprise:2.0:User:division	
department	urn:ietf:params:scim:schemas:extension:enterprise:2.0:User:department	
displayName	displayName	
employeeNumber	urn:ietf:params:scim:schemas:extension:enterprise:2.0:User:employeeNumber	
givenName	name.givenName	
l	addresses[type eq "work"].locality	
mail	Join("@", Replace([userName], "{<Suffix>@()}", "Suffix", "", ,), DefaultDomain())	
manager	urn:ietf:params:scim:schemas:extension:enterprise:2.0:User:manager	
postalCode	addresses[type eq "work"].postalCode	
sn	name.familyName	
st	addresses[type eq "work"].region	
streetAddress	addresses[type eq "work"].streetAddress	
title	title	
userPrincipalName	Join("@", Replace([userName], "{<Suffix>@()}", "Suffix", "", ,), DefaultDomain())	

Edit Attribute ...

A mapping lets you define how the attributes in one class of Microsoft Entra object (e.g. Users) should flow to and from this application.

Mapping type ⓘ

Direct

Source attribute * ⓘ

urn:ietf:params:scim:schemas:extension:identityman:1.0:User:HireDate

Default value if null (optional) ⓘ

Target attribute * ⓘ

employeeHireDate

Match objects using this attribute

No

Matching precedence ⓘ

Apply this mapping ⓘ

Always

Always

Only if the attribute contains multiple values

Only during object creation

Apply this mapping ⓘ

Always



For additional values you want to provision:

- Make your own schema available in the bulk payload request.
- Add the schema with the attributes you want to provision:

```

10  "data": {
11    "schemas": [
12      "urn:ietf:params:scim:schemas:core:2.0:User",
13      "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User",
14      "urn:ietf:params:scim:schemas:extension:identityman:1.0:User"
15    ],
16    "phoneNumbers": [

```

- EmployeeHireDate
- EmployeeLeaveDateTime
- ExtensionAttributes
- UsageLocation
- Initials
- OU location

```

30  "urn:ietf:params:scim:schemas:extension:identityman:1.0:User": {
31    "EA1": "J.",
32    "EA2": true,
33    "CountryCodeNumber": "528",
34    "SamAccountName": "Johny.Bravo",
35    "UsageLocation": "NL",
36    "Initials": "J.",
37    "CountryCode2Letter": "NL",
38    "ParentDistinguishedName": "OU=PushAPI,OU=Users,DC=Identityman,DC=local",
39    "GenderPronoun": "Male",
40    "HireDate": "2021-08-01T00:00:00Z",
41    "LeaveDate": "2024-12-31T00:00:00Z"
42  },
43  "userType": "Employee"

```

Bulk Payload Example

-  Only for users
-  Max 50 users per bulk request
-  Can only contain POST as method
-  'Content-Type: application/scim+json' is mandatory
-  BulkId is generated for reference
-  API Endpoint only supports POST
-  PowerShell Module available on learn

```

1  {
2    "schemas": [
3      "urn:ietf:params:scim:api:messages:2.0:BulkRequest"
4    ],
5    "Operations": [
6      {
7        "method": "POST",
8        "bulkId": "7528f3a9-689e-4cc5-9b20-a64f53516502",
9        "path": "/Users",
10       "data": {
11         "schemas": [
12           "urn:ietf:params:scim:schemas:core:2.0:User",
13           "urn:ietf:params:scim:schemas:extension:enterprise:2.0:User"
14         ],
15         "phoneNumbers": [
16           {
17             "value": "+31 40 123 4567",
18             "type": "work"
19           },
20           {
21             "value": "+31 06 1234 5678",
22             "type": "mobile"
23           }
24         ],
25         "nickName": "Johnny.Bravo",
26         "userName": "Johnny.Bravo",
27         "title": "Identity Hero",
28         "displayName": "Johnny Bravo",
29         "userType": "Employee",
30         "name": {
31           "familyName": "Johnny",
32           "givenName": "Bravo"
33         },
34         "addresses": [
35           {
36             "postalCode": "5431 AB",
37             "streetAddress": "Identity Street 1",

```



20 minutes



LAB 1

Inbound Provisioning API

<https://github.com/IdentityMan/MasterclassELNL26>

Access Lifecycle Management

Entra ID Governance

01



Identity Lifecycle Management

Inbound Provisioning
Lifecycle Workflows



03



Outbound provisioning

Provisioning and access to
3rd party applications

02



Access Lifecycle Management

Lifecycle Mover Workflows,
Access Packages,
Access Reviews


04



Least Privileged Access

Just in time just enough
access

Lifecycle workflows



Automated Joiner, Mover & Leaver

Lifecycle Workflows facts

Custom import to **Must be in the format "yyyyMMddHHmmss.fZ"** On-premises AD string **e**

Activ Basics Email Customization

Basics

Task name * ⓘ Send Welcome Email to end user an.eu

Task description Send welcome email to new hire

Configure

The user's email address automatically populated from the mail attribute on the user's profile.

To recipient * ⓘ [User mail attribute]

CC recipients ⓘ 0 Users selected

Configure

i The user's account info will automatically be retrieved from the user's profile.

User account * ⓘ [User ID]

Enable on-premises account ⓘ ☐

Email language translation ⓘ Dynamic based on recipient (Default)

-  Runs each 3 hours
-  Interval is customizable (1-24)
-  Max 100 Workflows per tenant
-  25 per tasks per workflow
-  Preferred Language
-  Email customizations (Logo, Domain & Text)
-  Built-in native tasks for Microsoft Entra
-  Option to continue workflow on error
-  Native hybrid integration for enable, disable and delete
-  EmployeeHireDate
-  EmployeeLeaveDateTime

Latest Lifecycle Workflows updates



Reprocess failed users and workflows in Lifecycle Workflows



Visibility of sensitivity labels on group tasks in Lifecycle Workflows



Trigger workflows for inactive employees and guests in Lifecycle Workflows



Agent identity sponsor lifecycle support in Lifecycle Workflows



Delegated Workflow Management with AUs in Lifecycle Workflows



Expanded attribute support in Lifecycle Workflows attribute changes trigger (like CSA)



Basic HTML support in Lifecycle Workflow



Entra ID Governance guest billing meter enforcement



Automate setting or clearing user attributes values

Lifecycle workflows



Logic Apps

Custom Extension examples



Setting the out of office for the user and hiding user from address list



Converting the mailbox to shared



Wiping Intune managed devices (MAM/MDM)




Disabling admin / test accounts associated to user account




Deleting admin / test accounts associated to user account




Executing tasks on Active Directory?





Modern Access Lifecycle Management



Pim Jacobs

11 years of service and still working least privileged



Access Review

Can be applied on:

- Groups
- Inactive Guest users
- Applications
- PIM Roles
- Access Packages
- Catalog Reviews (User Centric)

Understanding Access Packages



- Teams
- Groups
- Applications
- SharePoint sites
- Entra Roles
- Azure Roles
- API Permissions

Access Package + Approval



- Periodic reviews
- Self-review
- Recommendations

Access Review

Assignments

- Admin assignment (manual)
- On demand (user can request)
- Dynamic assignment (attribute based)

Who can request?

- Members and/or guests
- Option to require Verified ID for requesting

Approvals

- Multi-staged approval (up to 3 iterations)
- By manager, sponsor or specific approvers



Group resources for:

- Delegation to key users in your org
- Governance (visibility and protection for guests)

Custom Extensions for:

- Pre-expiration workflow
- Request workflow

Note: Moving access packages between catalogs isn't possible!



Separation of Duties



Deny access based on:

- Current group membership
- Incompatible Access Packages

Examples:

- Junior / Medior / Senior access level
- Conflicting persona's
- Update rings (Fast vs. Slow ring)
- License groups

Home > Identity Governance

 **Identity Governance** | Preview Features

« Save Cancel

Home > Identity Governance

 **Identity Governance** | Control configurations

Entitlement management

- Dashboard
- Getting started
- Diagnose and solve problems
- Entitlement management
- Access packages
- Catalogs
- Connected organizations
- Reports
- Control configurations**
- Preview Features
- Roles and administrators (Preview)

« Got feedback

 **Lifecycle**
 Enabled
 Configure their last...
[View settings](#)

 **Manage**
 Enabled
 Configure enable...
[View configurations](#)

Risk-based approval (Preview)

ELM Settings

Configure approval settings for risky users.

Require approval for users with insider risk level (Preview) ⓘ

☐ When enabled, users with insider risk level will need additional access package approval. [Customize](#)

Require approval for users with ID protection risk (Preview) ⓘ

☐ When enabled, users with Entra ID Protection risk level will need additional access package approval. [Customize](#)

Lifecycle Workflows Movers Triggers




Trigger on group membership change (added or removed)



Trigger on attribute change

Onboarding example



Microsoft



SOFTWARE
CENTRAL

Capgemini

infor

DELL
Technologies

nerdio



INTERSTELLAR




kpn
Partner Network




INSPIRE

Privileged Access

Privileged Account management



Privileged Account management



Entra ID Governance

01



Identity Lifecycle Management

Inbound Provisioning 
Lifecycle Workflows 

03



Outbound provisioning

Provisioning and access to
3rd party applications

02



Access Lifecycle Management

Lifecycle Workflows Mover 
Access Packages 
Access Reviews 

04



Least Privileged Access

Just in time just enough
access 



25 minutes



LAB 2

Lifecycle Workflows & Access Packages

<https://github.com/IdentityMan/MasterclassELNL26>

How much is the fish?




Topics in this section

- AiTM: Everybody can do this.
- How to protect yourself against AiTM
- What are passkeys in Entra?
- How to prepare your tenant for passkeys?
- How to register passkeys?


Lab (DIY)

- Setup a AiTM for free in minutes
- Steal password + cookies
- Replay the cookies to take over the session


This is Billy




Billy is very
security minded





His password is
very strong, and
can never be
guessed




He also has
MFA installed
on his iPhone




One day Billy is prompted with this sign-in page




He puts in his
password and
MFA, just like
every other day




Billy just got
phished



Don't be like
Billy.....





Demo

Let's phish Billy, and replay the token

Let's fix that!



How to block AiTM?

- Named Locations
- Require **Compliant** device
- Require Microsoft Entra **hybrid joined** device
- Require Compliant network (Global Secure Access)
- Enforce phishing-resistant authentication

The path to phishing resistant

Enable FIDO2

Configure passkey profiles

Create Auth Strengths

Create Conditional Access policies

Get your users on the other side

Enforce Conditional Access policies

Sleep like a baby

Device-bound passkeys

Bound to and used only on a single device

Synced passkeys

Stored securely in a credential manager and accessed across devices



Microsoft



SOFTWARE
CENTRAL

Capgemini 

inforcer 

DELL
Technologies


nerdio




INTERSTELLAR



kpn
Partner Network



INSPIRE



FIDO 2 security key



Windows Hello for Business



Authenticator App


Comparison device bound passkeys



Most secure




Supports attestation



Hardware backed



Recommended for privileged or high target accounts



No cross-device sync



Higher operational costs



Complex account recovery



User friction



Synced passkeys



Comparison synced passkeys



Sync across devices



Phishing resistant



Low cost



Easy recovery



No attestation



Private key somewhere
in the cloud



Dependency risk




NIST AAL 2



Passkey profiles



Office workers



Admins



Home > Authentication methods | Policies

Passkey (FIDO2) settings

Passkeys (FIDO2) Authentication Methods (Preview)

Your organization has opted into public preview for synced passkeys and passkey profiles. Your previous passkey settings have been moved into the default passkey profile. Up to 10 pass...

Opt-out of public preview

Passkeys are a phishing-resistant, standards-based passwordless authentication method that can be stored on a variety of security key models or passkey providers. Passkeys are not usable in the self-service password reset flow. [Learn more](#)

Enable and target

Configure

Enable

On

Include

Exclude

+ Add target

Name	Type	Passkey profiles (preview)	
All users	Group	Default passkey profile	
SyncedPasskeys	Group	Synced Passkeys	

SaveDiscard

Passkey profiles

Demo


Enable FIDO2 and configure passkey profiles

Conditional Access

How to design passkey policies

How NOT to do it

- ❗ Create **new** Conditional Access policy
- ❗ Select **All Users**
- ❗ Select **All Resources**
- ❗ Grant -> Require Authentication Strengths -> Phishing resistant MFA



Policy	Target	Excluded resources	Device Platforms	Grant control – Custom Authentication Strength	AAGUIDS
.[Passkeys] Bootstrap & Recovery policy	Register security information	N/A.	N/A.	Password + Microsoft Authenticator (Push Notification) OR Temporary Access Pass (One-time use) OR Temporary Access Pass (Multi-use)	N/A.
.[Passkeys] Secure Desktop Apps	All resources	N/A.	Include: Any device Exclude: iOS Android	Passkeys (FIDO2)	If needed, you can also configure it to allow only specific AAGUIDS. If none, all AAGUIDS are allowed.
.[Passkeys] Secure Mobile Apps	All resources	Azure Credential Configuration Endpoint Service	Include: iOS Android	Passkeys (FIDO2)	Microsoft Authenticator (iOS) Microsoft Authenticator (Android)
.[Passkeys] Protect Excluded Apps	Azure Credential Configuration Endpoint Service	N/A.	Include: iOS Android	Require multifactor authentication	

"Thou shall not allow a
Temporary Access Pass to
access any resource"

Except for Bootstrap & Recovery action

To register a passkey, you need:

Fresh authentication session

+

MFA

Demo

Register passkey(s) for Billy





Use for educational purpose only

Demo

Set up free phishing lure using Cloudflare Workers

<https://github.com/IdentityMan/MasterclassELNL26>



Lab 3



30 minutes

Office 365 Phishing with a Cloudflare Worker (Adversary-in-the-Middle)

Enjoy your lunch

We will continue at 12:45



Apps and Agents

The Plot Twist in Entra



Raymond Comvalius

Identity & Security expert



Sander Berkouwer

Entraordinary identity architect

What we're going to talk about

- Getting rid of human identities for non-humans
- A Refresher on Entra applications and serviceprincipals
- Identity for independent agents

Why we need non-human identities

Abusing human identities

Active Directory

User account

Group membership
to Domain Admins

Blocking interactive
sign-ins through
Group Policy

Entra

User account

Group membership to
Domain Administrator

Blocking interactive
sign-ins through
Conditional Access
MFA



Using applications in Entra

Active Directory

User account

Delegation of Control
per Organizational Unit

Blocking interactive
sign-ins through Group
Policy

Entra

ServicePrincipal and
Application

Least privilege and
scoped API
permissions

Entra Workload ID for
Conditional Access

Applications for Modern Protocols

Use Entra Apps to avoid

Legacy protocol limitations

Legacy identity scenarios

SMTP, POP3, IMAP4 have been decommissioned, but apps can still access mailboxes to send and/or receive mail

Entra Connect Sync offers application-based authentication

Default since v2.5.76.0

Assumption is the brother...

Don't assume anyone fully understands Entra applications

Your team

Developers

Vendors

Microsoft...

Entra applications are not part of official Microsoft certifications or training

A Refresher on Entra applications

applications and serviceprincipals

Applications in Entra

Applications enable secure interaction with Microsoft cloud resources

They provide identity for apps and APIs

- First-party apps (Microsoft)

- Third-party apps

- Line-of-Business apps

Key components

- App Registrations



Microsoft



SOFTWARE
CENTRAL

Capgemini

infor



DELL
Technologies



nerdio



INTERSTELLAR

kpn
Partner Network

INSPARK

Enterprise Applications

App Registration vs Enterprise Application

App Registration **Application**

Template (multi-tenant apps)

Developer-side definition of the application

Includes permissions, secrets, and branding

Enterprise Application **ServicePrincipal**


Service principal created when the app is used in an Entra tenant

Instance of the app in your tenant (multi-tenant apps)

Also: user-assigned and system-assigned managed identities

Both must be reviewed for secure lifecycle management

Example: Microsoft Graph Command Line Tools



Multi-tenant application scope

Supported account types:

Choose the account types that can use this application or access this API.

Multiple Entra ID tenants



Single tenant only - nctxprt

Multiple Entra ID tenants

Any Entra ID Tenant + Personal Microsoft accounts

Personal accounts only

Redirect URI configuration

Supported accounts

Settings

Supported account types:

Choose the account types that can use this application or access this API.

Multiple Entra ID tenants



[Help me decide...](#)

- ☐ Allow all tenants
- ☒ Allow only certain tenants (Preview) ⓘ

Allowed tenants * (0)

The tenant where the app is registered is always allowed.

 [Manage allowed tenants](#)

 **At least one allowed tenant is required**

Tenant ID

No results.

Demo

Multi-tenant application

Application Security

API permissions

Scope admin-consented API permissions narrowly

- Least privilege is essential for applications
- Exchange Online

Scope **Mail.SendAs** and **Mail.ReadWrite** down through an Application Access Policy to restrict an Entra application registration to specific mailboxes only

- SharePoint Online

Use **Sites.Selected** instead of **Sites.ReadWrite.All**

Permissions and Authentication

Delegated
permissions

Workload Identity
Federation

Certificates

App-only
permissions

Client secrets



App-only permissions

Run as the App Registration

- Client secret
- Certificate-based
- Federated Workload Identity

Permissions defined on the App Registration

Can only be consented by:

- Privileged Role Administrator
- Global Administrator

Delegated permissions

Run as the requester (user account)

Interactive Authentication

Permissions defined on the requestor's user account

Can be consented by:

- Cloud Application Administrator
- Application Administrator
- Privileged Role Administrator
- Global Administrator

Don't Use Broad Permissions

Internalize the principle of least administrative privilege.

Avoid Graph permissions like:

`Directory.ReadWrite.All`

`RoleManagement.ReadWrite.All`

`Application.ReadWrite.All`

`User.ReadWrite.All`

`GroupMember.ReadWrite.All`

`Group.ReadWrite.All`

Demo

Removing API permissions
in the Entra admin center

<https://github.com/IdentityMan/MasterclassELNL26>



30 minutes

Lab 4

App Registrations and Enterprise Applications in Microsoft Entra ID

Permissions for Agent identities

The following permissions are blocked for Agent IDs:

`Application.ReadWrite.All`

`RoleManagement.ReadWrite.All`

`User.ReadWrite.All`

`Directory.AccessAsUser.All`

<https://learn.microsoft.com/en-us/entra/agent-id/identity-professional/authorization-agent-id#microsoft-graph-permissions-for-agent-ids>

Perform Regular Access Reviews

Audit Entra apps regularly to avoid overprivileged permissions

Use the Application Governance feature in Microsoft Defender for Cloud Apps to gain insights in actual permissions **E5**

For own applications make changes, but for other apps work with the developer/vendor

Monitor owners

Monitor credentials

Tenant-wide settings and practices

Bring Useful Apps in Scope of IAM

Review the necessity to keep the app

Use the **Assignment required** option on the **Properties** page of the app

Assign a new per-app group to the app on the **Users and groups** page

Assign app Owners

Use the Notes field or tags for organizational information

Have users request access, for instance, through:

Entra Access Packages

ServiceNow

Your SMA tooling

Note

The Entra group 'All Users' includes both people in your organization and all guests...

Don't leave stale apps

Remove Enterprise Apps tied to defunct systems

The Application Activity report in the Entra Portal:
Enterprise Applications > Usage and insights

Typical indicators:

- Start with the application registration

- No user or service principal sign-ins (unless used for provisioning)

- No interactive sign-ins

- No non-interactive sign-ins

- All passwords and certificates have expired

Clean up During Upgrades

For on-premises apps and apps that your admins install:

Before major upgrades:

- Revoke admin consent to associated App Registrations and Enterprise Apps
- Remove owners
- Delete associated App Registrations and Enterprise Apps

In the upgrade experience, opt to recreate these artifacts to align

- Least privilege permissions

Branding and other changes



Microsoft



SOFTWARE
CENTRAL



Recommended Admin Practices

“Global
Administrator
rights are not
human rights.”



Don't Underestimate Admin Roles

Application Administrator and **Cloud Application Administrator**
are powerful roles for apps with app-only permissions

Who are owners of apps with app-only permissions?

Misuse and misconfiguration can escalate to unintended
Global Administrator-equivalent access

The Plot Twist

Applications and Agents in Entra

**Yo dawg,
I heard you like applications**

So I put applications in your applications

"Agents are Applications v2"

AI Agents are ephemeral, so a 2nd layer of identities is needed:

Agent ID Blueprint Principal **ServicePrincipal**

Agent ID Blueprint **Application**

Agent ID **ServicePrincipal**

Agent ID User **User**

The Agent Registry allows for more robust management

AI Agents have sponsors, next to owners

AI Agents are managed in de M365 admin center

Agent ID Framework

Assign

Agent ID
Blueprint Principal

Agent ID Blueprint Principal

Control

Agent ID
Blueprint

Agent ID Blueprint

Monitor

Agent
ID

Agent
User

Agent
ID

Agent
ID

Agent
ID

Entra Agent ID, part of Agent 365



Register and manage AI agents

Govern agent identities and lifecycle

Protect agent access to resources

Tips for Entra Agent ID

Assign the **AI Administrator** role

Don't forget to include the role in Conditional Access and PIM

Implement Purview to prevent data leakage through agents **E5**

Turn off Copilot Flex Routing

Turn off 3rd party agents, when not needed yet

Concluding

Your Identity To-Do List

- ☐ Enable everybody for multifactor authentication
- ☐ Enable the Admin Consent Workflow
- ☐ Review your apps and permissions **App Gov**
- ☐ Bring apps into your IAM processes
... or get rid of them
- ☐ Review assigned administrator roles and implement PIM **P2**
- ☐ Monitor owners and credentials



Please evaluate this session in the App.

THANK YOU

Are there any questions?




Backup/Recovery, Tenant Governance

Challenges of tenant governance

Tenant sprawl: A growing enterprise blind spot

Non-production tenants created for demos, testing, or pilots are rapidly proliferating



One weak tenant can expose the entire organization

85% of tenants in large organizations are unmanaged or misconfigured, creating an unknown massive attack surface

Shadow tenants

Many tenants remain undiscovered or are operated outside centralized IT control

Inconsistent configuration

Even core and production tenants can be misconfigured, deviating from security and compliance standards

Security risks

Attackers target weaker or forgotten tenants that lack foundational controls such as MFA and Conditional Access

Delayed detection and response

Without visibility into tenant inventory, organizations struggle to detect and respond to attacks quickly, amplifying the impact of incidents

Microsoft's own experience: late 2023

Millions of internal tenants

Millions of internal tenants, e.g., demo + test

Not every tenant was administered consistently and securely

Midnight Blizzard attack

Compromised a tenant that wasn't adequately secured

Moved laterally within Microsoft environment

Took control and retire tenants that no longer met security or business requirements

SFI progress November 2025

Strengthened tenant segmentation

Continued to expand tenant discovery and governance

Reduced shadow tenant sprawl

Retired 6.9 million unused and aged tenants

Microsoft Entra Tenant Governance

extends learnings from SFI and enables customers to enforce tenant-level security posture

Introducing Microsoft Entra Tenant Governance

Seamlessly integrated with Microsoft clouds, Microsoft Entra Tenant Governance enables centralized governance of multi-tenant environments.

Governing the lifecycle of tenants



- ✓ Enforce consistent security posture
- ✓ Reduce risk from shadow tenants
- ✓ Govern tenants at scale

Core Capabilities Overview

Four capabilities that help your organizations protect your tenants

Related
Tenants

Tenant
Governance
Relationships

Tenant
Configuration
Management

Secure Tenant
Creation

Gain visibility into tenants you interact within your environments

Before

After

Shadow, legacy, and employee-created tenants exist along with external partner tenants



Visibility into organization's tenant inventory

Difficult to understand all avenues in which tenants have access and/or are connected



Clear insights into service configuration and activity and shared billing accounts for a single tenant

Reactive discovery after incidents



Proactively surface unmanaged tenants and determine which to take governance actions against

Govern tenants at scale via trusted governance relationships

Before

After

Limited visibility of your managed tenants



Centralized view of your governed tenants and who can access them

Manual maintenance of B2B or local accounts used to administer multiple tenants



One identity, one account—Least privileged roles assigned once with cross tenant delegated administration, without disrupting local tenant management

Multi-tenant apps and permissions created and maintained tenant by tenant



Monitor and manage multi-tenant LOB apps' access across all governed tenants from one place

Maintain a secure and consistent tenant configuration across a single or multiple tenants

Before

After

Misconfigured tenants



Define and apply desired state of tenant configuration resources

Failure to detect configuration drift



Automatically monitor and detect configuration drift on an ongoing basis

Manual audit of tenant configuration



Easily retrieve a "snapshot" of tenant configuration

Tenant scope

Entra, Defender, Exchange Online, Intune, Purview, and Teams



Microsoft Graph or Microsoft Graph PowerShell

Entra Admin portal



Establish ownership and enforce identity and access controls from day one

Before

After

No administrative access
or control of new tenants



Automatic formation of governance
relationship with new tenants

Add-on tenants are independent entities



Proof of commercial ownership of add-on tenant, which can be
used by Microsoft Support to restore access following loss of
credentials, or the tenant administrator leaving your organization

Related tenants

B2B Collaboration

B2B registration
B2B sign-in activity

Shared billing
accounts

Multitenant
Apps

B2B collaboration (inbound and outbound)

Contoso

From Contoso's perspective, Jane's access to Litware is outbound and John's access to Contoso is inbound.

Litware

From Litware's perspective, John's access to Contoso is outbound and Jane's access to Litware is inbound.



Jane Doe
jane@contoso.com
Internal Member



John Doe
johnD@litware.onmicrosoft.com
Guest User




John Doe
john@litware.com
Internal Member




Jane Doe
janeD@contoso.onmicrosoft.com
Guest User

Multitenant apps (inbound and outbound)



Shared billing accounts



Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INCC...

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Custom security attributes

Certificate authorities

External Identities

Home

Tenant governance | Related tenants (Preview)

Search

Explore our new secure tenant creation feature—now available in the tenant governance private preview.

View tenant creation

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Settings

Tenant governance settings (Preview)

Cross-tenant synchronization

Overview

Configurations

Cross-tenant management

Cross-tenant access settings

Delegated administration partners

Related tenants are identified using signal-based analysis. Customize your view with columns. Additional signal details are available in the tenant view. [Learn more](#)

Search by tenant ID

Edit columns

Discovery signal: All values

Reset filters

Current tenant: Contoso Inc.

Name	Tenant ID	Discovery signal	Inbound admin app sign-ins	Updated on
Microsoft	72f988bf-86f1-41af-91ab-2d7cd011db47	B2B registration, B2B sign-ins, Admin app sign-ins	1-9	3/17/2026, 4:11:16 PM
Microsoft Services	f8cdef31-a31e-4b4a-93e4-5f571e91255a	Multitenant applications	-	3/19/2026, 2:42:26 AM
Litware USA	0e5e3ac2-3b93-45c6-b94c-666d191ddcf0	Billing	-	3/4/2026, 1:05:41 PM
Contoso 1	ba9be3da-60d6-4dd6-b76d-321a1c20f2f6	B2B registration, B2B sign-ins, Admin app sign-ins	0	3/17/2026, 4:44:15 PM
Litware	f128b7ab-3b52-4c8c-abaa-db0af0ca96b2	Billing	-	3/17/2026, 4:44:15 PM

Find the full listing of discovered related tenants here

Filter and sort related tenants

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC.C...)

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Security

Authentication

Account recovery

Password reset

Custom security attributes

Certificate authorities

External Identities

Case tenant administration

Home

Tenant governance | Related tenants (Preview)

Search

Explore our new secure tenant

Related tenants are identified using discovery signals.

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Settings

Tenant governance settings (Preview)

Cross-tenant synchronization

Overview

Configurations

Cross-tenant management

Cross-tenant access settings

Delegated administration partners

Discovery signal: All values

Reset filters

Discovery signal

- ☐ All values
- ☒ B2B registration
- ☐ B2B sign-in
- ☐ Multitenant applications
- ☒ Admin app sign-ins
- ☒ Billing

Cancel Apply

Discovery signal

Discovery signal
5f1-41af-91ab-2d7cd011db- B2B registration, B2B sign-ins, Ad...
1e-4b4a-93e4-5f571e9125! Multitenant applications
b93-45c6-b94c-666d191dd Billing
0d6-4dd6-b76d-321a1c20f B2B registration, B2B sign-ins, Ad...
b52-4c8c-abaa-db0af0ca96 Billing

Edit columns

Column name

Column name
Name
Tenant ID
Discovery signal
Updated on
☐ Inbound admin app sign-ins
☐ Outbound admin app sign-ins
☒ Primary shared billing account
☐ Associated shared billing accounts
☐ Inbound multitenant apps
☐ Outbound multitenant apps
☐ Inbound B2B admin sign-ins
☒ Outbound B2B admin sign-ins
☐ Inbound B2B registrations
☒ Outbound B2B registrations

Save Cancel

Select which discovery signal metrics you want displayed and sorted

Filter your discovered related tenants by discovery signal

Drill down into a specific related tenant

Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC.C...)

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Custom security attributes

Certificate authorities

External Identities

Case tenant administration

Home > Tenant governance | Related tenants (Preview)

Contoso 1 (Preview)

Request to govern Refresh

Overview **Discovery Signals** Relationship

B2B sign-ins

B2B registration

Admin application sign-ins

Multitenant application

Billing

B2B registration

Distinct related tenants for which there is one or more B2B guest user or external member registered either inbound from the related tenant into your tenant or outbound from your tenant into the related tenant. Signal-based analysis returns approximate ranges as orders of magnitude.

Initial activity

Started on 3/5/2026, 10:54:18 PM

Inbound users

0

Outbound users

1-9

Recent activity

Updated on 3/5/2026, 10:54:18 PM

Inbound users

0

Outbound users

1-9

Drill down into a specific related tenant and navigate to the discovery signals tab to see more detailed metrics by signal


Tenant governance relationships

What are governance relationships?

A governance relationship is a directional connection between 2 Microsoft Entra tenants, where one tenant governs another

Formal construct to define the roles/permissions you want, depending on your scenario goals

Setup via request/approval handshake between tenant admins



Scenarios enabled by governance relationships

1

Cross-tenant delegated administration (GDAP)


Administer a governed tenant with your governing tenant credentials. No need for a B2B/local account. Roles managed from the central, governing tenant.

2

Custom multi-tenant applications


Setup and manage your custom, multi-tenant applications.

Cross tenant delegated administration (GDAP)



- B2B user in every tenant
- Role assignment in every tenant
- Ongoing management of accounts and roles for each B2B admin, in each tenant

GDAP



- Security group in governing tenant
- Cross-tenant role assignments in governed tenants
- Admin access to governed tenants without needing B2B accounts
- Simplified ongoing management
- MFA required, governed tenant CA policies applied

Multi-tenant applications

Service principal for
MegaMonitor

Consented for access by
app in governing tenant


Service principal for
MegaMonitor




Multi-tenant app
registration
"MegaMonitor"

Custom app to monitor/manage/automate resource
management tasks in the governed tenant

How to setup governance relationships




Supported governance topologies



1 tenant can
govern multiple
tenants



Multiple tenants
can govern 1
tenant



NOT allowed (for now):
**Multi-tier
governance**

A tenant cannot be
both a governing and
governed tenant

- Home
- Entra agents
- Favorites
- Entra ID
- Overview
- Users
- Groups
- Devices
- Agent ID (Preview)
- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Tenant governance (Preview)
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Account recovery (Preview)
- Password reset

- Home
- Tenant governance | Governed tenants
- Search
- Related tenants
- Governed tenants
- Governing tenants
- Tenant management
- Templates
- Monitors
- Configuration management permissions
- Settings
- Tenant governance settings
- Cross-tenant synchronization
- Overview
- Configurations
- Cross-tenant management
- Cross-tenant access settings
- Delegated administration partners

Explore our new secure tenant creation feature—now available in the tenant governance private preview. View tenant creation

Governed tenants Sent requests Received invitations

View and manage tenant governance relationships, where Contoso Inc. is the governing tenant.

Request to govern Terminate governance Refresh

Search by tenant name or ID

Relationship status: Active Reset filters

Name	Tenant ID	Governance status	Active on ↓
☐ Fabrikam, Inc.	dc026b02-f884-4035-948e-d8ff357b6e51	Active	3/17/2026, 12:33:07 PM
☐ Contoso 1	ba9be3da-60d6-4dd6-b76d-321a1c20f2f6	Active	3/16/2026, 2:19:35 AM

Manage your governance relationships: View the tenants that you govern - your *governed tenants* – or the tenants that govern you – your *governing tenants*

Request to govern

☒ Select tenant☐ Select governance policy template☐ Review request and finishRelated tenants

Governed tenants

Received invitations

Related tenants are identified using signal-based analysis. Customize your view with columns. Additio

 Refresh

Discovery signal: Billing

 Reset filters Current tenant: Contoso Inc.

	Name	Tenant ID	Discovery signal	Primary shared billing account	 Associated shared billing accounts	 Updated on
☐	Litware USA	0e5e3ac2-3b93-45c6-b94c-666d191dd	Billing	1-9	0	3/4/2026, 10:05:41 AM
☐	Contoso 1	ba9be3da-60d6-4dd6-b76d-321a1c20f	B2B registration, B2B sign-ins, Admi	1-9	0	3/17/2026, 1:44:15 PM
☐	Litware	f128b7ab-3b52-4c8c-abaa-db0af0ca96	Billing	1-9	1-9	3/17/2026, 1:44:15 PM

Secure relationship setup: Send requests to tenants that have sent you an invitation or have a strong signal of being a related tenant

Back

Next

Cancel

-  Home
-  Entra agents
- ★ Favorites

▼
-  Entra ID

▲
-  Overview
-  Users
-  Groups
-  Devices
-  Agent ID (Preview)
-  Enterprise apps
-  App registrations
-  Roles & admins
-  Delegated admin partners
-  Tenant governance (Preview)

▬
-  Domain services
-  Conditional Access
-  Multifactor authentication
-  Identity Secure Score
-  Authentication methods
-  Account recovery (Preview)
-  Password reset
-  Custom security attributes
-  Certificate authorities
-  External Identities

Home > Tenant governance

Tenant governance | Tenant governance settings (Preview) ...

 Search

-  Related tenants (Preview)
-  Governed tenants (Preview)
-  Governing tenants (Preview)

Tenant management

-  Templates (Preview)
-  Monitors (Preview)
-  Configuration management permissions (Preview)

Settings

-  Tenant governance settings (Preview)

Cross-tenant synchronization

-  Overview
-  Configurations

Cross-tenant management

-  Cross-tenant access settings
-  Delegated administration partners

Governance relationships

Invitation settings

Governance invitations allow your tenant to send governance requests to other tenants. [Learn more](#)

Allow other tenants to send governance invitations to this tenant (Contoso Inc.) ⓘ

Disabled ▼

☒ Disabled

Enabled

Save

Secure relationship setup: Tenant-level setting to control whether tenants can send you invitations.

- Home
- Entra agents
- Favorites
- Entra ID
- Overview
- Users
- Groups
- Devices
- Agent ID (Preview)
- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Tenant governance (Preview)
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score

Home > Tenant governance

Tenant governance | Templates (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Settings

Tenant governance settings (Preview)

Cross-tenant synchronization

Overview

Configurations

Cross-tenant management

Cross-tenant access settings

Delegated administration partners

Governance policy templates

New template Refresh

Search by name

Name	Description	Roles	Applications	Created on	
Contoso DevOps	Governance of Contoso DevOps tenants	Global Reader, Security ...	MegaMonitor	3/11/2026, 5:42:09 PM	...
Contoso Production	Permissions template for Contoso prod te...	Security Administrator, ...	MegaMon prod-limited	3/11/2026, 5:48:05 PM	...
default	Default policy template used in automatic...	-	-	3/19/2026, 3:07:43 PM	...

Reusable templates: Create and reuse governance policy templates to setup and manage relationships at scale

Visibility of governing tenant admin "technician" activity in sign-in and audit logs

- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Account recovery (Preview)
- Password reset
- Custom security attributes
- Certificate authorities
- External Identities
- Cross-tenant synchronization
- Entra Connect
- Backup and recovery (Preview)
- Domain names
- Custom branding
- Mobility
- Monitoring & health
- Sign-in logs**
- Audit logs

Home > Audit Logs

Sign-in events

[Download](#)
[Export data Settings](#)
[Troubleshoot](#)
[Refresh](#)
[Manage view](#)
[Got feedback](#)

Want to switch back to the legacy sign-in logs experience? [Click here to leave the preview.](#)


[Add filter](#)
[Show dates as: UTC](#)
[Date range: Last 7 days](#)
[User contains technician](#)
[Reset filters](#)

[User sign-ins \(interactive\)](#)
[User sign-ins \(non-interactive\)](#)
[Service principal sign-ins](#)
[Managed identity sign-ins](#)

Date ↓	Request ID	User principal name	Application	Status	Conditional ac...	User	Location
2026-03-19T20:39:24Z	43ba0242-1830-4fa7-84a8-94f49...	user_b5a326795fd044af...	Azure Portal	Success	Success	Contoso Inc. technician	Quincy, Washington, US
2026-03-19T16:44:03Z	c7ce766e-3606-4e0c-a457-2fb76...	user_b5a326795fd044af...	Azure Portal	Success	Success	Contoso Inc. technician	Quincy, Washington, US
2026-03-18T00:14:59Z	ab100cca-88a0-4e0c-a3d5-e068...	user_b5a326795fd044af...	Azure Portal	Success	Success	Contoso Inc. technician	Quincy, Washington, US
2026-03-18T00:14:12Z	368362a5-c442-4d94-8c86-30dc...	user_b5a326795fd044af...	Azure Portal	Success	Success	Contoso Inc. technician	Quincy, Washington, US

Tenant configuration management


Tenant governance includes automated tenant monitoring capabilities




Over 200 Microsoft resource types are supported for monitoring

Exchange	Entra	Teams	Intune	Defender and Purview
Data Classification	Conditional Access Policy	Meeting Policy	Role Definition	File Plan Property Category
Management Role Assignment	Group	Calling Policy	Device Compliance Policy Windows 10	File Plan Property Department
Mailbox Permission	Application	Online Voice User	Device Configuration Policy macOS	Retention Compliance Policy
Shared Mailbox	User	Upgrade Policy	Device Compliance Policy macOS	Compliance Tag
Recipient Permission	Named Location Policy	Feedback Policy	Device Compliance Policy iOS	File Plan Property Citation
Mailbox Calendar Folder	Cross-Tenant Access Policy	Messaging Policy	Windows Autopilot Deployment Profile Azure AD Joined	File Plan Property Authority
Calendar Processing	Role Definition	Enhanced Encryption Policy	Role Assignment	Retention Event Type
Mailbox Auto Reply Configuration	Role Setting	User	App Protection Policy Android	Label Policy
CAS Mailbox Settings	Authentication Method Policy	Update Management Policy	Wi-Fi Configuration Policy iOS	DLP Compliance Policy
Mailbox Settings	Authentication Strength Policy	Mobility Policy	App Protection Policy iOS	Retention Compliance Rule
Transport Rule	Cross-Tenant Access Policy Configuration Default	Channels Policy	App Configuration Policy	Compliance Search
Group Settings	Authentication Method Policy – Voice	App Setup Policy	Device Enrollment Platform Restriction	Protection Alert
and many more....				


Monitor tenant resource configurations against your security and compliance objectives



Ensure your tenant configuration meets your security and compliance requirements on an ongoing basis



Automated ongoing monitoring for detection of configuration drift



Use configuration baselines to define the desired state of tenant configuration

resources

Microsoft Entra admin center

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC...)

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance | Monitors (Preview)

New monitor (Preview) ...

Permissions

Configuration baseline

Review

Define the desired/required state of resources within your tenant

Configuration baseline

A configuration baseline defines the required security and compliance settings for a tenant so you can monitor and detect when its configuration drifts from that expected state. Paste or write your JSON configuration in the editor below. [Learn more about configuration baselines.](#)

Upload JSON file

```
1 {
2   "displayName": "Contoso CA baseline",
3   "description": "Contoso CA policies Mar 13 2026",
4   "baseline": {
5     "displayName": "Contoso CA Mar 2026",
6     "description": "Contoso Inc CA Mar 13 2026",
7     "parameters": [],
8     "resources": [
9       {
10        "displayName": "AADConditionalAccessPolicy-Secure password change on high user risk for Microsoft partners and vendors",
11        "resourceType": "microsoft.entra.conditionalaccesspolicy",
12        "properties": {
13          "State": "enabled",
14          "PersistentBrowserMode": "",
15          "GrantControlOperator": "AND",
16          "PersistentBrowserIsEnabled": false,
17          "ApplicationEnforcedRestrictionsIsEnabled": false,
18          "ExcludeExternalTenantsMembershipKind": "",
19          "IncludeExternalTenantsMembershipKind": "",
20          "SignInFrequencyType": "",
21          "DeviceFilterRule": "",
22          "SignInFrequencyIsEnabled": false,
23          "CloudAppSecurityIsEnabled": false,
24          "CloudAppSecurityType": "",
25          "Ensure": "Present",
```

Monitors detect configuration drift of resources that effect security and compliance

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC...)

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin

Tenant governance

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance

Tenant governance | Monitors (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Delegated administration partners

A monitor periodically compares the actual state of tenant resources to the desired state of resources expressed in the monitor's configuration baseline, and records any detected variance as a configuration drift. [Learn more](#)

Monitors Monitor Results Configuration drifts

New monitor Delete Refresh

Add Filter

Monitor name ↑	Description	Last updated
☐ Contoso CA baseline	Contoso CA policies Mar 13 2026	Fri, 13 Mar 2026 19:04:55 GMT
☐ Contoso Exchange	Contoso Exchange Config Mar 2026	Fri, 20 Mar 2026 17:44:34 GMT
☐ Monitor from snapshot V2	For testing	Thu, 19 Feb 2026 12:01:04 GMT

Easy manageability by having different monitors for different resources in your tenant

Monitors run automatically to eliminate the need for manual audits

Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC-...)

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise applications

App registrations

Roles & administration

Delegated administration

Tenant governance

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance

Tenant governance | Monitors (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management

Cross-tenant access settings

Delegated administration partners

Monitors

Monitor Results

Configuration drifts

Refresh

Add Filter

Monitor results show the time when a monitor started and stopped. You can also view the monitor when it ran. [Learn more](#)

Monitor name ↑	Monitor ID	Started	Completed	Run Status	Drifts Detected
Contoso CA baseline	7c76c240-3391-4e64-8737-e3756b189f64	Fri, 20 Mar 2026 12:00:...	Fri, 20 Mar 2026 12:04:...	successful	-
Contoso CA baseline	7c76c240-3391-4e64-8737-e3756b189f64	Fri, 20 Mar 2026 06:01:...	Fri, 20 Mar 2026 06:03:...	successful	-
Contoso CA baseline	7c76c240-3391-4e64-8737-e3756b189f64	Fri, 20 Mar 2026 00:00:...	Fri, 20 Mar 2026 00:02:...	successful	-
Contoso CA baseline	7c76c240-3391-4e64-8737-e3756b189f64	Thu, 19 Mar 2026 18:00:...	Thu, 19 Mar 2026 18:00:...	successful	-
Contoso CA baseline	7c76c240-3391-4e64-8737-e3756b189f64	Thu, 19 Mar 2026 12:00:...	Thu, 19 Mar 2026 12:00:...	successful	-
Monitor from snapshot V2	42b0d904-3af4-496f-b00c-30800cec300d	Fri, 20 Mar 2026 12:00:...	Fri, 20 Mar 2026 12:01:...	successful	1
Monitor from snapshot V2	42b0d904-3af4-496f-b00c-30800cec300d	Fri, 20 Mar 2026 06:00:...	Fri, 20 Mar 2026 06:00:...	successful	1
Monitor from snapshot V2	42b0d904-3af4-496f-b00c-30800cec300d	Fri, 20 Mar 2026 00:00:...	Fri, 20 Mar 2026 00:01:...	successful	1
Monitor from snapshot V2	42b0d904-3af4-496f-b00c-30800cec300d	Thu, 19 Mar 2026 18:00:...	Thu, 19 Mar 2026 18:00:...	successful	1
Monitor from snapshot V2	42b0d904-3af4-496f-b00c-30800cec300d	Thu, 19 Mar 2026 12:00:...	Thu, 19 Mar 2026 12:00:...	successful	1

Load more

Ongoing visibility to monitoring results for each monitor

Monitors run automatically on a periodic basis

You can see a consolidated view of all out-of-compliance resources

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC.C...)

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance

Tenant governance | Monitors (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration drifts

A configuration drift is automatically recorded when the actual state of resource is different than the configuration baseline

Monitors Monitor Results Configuration drifts

Refresh

Add Filter

Monitor ↑	Resource Name	Resource Type	Drifted Properties	First Detection
Monitor from snapshot V2	AADCrossTenantAccessPolicy	microsoft.entra.crosstenantacc...	DisplayName	Thu, 19 Feb 2026 18:0...

Admin portal provides a consolidated view of all configuration drifts across all your monitors

You can easily see the details of any resource that is missing or out of compliance

Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com
CONTOSO INC. (CONTOSO-INC C...

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance

Tenant governance | Monitors (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Settings

Tenant governance settings (Preview)

Cross-tenant synchronization

Overview

Configurations

Cross-tenant management

Cross-tenant access settings

Delegated administration partners

Home > Tenant governance | Governed tenants (Preview) > Create a new tenant (Preview) > Contoso Inc. > Tenant governance

Tenant governance | Monitors (Preview)

Search

Related tenants (Preview)

Governed tenants (Preview)

Governing tenants (Preview)

Tenant management

Templates (Preview)

Monitors (Preview)

Configuration management permissions (Preview)

Settings

Tenant governance settings (Preview)

Cross-tenant synchronization

Overview

Configurations

Cross-tenant management

Cross-tenant access settings

Delegated administration partners

Monitors

Monitor Results

Configuration drifts

Refresh

Add Filter

Monitor ↑	Resource Name	Resource Type
Monitor from snapshot V2	AADCrossTenantAccessPolicy	microsoft.entra.crossten

AADCrossTenantAccessPolicy

Configuration drift

Monitor

Monitor name: Monitor from snapshot V2

Monitor ID: 42b0d904-3af4-496f-b00c-30800cec300d

Drifted resource

Resource name: AADCrossTenantAccessPolicy

Resource type: microsoft.entra.crosstenantaccesspolicy

Tenant name: Contoso Inc.

Tenant ID: 3553f57e-4080-4d98-81f6-e238f8f5959a

First detection: Thu, 19 Feb 2026 18:00:51 GMT

Drifted properties


Property: DisplayName

Current: CrossTenantAccessPolicy for 3553f57e-4080-4d98-81f6-e238f8f5959a

Desired: Green Tenant Access Policy

Admin portal provides granular visibility into how the actual state of the resource differs from the desired state defined in the configuration baseline

Secure tenant creation



Enforce access controls from day one

1. Permissioned user in Governing tenant creates add-on tenant
2. Entra automatically establishes a governance relationship using default governance policy template



Establish ownership

Microsoft Commerce generates an Entra ID Free billing asset for the add-on tenant under selected cloud subscription in the billing account

Home > Choose a configuration for your tenant > Create a new tenant > TenantCreation0

Manage tenants

+ Create Refresh Columns Switch Delete Leave tenant Make default tenant More information Got feedback?

Current tenant: TenantCreation0

Search tenants Tenant type: All

Showing 3 of 3 results

☐	Organization name	Domain name	Tenant type	Organization ID	Favorite
☐	Contoso (Default)	contoso.onmicrosoft.com	Workforce	be367955-2c49-49c3-81a7-6a0918e33f62	☆
☐	Contoso Europe	contoso.eu.onmicrosoft.com	Workforce	8e2ec7a1-9dba-4f15-85b1-c9d520dc7c5	☆
☐	Woodgrove	woodgrove.onmicrosoft.com	Workforce	a1db2c77-6053-4d0a-8b8b-da9c48d77e77	☆

Home > Choose a configuration for your tenant > Create a new tenant > TenantCreation0 > Manage tenants

Choose a configuration for your tenant

Select your configuration based on types of users, applications, and resources you plan to manage. [Help me choose](#)

Workforce

Securely manage your employees, internal resources, and external business collaborators.

External

Add authentication to your external-facing apps and securely manage consumers and business customers.

Governed Workforce

Securely manage your employees, internal resources, and external business collaboration with additional governance features.

Continue

Securely create a new add-on tenant with an automatic governance relationship

Home > Choose a configuration for your tenant > Create a new tenant > TenantCreation0 > Manage tenants > Choose a configuration for your tenant

Create a new tenant

Basics Review

Tenant name ① Contoso developer test

Domain name ① ContosoDevTest1

① This domain <domainname>.onmicrosoft.com cannot be edited or deleted. You can add customized domain names later.[Learn about custom domains](#)

Country/Region ① United States

✓ Geographic location - United States

① The country/region selected above determines where Microsoft Entra will store the primary copy of your Microsoft Entra directory data.[Learn about where your data is located](#)

Subscription * Subscription 1

Resource Group * Firefly

① Please note, we are not currently able to support tenant creation for tenants that are not associated with only modern Microsoft Customer Agreement (MCA) subscriptions.

"Entra ID Free" billing asset created on subscription/resource group selected by tenant creator

Review + Create Previous Next: Review >

Home > Choose a configuration for your tenant > Create a new tenant > TenantCreation0 > Manage tenants > Choose a configuration for your tenant

Create a new tenant

Basics

Review

Basics

Tenant name

Domain name

Country/Region

Subscription

Resource Group

Tenant Governance

Policy Template

Contoso developer test

ContosoDevTest1.onmicrosoft.com

United States

Subscription 1

Firefly

Default Template

Governance relationship automatically formed using default template (only if it has been defined)

Create

< Previous

Next >

Demo



Microsoft



SOFTWARE
CENTRAL

Capgemini 

infor cer 

DELL
Technologies


nerdio




INTERSTELLAR



kpn
Partner Network



INSPIRE

Contoso Inc. - Microsoft Entra admin center

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Tenant governance (Preview)

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Custom security attributes

Search resources, services, and docs (G+)

Copilot

alice@contoso-inc.com

CONTOSO INC. (CONTOSO-INC-...)

Home > Tenant governance | Related tenants > Contoso Inc. > Tenant governance | Governed tenants

Contoso Inc.

+ Add Manage tenants What's new Preview features Got feedback

To improve your experience, we're experimenting with your Home page. Click "Got feedback?" to tell us what you think.

Overview Monitoring Properties Recommendations Setup guides

Search your tenant

Basic information

Name	Contoso Inc.	Users	109
Tenant ID	3553f57e-4080-4d98-81f6-e238f8f5959a	Groups	5
Primary domain	contoso-inc.com	Applications	2
License	Microsoft Entra ID P2	Devices	0

Alerts

Global Administrators

109

Microsoft recommends fewer than 5 Global Administrators.

View privileged role assignments

Migrate to the converged Authentication methods policy

Please migrate your authentication methods off the legacy MFA and SSPR policies by September 2025 to avoid any service impact

Learn more

My feed

alice@contoso-inc.com

0113a5e5-5430-4de5-b8d4-d5f5e4b1a0c7

Global Administrator

View role information

View profile

Microsoft Entra Connect

Not enabled

Sync has never run

Go to Microsoft Entra Connect

Governance relationships

Least privilege role assignments for cross-tenant delegated admin access. Can be terminated by governing tenant

Configuration Management

Secure by default: service can access resources only with permissions explicitly assigned by your tenant administrators

Secure Tenant Creation

Add-on tenants can be created only by users assigned to Commerce role on billing account

Tenant Governance and Multi-Tenant Organizations

Tenant Governance

Delivers experiences for administrators to ensure tenant configuration meets organizational requirements for security and compliance

Multi-Tenant Organization

Delivers experiences for end-users to collaborate seamlessly across tenants within an organization

- Tenant Governance and MTO work together harmoniously: Tenant Governance delivers administrative experiences, and MTO delivers end user experiences.
- Organizations in an MTO will often want to use tenant governance to monitor the configuration of tenants within the MTO.

Licensing and availability

Microsoft Entra Tenant Governance is offered at two service levels:

Tenant Governance Basic

- Included in Entra Premium P1 and Entra Premium P2
- Also included in Microsoft 365 E3 and Microsoft 365 E5

Tenant Governance Premium

- Included in Entra ID Governance
- Also included in Entra Suite and Microsoft 365 E7

- Requires one license for each administrator that is using Tenant Governance capabilities
- Tenant Governance does not require a license for all users in the tenant

Tenant Governance licensing details

	Tenant Governance Basic		Tenant Governance Premium
Feature	Microsoft Entra P1 Also included in Microsoft 365 E3 and Microsoft 365 Business Premium	Microsoft Entra P2 Also included in Microsoft 365 E5	Microsoft Entra IG Governance Also included in Microsoft Entra Suite and Microsoft 365 E7
Tenant configuration management			
Single tenant configuration – monitoring + drift reporting	✓ Up to 30 monitors Up to 800 configuration resources per tenant per day	✓ Up to 30 monitors Up to 800 configuration resources per tenant per day	✓ Up to 30 monitors Up to 800 configuration resources per tenant per day
Single tenant configuration – snapshots	✓ Up to 20,000 resources per tenant per month Up to 12 active snapshot jobs	✓ Up to 20,000 resources per tenant per month Up to 12 active snapshot jobs	✓ Up to 20,000 resources per tenant per month Up to 12 active snapshot jobs
Related tenants			
Discover related tenants through B2B collaboration, multi-tenant apps, and shared billing accounts			✓
Tenant governance relationships			
Governance relationship with cross-tenant granular delegated admin privilege (GDAP)	✓	✓	✓
Governance relationship with custom app injection			✓
Secure tenant creation			

March 2026

Configuration
management

APIs: General availability
Admin UX: Public preview

Related tenants

APIs + Admin UX: Public preview

Governance
relationships

APIs + Admin UX: Public preview

Secure tenant creation

APIs + Admin UX: Public preview

Microsoft Entra Backup and Recovery

Entra Backup and Recovery

Enable customers to recover from accidental changes or security compromises to a previously known good state (within the last 30 days) for core directory objects.

Microsoft Resiliency Commitment for All Customers

Cloud Resiliency Platform

Built on Azure

Cell-based architecture

Backup authentication

New Solution for Customers to Backup and Recover Their Own Entra ID Tenant

Tenant-level Protection from Object Deletion

30-day soft-deletion for some objects

Hard deletion as protected action

Expanded soft deletion support

Tenant-level Protection from Object Edits

30 days to recover objects

Recover to a point of time

Recover select objects

Available capability

Planned capability

Maester

Microsoft Identity Masterclass
Experts Live Netherlands 2026




Stephan van Rooij

Software developer & Microsoft MVP in Security

Maester

- ✧ Security configuration scanner
- ✧ Actionable report
- ✧ Only **read access** required
- ✧ PowerShell open-source



Q

Search by ID or Title...

Severity

▼

Failed

×

Error

×

✕

▼

Category

▼

Tag

▼

ID ↑	Title	Severity	Status
CIS.M365.1.3.7	Ensure 'third-party storage services' are restricted in 'Microsoft 365 on the web'		⚠ Failed
CIS.M365.4.1	Ensure devices without a compliance policy are marked 'not compliant'		⚠ Failed
CIS.M365.5.1.2.3	Ensure 'Restrict non-admin users from creating tenants' is set to 'Yes'		⚠ Failed
CIS.M365.5.1.3.1	Ensure a dynamic group for guest users is created		⚠ Failed
CIS.M365.5.1.5.2	Ensure the admin consent workflow is enabled		⚠ Failed
CIS.M365.5.2.3.5	Ensure weak authentication methods are disabled		⚠ Failed
CISA.MS.AAD.1.1	Legacy authentication SHALL be blocked.	High	⚠ Failed
CISA.MS.AAD.2.1	Users detected as high risk SHALL be blocked.	High	⚠ Failed



CIS.M365.4.1: Ensure devices without a compliance policy are marked 'not compliant'

Test result

Your tenant settings do not comply with CIS recommendations.

Setting	Result
Mark devices with no compliance policy assigned as 'Not compliant'	 Fail

Test details

4.1 (L2) Ensure devices without a compliance policy are marked 'not compliant'

Compliance policies are sets of rules and conditions that are used to evaluate the configuration of managed devices. These policies can help secure organizational data and resources from devices that don't meet those configuration requirements. Managed devices must satisfy the conditions you set in your policies to be considered compliant by Intune. When combined with conditional access, this allows more control over how non-compliant devices are treated.

configuration requirements. Managed devices must satisfy the conditions you set in your policies to be considered compliant by Intune. When combined with conditional access, this allows more control over how non-compliant devices are treated.

The recommended state is **Mark devices with no compliance policy assigned as Not compliant**

Rationale

Implementing this setting is a first step in adopting compliance policies for devices. When used in together with Conditional Access policies the attack surface can be reduced by forcing an action to be taken for non-compliant devices.

"Note: This section does not focus on which compliance policies to use, only that an organization should adopt and enforce them to their needs."

Impact

Any devices without a compliance policy will be marked not compliant. Care should be taken to first deploy any new compliance policies with a Conditional Access (CA) policy that is in the Report-only state. After the environment's device compliance is better understood it is then appropriate to finally align with **Mark devices with no compliance policy assigned as** and enable any CA policies that enforce actions based on device compliance.

considered not compliant.

Remediation action:

1. Navigate to [Microsoft Intune admin center](#).
2. Click on **Devices** and then under **Managed devices** on **Compliance**.
3. Click **Compliance settings**.
4. Ensure **Mark devices with no compliance policy assigned as** set to **Not compliant**

PowerShell


1. Connect to Microsoft Graph using ``Connect-MgGraph -Scopes "DeviceManagementConfiguration.ReadWrite.All"```
2. Run the following commands:

```
$Uri = 'https://graph.microsoft.com/v1.0/deviceManagement'
$Body = @{
    settings = @{
        secureByDefault = $true
    }
} | ConvertTo-Json
```



Demo

Expe



Maester Workshop goals

1. Install Maester
2. Install built-in tests
3. Run Maester
4. (maybe) Schedule Maester on GitHub Actions
5. Deploy Maester report to Static Web App with auth

[https://github.com/IdentityMan/
MasterclassELNL26/](https://github.com/IdentityMan/MasterclassELNL26/)

Questions?