Empirical Proof Record: INCONCLUSIVE

2026-05-24T03:30:05.125730+00:00

Empirical Proof Record — INCONCLUSIVE

Proof ID: `f3dc27285e437424f011904734a4ca35…`
Created: 2026-05-24T03:30:05.125730+00:00

1. Claim

> A partial cue of a SEEN experience recalls its full content better than a partial cue of a never-seen item: memory_lift = mean(recall|seen) − mean(recall|never-seen) > 0. Both arms get the same impoverished cue, so this isolates path-dependent memory from deterministic re-derivation.

- **Operationalisation:** Stream 6 seen items; never stream 2 control items. Probe partial cues (first 40% of words) of 6 seen and 2 control items. recall = Jaccard(concepts(partial cue), concepts(full item)). memory_lift = mean(recall seen) − mean(recall control); decided VALIDATED iff lift > 0 with a significant seen>control Mann-Whitney.
- **Threshold:** `memory_lift > 0.0 jaccard`
- **H0:** H0: memory_lift ≤ 0 — a seen partial cue recalls no better than a never-seen one; 'recall' is deterministic re-derivation
- **H1:** H1: memory_lift > 0 — prior exposure completes the partial cue; path-dependent memory beyond re-derivation

2. Verdict

INCONCLUSIVE — observed `-0.12135655881785906`
memory_lift -0.1214 = seen recall 0.2572 (n=6) − control recall 0.3785 (n=2); partial cue = first 40% of words; INCONCLUSIVE — too few valid probes per arm

3. Evidence

Pillar	Statistic	Value	95% CI	Library
`O.flow.cued_recall`	`memory_lift`	`-0.12135655881785906`	—	ophamin 0.115.2

4. Pre-registration

- Registered at: `2026-05-24T03:30:04.853845+00:00`
- Config hash: `85ce90b9a2071df259409d64f66955d1…`
- Data hash: `004b9e2af6b1b66bdf42363d0c904544…`

5. Signature

`82aba559eae96f124fc66c055b8e9fe6a9733557353a75e986724b12ca43bde0`