

Empirical Proof Record: VALIDATED

2026-05-24T13:53:39.006008+00:00

Empirical Proof Record — VALIDATED

Proof ID: 83833a276bdbc9b8b8a4d28313f29a53...

Created: 2026-05-24T13:53:39.006008+00:00

1. Claim

Across up to 2000 real magnitudes in $(0, 10000]$, the live internal-event chain with interoception ON (the door) emits a magnitude-ordered prime: $\text{Spearman}(\text{magnitude}, \text{p_thermo}) \geq 0.95$, vs the legacy name-fingerprint (interoception OFF, ~ 0.47).

- **Operationalisation:** Distinct real FRED |values| within range drive the real static Takwin builders (`_build_internal_event_payload_for_thermodynamic_transition / _spde_pressure_peak`); each payload $\rightarrow$ real `assign_from_internal_event` $\rightarrow$ `p_thermo` from the registry, with `_use_interoception` True (door) and False (fingerprint); $\text{Spearman}(\text{magnitude}, \text{p_thermo})$ for both; distinctness.
- **Threshold:** `interoception_fidelity_spearman` ≥ 0.95 rank-correlation
- **H0:** H0: door $\text{Spearman} < 0.95$ — the live chain does not preserve the substrate's own magnitude
- **H1:** H1: door $\text{Spearman} \geq 0.95$ — a faithful, ordered interoception

2. Verdict

VALIDATED — observed 0.9999985569996392

door min-Spearman 1.0000 (per-builder `{'thermodynamic_transition': 1.0, 'spde_pressure_peak': 1.0}`) over 2000 real magnitudes `[0.001, 9919.23]`; fingerprint baseline mean 0.0143 `{'thermodynamic_transition': 0.0121, 'spde_pressure_peak': 0.0164}`




Figure 1: interoception_fidelity_spearman – observed value with Wilson 95% CI.

3. Evidence

Pillar	Statistic	Value
interoception_magnitude_fidelity	interoception_fidelity_spearman	0.9999985569996392 (0.9999985569996392)

4. Pre-registration

- Registered at: 2026-05-24T13:53:38.734217+00:00
- Config hash: 73b1f2c29112378fcaefb140db55af36...
- Data hash: eb1b34b845d92d6ac0d1a662e72a9fd1...

5. Signature

0e6cbc7d6b187a0bf08ce3f7849e1985736123ee120e022d77d78a7bb0f50f3c