

Empirical Proof Record: VALIDATED

2026-05-24T13:52:25.907281+00:00

Empirical Proof Record — VALIDATED

Proof ID: 9446da2db140de54590b8f5455ddb5de...

Created: 2026-05-24T13:52:25.907281+00:00

1. Claim

Across up to 200 real magnitudes in $(0, 10000]$, the live internal-event chain with interoception ON (the door) emits a magnitude-ordered prime: $\text{Spearman}(\text{magnitude}, \text{p_thermo}) \geq 0.95$, vs the legacy name-fingerprint (interoception OFF, ~ 0.47).

- **Operationalisation:** Distinct real FRED |values| within range drive the real static Takwin builders (`_build_internal_event_payload_for_thermodynamic_transition / _spde_pressure_peak`); each payload $\rightarrow$ real `assign_from_internal_event` $\rightarrow$ `p_thermo` from the registry, with `_use_interoception` True (door) and False (fingerprint); $\text{Spearman}(\text{magnitude}, \text{p_thermo})$ for both; distinctness.
- **Threshold:** `interoception_fidelity_spearman` ≥ 0.95 rank-correlation
- **H0:** H0: door $\text{Spearman} < 0.95$ — the live chain does not preserve the substrate's own magnitude
- **H1:** H1: door $\text{Spearman} \geq 0.95$ — a faithful, ordered interoception

2. Verdict

VALIDATED — observed 1.0000000000000002

door min-Spearman 1.0000 (per-builder `{'thermodynamic_transition': 1.0, 'spde_pressure_peak': 1.0}`) over 200 real magnitudes $[0.001, 8952.16]$; fingerprint baseline mean 0.0731 `{'thermodynamic_transition': 0.1047, 'spde_pressure_peak': 0.0415}`

3. Evidence

Pillar	Statistic	Value
<code>interoception_magnitude_fidelity</code>	<code>interoception_fidelity_spearman</code>	1.0000000000000002 (0.




Figure 1: interoception_fidelity_spearman – observed value with Wilson 95% CI.

4. Pre-registration

- Registered at: 2026-05-24T13:52:25.597851+00:00
- Config hash: b4b4d5c3374126b64df9fd1c17a9be26...
- Data hash: 70913ba380254e4a87785f94a4075ee4...

5. Signature

89c7e70edcbbdd160f17a70140c9ebb68ec2a3b0f5ef1b38ec6e07712209123