# KungFlow

## Protect your focus

KungFlow senses cognitive overload in real time and quietly blocks interruptions — automatically. Healthier minds, deeper work.

Ido Mark · Rotem Saraf · Eden Elkayam · 2026

**OPEN**

Light load — everything gets through

**LEARNING**

Load rising — KungFlow is watching your behavioral rhythm.

**PROTECTED**

Overload — interruptions quietly blocked

# Digital interruptions repeatedly break focus

## 56

**interruptions per workday**

Pings, messages and alerts — one every ~9 minutes

## 23 min

**to regain deep focus**

After every single interruption (Mark, UC Irvine)

## 26%

**higher stress / lower job satisfaction**

Digital interruptions increase stress, frustration and time pressure.

**TARGET AUDIENCE:**

**Employees** — Computer-based workers facing frequent digital interruptions, losing focus and experiencing higher stress.

**Companies** — Organizations employing these workers lose productive time and work efficiency when focus is repeatedly disrupted.

THE SOLUTION

# KungFlow — a firewall for your focus

### 1 · SENSE

Reads behavioral rhythm only — typing speed, window switches, mouse motion. Every minute, silently.

### 2 · UNDERSTAND

Scores cognitive load against your personal baseline. It learns what “normal” means for you.


### 3 · PROTECT

Load exceeds baseline? The firewall activates in the user's chosen mode: global or selective. Load drops? Protection turns off.

**No buttons. No willpower. No new habits. The employee just works — KungFlow guards the door.**

# The product — live demo transition




## Open state

Low cognitive load: notifications can pass through.




## Calibrating

KungFlow is learning the user baseline before full automation.




## Firewall active

High load detected: the notification firewall protects focus.

These states are what the team will demonstrate live: open, calibrating, and firewall activation.

VALIDATION

# Research-backed foundation + our controlled validation

**+165%**

**better task scores**

once interruptions were removed

**49%**

**fewer errors missed**

in the same 10-minute window




**RESEARCH-BACKED FOUNDATION**

- Digital interruptions and context switching are associated with cognitive overload, stress, and reduced focus.
- Mouse, typing, and switching behavior can provide indicators related to cognitive load.
- Reducing interruptions can improve focus and task performance.

*Full research references are available in the project README on GitHub.*

**OUR CONTROLLED PILOT**

Controlled pilot, n=8, with a learning-effect control group. Larger study planned with design partners.

# Behavioral metadata, not surveillance

### KUNGFLOW NEVER SEES

- ✕ What you type
- ✕ Websites you visit
- ✕ Documents you open
- ✕ Screenshots — of anything, ever

### IT ONLY SENSES RHYTHM

- ✓ Typing behavior, mouse movement, and app/window switching metadata
- ✓ All signals are anonymized and aggregated — managers see team trends only, never an individual's score.
- ✓ Every employee can pause data collection. One toggle, no questions.

## 56% vs 40%

of digitally monitored employees feel tense or stressed at work, compared to non-monitored peers (APA, Work in America 2023).

The data belongs to the employee and works for the employee. KungFlow is a perk, not a watchdog.

# The missing layer is automatic, real-time protection

**TAM**

## 1.2B

knowledge workers worldwide

**SAM**

## 400K

tech workers in Israel — our beachhead

**SOM Y1**

## 2,500

users across 10 mid-market companies

### Acts automatically, in real time?

| RescueTime | Calm for Business | MS Viva Insights | Built-in DND | KungFlow |
|---|---|---|---|---|
| ✗ | ✗ | ✗ | ✗ | ✓ |
| reports after the fact | outside the workflow | org dashboards only | needs the user to act | detects & protects on its own |

NEXT STEPS

# Business and technology next steps

BUSINESS · 1

### Design partners

Start with design partners from the team network to validate usage and collect feedback.

BUSINESS · 2

### Founder-led sales

Direct outreach to VP R&D and VP People at Israeli tech companies.

BUSINESS · 3

### Scale outbound

Scale outbound and publish a measured case study with design partners.

TECH / PRODUCT

### Scale & validate

Scale & v2 development. Larger study / validation with design partners.

**Next step: prove the product in real teams, improve the prototype, and validate the focus-protection workflow.**

# Research-backed signals and personalized scoring

Behavioral signals were selected based on prior research linking computer-interaction patterns with cognitive load.

*References: project README on GitHub*

### Mouse movement

Speed, acceleration, and micro-pauses help detect rising stress during real work.

### Typing behavior

Typing rhythm, pace changes, and delete/backspace use reveal friction without storing content.

### App switching

Window switching and visible/open-window patterns show context switching and attention fragmentation.

**Weighted behavior signals compared with the user's personal/adaptive baseline**

# System architecture & cloud deployment

A lightweight client-server loop connects the Windows agent, the Cloud Run server, and SQL storage.

### Desktop Agent

Collects behavioral rhythm on Windows: typing rhythm, mouse movement, window/app switching, and open-window patterns. Applies the returned protection decision.

C# | .NET | Windows

PROTECTION DECISION RETURNS

ACTIVITY SAMPLE

### KungFlow Server

Node.js / Express server, deployed with Docker on Google Cloud Run. Receives samples, scores current load against the personal baseline, and returns a protection decision.

Node.js | Express | Docker

METRICS + BASELINE

### SQL Database

Google Cloud SQL stores users, sessions, behavioral metrics/samples, personal baseline, current state, and firewall state/events.

SQL | Cloud SQL | Baseline

**The agent sends metadata samples, the server stores metrics and baseline state, and the firewall decision returns to the desktop in real time.**

Core technologies and tools we used: C# | .NET | Windows | Node.js | Express | SQL | Docker | Cloud | Git

# Technical challenges & engineering decisions

### 1 · Detect without content

Use behavioral metadata: typing rhythm, mouse movement, and app/window switching. Do not collect typed text, websites, documents, or screenshots.

### 2 · Personal baseline

Compare each user against a personal/adaptive baseline instead of applying one universal behavior level.

### 3 · Protection loop

Desktop Agent sends samples. The server scores them with stored metrics and baseline. A protection decision returns to the agent.

## Implemented loop

Desktop Agent → activity sample → server scoring against baseline ↔ SQL metrics + baseline → protection decision → Desktop Agent

# Thank you.

For questions and more details

Ido Mark · idoomark23@gmail.com